

Table 8.2 from (66LA04):  
The half-life of  $^8\text{Li}$

$\tau_{1/2}$ (sec)	Reference
$0.89 \pm 0.02$	(HU47A)
$0.825 \pm 0.02$	(RA51)
$0.89 \pm 0.01$	(BU53A)
$0.875 \pm 0.02$	(BR53D)
$0.85 \pm 0.016$	(SH52)
$0.84 \pm 0.04$	(WI54F)
$0.841 \pm 0.004$	(KL54)
$0.84 \pm 0.02$	(FA59A)
$0.88 \pm 0.03$	(IM59)
$0.82 \pm 0.02$	(NE62F)
$0.87 \pm 0.02$	(BE65)
$0.849 \pm 0.004$	weighted mean