

Table 9.7 from (74AJ01):
 Branching parameters in ${}^9\text{Li}$ β -decay (CH70, CH70W) ^a

E_x in ${}^9\text{Be}$ (MeV)	$J^\pi; T$	Branching ratio (%)	$\log ft$
0	$\frac{3}{2}^-; \frac{1}{2}$	$65.0^{+2.7}_{-2.4}$	$5.12^{+0.01}_{-0.02}$
2.43	$\frac{5}{2}^-; \frac{1}{2}$	$32.0^{+2.7}_{-3.7}$ ^c	$5.00^{+0.04}_{-0.05}$
2.78 ± 0.12 ^b	$\frac{1}{2}^-; \frac{1}{2}$	$3.0^{+2.7}_{-0.3}$ ^c	$5.97^{+0.05}_{-0.28}$

^a See also (AL63F, MA69H).

^b $\Gamma_{\text{c.m.}} = 1.10 \pm 0.12$ MeV; $\theta_p^2 = 0.48 \pm 0.06$ (CH70).

^c See also (RO73T).