

Energy Levels of Light Nuclei $A = 6$

F. Ajzenberg-Selove

University of Pennsylvania, Philadelphia, Pennsylvania 19104-6396

Abstract: An evaluation of $A = 5-10$ was published in *Nuclear Physics A227* (1974), p. 1. This version of $A = 6$ differs from the published version in that we have corrected some errors discovered after the article went to press. Figures and introductory tables have been omitted from this manuscript. [Reference](#) key numbers have been changed to the TUNL/NNDC format.

(References closed December 31, 1973)

The original work of Fay Ajzenberg-Selove was supported by the US Department of Energy [DE-FG02-86ER40279]. Later modification by the TUNL Data Evaluation group was supported by the US Department of Energy, Office of High Energy and Nuclear Physics, under: Contract No. DEFG05-88-ER40441 (North Carolina State University); Contract No. DEFG05-91-ER40619 (Duke University).

Table of Contents for $A = 6$

Below is a list of links for items found within the PDF document. Figures from this evaluation have been scanned in and are available on this website or via the link below.

A. Nuclides: ${}^6\text{H}$, ${}^6\text{He}$, ${}^6\text{Li}$, ${}^6\text{Be}$

B. Tables of Recommended Level Energies:

Table 6.1: Energy levels of ${}^6\text{He}$

Table 6.2: Energy levels of ${}^6\text{Li}$

Table 6.7: Energy levels of ${}^6\text{Be}$

C. **References**

D. Figures: ${}^6\text{He}$, ${}^6\text{Li}$, ${}^6\text{Be}$, **Isobar diagram**

${}^6\text{H}$

(Not illustrated)

${}^6\text{H}$ has not been observed in the interaction of π^- and ${}^{14}\text{N}$: see (1972AG01).

${}^6\text{He}$

(Figs. 4 and 7)

GENERAL: (See also (1966LA04).)

Model calculations: (1965VO1A, 1966BA26, 1967HE01, 1967TH02, 1968BA35, 1968FA1B, 1968GO24, 1968VA1H, 1969HE1G, 1969LA19, 1969SO08, 1969TH1C, 1970AH1C, 1971JA06).

Meson and muon interactions: (1970DE1M, 1970PA1E, 1972MU07, 1972TR1E, 1973BA2G, 1973BA62, 1973KA1D, 1973MU11, 1973VE1F, 1974VE02).

Special reactions: (1965WH1A, 1967AU1B, 1969KR20, 1970KR1G, 1972VO06, 1973FO09, 1973KO1D).

Astrophysical questions: (1970BA1M).

Other topics: (1965RA1A, 1965VO1A, 1967AN1A, 1968EW1A, 1968LE02, 1969AL1D, 1969GI1A, 1969HO1M, 1969LA19, 1969IN1A, 1969SH1A, 1970AL14, 1970FO1B, 1970PA1D, 1970SU1B, 1971LO13, 1972CA37, 1972GH1A, 1972PN1A, 1972ST1C, 1973JU2A).

Ground state properties: (1965VO1A, 1968LE02).

1. ${}^6\text{He}(\beta^-){}^6\text{Li}$ $Q_m = 3.510$

The decay proceeds to the ground state of ${}^6\text{Li}$ [$J^\pi = 1^+$] and is a super-allowed Gamow-Teller transition. The half-life is 808.1 ± 2.0 msec. Using this $\tau_{1/2}$ and $E_{\beta^-}(\text{max}) = 3508.4 \pm 3.8$ keV (1963JO04), $\log ft = 2.911 \pm 0.003$ (D.E. Alburger and D.H. Wilkinson, private communication). See Table 6.2 in (1966LA04) for a listing of earlier $\tau_{1/2}$ determinations.

The internal bremsstrahlung spectrum has been measured by (1965BI09). The electron-neutrino correlation results are in good agreement with pure axial vector interaction. An upper limit to the possible admixture of tensor interaction is 0.4% (1963JO15). See also the discussion in (1970PA23).

See also (1964FO1A; astrophys. considerations), (1968DA1J), (1966BA1A, 1966BA26, 1968GO24, 1968LE02, 1968VA1H, 1969KA1B, 1969KU13, 1969LA1D, 1970DA21, 1972LA07, 1973HA49, 1974VE02, 1973WI11; theor.) and (1966LA04).

Table 6.1: Energy levels of ${}^6\text{He}$

E_x (MeV \pm keV)	$J^\pi; T$	$\tau_{1/2}$ or $\Gamma_{\text{c.m.}}$	Decay	Reactions
g.s.	$0^+; 1$	$\tau_{1/2} = 808.1 \pm 2.0$ msec	β^-	1, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22
1.797 ± 25 (13.4 ± 500)	$(2)^+; 1$	$\Gamma = 113 \pm 20$ keV $\Gamma \approx 1.2$ MeV	n, α	4, 7, 13, 14, 15, 20 13
(15.3 ± 300)	$1^-, 2^-$		γ	5, 13
(23.2 ± 700)		broad	γ	5

2. (a) ${}^3\text{H}(t, n){}^5\text{He}$ $Q_m = 10.44$ $E_b = 12.303$
 (b) ${}^3\text{H}(t, 2n){}^4\text{He}$ $Q_m = 11.3324$
 (c) ${}^3\text{H}(t, d){}^4\text{H}$ $Q_m = -9.2$
 (d) ${}^3\text{H}(t, 3n){}^3\text{He}$ $Q_m = -9.2460$

The cross section for neutron production (reactions (a) and (b)) rises monotonically from 40 keV to 2.2 MeV (1951AG30, 1957JA37, 1958JA06, 1971ST1M). The zero-energy cross-section factor $S_0 \approx 300$ keV \cdot b (1964PA1A). At $E_t = 1.90$ MeV, the total cross section for production of α -particles is 106 ± 5 mb (1958JA06).

A kinematically complete study of reaction (b) gives $a_{nn} = -15.0 \pm 1.0$ fm for the 1S_0 scattering length (1972KU08): see this paper for a review of other a_{nn} determinations. See also (1970GR17, 1970PO05, 1972KU1N), (1969LA1F) and (1970SL1B).

For reaction (a) see also ${}^5\text{He}$. For reaction (c) see (1967JA07) and (1968ME03). For reaction (d) see (1968OH04). For a review of the earlier work see (1966LA04).

3. ${}^3\text{H}(t, t){}^3\text{H}$ $E_b = 12.303$

Differential cross sections have been measured for $E_t = 1.58$ to 2.01 MeV (1956HO12) and at 1.90 MeV (1958AL05). See also (1968TH01; theor.).

4. ${}^4\text{He}(t, p){}^6\text{He}$ $Q_m = -7.511$

At $E_t = 22$ MeV, angular distributions of the protons to ${}^6\text{He}^*(0, 1.80)$ have been measured. No other states are observed with $E_x \lesssim 4.2$ MeV (1971ST05). See also (1970BA1V).

5. ${}^6\text{Li}(\pi^-, \gamma){}^6\text{He}$ $Q_m = 136.059$

The excitation of ${}^6\text{He}^*(0, 1.8)$ and possibly of (broad) states at $E_x = 15.6 \pm 0.5$, 23.2 ± 0.7 and 29.7 ± 1.3 MeV is reported by (1973BA62) from E_γ measurements using a pair spectrometer. $4.4 \pm 0.6\%$ of stopped pions were absorbed radiatively: the branching ratios of ${}^6\text{He}^*(0, 1.8)$ are $0.31 \pm 0.04\%$ and $0.15 \pm 0.03\%$, respectively (1973BA62).

6. ${}^6\text{Li}(n, p){}^6\text{He}$ $Q_m = -2.727$

At $E_n = 14$ MeV the p_0 angular distribution is similar in shape to the angular distributions in ${}^6\text{Li}(p, p'){}^6\text{Li}^*(3.56)$ and in ${}^6\text{Li}(p, n){}^6\text{Be}_{g.s.}$. The ratios of the cross sections for these isobaric analog transitions are consistent with charge independence (1972ME05). See also (1967ME11, 1970ME1J, 1973BO1Y), (1969MA1L; theor.) and ${}^7\text{Li}$.

7. ${}^6\text{Li}(t, {}^3\text{He}){}^6\text{He}$ $Q_m = -3.491$

At $E_t = 22$ MeV, the only states which are observed with $E_x \lesssim 8.5$ MeV are ${}^6\text{He}(0)$ and ${}^6\text{He}^*(1.80)$ (1971ST05).

8. ${}^6\text{Li}({}^3\text{He}, 3p){}^6\text{He}$ $Q_m = -10.446$

This reaction has been studied at $E({}^3\text{He}) = 53.2$ MeV (1970BA41).

9. ${}^6\text{Li}({}^6\text{Li}, {}^6\text{Be}){}^6\text{He}$ $Q_m = -7.797$

Differential cross sections have been measured at $E({}^6\text{Li}) = 32$ and 36 MeV for the reaction going to the ground states of ${}^6\text{He}$ and ${}^6\text{Be}$ (1973WH02): see reaction 16 in ${}^6\text{Li}$ and ${}^{12}\text{C}$ in (1975AJ02). See also (1973WH1C).

10. ${}^7\text{Li}(\gamma, p){}^6\text{He}$ $Q_m = -9.978$

At $E_\gamma = 60$ MeV, the proton spectrum shows two prominent peaks attributed to ${}^6\text{He}^*(0 + 1.8, 18 \pm 3)$ (1973GA16). See also (1970SA14) and ${}^7\text{Li}$.

11. ${}^7\text{Li}(e, e'p){}^6\text{He}$ $Q_m = -9.978$

See (1966MU1A, 1969BA1F; theor.) and ${}^7\text{Li}$.

12. ${}^7\text{Li}(n, d){}^6\text{He}$ $Q_m = -7.753$

At $E_n = 14.4$ MeV, the angular distribution of the deuterons to ${}^6\text{He}(0)$ has been measured and analyzed by DWBA (1970MI05, 1971MI12). See also (1966ME03, 1967ME11, 1973LI02) and ${}^8\text{Li}$.

13. ${}^7\text{Li}(p, 2p){}^6\text{He}$ $Q_m = -9.978$

The summed proton spectrum at $E_p = 156$ MeV shows peaks corresponding to ${}^6\text{He}^*(0, 1.80)$ [partially resolved] and $E_x = (13.4 \pm 0.5)$ MeV [$\Gamma \approx 1.2$ MeV] and (15.3 ± 0.3) MeV [partially resolved]. The angular correlation for ${}^6\text{He}^*(15.3)$ is consistent with that for a pure s-state. There is no indication of the expected ${}^{33}\text{P}$ states in the interval $E_x = 4$ to 10 MeV (1967RO06). For a summary of the earlier work see Table 6.3 in (1966LA04) [(1966TY01) has now been published: see (1966TY01)]. See also (1965RO15, 1969RU1A) and (1967KO1B; theor.).

14. ${}^7\text{Li}(d, {}^3\text{He}){}^6\text{He}$ $Q_m = -4.488$

Angular distributions of the ${}^3\text{He}$ groups to ${}^6\text{He}^*(0, 1.80)$ have been measured at $E_d = 14.4$ MeV (1955LE24) and 22 MeV (1971ST05): they are consistent with $l = 1$ and therefore with $J^\pi = 0^+, 2^+$ for these two states. The cross sections for formation of these two states at $E_d = 23.6$ MeV have been compared with those for formation of the analog states of ${}^6\text{Li}^*(3.56, 5.37)$ in ${}^7\text{Li}(d, t){}^6\text{Li}$: see reaction 21 in ${}^6\text{Li}$ (1971DE08). There is no evidence for any other states of ${}^6\text{He}$ with $E_x < 10.7$ MeV (1971ST05). See also (1970BA1V).

15. ${}^7\text{Li}(t, \alpha){}^6\text{He}$ $Q_m = 9.837$

The energy of the first excited state is 1.797 ± 0.025 MeV, $\Gamma = 113 \pm 20$ keV (1965AJ01). ${}^6\text{He}^*(1.80)$ decays into ${}^4\text{He} + 2n$. The branching ratio Γ_γ/Γ_n is $< 4 \times 10^{-4}$ (1964HU1A), $\Gamma_\gamma/\Gamma_\alpha \leq 2 \times 10^{-6}$ (1966LI1A). Angular distributions of the α_0 and α_1 groups have been measured at $E_t = 13$ MeV (1965AJ01) and 22 MeV (1971ST05): they are consistent with $l = 1$ pickup and therefore with $J^\pi = 0^+, 2^+$ for ${}^6\text{He}^*(0, 1.80)$. No other α -groups are reported corresponding to ${}^6\text{He}$ states with $E_x < 12$ MeV (1965AJ01), $E_x < 24$ MeV (1971ST05: $E_t = 16 \rightarrow 22$ MeV; region between $E_x \approx 13$ and 16 MeV was obscured by presence of breakup α -particles). See also (1966SE1D, 1970AB12) and (1966LA04).

$$16. \text{}^7\text{Li}(\text{}^3\text{He}, \text{}^4\text{Li})\text{}^6\text{He} \quad Q_m = -12.9$$

This reaction has been studied at $E(^3\text{He}) = 53.2$ MeV (1970BA41).

$$17. \text{}^7\text{Li}(\text{}^7\text{Li}, \text{}^8\text{Be})\text{}^6\text{He} \quad Q_m = 7.278$$

See (1968ST12).

$$18. \text{}^9\text{Be}(n, \alpha)\text{}^6\text{He} \quad Q_m = -0.602$$

The α_0 angular distribution has been measured at $E_n = 14.4$ MeV (1967PA03). See also (1969OG01, 1969VA1F), (1966LA04) and ^{10}Be .

$$19. \text{}^9\text{Be}(p, \text{}^4\text{Li})\text{}^6\text{He} \quad Q_m = -24.1$$

This reaction has been studied at $E_p = 45$ MeV: the shape of the angular distribution to the ground state is very different from that for the (p, α_2) reaction to the analog state in ^6Li , indicating different reaction mechanisms (1970DE17, 1971DE2B).

$$20. \text{}^9\text{Be}(t, \text{}^6\text{Li})\text{}^6\text{He} \quad Q_m = -5.386$$

At $E_t = 23.5$ MeV angular distributions have been obtained for the transitions involving ^6He in the ground and 1.8 MeV states and ^6Li in the ground, 2.19 and 3.56 MeV states (1973VO08): see also reaction 26 in ^6Li .

$$21. (a) \text{}^{10}\text{B}(\text{}^7\text{Li}, \text{}^6\text{He})\text{}^{11}\text{C} \quad Q_m = -1.287$$

$$(b) \text{}^{11}\text{B}(\text{}^7\text{Li}, \text{}^6\text{He})\text{}^{12}\text{C} \quad Q_m = 5.979$$

See (1968ST12).

$$22. \text{}^{11}\text{B}(d, \text{}^7\text{Be})\text{}^6\text{He} \quad Q_m = -11.563$$

See reaction 20 in ^7Be and reaction 32 in ^6Li (1972GO1P).

${}^6\text{Li}$
(Figs. 5 and 7)

GENERAL: (See also (1966LA04).)

Shell model: (1961KO1A, 1965CO25, 1966BA26, 1966GA1E, 1966HA18, 1966WI1E, 1967BO1C, 1967CO32, 1967PI1B, 1967WO1B, 1968BO1N, 1968CO13, 1968GO01, 1968LO1C, 1968VA1H, 1969GU10, 1969RA1C, 1969SA1C, 1969VA1C, 1970LA1D, 1970SU13, 1970ZO1A, 1971CO28, 1971JA06, 1971LO03, 1971NO02, 1972LE1L, 1972LO1M, 1972VE07, 1973HA49, 1973JO1K, 1973KU03).

Cluster and α -particle model: (1965NE1B, 1966HA12, 1967AL1D, 1967BA1H, 1967HA1J, 1967LO1E, 1967SI1C, 1967TH02, 1968BA35, 1968HA1G, 1968KU1B, 1968SA1C, 1969AL1E, 1969BE1N, 1969CH40, 1969CL1D, 1969HA1N, 1969HA1P, 1969JA13, 1969KU13, 1969ME1C, 1969NE1C, 1969SM1A, 1969TH1C, 1969TR1B, 1969VE1B, 1970CH1N, 1970FA11, 1970IT02, 1970JA21, 1970KU1F, 1970NE1F, 1971AM1A, 1971AM03, 1971AU01, 1971CH06, 1971HA59, 1971HU1F, 1971KU06, 1971NO02, 1971PA11, 1971ST31, 1972EL04, 1972JA21, 1972KU12, 1972KU20, 1972OS01, 1973KR07, 1973KU03, 1973KU12, 1973MA51, 1973RA23, 1973WE07).

Special levels: (1964MI16, 1965LO1C, 1966BA26, 1967JA1F, 1968GO24, 1968LE02, 1969GU10, 1969WA1F, 1970AL14, 1971CO28, 1971JA06, 1971LO03, 1971MU19, 1971NO02, 1972NI15, 1973MA1K, 1973MA51).

Electromagnetic transitions: (1962MO1A, 1965CO25, 1966BA26, 1966HA12, 1967BA1H, 1968CO13, 1968LE02, 1969BE1N, 1969HA1F, 1969HA1N, 1969LA1D, 1969VA1C, 1970LA1D, 1971LO10, 1971MU19, 1971ST31, 1972NA05, 1973HA49, 1973HA1V, 1974VE02, 1973WE18).

Astrophysical questions: (1967DA1C, 1967MI1A, 1968HA1C, 1972CL1A, 1972KO1E, 1972RA30, 1973AU1H, 1973LA19, 1973RE1G, 1973WE18, 1974AU1A).

Special reactions: (1964GR1D, 1965GR1C, 1967AU1B, 1967BE1L, 1968YI01, 1969GA18, 1969YI1A, 1971DI19, 1972OB1B, 1972OS02, 1972RA30, 1973KU03, 1973LA19, 1973OS1C, 1973PF02, 1973VO1G).

Muon and neutrino interactions: (1965LO1B, 1968DE1L, 1969GA1N, 1969KR1C, 1969KU13, 1969WU1A, 1970DE1M, 1970DE1N, 1970FA15, 1970KI1C, 1971DE2D, 1971ER1C, 1971WI10, 1972MI1M, 1972MU07, 1973BE07, 1973BE51, 1973DO07, 1973MU11, 1974WI1T).

Pion capture and reactions: (1966DA1A, 1966DE1G, 1966KO1C, 1966TA1A, 1967CH1F, 1967KO1C, 1967KO1D, 1967LE1D, 1967ME1F, 1967SA1D, 1968AL1F, 1968BA1X, 1968CH1G, 1968CH1H, 1968DE1L, 1968GR1D, 1968KU1B, 1968NG1A, 1968NO1A, 1968PE1B, 1968WI1B, 1968ZU1A, 1969AL1E, 1969BU1C, 1969CA1B, 1969GO1C, 1969KO30, 1969MI10, 1969MO1E, 1969NE1C, 1970AL1K, 1970BA59, 1970BA1E, 1970CA1L, 1970CH1L, 1970CH1N, 1970DE1N, 1970JA23, 1970KO23, 1970NE1F, 1970PA1E, 1971AM1A, 1971CA1J, 1971FA09, 1971GR1Y, 1971KO02, 1971PA11, 1971WE1J, 1972FA14, 1972HU1A, 1972JA21, 1972ME1F, 1972SA10, 1972SW1A, 1972TR1E, 1972VE07, 1973BA2R, 1973BA2V, 1973BA62, 1973BR1J, 1973CH1V,

1973DO1F, 1973KA1D, 1973MA11, 1973NI1C, 1973NY04, 1973PE1E, 1973VE1F, 1974VE02).

Kaon reactions: (1973BA1Y).

Other topics: (1965BE1F, 1965CO25, 1965LO1C, 1966FL1A, 1966FR1C, 1966HA18, 1966NA1A, 1966WI1E, 1967AL1D, 1967BL1D, 1967BO1C, 1967CA17, 1967FR1A, 1967RI1A, 1967SI1C, 1967WO1B, 1968CI1D, 1968GO01, 1968GO24, 1968KU1C, 1968LE02, 1968LE1F, 1968RI1L, 1968SA1D, 1969AF1A, 1969AL1D, 1969CH40, 1969GU10, 1969IN1A, 1969LA1D, 1969LE1G, 1969RA21, 1969SA1C, 1969SH20, 1969WA1F, 1969YE1A, 1970AL14, 1970FO1B, 1970HA1N, 1970KA1K, 1970KR1H, 1970LO1E, 1970PA1D, 1970SH1B, 1970SU13, 1970WI11, 1970ZO1A, 1971DE1V, 1971HU1F, 1971KU06, 1971WE1K, 1971ZA1D, 1972AB14, 1972AN05, 1972CA37, 1972EL04, 1972GH1A, 1972LE1L, 1972LO1M, 1972NI15, 1972RI10, 1973BA1Y, 1973CH08, 1973CL09, 1973JO1K, 1973KR07, 1973KU03, 1973MA51, 1973MA48, 1973RO1R).

Ground-state properties: (1965CO25, 1966BA26, 1966WI1E, 1967SH05, 1967SH14, 1968GO24, 1968LE02, 1968PE1B, 1969AF1A, 1969CH25, 1969CH40, 1969GU08, 1969JA1H, 1969LA1D, 1969PE1D, 1969TR1B, 1969VA1C, 1970AF02, 1970CH1M, 1970JA21, 1970LA1D, 1971CH06, 1971HA59, 1971ST31, 1972LE1L, 1972LO1M, 1972VA36, 1973DO1F, 1973MA1K, 1973MA51, 1973SU1B, 1974VE02).

$$\mu = 0.82202 \text{ nm (1969FU11, 1971SH26);}$$

$$Q = -0.0008 \text{ b (1969FU11, 1971SH26).}$$

1. (a) ${}^3\text{He}({}^3\text{H}, \gamma){}^6\text{Li}$	$Q_m = 15.795$	$E_b = 15.795$
(b) ${}^3\text{He}({}^3\text{H}, \text{p}){}^5\text{He}$	$Q_m = 11.20$	
(c) ${}^3\text{He}({}^3\text{H}, \text{p}){}^4\text{He} + \text{n}$	$Q_m = 12.0963$	
(d) ${}^3\text{He}({}^3\text{H}, \text{n}){}^5\text{Li}$	$Q_m = 10.13$	
(e) ${}^3\text{He}({}^3\text{H}, \text{d}){}^4\text{He}$	$Q_m = 14.3209$	
(f) ${}^3\text{He}({}^3\text{H}, {}^3\text{H}){}^3\text{He}$		
(g) ${}^3\text{He}({}^3\text{H}, \text{dn}){}^3\text{He}$	$Q_m = -6.2576$	
(h) ${}^3\text{He}({}^3\text{H}, \text{p}2\text{n}){}^3\text{He}$	$Q_m = -8.4822$	
(i) ${}^3\text{He}({}^3\text{H}, 2\text{d}){}^2\text{H}$	$Q_m = -9.5267$	
(j) ${}^3\text{He}({}^3\text{H}, \text{pd}){}^3\text{H}$	$Q_m = -5.4938$	

Capture γ -rays (reaction (a)) to the first three states of ${}^6\text{Li}$ [$\gamma_0, \gamma_1, \gamma_2$] have been observed for $E({}^3\text{He}) = 0.5$ to 20.0 MeV (1968BL10, 1970YO1A), 1 to 3 MeV (1963KO04), 5 to 20 MeV (1966NU01) and 5.4 to 25.8 MeV (1971VE10, 1973VE1B). In addition the yields of γ_3, γ_4 have been measured for $E({}^3\text{He}) = 12.6$ to 25.8 MeV (1971VE10, 1973VE1B). The γ_2 excitation

Table 6.2: Energy levels of ${}^6\text{Li}$

E_x (MeV \pm keV)	$J^\pi; T$	$\Gamma_{\text{c.m.}}$ (keV)	Decay	Reactions
g.s.	$1^+; 0$	—	—	1, 2, 6, 7, 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 40, 41, 42, 43, 44, 45, 46
2.185 ± 3	$3^+; 0$	26.3	γ, d, α	1, 2, 5, 6, 10, 11, 12, 13, 14, 15, 16, 20, 21, 22, 24, 28, 29, 36, 39
3.562 ± 5	$0^+; 1$	< 5	γ	1, 6, 8, 10, 11, 12, 13, 14, 16, 20, 21, 22, 24, 32, 45, 46
4.31 ± 30	$2^+; 0$	1500 ± 200^a	γ, d, α	1, 5, 10, 12, 13, 20, 22, 24
5.366 ± 15	$2^+; 1$	540 ± 20	γ	1, 10, 12, 20, 21, 22
5.7 ± 100	$1^+; 0$		d, α	5
25.0 ± 1000	$(4)^-; 1$	≈ 4000	$\gamma, (n), t, {}^3\text{He}$	1
26.6 ± 400	$(3)^-; 0$	broad	$\gamma, (n), t, {}^3\text{He}$	1

^a F.C. Barker, private communication.

function does not show resonance structure. However, the $\gamma_0, \gamma_1, \gamma_3$ and γ_4 yields do show broad maxima at $E({}^3\text{He}) = 5.0 \pm 0.4$ [γ_0, γ_1], 20.6 ± 0.4 [γ_1], ≈ 21 [γ_3] and 21.8 ± 0.8 [γ_4] MeV. The magnitude of the ground state capture cross section is well accounted for by a direct capture model; that for the γ_1 capture indicates a non-direct contribution above $E({}^3\text{He}) = 10$ MeV, interpreted as a resonance due to a state with $E_x = 25 \pm 1$ MeV, $\Gamma_{\text{c.m.}} = 4$ MeV, $T = 1$ (because the transition is E1, to a $T = 0$ final state) [the E1 radiative width $|M|^2 \gtrsim 5.2/(2J + 1)$ W.u.], $J^\pi = (2, 3, 4)^-, \alpha + p + n$ parentage (1973VE09, 1973VE1B). The γ_4 resonance is interpreted as being due to a broad state at $E_x = 26.6$ MeV with $T = 0$. $J^\pi = 3^-$ is consistent with the measured angular distribution (1973VE1B). The ground and first excited state reduced widths for ${}^3\text{He} + t$ parentage, $\theta_0^2 = 0.8 \pm 0.2$ and $\theta_1^2 = 0.6 \pm 0.3$ (1971VE10, 1973VE09, 1973VE1B). (1970YO04) calculate that the upper limit to the $t + {}^3\text{He}$ clustering is $\theta_0^2 = 0.69, \theta_1^2 = 0.55, \theta_2^2 = 0.48$ for the first states of ${}^6\text{Li}$.

Elastic scattering (reaction (f)) angular distributions have been measured at $E({}^3\text{He}) = 5.00, 7.00, 9.00, 11.00$ MeV (1968IV01), 5.8 to 19.9 MeV (1968BA2C) and 27.7 and 32.3 MeV (1970BA29). Excitation functions are reported for $E({}^3\text{He}) = 4.48$ to 11.94 MeV (1968IV01), 4.3 to 21.4

MeV (1968BA2C) and 24.7 to 33.4 MeV (1970BA29). At the lower energies the elastic yield is structureless and decreases monotonically with energy (1968IV01). Above $E(^3\text{He}) = 15$ MeV a marked change in the angular distributions is attributed to a broad resonance in the $l = 3$ partial wave (1968BA2C) which is reported by (1970BA29) to be located at ${}^6\text{Li}^*(29.0)$ [$\Gamma \approx 4$ MeV] (see, however, reaction (a) above): the resonance is tentatively associated with the ${}^1\text{F}$ and ${}^3\text{F}$ levels predicted from the one-channel resonating group theory (1967TH1C, 1968TH01). See also (1968OH04, 1973NO07) and (1972BR1Q, 1972JA1K, 1972KU20; theor.).

Angular distributions and total cross section measurements for reactions (b), (c) and (e) are listed in (1966LA04). Angular distributions of deuterons (reaction (e)) at $E_t = 1.04$ to 1.52 MeV (1970NA1E), $E_t = 1.51$ to 3.27 MeV (1972WA1L) and at $E(^3\text{He}) = 0.29$ to 0.80 MeV (1973NO07) are approximately (to within 1%) symmetric about 90° , as expected from isospin conservation: see also reaction 4. On the basis of a composite of available measurements (1973NO07) suggest that two broad resonances occur in the differential cross sections at $\theta_{c.m.} = 10^\circ$ and 90° corresponding to ${}^6\text{Li}$ states at $E_x \approx 16.2$ MeV and ≈ 17 MeV, with $J^\pi; T$ possibly $2^+; 1$ and $1^-; 0$, respectively. For reaction (e) see also (1968ME03) and (1967BI1C; theor.). Measurements for reaction (c) lead to a n-p scattering length $a_{np} = -21 \pm 3$ fm (1972KU08). See also (1968BL06, 1970BE1N, 1970GR17, 1971BE21, 1972KU1N, 1973RO2A, 1973SL03).

The angular distribution and polarization of the neutrons in reaction (d) has been measured at $E(^3\text{He}) = 2.70$ and 3.55 MeV. The excitation function for $E(^3\text{He}) = 0.7$ to 3.8 MeV decreases monotonically with energy (1971KL04). The excitation function for the n_0 group ($\theta_{\text{lab}} = 20^\circ$) has been measured for $E(^3\text{He}) = 14$ to 26 MeV; evidence for a broad structure at $E(^3\text{He}) = 20.5 \pm 0.8$ MeV, $\Gamma \approx 6$ MeV is reported [$E_x = 26.1$ MeV] (1973VE1B, 1974CH15). See also (1969VA1G, 1973GR1L, 1973LI19; theor.).

For reactions (g), (h), (i) and (j) see (1973SL03: $E(^3\text{He}) = 50$ MeV): evidence for quasi-free reaction mechanism is observed in reactions (c), (i) and (j) and for d-d, p- ${}^3\text{He}$ and d- ${}^3\text{He}$ quasi-free scattering in reactions (i), (h) and (g), respectively.

$$2. {}^3\text{H}(\alpha, n){}^6\text{Li} \quad Q_m = -4.784$$

This reaction has been observed for $E_\alpha = 11.0$ to 18.3 MeV: see ${}^7\text{Li}$. Neutron groups corresponding to ${}^6\text{Li}^*(0, 2.19)$ were detected (1967SP10).

$$3. {}^4\text{He}(d, \gamma){}^6\text{Li} \quad Q_m = 1.4737$$

At $E_d = 1.06$ MeV [${}^6\text{Li}^*(2.19)$], $\sigma < 0.1$ mb (1954SI07). At $E_d = 3.1$ MeV [${}^6\text{Li}^*(3.56)$] $\Gamma_{d,\alpha} < 0.2$ eV (1958WI15).

$$4. \text{(a) } {}^4\text{He}(d, n){}^5\text{Li} \quad Q_m = -4.19 \quad E_b = 1.4737$$

(b) ${}^4\text{He}(d, p){}^5\text{He}$	$Q_m = -3.12$
(c) ${}^4\text{He}(d, t){}^3\text{He}$	$Q_m = -14.3209$
(d) ${}^4\text{He}(d, d)p + {}^3\text{H}$	$Q_m = -19.8147$
(e) ${}^4\text{He}(d, d)d + d$	$Q_m = -23.8476$

For reaction (a) see ${}^5\text{Li}$, (1966LA04) and (1971NO1C). The proton yield (reaction (b)) gives no evidence of states in ${}^6\text{Li}$ with $6.5 < E_x < 8.7$ MeV (1964OH01). Polarization measurements at $E_d = 8.5, 10$ and 11 MeV (1971KE16) and 11 to 17 MeV (1972AV1E) indicate scattering through the first two states of ${}^5\text{He}$. The vector analyzing power has been measured at $E_d = 32.1$ and 41.0 MeV (1973CO2A, 1973DA1Q: detected ${}^3\text{H}$ and ${}^3\text{He}$).

Studies of the t and ${}^3\text{He}$ differential cross sections (reaction (c)) at $E_\alpha = 48.3$ MeV (1971WA20) and at $E_\alpha = 49.9, 64.3$ and 82.1 MeV (1970GR07, 1972GR07) show pronounced deviations from $90^\circ_{\text{c.m.}}$ symmetry which are angle and energy dependent. [See analysis in (1973ED02)]. The observed asymmetries can be accounted for in terms of the p and the n separation energies in ${}^4\text{He}$ (1972GR07). The asymmetry remains but is considerably smaller at $E_\alpha = 166$ MeV (1973BA2U): it is attributed in part to Coulomb effects. See also (1969HA1Q, 1973FI04) and (1970RI16, 1971KO14, 1971MU17, 1972KN05, 1973BE2H; theor.).

For reactions (d) and (e) see (1972LI04: $E_d = 52$ MeV).

5. (a) ${}^4\text{He}(d, d){}^4\text{He}$	$E_b = 1.4737$
(b) ${}^4\text{He}(d, pn){}^4\text{He}$	$Q_m = -2.22464$

Elastic scattering differential cross-section measurements have been carried out previously at many energies up to 27.3 MeV: see (1966LA04) for a listing of the previous work. Recently, measurements have been reported at $E_d = 2.48$ MeV (1964MA50), 3 to 14 MeV (1968MA03), 12.00 MeV (1971JE01), 14.2 MeV (1967FU1D), 27.1 to 39.6 MeV (1969HA1Q) and at $E_\alpha = 166$ MeV (1969BR19). Polarization measurements are listed in Table 6.3. See also the reviews by (1966DA1B, 1971PL1C), (1972OH02) who set up a convenient parametrization for $1+0 \rightarrow 1'+0'$ polarization transfer phenomena, and (1973OH01, 1973OH02).

Phase shift analyses have been carried out for $E_d = 0.3$ to 4.2 MeV (1955GA74), 2 to 10 MeV (1967MC02), 3 to 10 MeV (1964SE07), 3 to 11 MeV (1970KE17), 3 to 11.5 MeV (1972SC14) and 10 to 27 MeV (1967DA1B). See also (1968MA03). (1973TH1F) have recalculated the phase shifts, including distortion of the deuteron cluster. This effect is important in the even- l cases. It leads to larger phase shifts than in calculations which do not include distortion, and in sharp resonance structure above 12 MeV. The pre '67 analyses were based on the analyses of differential cross section measurements; the newer ones also include the fitting of polarization measurements. On the basis of these analyses it is found that the d -wave shifts are split and exhibit resonance at $E_x = 2.18$ (${}^3\text{D}_3$), 4.8 (${}^3\text{D}_2$) and 5.7 MeV (${}^3\text{D}_1$): the parameters of these states are displayed in Table 6.4. A good fit to all data below $E_d = 11$ MeV is found with partial waves of $l \leq 3$

Table 6.3: Polarization measurements in ${}^4\text{He}(d, d){}^4\text{He}$ ^a

E_d (MeV)	Refs.
1.07	(1967ME14)
2 – 9	(1967MC01, 1967MC02)
2.50 – 11.01	(1967TR05)
2.8 – 6.7	(1967YO01)
[and $E_\alpha = 4.1 – 11.1$]	
3 – 11	(1970KE17)
3.0 – 11.5	(1969GR20, 1969KO1N, 1970GR12, 1970KO08)
4.8 – 9.0	(1973OH02)
6.0 – 10.5	(1967CL07)
7.02, 9.70	(1971KO09)
7.07	(1970DA19)
7.74	(1972MI1L)
8.1	(1966DO1B)
9.0	(1967BE15)
9 – 14	(1969ST1F)
9.80	(1971KE1E)
11.13, 11.50, 12.00	(1971ST1K)
11.5	(1969OH02)
11.5 – 17.0	(1973CH35)
11.6 – 17.5	(1973OH01)
15	(1972HA2D)
15 – 45	(1972LE1U)
17.7, 19.7, 21.4	(1966AR1B, 1967AR03)
20.5, 25.2, 29.4	(1972FI1G)

^a See also (1966LA04).

Table 6.4: Levels of ${}^6\text{Li}$ from ${}^4\text{He}(d, d){}^4\text{He}$ ^a

E_d (MeV)	1.070 ± 0.003 ^b	4.8 ± 0.1	6.4 ± 0.1
$J^\pi; T$	$3^+; 0$	$2^+; 0$	$1^+; 0$
E_x (MeV)	2.185	4.7	5.7
Reduced elastic width			
$\gamma_{\lambda, l=0}^2$			0.003
$\gamma_{\lambda, l=2}^2$	0.8	1.6	3.1
Reduced width for proton emission			
$\gamma_{\lambda, l=1}^2$		1.3	0.8
Reduced width for neutron emission			
$\gamma_{\lambda, l=1}^2$		1.3	0.8
Interaction radius a (fm)	3.5	4.2	4.1

^a (1972SC14). See also (1964SE07, 1967MC02, 1969LI06, 1970KE17).

^b (1955GA74).

(1972SC14). The p-wave phase shifts are small which is strong evidence against the existence of the $T = 0$ p-wave triplet reported earlier by (1964SE07): see (1967MC02, 1969KO1N, 1970KE17, 1972SC14). For $E_d = 11.5$ to 17 MeV, the vector analyzing power iT_{11} at a given angle is fairly constant (at $\theta_{\text{c.m.}} = 90^\circ$ it is close to zero): this is also indicative of the absence of negative parity states in that region (1973CH35). At higher energies the $l = 3$ and 4 partial waves become important. The $l = 0, 1$ and 2 waves continue smoothly their low-energy behavior. [See, however, (1973TH1F)]. The interaction appears to be dominated by absorption (1967DA1B). See also (1969HA1Q, 1969KR14, 1969LI06).

In the range $E_\alpha = 30$ to 80 MeV there is no difference in the cross sections for ${}^2\text{H}(\alpha, \alpha p)n$ and ${}^2\text{H}(\alpha, \alpha n)p$, indicating that spin statistics play a dominant role in the deuteron breakup reactions and that charge and FSI effects are unimportant when quasi-free scattering conditions are satisfied (1972AL04). However, it is also found that the shapes of the quasi-free peaks do not remain the same for the two cases over the above energy range (1972AL1T). Reaction (b) appears to proceed at least partly via ${}^6\text{Li}^*(4.3)$ [whose E_x was assumed to be 4.57 MeV]. An upper limit for the $T = 1$ impurity amplitude of this state is estimated to be 10^{-2} (1972DE49). For other work on reaction (b), see (1968WA01, 1970AS02, 1970BO1Q, 1972HO1H, 1973CH05) and reactions 9 in ${}^5\text{He}$ and in ${}^5\text{Li}$. See also (1965TO01, 1967FU1D).

See also (1967PL02, 1971AR1C), (1971HA2G), (1966RA1B, 1967HA1H, 1967LA22, 1967NA1E, 1968FI1E, 1968LA13, 1968PA1K, 1968TH02, 1969JA1J, 1969JA1G, 1969LI06, 1969NA09, 1969SC1K,

1969SH20, 1969TA1G, 1969TH1C, 1969VA1G, 1970AL1K, 1970CH1K, 1970HA1N, 1970HO32, 1970KU15, 1970NE1F, 1971KU22, 1971TE1B, 1972BL1F, 1972KU20, 1972NA1D, 1972RI10, 1973AU1K, 1973CH27, 1973NA12, 1973TH1E; theor.) and (1966LA04).

6. (a) ${}^4\text{He}({}^3\text{He}, \text{p}){}^6\text{Li}$ $Q_{\text{m}} = -4.020$
 (b) ${}^4\text{He}({}^3\text{He}, \text{n}2\text{p}){}^4\text{He}$ $Q_{\text{m}} = -7.7184$

Angular distributions have been measured at $E({}^3\text{He}) = 8$ to 18 MeV (1967SP10; p_0), 11 to 18 MeV (1967SP10; p_1), 26 MeV (1965EC1A; p_0, p_1, p_2), 28 MeV (1971KL1E; p_0, p_1, p_2), $E_{\alpha} = 42$ MeV (1970VI01; p_0, p_1) and 71.7 and 81.4 MeV (1973HA50: formation of ${}^6\text{Li}^*(0, 2.19, 3.56)$). At $E_{\alpha} = 63.7, 71.7$ and 81.4 MeV, the α spectra show that the sequential decay (reaction (b)) involves ${}^6\text{Li}^*(2.19)$ and possibly ${}^5\text{Li}$ (1973HA50). See also (1961CH09, 1970BA1V) and ${}^7\text{Be}$.

7. ${}^6\text{He}(\beta^-){}^6\text{Li}$ $Q_{\text{m}} = 3.510$

See ${}^6\text{He}$.

8. ${}^6\text{Li}(\gamma, \gamma){}^6\text{Li}$

The width, Γ_{γ} , of ${}^6\text{Li}^*(3.56)$ is 8.1 ± 0.5 eV. $\Gamma_{\alpha, \text{d}}$ for the forbidden decay of this state into $\alpha + \text{d}$ is < 1.3 eV (1969RA20). The measurements by (1968CR07) are incorrect: see the discussion in (1969RA20). (1973SA21) reports $\Gamma_{\gamma} = 6.5_{-1.7}^{+2.4}$ eV. See also Table 6.5 and (1966LA04).

9. (a) ${}^6\text{Li}(\gamma, \text{n}){}^5\text{Li}$ $Q_{\text{m}} = -5.66$
 (b) ${}^6\text{Li}(\gamma, \text{p}){}^5\text{He}$ $Q_{\text{m}} = -4.59$
 (c) ${}^6\text{Li}(\gamma, \text{d}){}^4\text{He}$ $Q_{\text{m}} = -1.4737$
 (d) ${}^6\text{Li}(\gamma, \text{t}){}^3\text{He}$ $Q_{\text{m}} = -15.7946$
 (e) ${}^6\text{Li}(\gamma, \text{pd}){}^3\text{H}$ $Q_{\text{m}} = -21.288$
 (f) ${}^6\text{Li}(\gamma, \text{nd}){}^3\text{He}$ $Q_{\text{m}} = -22.052$

Measurements of reaction (a) with monochromatic γ -rays have been made for $E_{\gamma} = 5.4$ to 9.0 MeV (1964GR1A) and 10 to 32 MeV (1965BE1D). The cross section for reactions (a), (b) and (f) shows a possible peak at 6.75 MeV (1964GR1A), a maximum at ≈ 12 MeV ($\sigma \approx 1.6$ mb) and a gentle decrease to 0.6 mb at 32 MeV (1965BE1D). Other maxima in the cross section for neutron

Table 6.5: Levels of ${}^6\text{Li}$ from ${}^6\text{Li}(e, e')$ and ${}^6\text{Li}(\gamma, \gamma')$ ^a

E_x (MeV)	$J^\pi; T$	Γ_{γ_0} (eV)	Type	$\Gamma_{\gamma_0}/\Gamma_w$	Refs.
2.183 ± 0.009 ^g	$3^+; 0$	$(4.40 \pm 0.34) \times 10^{-4}$	E2	16.5	(1969EI06) ^f
		$(3.9 \pm 0.5) \times 10^{-4}$	E2	14.4	(1967AR1A)
3.563 ± 0.010	$0^+; 1$	8.31 ± 0.36	M1	8.8	(1969EI06) ^f
		8.9 ± 0.4	M1	9.4	(1967AR1A)
		8.1 ± 0.5 ^b	M1	8.6	(1969RA20)
4.27 ± 0.04	$2^+; 0$	$(5.4 \pm 2.8) \times 10^{-3}$	E2	7.2	(1969EI06) ^h
5.37 ^c	$2^+; 1$	0.16	M1		(1963BA19)
e		0.19 ± 0.04 ^d	M1		(1970HU09)

^a See Table 6.6 in (1966LA04) for earlier references.

^b From ${}^6\text{Li}(\gamma, \gamma')$.

^c $E_x = 5.32 \pm 0.05$ MeV, $\Gamma = 330_{-40}^{+120}$ keV (1969HU05), $E_x = 5.38 \pm 0.02$ MeV, $\Gamma = 530 \pm 30$ keV (1970HU09), $E_x = 5.41 \pm 0.04$ MeV, $\Gamma = 540 \pm 30$ keV (1971NE03), $\Gamma = 440 \pm 100$ keV (1969EI06). The excitation of this state shows a transverse angular dependence (1969EI06).

^d Probable value, but 0.08 ± 0.04 eV cannot be excluded: see (1970HU09).

^e For possible transitions from higher states, see (1963BA19) and (1966LA04: Table 6.6). However, see discussion in reaction 10 (1973CA1M).

^f See also (1968EI03).

^g $B(E2; 1^+ \rightarrow 3^+) = 24 e^2 \cdot \text{fm}^4$ (1971DI19; Coulomb excitation).

^h $\Gamma = 690 \pm 120$ keV.

production are reported in (1965BA16, 1965HA19, 1966CO1B, 1966PA12) and in (1966LA04). See also (1966HI1B, 1968OD1A).

The cross section for photoproton production (reaction (b)) is generally flat up to 90 MeV with a slight evidence of a hump at ≈ 16 MeV excitation (1970WO10). Additional peaks are reported by (1969SO13). The energy distribution of the photoprotons has been measured at $E_{\text{brem.}} = 95$ to 102 MeV: the data are consistent with the predictions of the quasi deuteron model with a characteristic pair momentum parameter of 80 MeV/ c (1968MA19). See also (1965BA16, 1965MA46, 1967DE12, 1973DE17, 1973GA16), (1973CO1N) and ${}^5\text{He}$.

The cross section for reaction (c) is $\lesssim 5 \mu\text{b}$ in the range $E_\gamma = 2.6$ to 17 MeV consistent with the expected inhibition of dipole absorption by isospin selection rules: see (1959AJ76, 1966LA04). See also (1965MA46) and (1973PA17).

The cross section for reaction (d) shows a peak at $E_\gamma \approx 21$ MeV with $\sigma_{\text{max}} = 5.1$ mb. The angular distribution of the tritons at that energy is asymmetric around 90° , indicating interference between E1 and E2 absorption (1968MU1A, 1970MU05). Between 19 and 35 MeV the cross

section decreases from 0.46 ± 0.24 mb to 0.11 ± 0.06 mb (1968SH10). See also (1965BA16, 1965MA46, 1970WO10, 1973DE17), and (1966LA04). The cross sections reported in this reaction are not in agreement with those found in the inverse reaction: see reaction 1 and e.g. (1973VE09, 1973VE1B). For reaction (e) see (1968MU1A, 1970MU05, 1973DE17).

See also the review articles by (1966FU1C, 1967SH1E, 1968SC1B, 1973AR1L), (1965DA06, 1966SH06, 1969ME1D, 1972CR1E) and (1966FE1B, 1966KU12, 1967AU1C, 1967NE1C, 1968CO13, 1969CL1D, 1969MA1N, 1970KU02, 1971AU01, 1971GH1A, 1971GH1B, 1971MU19, 1972KU05, 1972WE03, 1973MA2C, 1973RA1G, 1973SH08, 1973SR1B; theor.).

10. (a) ${}^6\text{Li}(e, e){}^6\text{Li}$

(b) ${}^6\text{Li}(e, ep){}^5\text{He}$ $Q_m = -4.59$

(c) ${}^6\text{Li}(e, ed){}^4\text{He}$ $Q_m = -1.4737$

Elastic scattering has been measured at $E_e = 85$ to 140 MeV (1966RA29), 200 to 499 MeV (1971LI10) and 200 to 600 MeV (1967SU1A). The elastic scattering shows a diffraction minimum at $q^2 = 8$ fm⁻². The diffraction feature in F^2 indicates a lowering of the central charge density (1971LI10). A model-independent analysis of the scattering yields $r_{\text{rms}} = 2.51 \pm 0.10$ fm (1972BU01). See also (1967SU1A, 1969MO1J, 1971LI10, 1971NE03). Measurement of the ratio of elastic charge scattering from ${}^6\text{Li}$ and from ${}^7\text{Li}$ as a function of (momentum transfer)² yields $\langle r^2 \rangle_6^{1/2} / \langle r^2 \rangle_7^{1/2} = 1.001 \pm 0.008$ (1971VA20).

The population of excited states of ${}^6\text{Li}$ has been reported at $E_e = 41$ to 59 MeV (1969EI06: ${}^6\text{Li}^*(2.19, 3.56, 4.27, 5.37)$), 63 to 128 MeV (1968HU03, 1968HU1C, 1969HU05: ${}^6\text{Li}^*(3.56)$), 89 to 175.4 MeV (1971NE03: ${}^6\text{Li}^*(2.19, 3.56, 5.36)$), 109.0 to 166.9 MeV (1969NE1B: ${}^6\text{Li}^*(3.56)$), 109.0 to 281.7 MeV (1969NE1B: ${}^6\text{Li}^*(2.19)$) and 200 and 499 MeV (1971LI10: ${}^6\text{Li}^*(2.19)$). The inelastic electron groups are superposed on a rather large quasi-continuous background [see, e.g., (1969HU05)]. See also (1968EI03, 1970BR1E, 1972THZF, 1973TH1B, 1973YE1B). Table 6.5 summarizes the results. See (1966LA04) for a summary of the earlier reported results.

Because of the astrophysical implications of a 0^+ state in ${}^6\text{Be}$ near the ${}^3\text{He} + {}^3\text{He}$ binding energy, several attempts have been made to locate the analog state in ${}^6\text{Li}$ at $E_x \approx 15.2$ MeV. The results were negative: $\Gamma_\gamma < 11$ eV for the M1 width of the $0^+ \rightarrow 1^+$ transition to the ground state of ${}^6\text{Li}$ (1973CA1M: $E_e = 65$ MeV; looked a $E_x = 9.0$ to 16.8 MeV), $\Gamma_\gamma < 3$ eV (1973FA04: $E_e = 37, 50, 60$ MeV), $\Gamma_\gamma < 8.8$ eV (1973BI1M: $E_e = 100$ MeV).

The harmonic oscillator parameters of the $1p$ and $1s$ shells in ${}^6\text{Li}$ are $q_p = 50 \pm 5$ MeV/ c and $q_s = 108 \pm 9$ MeV/ c (1972AN27). For reaction (b) see also (1970WO10, 1971HE1K, 1973HE1L) and ${}^5\text{He}$. For reaction (c) see (1966AL1F, 1971HE1K, 1972GE1H, 1973HE1L, 1973JU1E). See also (1972TI03).

See also the reviews by (1966GO1C, 1968GO1J, 1972LO1L), (1970AN1G, 1971MO06) and (1966BO1B, 1966GR1D, 1966KU1B, 1966LO1F, 1966MA1F, 1967AL1D, 1967BO1E, 1967HA1J, 1967KA1A, 1967WO1B, 1968BO1N, 1968CI1D, 1968KU1B, 1969AL1E, 1969AU1A, 1969CH25, 1969CI1A, 1969GE08, 1969HA1N, 1969JA1H, 1969KU1C, 1969KU13, 1969MA1M, 1969NE1C,

1969SU1D, 1969VI02, 1970CH1M, 1970CI1B, 1970JA08, 1970JA21, 1970LA1D, 1970LO1J, 1970SP1C, 1970SU13, 1970VA15, 1971CH06, 1971CH23, 1971DE1T, 1971LO03, 1971LO07, 1971LO08, 1972BR20, 1972DR1B, 1972JE05, 1972KU20, 1973BA65, 1973DE18, 1973DO1H, 1973DO07, 1973EL1C, 1973HI03, 1973MA51, 1973RA04, 1973RA23, 1973WE18; theor.).

11. ${}^6\text{Li}(n, n'){}^6\text{Li}^*$

Angular distributions have been reported at $E_n = 1.00$ to 2.30 MeV (1967KN1A; n_0), 4.8 , 5.7 , 7.5 MeV (1968HO03; n_0), 10 MeV (1967CO01; n_0, n_1), 14.0 MeV (1966ME1C; n_0, n_1) and 14.2 MeV (1970AB04; n_0, n_1). See (1966LA04) for earlier references. The population of ${}^6\text{Li}^*(3.56)$ is weak: see (1966LA04, 1968HO03). See, however, (1966ME1C). See also (1971MI12; theor.) and ${}^7\text{Li}$.

12. (a) ${}^6\text{Li}(p, p){}^6\text{Li}$

(b) ${}^6\text{Li}(p, 2p){}^5\text{He}$	$Q_m = -4.59$
(c) ${}^6\text{Li}(p, pd){}^4\text{He}$	$Q_m = -1.4737$
(d) ${}^6\text{Li}(p, p^3\text{H}){}^3\text{He}$	$Q_m = -15.795$
(e) ${}^6\text{Li}(p, pn){}^5\text{Li}$	$Q_m = -5.66$
(f) ${}^6\text{Li}(p, 2d){}^3\text{He}$	$Q_m = -19.828$

Proton angular distributions have been measured recently at $E_p = 3.6$ to 9.4 MeV (1967HA07, 1967HA08; p_1), 4.3 to 9.4 MeV (1967HA07, 1967HA08; p_2), 14.0 MeV (1968ME25; p_0, p_1, p_2), 24.4 MeV (1968AU05, 1968AU06; p_2), $25.9, 29.9, 35.0, 40.1, 45.4$ MeV (1972BR20; p_0, p_1), $25.9, 45.4$ MeV (1972BR20; p_2), 33.6 MeV (1970KU1D; p_0), 49.8 MeV (1971MA13, 1971MA44; p_0, p_1), 100 MeV (1968LI1C; p_0), 144 MeV (1972JA07; p_0), 152 MeV (1966RO1C; p_0), 155 MeV (1968GE04; p_0), 155 MeV (1965JA1A: ${}^6\text{Li}^*(2.2 \pm 0.05, 3.6 \pm 0.1, 4.5, 5.5)$), 185 MeV (1970HU13; p_0, p_1, p_2) and 600 MeV (1973GA1M; p_0). See also (1971KO1G). See (1966LA04) for a listing of the earlier references.

Inelastic groups corresponding to excited states of ${}^6\text{Li}$ are displayed in Table 6.6: no others appear for $E_x < 16$ MeV (1968MA02). See also (1969KO1M, 1970BA1V) and (1968GL1A, 1968NE1B, 1969MA1G, 1969NE1A, 1969TI02, 1969WA11, 1973RA04; theor.).

Angular correlations of protons (reaction (b)) corresponding to ${}^5\text{He}(0)$ show an $l = 1$ character, but with an anomalously low peak-to-valley ratio, as compared e.g. with ${}^7\text{Li}$, suggesting a significant s-wave contribution (1967RO06: $E_p = 156$ MeV); and see discussion in (1972MA61) relating both to this transition and to the one involving ${}^5\text{He}^*(16.8)$. See also (1965BE1E, 1970TH1F, 1972MI1N, 1973MI1J, 1973CO2B), (1966LA04) and (1966JA1A, 1967JA1C, 1967JA1D, 1967JA1E, 1968KU1B, 1968SA1C, 1968TA1K, 1969JA1D, 1969KO1J, 1972KO1L, 1973BA65, 1973CH1Q; theor.)

Table 6.6: Levels of ${}^6\text{Li}$ from (p, p'), (d, d'), ${}^9\text{Be}(p, \alpha)$, ${}^7\text{Li}(d, t)$

Reaction	Refs.	E_x (MeV \pm keV)	$\Gamma_{\text{c.m.}}$ (keV)
${}^6\text{Li}(p, p'){}^6\text{Li}^*$	(1968MA02) ^a	2.14 ± 50	
${}^6\text{Li}(p, p'){}^6\text{Li}^*$	(1957BR12)	2.188	25.4
${}^6\text{Li}(d, d'){}^6\text{Li}^*$	(1957BR12)	2.186	24.5
${}^9\text{Be}(p, \alpha){}^6\text{Li}$	(1957BR12)	2.192	29
${}^9\text{Be}(p, \alpha){}^6\text{Li}$	(1963GR29)	2.19 ± 20	< 35
${}^7\text{Li}(d, t){}^6\text{Li}$	(1957BR12)	(2.18)	< 27
mean	(1957BR12)	2.188 ± 6	26.3
${}^6\text{Li}(p, p'){}^6\text{Li}^*$	(1968MA02)	3.49 ± 50	
${}^6\text{Li}(p, p'){}^6\text{Li}^*$	(1957BR12)	3.559	< 5
${}^9\text{Be}(p, \alpha){}^6\text{Li}$	(1957BR12)	3.561	
${}^9\text{Be}(p, \alpha){}^6\text{Li}$	(1963GR29)	3.55 ± 20	< 35
mean	(1957BR12)	3.560 ± 6	< 5
${}^6\text{Li}(p, p'){}^6\text{Li}^*$	(1968MA02)	4.45 ± 80	300 ± 50
${}^9\text{Be}(p, \alpha){}^6\text{Li}$	(1963GR29)	4.40 ± 120	350 ± 150
${}^6\text{Li}(p, p'){}^6\text{Li}^*$	(1965HA17)	4.4 ± 200	≈ 600
${}^6\text{Li}(d, d'){}^6\text{Li}^*$	(1975BR21)	4.32 ± 40	1820 ± 110
${}^6\text{Li}(p, p'){}^6\text{Li}^*$	(1968MA02)	5.28 ± 80	300 ± 50
${}^9\text{Be}(p, \alpha){}^6\text{Li}$	(1963GR29)	5.32 ± 60	280 ± 60
${}^6\text{Li}(p, p'){}^6\text{Li}^*$	(1965HA17)	5.4 ± 200	≈ 1000
${}^6\text{Li}(p, p'){}^6\text{Li}^*$	(1965HA17)	≈ 6.5	
${}^6\text{Li}(p, p'){}^6\text{Li}^*$	(1965HA17)	≈ 7.5	

^a (1968MA02) also report a state at $E_x = 4.03 \pm 0.08$ MeV, $\Gamma = 1.5 \pm 0.2$ MeV.

Reaction (c) has been studied at $E_p = 9$ and 10 MeV (1968VA02), 19 MeV (1971LI1N, 1973LI22), 45 MeV (1970BR1N), 56.5 and 61.5 MeV (1969RO04, 1970JA17), 100 MeV (1971MA61, 1973GO2A), 118.1 MeV (1972BA2L), 156 MeV (1968BA09, 1973BA01), 590 MeV (1972AL21, 1973KI1M) and 1 GeV (1967SU1C). At $E_p = 590$ MeV, in a kinematically complete experiment, the width of the momentum distribution of a deuteron in ${}^6\text{Li}$ is found to be 124 ± 4 MeV/ c (1972AL21) [see also preliminary report by (1973KI1M)], while (1970JA17) find 70 ± 8 MeV/ c at $E_p = 56.5$ MeV. See also (1973CH1R). The probability for a deuteron cluster in ${}^6\text{Li}$ is estimated to be 0.45 ± 0.08 (1971MA61), 0.13 ± 0.05 (1973LI22). At $E_p = 9$ and 10 MeV sequential decay via ${}^6\text{Li}^*(0, 2.19, 4.6, 6.0)$ dominates the yield: the final state interactions do not support the previously proposed [see (1966LA04)] negative-parity states in ${}^6\text{Li}$ (1968VA02). See also (1966SE1C, 1971GA1J, 1973CO2B), (1968KO1E) and (1965NE1B, 1966ZE1A, 1968RO1F, 1969BO1G, 1969HO1K, 1969JA13, 1969NA1H, 1970JA1L, 1970MI1J, 1973RO2B; theor.). See also reaction 9 in ${}^7\text{Li}$ (1973WE07).

Angular correlation studies in reaction (d) give evidence for an appreciable ${}^3\text{He} + {}^3\text{H}$ configuration in ${}^6\text{Li}(0)$ (1968BA09, 1970BA1T, 1973GO2A). At $E_p = 590$ MeV, in a kinematically complete experiment, the width of the momentum distribution is determined to be 168 ± 34 MeV/ c (1973DO12). See also (1969KO1G, 1973RA1G) and ${}^7\text{Be}$. For reaction (e) see (1972MI1N, 1973MI1J). For reaction (f) see (1973CO2B).

13. (a) ${}^6\text{Li}(d, d'){}^6\text{Li}^*$	
(b) ${}^6\text{Li}(d, pn){}^6\text{Li}$	$Q_m = -2.22464$
(c) ${}^6\text{Li}(d, 2d){}^4\text{He}$	$Q_m = -1.4737$
(d) ${}^6\text{Li}(d, \alpha t){}^1\text{H}$	$Q_m = -2.559$
(e) ${}^6\text{Li}(d, \alpha{}^3\text{He})n$	$Q_m = -1.795$

Angular distributions of deuterons have been measured at $E_d = 4.5$ to 5.5 MeV (1970PO03; d_0), 8 to 12 MeV (1970BI1B, 1971BI11; d_0), 11.8 MeV (1968LU02; d_0, d_1), 14.7 MeV (1969MA13; d_0, d_1) and 19.6 MeV (1971CHYH; d_0). The $T = 1, 0^+$ state, ${}^6\text{Li}^*(3.56)$, is not appreciably populated. See also (1966LA04) and (1966BR1G). ${}^6\text{Li}^*(4.31)$ has been studied at $E_d = 20$ and 25 MeV: a single-level, many-channel fit yields $\Gamma = 1.82 \pm 0.11$ MeV (1975BR21). See also (1968LE15). See Table 6.6 for a summary of the results on excited states.

At $E_d = 21$ MeV reaction (b) shows spectral peaking (characteristic of 1S_0 for the pn system [$T = 1$]) when ${}^6\text{Li}^*(3.56)$ is formed, in contrast with the much broader shape (characteristic of 3S_1) seen when ${}^6\text{Li}^*(0, 2.19)$ are populated (1972BR03). See also (1973CH05). A study of reaction (c) at $E_d = 52$ MeV shows that the α -clustering probability, $N_{\text{eff}} = 0.12_{-0.06}^{+0.12}$ if a Hankel function is used (1973HA31) [see this reference also for a discussion of other results on momentum distributions and α -clustering probability in ${}^6\text{Li}$]. The α -particle and the deuteron clusters in ${}^6\text{Li}$ have essentially a relative orbital momentum of $l = 0$. The D-state probability of the ground state of ${}^6\text{Li}$ is $\approx 5\%$ of the S-state (1973HA31). Quasi-free scattering is an important process even for $E_d = 6$ to 11 MeV (1973MI20). Interference effects are evident in reaction (c) proceeding through

${}^6\text{Li}^*(2.19, 4.31)$: this is due to the experiment being unable to determine whether the detected particle was emitted first or second in the sequential decay (1968LE15). See also (1973JA21). For reactions (d) and (e) see (1968LE15) and (1974GR02).

14. ${}^6\text{Li}({}^3\text{He}, {}^3\text{He}){}^6\text{Li}$

Angular distributions have been measured at $E({}^3\text{He}) = 8$ to 20 MeV (1968LU02: g.s.), 21, 24 and 27 MeV (1966VA1B, 1967BL1E: g.s., 2.19), 24.6 and 27 MeV (1971GI1E, 1972GI07: g.s., 2.19, 3.56), 34 MeV (1971CHYH: g.s.) and 217 MeV (1973WI07: g.s.). At $E({}^3\text{He}) = 24.0$ MeV the population of ${}^6\text{Li}^*(0, 2.19, 3.56, 4.53, 5.37)$ is reported by (1973VE1B). See also (1967CO1J) and (1973DU1D; theor.).

15. (a) ${}^6\text{Li}(\alpha, \alpha'){}^6\text{Li}^*$

$$(b) {}^6\text{Li}(\alpha, 2\alpha){}^2\text{H} \quad Q_m = -1.4737$$

Angular distributions (reaction (a)) have been measured at $E_\alpha = 3.0$ and 4.0 MeV (1972BO07; α_0), 12.54 to 18.54 MeV (1970BI1B, 1971BI12; α_0), 25 MeV (1969DO1H; α_0, α_1), 29.4 MeV (1968MA25, 1969MA13; α_0, α_1), 36.5 MeV (1971CHYH; α_0), 104 MeV (1968HA1D, 1969HA14, 1970HA1G; α_0) and 166 MeV (1972BA89; α_0). See (1966LA04) for earlier references. In the range $E_\alpha = 12.5$ to 18.5 MeV the optical model gives good agreement with the elastic angular distributions when a target spin-orbit potential is included (1971BI12). At $E_\alpha = 104$ MeV the elastic angular distribution shows a pronounced diffraction pattern (1969HA14) while at 166 MeV there is some backward peaking in addition to a single strong forward peak (1972BA89). See also (1969TR1B, 1970FO1B, 1970MI1J, 1973CL1K; theor.) and (1969HO1K).

Reaction (b) has been studied by (1969PU01, 1970WA1U, 1971WA19) at $E_\alpha = 50.4, 59.0, 60.5, 70.3$ and 79.6 MeV. At each of these energies several coincident energy spectra of the two α -particles were taken, with special emphasis on those angles at which zero lab momentum is possible for the residual deuteron. From the measurements at these particular angles, off-mass-shell α - α cross sections were extracted and were found to be in excellent agreement with the free α - α cross sections at comparable energies: see ${}^8\text{Be}$. The momentum distribution for α -particles in ${}^6\text{Li}$ has a width of 29 ± 2 MeV/ c . The effective number of $\alpha + d$ clusters for ${}^6\text{Li}(0)$, $N_{\text{eff}} = 0.08 \pm 0.04$. The knockout process appears to occur only in the nuclear surface region (1971WA19).

Reaction (b) has also been studied at $E_\alpha = 23.6$ MeV (1969BA18), 25 MeV (1969DO02, 1969DO1H), 29.4 MeV (1968MA25), 37.5 and 43.5 MeV (1971DE15), 42.8 MeV (1970GA14), 55 MeV (1968PI04, 1969PI11, 1970PI1D), 64.3 MeV (1970JA17). See also (1967MO1F, 1969VE1B, 1973JA21, 1974DO1G). The reaction ${}^6\text{Li}(\alpha, \alpha x)Y$ has been studied at $E_\alpha = 50$ MeV [$x = p, d, t, {}^3\text{He}, \alpha$]: p, d , and α clustering is strong, t and ${}^3\text{He}$ clustering is weak (1971LA20). See also (1968BA1H, 1969DO03, 1970BU1C, 1970MI12, 1972KO1J, 1972AV04; theor.).

16. ${}^6\text{Li}({}^6\text{Li}, {}^6\text{Li}){}^6\text{Li}$

Angular distributions of elastically scattered ${}^6\text{Li}$ ions have been measured at $E({}^6\text{Li}) = 3.2$ to 7.0 MeV (1966PI02), 8 to 14.5 MeV (1973GR34), 12, 20 and 28 MeV (1971FO08), 30 MeV (1971DA33), 32.0 MeV (1970NA02: also ${}^6\text{Li}^*(3.56)$), and 32.0 and 36.0 MeV (1973WH02: for both ${}^6\text{Li}^*(3.56)$). A microscopic DWBA analysis (including the tensor interaction and exchange) gives good agreement with the data (except at forward angles) and with the cross sections for this reaction and for the reaction to the analog ground states of ${}^6\text{He}$ and ${}^6\text{Be}$ (1973WH02). See also reaction 9 in ${}^6\text{He}$. (1971FO08) report that the reaction mechanism is dominated by absorption. See also ${}^{12}\text{C}$ in (1975AJ02) and (1972CL14, 1973PE13; theor.).

17. ${}^6\text{Li}({}^{16}\text{O}, {}^{16}\text{O}){}^6\text{Li}$

At $E({}^{16}\text{O}) = 36$ MeV the elastic angular distribution has been measured by (1971OR02).

18. ${}^7\text{Li}(n, 2n){}^6\text{Li}$ $Q_m = -7.251$

See (1965GO1C, 1969VA1F) and ${}^8\text{Li}$.

19. ${}^7\text{Li}(\gamma, n){}^6\text{Li}$ $Q_m = -7.2506$

See (1969GA1M, 1969ME1D, 1969MU1C) and ${}^7\text{Li}$.

20. (a) ${}^7\text{Li}(p, d){}^6\text{Li}$ $Q_m = -5.026$

(b) ${}^7\text{Li}(p, 2d){}^4\text{He}$ $Q_m = -6.500$

(c) ${}^7\text{Li}(p, pd){}^5\text{He}$ $Q_m = -9.61$

Angular distributions of deuterons (reaction (a)) have been recently studied at $E_p = 30.3$ MeV (1969DE04: ${}^6\text{Li}^*(0, 2.19, 3.56)$), 33.6 MeV (1967KU10, 1970KU1D: ${}^6\text{Li}^*(0, 2.19, 3.56, 5.37)$), 100 MeV (1968LE01, 1969LI02: ${}^6\text{Li}^*(0, 2.19, 3.56, 5.6)$) and 155.6 MeV (1968BE72, 1969BA05, 1969TO1A: ${}^6\text{Li}^*(0, 2.2 \pm 0.08, 3.6 \pm 0.1, 4.5 \pm 0.15, 5.5 \pm 0.1)$). No states other than those reported above have been observed up to $E_x = 18$ MeV (1967KU10), 20 MeV (1969BA05). See also (1966LA04) and (1970BA1V, 1972AZ03). At $E_p = 12$ MeV (1969CO06) have studied the ratio of the cross section of the (p, d) reaction to that for the (p, d) reaction, in which singlet deuterons are formed: $\sigma(p, d)/\sigma(p, d) = 41.0$.

A kinematically complete experiment at $E_p = 45$ MeV shows that reaction (b) proceeds via low lying excited states of ${}^6\text{Li}$ (1972FU07). See also (1967JO1B). For reaction (c) see (1969DE04).

21. ${}^7\text{Li}(\text{d}, \text{t}){}^6\text{Li}$

$$Q_m = -0.993$$

The angular distributions of the tritons to ${}^6\text{Li}^*(0, 2.19, 3.56)$ at $E_d \approx 15$ MeV indicate $l_n = 1$, and therefore even parity, for the first three states of ${}^6\text{Li}$: see (1966LA04). A careful study at $E_d = 10 - 12$ MeV, in a region in ${}^9\text{Be}$ which is free of sharp resonances, shows that the t_0 angular distributions which have both fore and aft maxima can be reproduced using a multi-interaction, exact finite-range two-mode DWBA formalism (1970ZE1C, 1971ZA07, 1973WE09).

A study at $E_d = 23.6$ MeV of the relative cross sections of the analog reactions ${}^7\text{Li}(\text{d}, \text{t}){}^6\text{Li}$ (to the first two $T = 1$ states at 3.56 and 5.37 MeV) and ${}^7\text{Li}(\text{d}, {}^3\text{He}){}^6\text{He}$ (to the ground and 1.80 MeV excited state) shows that ${}^6\text{Li}^*(3.56, 5.37)$ have high isospin purity ($\alpha^2 < 0.008$): this is explained in terms of antisymmetrization effects which prevent mixing with nearby $T = 0$ states (1971DE08). See also (1970BA1V) and (1971WE1L, 1973DU1D; theor.).

22. ${}^7\text{Li}({}^3\text{He}, \alpha){}^6\text{Li}$

$$Q_m = 13.328$$

Angular distributions have been reported at $E({}^3\text{He}) = 5.1$ to 12 MeV (1969LI06; α_1), 5.1 and 7.5 MeV (1969LI06; α_2), 5.5 to 9.0 MeV (1969LI06; α_0), 6.0 and 7.5 MeV (1970OR03; $\alpha_0, \alpha_1, \alpha_2$), 8.7 MeV (1969MA1J; α_1), 8.7 and 9.7 MeV (1969MA1J; α_0), 16 to 18 MeV (1970ZE1C, 1971ZA07; α_0) and 21, 24 and 27 MeV (1966VA1B, 1967BL1E; $\alpha_0, \alpha_1, \alpha_2$). See also (1969OR01) and ${}^{10}\text{B}$. At $E({}^3\text{He}) = 16$ to 18 MeV, in a region where there are no sharp or strong resonances in the compound nucleus, both the forward and the backward maxima in the α_0 angular distributions are reproduced by conventional DWBA without inclusion of exchange terms. However, the cross section derived from zero range DWBA is a factor of 25 smaller than the observed cross section. For finite range analysis no appreciable renormalization is necessary (1971ZA07). See also (1973WE1V; theor.).

At $E({}^3\text{He}) = 3.8$ to 5 MeV, α groups are observed to the ground state and to excited states at $E_x = 2.17 \pm 0.02, 3.55 \pm 0.02$ and 5.34 ± 0.02 MeV [$\Gamma = 560 \pm 40$ keV]: no evidence is seen for other excited states below $E_x = 10$ MeV previously reported by (1960AL10), even after a spectrum was taken at the energy [$E({}^3\text{He}) = 0.9$ MeV] at which the earlier work was done (1968CO07). (1969LI06) observe states at $E_x = 2.179 \pm 0.008, 3.568 \pm 0.008$ and 5.36 ± 0.03 MeV [$\Gamma \approx 0.54 \pm 0.04$ MeV].

At $E({}^3\text{He}) = 11$ to 12 MeV only structureless broad spectra are observed in the region $15.6 \leq E_x \leq 16$ MeV: there is no evidence for a sharp $T = 1$ analog of a state in ${}^6\text{Be}$ near the ${}^3\text{He} + {}^3\text{He}$ binding energy postulated for astrophysical considerations (1972MA1W).

Several attempts have been made to look at the isospin decay of ${}^6\text{Li}^*(5.37)$ [$J^\pi = 2^+; T = 1$] via ${}^7\text{Li}({}^3\text{He}, \alpha){}^6\text{Li}^* \rightarrow \text{d} + \alpha$: the branching is $< 2\%$ (1971CO22), $< 1\%$ (1973BR20). If $\Gamma(5.37) = 560$ keV [see above] $\Gamma_d \leq 12$ keV and $\theta_d^2(5.37) \leq 0.5\%$ (1971CO22). See, however, (1973BR20). $\Gamma_p/\Gamma = 0.35 \pm 0.10$ and $\Gamma_{p+n}/\Gamma = 0.65 \pm 0.10$ for ${}^6\text{Li}^*(5.37)$ (1973AR05). See also (1970KA1M, 1972AR1C, 1972KA08) and (1966LA04).

$$23. \text{}^9\text{Be}(\gamma, t)\text{}^6\text{Li} \quad Q_m = -17.689$$

See (1959AJ76).

$$24. (a) \text{}^9\text{Be}(p, \alpha)\text{}^6\text{Li} \quad Q_m = 2.125$$

$$(b) \text{}^9\text{Be}(p, d)\text{}^4\text{He}\text{}^4\text{He} \quad Q_m = 0.651$$

$$Q_0 = 2.1254 \pm 0.0018 \text{ (1967OD01: see also (1967SP09))}.$$

Angular distributions of α -particles (reaction (a)) have been measured at $E_p = 0.11$ to 0.60 MeV (1973SI27; α_0), 0.3 to 0.9 MeV (1968BE1N; α_0), 6 to 11.5 MeV (1963BL20; α_0, α_1), 5.9 and 7 MeV (1964YA1A; α_0, α_1), 15.6 and 18.6 MeV (1962MA40; α_0, α_1), 26.7 and 38 MeV (1967AC01, 1969GA03, 1970GU06; α_0, α_1) and 45 MeV (1970DE17, 1971DE2B, 1971PE10, 1972DE01, 1972DE02; $\alpha_0, \alpha_1, \alpha_2$ and ${}^6\text{Li}^*(0, 3.56)$). At $E_p = 45$ MeV the reaction appears to proceed by a direct process, with a rise at back angles attributed to a pickup process. The 3.56 MeV state decays by γ -emission: $E_\gamma = 3.572 \pm 0.012$ MeV; the internal pair spectrum is consistent with an M1 transition (1954MA26). The α -decay of ${}^6\text{Li}^*(3.56)$ is forbidden by spin and parity conservation: Γ_α/Γ is measured to be < 0.025 (1972AR1C). See also (1972KO1N). For the decay of ${}^6\text{Li}^*(5.37)$ see reaction 22 (1973AR05). See also (1966DO1A, 1966LA20, 1970MA1K) and (1969TH1D, 1973ED02; theor.). See also ${}^{10}\text{B}$ and (1966LA04).

At $E_p = 9$ MeV, the yield of reaction (b) is dominated by final state interactions through ${}^8\text{Be}^*(0, 2.9)$ and ${}^6\text{Li}^*(2.19)$ with little or no yield from a direct three-body decay (1971EM01). See also (1967FI1D).

$$25. \text{}^9\text{Be}(d, \text{}^5\text{He})\text{}^6\text{Li} \quad Q_m = -0.99$$

Not reported: see (1964BL1C).

$$26. \text{}^9\text{Be}(t, \text{}^6\text{He})\text{}^6\text{Li} \quad Q_m = -5.386$$

Angular distributions of ${}^6\text{He}_{g.s.} + {}^6\text{Li}_{g.s.}$, ${}^6\text{Li}_{g.s.} + {}^6\text{He}_{g.s.}$, ${}^6\text{Li}_{3.56}^* + {}^6\text{He}_{g.s.}$, and ${}^6\text{He}_{g.s.} + {}^6\text{Li}_{3.56}^*$ [the second listed ion being the detected one] have been measured at $E_t = 23.5$ MeV. In the latter two cases the final state is composed of two isobaric analog states: angular distributions are symmetric about $90^\circ_{c.m.}$, within the overall experimental errors. In the reaction leading to the ground states of ${}^6\text{He}$ and ${}^6\text{Li}$ differences from symmetry of as much as 40% are observed at forward angles.

Angular distributions involving ${}^6\text{He}_{g.s.} + {}^6\text{Li}^*(2.19)$ and ${}^6\text{Li}_{g.s.} + {}^6\text{He}^*(1.8)$ have also been measured (1973VO08).

27. ${}^9\text{Be}({}^3\text{He}, {}^6\text{Li}){}^6\text{Li}$ $Q_m = -1.895$

Angular distributions of the ${}^6\text{Li}$ ions have been obtained at $E({}^3\text{He}) = 6, 7, 8$ and 10 MeV ([1969TA05](#)) and 7.0 and 9.0 MeV ([1972YO02](#)): these and the fairly smooth yield curves for $E({}^3\text{He}) = 6$ to 9 MeV [see ${}^{12}\text{C}$ in ([1975AJ02](#))] seem to suggest that the mechanism of the reaction is essentially direct. The triton spectroscopic factors in ${}^9\text{Be}$ are determined to be 0.073 and 0.052 at 7 and 9 MeV, respectively ([1972YO02](#)). See also ([1971ZE03](#); theor.).

28. (a) ${}^{10}\text{B}(\gamma, \alpha){}^6\text{Li}$ $Q_m = -4.460$
 (b) ${}^{10}\text{B}(\text{p}, \text{p}\alpha){}^6\text{Li}$ $Q_m = -4.460$
 (c) ${}^{10}\text{B}(\text{d}, \text{d}\alpha){}^6\text{Li}$ $Q_m = -4.460$
 (d) ${}^{10}\text{B}(\alpha, 2\alpha){}^6\text{Li}$ $Q_m = -4.460$
 (e) ${}^{10}\text{B}(\alpha, {}^8\text{Be}){}^6\text{Li}$ $Q_m = -4.552$

For reactions (a) and (b), see ${}^{10}\text{B}$. For reaction (c) see ([1970NA06](#)). Reaction (d) has been studied at $E_\alpha = 28.4$ MeV ([1967TA1C](#)). Reaction (e) has been studied at $E_\alpha = 46$ MeV ([1970ZE03](#)). See also ([1966GE12](#)) and ${}^{10}\text{B}$.

29. ${}^{10}\text{B}(\text{d}, {}^6\text{Li}){}^6\text{Li}$ $Q_m = -2.987$

At $E_d = 19.5$ MeV angular distributions have been measured for the ${}^6\text{Li}$ ions to ${}^6\text{Li}^*(0, 2.19)$. The experimental cross sections of the ground state transition are two orders of magnitude greater than those predicted by the shell model, consistent with the cluster nature of ${}^6\text{Li}$ ([1971GU07](#)). See also ([1972GA1E](#)).

30. ${}^{10}\text{B}({}^3\text{He}, {}^7\text{Be}){}^6\text{Li}$ $Q_m = -2.874$

Angular distributions of the ${}^7\text{Be}$ ions [${}^7\text{Be}^*(0, 0.43)$] corresponding to formation of ${}^6\text{Li}^*(0, 2.19)$ have been measured at $E({}^3\text{He}) = 30$ MeV ([1970DE12](#), [1972OH01](#)).

31. ${}^{10}\text{B}({}^{16}\text{O}, {}^{20}\text{Ne}){}^6\text{Li}$ $Q_m = 0.270$

See ([1968OK06](#)).

32. $^{11}\text{B}(\text{d}, ^7\text{Li})^6\text{Li}$ $Q_m = -7.192$

Angular distributions of ^6Li ions are reported at $E_d = 19.5$ MeV for transitions to $^7\text{Li}^*(0, 0.48)$ (1971GU07). At $E_d = 40$ MeV the cross section for the transition to $^6\text{Li}^*(3.56)$ is half the cross section for the reaction $^{11}\text{B}(\text{d}, ^7\text{Be})^6\text{He}$ to the analog state (the ground state of ^6He) [to within 10%] as predicted by isospin conservation (1972GO1P).

33. $^{11}\text{B}(^3\text{He}, ^8\text{Be})^6\text{Li}$ $Q_m = 4.570$

Angular distributions of ^6Li ions are reported at $E(^3\text{He}) = 3.0$ and 5.2 MeV. The reaction has been observed to lead to $^8\text{Be}^*(2.9) + ^6\text{Li}(0)$ and to $^8\text{Be}(0) + ^6\text{Li}^*(3.56)$. It is suggested that $^6\text{Li}^*(3.56)$ contains a far smaller admixture of the $(^3\text{He} + \text{t})$ configuration than does $^6\text{Li}(0)$ (1964YO06, 1967YO02). See also (1967YO1C).

34. $^{12}\text{C}(\text{p}, ^7\text{Be})^6\text{Li}$ $Q_m = -22.569$

Angular distributions of the ^6Li ions corresponding to the transition to $^7\text{Be}^*(0 + 0.43)$ have been measured at five energies in the range $E_p = 36.0$ to 56.8 MeV and the data have been analyzed using zero-range and finite-range DWBA assuming the pickup of ^5He and ^6Li clusters as the dominant mechanism. The differential cross sections decrease with energy: at $E_p = 36$ MeV, $d\sigma/d\Omega$ as large as $200 \mu\text{b/sr}$ are observed (1971HO1K, 1971HO25). The angular distribution has also been measured at $E_p = 45$ MeV by (1971BR07).

35. $^{12}\text{C}(\text{d}, ^8\text{Be})^6\text{Li}$ $Q_m = -5.893$

Angular distributions of ^6Li ions are reported at $E_d = 19.5$ MeV (1971GU07: transition to $^8\text{Be}(0)$) and at 51.8 MeV (1970EI05: transitions to $^8\text{Be}^*(0, 2.9)$).

36. $^{12}\text{C}(^3\text{He}, ^9\text{B})^6\text{Li}$ $Q_m = -11.571$

Angular distributions of ^6Li ions have been obtained at $E(^3\text{He}) = 28$ MeV (1971KL1E), 30.0 and 40.7 MeV (1972OH01) and 35.7 MeV (1969ZE1A, 1970FO1D).

37. $^{12}\text{C}(\alpha, ^{10}\text{B})^6\text{Li}$ $Q_m = -23.715$

Angular distributions have been obtained of ${}^6\text{Li}$ and ${}^{10}\text{B}$ ions corresponding to transitions to ${}^6\text{Li}^*(0, 2.19)$ and ${}^{10}\text{B}^*(0, 0.72, 2.15)$ (1972RU03: $E_\alpha = 42$ MeV).

38. ${}^{12}\text{C}({}^6\text{Li}, {}^{12}\text{C}){}^6\text{Li}$

See ${}^{12}\text{C}$ in (1968AJ02, 1975AJ02) and (1968NO1C; theor.).

39. ${}^{13}\text{C}(\text{p}, {}^8\text{Be}){}^6\text{Li}$ $Q_m = -8.615$

At $E_p = 45$ MeV, the angular distributions of the ${}^6\text{Li}$ ions corresponding to the transitions to ${}^8\text{Be}^*(0, 2.9)$ have been measured: the cross sections, integrated from 20° to 85° c.m., are, respectively, 1.9 and 2.7 μb (1971BR07).

40. (a) ${}^{14}\text{N}(\alpha, {}^{12}\text{C}){}^6\text{Li}$ $Q_m = -8.799$
 (b) ${}^{14}\text{N}(\alpha, \alpha\text{d}){}^{12}\text{C}$ $Q_m = -10.2725$

For reaction (a) see ${}^{12}\text{C}$ in (1968AJ02, 1975AJ02). Reaction (b), studied at $E_\alpha = 22.9$ MeV, appears to involve ${}^6\text{Li}^*(2.19)$ (1969BA17).

41. ${}^{16}\text{O}(\text{p}, {}^{11}\text{C}){}^6\text{Li}$ $Q_m = -22.185$

See (1969HO1H).

42. ${}^{16}\text{O}(\text{d}, {}^{12}\text{C}){}^6\text{Li}$ $Q_m = -5.688$

Angular distributions of ${}^6\text{Li}$ ions have been obtained at $E_d = 19.5$ MeV corresponding to formation of ${}^{12}\text{C}^*(0, 4.4)$ (1971GU07). See also ${}^{12}\text{C}$ in (1968AJ02, 1975AJ02).

43. ${}^{16}\text{O}({}^3\text{He}, {}^{13}\text{N}){}^6\text{Li}$ $Q_m = -9.238$

Angular distributions of ${}^6\text{Li}$ ions have been measured at $E({}^3\text{He}) = 30.0$ and 40.7 MeV (1972OH01). See also ${}^{13}\text{N}$ in (1970AJ04).

$$44. \text{}^{16}\text{O}(\alpha, \text{}^{14}\text{N})\text{}^6\text{Li} \quad Q_m = -19.263$$

Angular distributions have been obtained of ${}^6\text{Li}$ and ${}^{14}\text{N}$ ions corresponding to the population of the ground states (1972RU03: $E_\alpha = 42$ MeV).

$$45. \text{}^{19}\text{F}(\text{d}, \text{}^{15}\text{N})\text{}^6\text{Li} \quad Q_m = -2.539$$

Angular distributions of ${}^6\text{Li}$ ions have been measured corresponding to formation of ${}^{15}\text{N}^*(0, 5.3, 6.3)$ (1971GU07: $E_d = 19.5$ MeV). See also ${}^{15}\text{N}$ in (1970AJ04).

$$46. \text{}^{19}\text{F}(\text{}^3\text{He}, \text{}^{16}\text{O})\text{}^6\text{Li} \quad Q_m = 4.095$$

Angular distributions have been measured at $E({}^3\text{He}) = 11$ MeV (1971ST06: ${}^6\text{Li}_{\text{g.s.}} + {}^{16}\text{O}_{\text{g.s.}}$, ${}^6\text{Li}_{\text{g.s.}} + {}^{16}\text{O}_{6.06+6.14}$, ${}^6\text{Li}_{3.56} + {}^{16}\text{O}_{\text{g.s.}}$), 22.4, 30.0 and 40.7 MeV (1972OH01: ${}^6\text{Li}_{\text{g.s.}} + {}^{16}\text{O}_{\text{g.s.}}$ except at 30.0 MeV where also ${}^6\text{Li}_{3.56} + {}^{16}\text{O}_{\text{g.s.}}$) and at 28 MeV (1970KL09: ${}^6\text{Li}_{\text{g.s.}} + {}^{16}\text{O}_{\text{g.s.}}$, ${}^6\text{Li}_{3.56} + {}^{16}\text{O}_{\text{g.s.}}$). The angular distributions involving ${}^{16}\text{O}_{\text{g.s.}}$ show pronounced diffraction structure. The direct-reaction mechanism appears to involve coupling ${}^3\text{He}$ and t with $l = 0$ angular momentum to either a singlet or triplet state (1970KL09). The ratio $\sigma_{\text{g.s.}}/\sigma_{3.56} = 2.24 \pm 0.07$ rather than 3 (from the ratios of $2J + 1$) but this is accounted for by the Q -value dependence of the cross sections (1970KL09). See also ${}^{16}\text{O}$ in (1971AJ02).

$$47. \text{}^{19}\text{F}(\alpha, \text{}^{17}\text{O})\text{}^6\text{Li} \quad Q_m = -12.341$$

Angular distributions of ${}^6\text{Li}$ ions have been measured at $E_\alpha = 28$ MeV for ${}^6\text{Li}_{\text{g.s.}} + {}^{17}\text{O}_{\text{g.s.}}$, ${}^6\text{Li}_{\text{g.s.}} + {}^{17}\text{O}_{0.87}$ and ${}^6\text{Li}_{3.56} + {}^{17}\text{O}_{\text{g.s.}}$ (1971KL1E). See also (1968MI05).

⁶Be
(Figs. 6 and 7)

GENERAL: (See also (1966LA04).)

Model calculations: (1966BA26, 1968BA35, 1968FA1B, 1968VA1H, 1969TH1C, 1970LA1D).

Other topics: (1965GO1D, 1966GO1B, 1970FO1B, 1972AN05, 1972CA37, 1972GH1A, 1972JA14, 1973WE18).

1. (a) ${}^3\text{He}({}^3\text{He}, \gamma){}^6\text{Be}$	$Q_m = 11.488$	$E_b = 11.488$
(b) ${}^3\text{He}({}^3\text{He}, \text{p}){}^5\text{Li}$	$Q_m = 10.89$	
(c) ${}^3\text{He}({}^3\text{He}, 2\text{p}){}^4\text{He}$	$Q_m = 12.8601$	
(d) ${}^3\text{He}({}^3\text{He}, 3\text{p}){}^3\text{H}$	$Q_m = -6.9546$	
(e) ${}^3\text{He}({}^3\text{He}, {}^3\text{He}){}^3\text{He}$		
(f) ${}^3\text{He}({}^3\text{He}, \text{d}){}^4\text{Li}$	$Q_m = -8.4$	

The yield of γ -rays to ${}^6\text{Be}^*(1.7)$ (reaction (a)) increases smoothly from 0.4 to 9.3 μb (assuming isotropy) for $0.86 < E({}^3\text{He}) < 11.8$ MeV (90°). No transitions were observed to ${}^6\text{Be}(0)$ [$\sigma < 0.01$ μb at $E({}^3\text{He}) = 1.4$ MeV]. This is understood in terms of a direct capture of ${}^3\text{He}$ by ${}^3\text{He}$ in the singlet spin state and with zero angular momentum: the $0^+ \rightarrow 0^+$ γ transition is forbidden. Reaction (a) is thus of negligible astrophysical importance compared to reaction (c) (1967HA24) [see below]. The capture cross section from $E({}^3\text{He}) = 11$ to 27 MeV continues to increase smoothly with energy at first and then shows a broad structure centered at $E({}^3\text{He}) = 23 \pm 1$ MeV [$E_x = 23.0 \pm 0.5$ MeV], $\Gamma_{\text{c.m.}} \approx 5$ MeV (1972VE1C, 1973VE1B, 1973VE1E) this appears to be a ${}^{33}\text{F}$ cluster resonance which decays by an E1 transition to ${}^6\text{Be}^*(1.7)$. The γ -ray angular distributions are consistent with $J^\pi = 3^-$ (1973VE1B).

Measurements of the total cross section for reaction (c) have been carried out for $E({}^3\text{He}) = 60$ to 300 keV (1973DW1A) and 0.16 to 2.2 MeV (1969DW1A, 1971DW01). The measurements of (1973DW1A), down to $E_{\text{c.m.}} = 30$ keV, eliminate the possibility of a resonance [which might help explain the observed absence of solar neutrinos], unless it is extremely narrow ($\Gamma \lesssim 100$ eV): $\theta_p^2 \approx 3 \times 10^{-6}$ (1973DW1A). (1972BB10) has commented that such a high ${}^3\text{He}+{}^3\text{He}$ cluster purity, a ${}^6\text{Be}$ state at ≈ 11.5 MeV is not expected. The cross section factor $S(E_{\text{c.m.}}) = [5.5 - 3.1 E_{\text{c.m.}} + 1.4 E_{\text{c.m.}}^2]$ MeV \cdot b [error in S is $\pm 20\%$ for $E_{\text{c.m.}} > 40$ keV] (1973DW1A). Cross sections are also reported for $E({}^3\text{He}) = 0.5$ to 1.7 MeV by (1966NE1A). See (1966LA04) for a discussion of earlier work and (1966BA1N, 1967SH1F, 1967TO1B, 1968BA1W, 1968MA1U, 1969BA1M, 1970MA57, 1972BA2M, 1972BB10, 1972FE12, 1972FO1H, 1972KO1M, 1972TO1D, 1973BA2C, 1973FO1J, 1973PA1Q, 1973TR1E) for a discussion of the astrophysical implications of reaction (c). From a kinematically complete study of reaction (c) (1972KU08, 1972KU1N) find $a_{\text{pp}} = -7.6 \pm 0.6$ fm. (1970GR17) report $a_{\text{pp}} = -7.52 \pm 0.22$ fm. A study of the proton

Table 6.7: Energy levels of ${}^6\text{Be}$

E_x (MeV \pm keV)	$J^\pi; T$	$\Gamma_{\text{c.m.}}$	Decay	Reactions
g.s.	$(0^+); 1$	92 ± 6 keV	p, α	2, 3, 4, 5, 6
1.67 ± 50	$(2^+); 1$	1.16 ± 0.06 MeV	p, α	1, 2, 3, 4
23.0 ± 0.5	$(3)^-$	≈ 5 MeV	${}^3\text{He}$	1

spectrum at $E({}^3\text{He}) = 6.9, 7.9$ and 9.1 MeV indicates that reaction (c) proceeds mainly via a direct mechanism (1972DE46). See also (1970BO1R, 1973RO2A) and ${}^5\text{Li}$.

The elastic scattering (reaction (e)) has been studied for $E({}^3\text{He}) = 3$ to 12 MeV (1963TO03), 9.1 and 11.1 MeV (1968IV01), 11.9 to 18.9 MeV (1968BA2C), 17.9 to 32.0 MeV (1970JE02) and 18 to 80 MeV (1968BA1V). The excitation function shows a smooth monotonic behavior except for an anomaly at $E({}^3\text{He}) = 25$ MeV in the $l = 3$ partial wave corresponding to a broad state in ${}^6\text{Be}$ at $E_x \approx 24$ MeV (1968BA1V, 1970JE02). Polarization measurements have been reported at $E({}^3\text{He}) = 4.33$ to 9.83 MeV (1972BO42) and 9.3 to 17.5 MeV (1972HA64): the polarization is consistent with zero at $\theta \approx 63^\circ$, consistent with a description of the scattering which leaves the P- and F-wave phase shifts unsplit (1972BO42, 1972HA64).

For reaction (f) see (1968ME03). See also (1968TO1F) and (1967TH1C, 1968SU1B, 1968TH01, 1969KR1F, 1970MA57, 1970NE1F, 1971BR46, 1972BR1Q, 1973GR1L, 1973TH01; theor.).

2. ${}^4\text{He}({}^3\text{He}, n){}^6\text{Be}$ $Q_m = -9.090$

Neutron groups have been observed to ${}^6\text{Be}^*(0, 1.7)$ at $E({}^3\text{He}) = 19.4$ MeV (1967AD05), 26 MeV (1966EC01) and 29.8 MeV (1966GU09): see Table 6.8. There is no evidence for other states of ${}^6\text{Be}$ with $E_x \lesssim 5$ MeV (1966EC01). See also (1970BA1V).

3. ${}^6\text{Li}(p, n){}^6\text{Be}$ $Q_m = -5.070$

Neutron groups have been observed to ${}^6\text{Be}^*(0, 1.7)$ as has the ground state threshold. The width of the ground state is 95 ± 28 keV (1967HO01). The parameters of ${}^6\text{Be}^*(1.7)$ are displayed in Table 6.8 (1965BA39, 1966EC01, 1968BA41, 1968WA11, 1972AR22). Higher excited states have been reported by (1965BA39, 1968BA41, 1968WA11): there is very strong evidence that states analog to these do not exist in ${}^6\text{He}$. At $E_p = 24.9$ MeV no evidence is found for a ${}^6\text{Be}$ state near $E_x = 11.5$ MeV (1973WO1D). See also reaction 4.

Angular distributions have been obtained at $E_p = 8.3$ to 18.0 MeV (1968WA11; n_0), 15 MeV (1968WA11; n_1) and 30.2 and 49.4 MeV (1968BA41, 1969CL06; n_0). See also (1969JU1A) and (1966LA04).

Table 6.8: Parameters of the first excited state of ${}^6\text{Be}$

E_x (MeV \pm keV)	$\Gamma_{\text{c.m.}}$ (MeV)	Refs.
1.82 ± 120		(1965BA39)
1.6 ± 100	1.1 ± 0.2	(1966EC01)
1.73 ± 100	1.7 ± 0.3	(1966GU09)
1.67 ± 80	1.13 ± 0.08	(1966MA36)
1.63 ± 100	1.20 ± 0.1	(1966RO06)
1.67 ± 50	1.18 ± 0.07	(1968WA11)
1.63 ± 160	1.16 ± 0.21	(1968BA41)
	0.85 ± 0.20	(1972AR22)
1.67 ± 50	1.16 ± 0.06	Best value



Triton groups have been observed to ${}^6\text{Be}^*(0, 1.7)$. The width of the ground state is 89 ± 6 keV (1966WH01). The parameters of the excited state are displayed in Table 6.8 (1966MA36, 1966RO06). No other excited states have been seen with $E_x < 13$ MeV (1966MA36: $E({}^3\text{He}) = 40$ MeV), < 10 MeV (1966RO06: $E({}^3\text{He}) = 31$ MeV). An attempt has been made at $E({}^3\text{He}) = 25.5$ MeV (1973PA1C) and at 46.3 MeV (1973HA45) to observe a possible ${}^6\text{Be}$ state at $E_x = 11.5$ MeV, of astrophysical interest: $d\sigma/d\Omega \lesssim 0.19 \mu\text{b/sr}$ at $\theta_{\text{c.m.}} = 45^\circ$ at the lower energy; $d\sigma/d\Omega \leq 1.6 \mu\text{b/sr}$ at 8.4° and at 46.3 MeV. Upper limits for the spectroscopic factor are $S \leq 0.006$ (1973PA1C) and ≤ 0.001 (1973HA45). The ground-state angular distribution shows a pronounced oscillatory character, consistent with $l = 0$; that for the 1.7 MeV state is relatively structureless (1966RO06). Angular distributions are also reported by (1969NU1A; n_0 : 14, 18 MeV) and by (1971GI1E, 1972GI07; n_0 : 27.0 MeV). The α -decay spectra of ${}^6\text{Be}^*(0, 1.7)$ have been studied by (1973GE1H).



See (1973WH02), and reaction 9 in ${}^6\text{He}$ and reaction 16 in ${}^6\text{Li}$. See also (1973WH1C).



This reaction has been observed at $E({}^3\text{He}) = 37$ MeV [$d\sigma/d\Omega(13^\circ) = 9 \mu\text{b/sr}$] (1967GO1E) and at 70 MeV (1973BE2J). No new states were observed with $E_x < 15$ MeV (1973BE2J).

References

(Closed December 31, 1973)

References are arranged and designated by the year of publication followed by the first two letters of the first-mentioned author's name and then by two additional characters. Most of the references appear in the National Nuclear Data Center files (Nuclear Science References Database) and have NNDC key numbers. Otherwise, TUNL key numbers were assigned with the last two characters of the form 1A, 1B, etc. In response to many requests for more informative citations, we have, when possible, included up to ten authors per paper and added the authors' initials.

- 1951AG30 H.M. Agnew, W.T. Leland, H.V. Argo, R.W. Crews, A.H. Hemmendinger, W.E. Scott and R.F. Taschek, Phys. Rev. 84 (1951) 862
- 1954MA26 R.J. Mackin, Jr., Phys. Rev. 94 (1954) 648
- 1954SI07 R.M. Sinclair, Phys. Rev. 93 (1954) 1082
- 1955GA74 A. Galonsky and M.T. McEllistrem, Phys. Rev. 98 (1955) 590
- 1955LE24 S.H. Levine, R.S. Bender and J.N. McGruer, Phys. Rev. 97 (1955) 1249
- 1956HO12 D.M. Holm and H.V. Argo, Phys. Rev. 101 (1956) 1772
- 1957BR12 C.P. Browne and C.K. Bockelman, Phys. Rev. 105 (1957) 1301
- 1957JA37 N. Jarmie, J.D. Seagrave et al., LA-2014 (1957)
- 1958AL05 R.C. Allen and N. Jarmie, Phys. Rev. 111 (1958) 1129
- 1958JA06 N. Jarmie and R.C. Allen, Phys. Rev. 111 (1958) 1121
- 1958WI15 D.H. Wilkinson, Phys. Rev. 109 (1958) 1603
- 1959AJ76 F. Ajzenberg and T. Lauritsen, Nucl. Phys. 11 (1959) 1
- 1960AL10 K.W. Allen, E. Almqvist and C.B. Bigham, Proc. Phys. Soc. (London) 75 (1960) 913
- 1961CH09 R. Chiba, H.E. Conzett, H. Morinaga, N. Mutsuro, K. Shoda and M. Kimura, J. Phys. Soc. Jpn. 16 (1961) 1077
- 1961KO1A Koltun, Phys. Rev. 124 (1961) 1162
- 1962MA40 D.R. Maxson, Phys. Rev. 128 (1962) 1321
- 1962MO1A Morpurgo, Nucl. Spectroscopy, Ed. Racah (Academic Press, 1962)
- 1963BA19 W.C. Barber, J. Goldemberg, G.A. Peterson and Y. Torizuka, Nucl. Phys. 41 (1963) 461; Erratum Nucl. Phys. 47 (1963) 527
- 1963BL20 H.R. Blieden, G.M. Temmer and K.L. Warsh, Nucl. Phys. 49 (1963) 209
- 1963GR29 D.E. Groce and W. Whaling, Phys. Rev. 132 (1963) 2614
- 1963JO04 C.H. Johnson, F. Pleasonton and T.A. Carlson, Nucl. Phys. 41 (1963) 167
- 1963JO15 C.H. Johnson, F. Pleasonton and T.A. Carlson, Phys. Rev. 132 (1963) 1149
- 1963KO04 D. Kohler and S.M. Austin, Bull. Amer. Phys. Soc. 8 (1963) 290, A2

1963TO03 T.A. Tombrello and A.D. Bacher, Phys. Rev. 130 (1963) 1108
 1964BL1C Blieden, Phys. Lett. 9 (1964) 176
 1964FO1A Fowler and Vogl, Lectures in Theor. Phys., Vol. VI (Univ. of Colorado Press, 1964) 379
 1964GR1A Green and Donahue, Phys. Rev. 135 (1964) B701
 1964GR1D Grabovski, Acta Phys. Pol. 26 (1964) 1255; Phys. Abs. 4244 (1966)
 1964HU1A Hunchen, Kropf and Waffler, Nucl. Phys. 58 (1964) 477
 1964MA50 G.M. Matous and C.P. Browne, Phys. Rev. 136 (1964) B399
 1964MI16 F.C. Michel, Phys. Rev. 133 (1964) B329
 1964OH01 G.G. Ohlsen and P.G. Young, Phys. Rev. 136 (1964) B1632
 1964PA1A Parker, Bahcall and Fowler, Astrophys. J. 139 (1964) 602
 1964SE07 L.S. Senhouse, Jr. and T.A. Tombrello, Nucl. Phys. 57 (1964) 624
 1964YA1A Yanabu et al., J. Phys. Soc. Jpn. 19 (1964) 1818
 1964YO06 F.C. Young, P.D. Forsyth, M.L. Roush, W.F. Hornyak and J.B. Marion, Phys. Lett. 13 (1964) 50
 1965AJ01 F. Ajzenberg-Selove, J.W. Watson and R. Middleton, Phys. Rev. 139 (1965) B592
 1965BA16 E.B. Bazhanov, A.P. Komar, A.V. Kulikov and E.D. Makhnovsky, Nucl. Phys. 68 (1965) 191
 1965BA39 C.J. Batty, E. Friedman, P.C. Rowe and J.B. Hunt, Phys. Lett. 19 (1965) 35
 1965BE1D Berman, Bramblett, Caldwell, Harvey and Fultz, Phys. Rev. Lett. 15 (1965) 727
 1965BE1E Berggren, Ark. Fys. 30 (1965) 508
 1965BE1F Berggren, Erikson and Narayana, Ark. Fys. 30 (1965) 515
 1965BI09 J.K. Bienlein and F. Pleasonton, Nucl. Phys. 68 (1965) 17
 1965CO25 S. Cohen and D. Kurath, Nucl. Phys. 73 (1965) 1; Erratum Nucl. Phys. 89 (1966) 707
 1965DA06 P.J. Dallimore, K.S. Lam and H.H. Thies, Aust. J. Phys. 18 (1965) 389
 1965EC1A Eccles, Anderson, Lutz and Wong, Bull. Amer. Phys. Soc. 10 (1965) 693
 1965GO1C Goloskie, Niiler and Wooten, Bull. Amer. Phys. Soc. 10 (1965) 1135
 1965GO1D Goldanskii, Usp. Fiz. Nauk 87 (1965) 255
 1965GR1C Gradsztajn, Ann. Phys. 10 (1965) 791
 1965HA17 D. Hasselgren, P.U. Renberg, O. Sundberg and G. Tibell, Nucl. Phys. 69 (1965) 81
 1965HA19 E. Hayward and T. Stovall, Nucl. Phys. 69 (1965) 241
 1965JA1A Jacmart, Cahiers Phys. (France) 19 (1965) 1
 1965LO1B Lodder and Jonker, Phys. Lett. 18 (1965) 310

1965LO1C Lovitch and Rosati, Nucl. Phys. 73 (1965) 648
1965MA46 G. Manuzio, R. Malvano, G. Ricco and M. Sanzone, Nuovo Cim. B40 (1965) 300
1965NE1B Neudachin and Smirnov, At. Energy Rev. 3 (1965) 157
1965RA1A Rahman, Nuovo Cim. 38 (1965) 1279
1965RO15 J.C. Roynette, C. Ruhla, M. Arditi, J.C. Jacmart and M. Riou, Phys. Lett. 19 (1965) 497
1965TO01 T.A. Tombrello and A.D. Bacher, Phys. Lett. 17 (1965) 37
1965VO1A Volkov, Nucl. Phys. 74 (1965) 33
1965WH1A Whetstone and Thomas, Phys. Rev. Lett. 15 (1965) 298
1966AL1F Allton et al., Nuovo Cim. A46 (1966) 407
1966AR1B Arvieux et al., Phys. Lett. 22 (1966) 439
1966BA1A Bahcall, Nucl. Phys. 75 (1966) 10
1966BA1N Bahcall, Phys. Rev. Lett. 17 (1966) 398
1966BA26 F.C. Barker, Nucl. Phys. 83 (1966) 418
1966BO1B Bosco, Carazza and Delsanto, Nuovo Cim. B44 (1966) 464
1966BR1G Browne, F. S. U. Isobaric Spin Conf. (1966) 136
1966CO1B Costa et al., Nuovo Cim. B42 (1966) 382
1966DA1A D. Davies, H. Muirhead and J.N. Woulds, Nucl. Phys. 78 (1966) 663
1966DA1B Darden, Proc. 2nd Int. Symp. on Polariz. Phenom. of Nucleons, Karlsruhe, 1965 (Basel, Birkhauser Verlag, 1966) 433
1966DE1G Delorme and Ericson, J. Phys. C1-120 (1966)
1966DO1A Dolinov and Melikov, Vest. Mosk. Univ. Fiz. Astron. (March-April, 1966) 116
1966DO1B Dore, Griffith and Roman, Proc. 2nd Int. Symp. on Polariz. Phenom. of Nucleons, Karlsruhe, 1965 (Basel, Birkhauser Verlag, 1966) 60
1966EC01 S.F. Eccles, C. Wong and J.D. Anderson, Phys. Lett. 20 (1966) 190
1966FE1B Ferroni, Mosconi, Piragino and Wataghin, Nucl. Phys. 76 (1966) 58
1966FL1A Fleury, Lagarde and Simonoff, J. Phys. C1-86 (1966)
1966FR1C N. Freed and P. Goldhammer, Phys. Lett. 23 (1966) 564
1966FU1C Fuller, Antwerp 1965 Neutron Conf. (North-Holland, 1966) 359
1966GA1E Gabrakov, Compt. Rend. Acad. Bilgare Sci. 19 (1966) 21
1966GE12 L.B. Geesaman, H.B. Knowles and J.B. Mead, Nucl. Phys. 88 (1966) 177
1966GO1B Goldanskii, Ann. Rev. Nucl. Sci. 16 (1966) 1
1966GO1C Goldemberg and Pratt, Rev. Mod. Phys. 38 (1966) 311

- 1966GR1D Griffy, Oakes and Schwartz, Nucl. Phys. 86 (1966) 313
- 1966GU09 M. Gulyamov, B.V. Rybakov and V.A. Sidorov, Yad. Fiz. 4 (1966) 93; Sov. J. Nucl. Phys. 4 (1967) 66
- 1966HA12 J.M. Hansteen and I. Kanestrom, Phys. Lett. 20 (1966) 48
- 1966HA18 E.C. Halbert, Y.E. Kim and T.T.S. Kuo, Phys. Lett. 20 (1966) 657
- 1966HI1B Hirabayashi and Oda, Antwerp 1965 Neutron Conf. (North-Holland, 1966) 554
- 1966JA1A Jacob and Maris, Rev. Mod. Phys. 38 (1966) 121
- 1966KO1C Kopaleishvili and Machabeli, Yad. Fiz. 4 (1966) 37; Sov. J. Nucl. Phys. 4 (1967) 4
- 1966KU12 I.V. Kurdyumov, S.H.El Samarai, Y.F. Smirnov and K.V. Shitikova, Izv. Akad. Nauk SSSR Ser. Fiz. 30 (1966) 292; Bull. Acad. Sci. USSR Phys. 30 (1966) 297
- 1966KU1B Kudeyarov, Smirnov andn Chebotarev, Yad. Fiz. 4 (1966) 1048
- 1966LA04 T. Lauritsen and F. Ajzenberg-Selove, Nucl. Phys. 78 (1966) 1
- 1966LA20 J.P. Laugier, C. Lemeille, L. Marquez and N. Saunier, Nucl. Phys. 88 (1966) 411
- 1966LI1A Linck, Linck, Seltz and Magnac-Valette, J. Phys. C1-59 (1966)
- 1966LO1F M.A.K. Lodhi, Nucl. Phys. 80 (1966) 125
- 1966MA1F Machabeli, Izv. Akad. Nauk SSSR Ser. Fiz. 30 (1966) 1340
- 1966MA36 N. Mangelson, F. Ajzenberg-Selove, M. Reed and C.C. Lu, Nucl. Phys. 88 (1966) 137
- 1966ME03 D.F. Measday, Phys. Lett. 21 (1966) 62
- 1966ME1C Merchez et al., J. Phys. C1-61 (1966)
- 1966MU1A Murray and Strachan, Proc. Phys. Soc. (London) 87 (1966) 641
- 1966NA1A K. Nakamura, Phys. Rev. 152 (1966) 955
- 1966NE1A Neng-Ming et al., Yad. Fiz. 3 (1966) 1064
- 1966NU01 F. Nusslin, H. Werner and J. Zimmerer, Z. Naturforsch. A21 (1966) 1195
- 1966PA12 G. Paoli, M. Scotto and A. Wataghin, Nuovo Cim. B43 (1966) 189
- 1966PI02 L.L. Pinsonneault and J.M. Blair, Phys. Rev. 141 (1966) 961
- 1966RA1B Rahman, Khan and Sen Gupta, Nuovo Cim. 44 (1966) 36
- 1966RA29 R.E. Rand, R. Frosch and M.R. Yearian, Phys. Rev. 144 (1966) 859; Erratum Phys. Rev. 148 (1966) 1246
- 1966RO06 P.C. Rogers and H.E. Wegner, Phys. Rev. Lett. 17 (1966) 148
- 1966RO1C Rolland et al., J. Phys. C1-126 (1966)
- 1966SE1C Seifert, NYO GEN 72 48 (1966)
- 1966SE1D Seltz et al., J. Phys. C1-148 (1966)
- 1966SH06 N.K. Sherman, J.R. Stewart and R.C. Morrison, Phys. Rev. Lett. 17 (1966) 31

- 1966TA1A Y.C. Tang, Phys. Lett. 20 (1966) 299
- 1966TY01 H. Tyren, S. Kullander, O. Sundberg, R. Ramachandran, P. Isacson and T. Berggren, Nucl. Phys. 79 (1966) 321; Erratum Nucl. Phys. A119 (1968) 692
- 1966VA1B Van Bluemel and Brussel, Bull. Amer. Phys. Soc. 11 (1966) 10
- 1966WH01 W. Whaling, Phys. Rev. 150 (1966) 836
- 1966WI1E D.H. Wilkinson and M.E. Mafethe, Nucl. Phys. 85 (1966) 97
- 1966ZE1A Zelenskaya and Smirnov, Bull. Acad. Sci. USSR Phys. 30 (1966) 283
- 1967AC01 E. Acerbi, M. Castiglioni, G. Dutto, I. Iori, A. Luccio, S. Micheletti, N. Molho, M. Pignanelli, F. Resmini, G. Strini et al., Suppl. Nuovo Cim. 5 (1967) 1252
- 1967AD05 E.G. Adelberger, A.B. McDonald, T.A. Tombrello, F.S. Dietrich and A.V. Nero, Phys. Lett. B25 (1967) 595
- 1967AL1D Ali and Afzal, Nuovo Cim. B49 (1967) 103
- 1967AN1A K. Ananthanarayanan, Phys. Rev. 163 (1967) 985
- 1967AR03 J. Arvieux, P. Darriulat, D. Garreta, A. Papineau, A. Tarrats and J. Testoni, Nucl. Phys. A94 (1967) 663
- 1967AR1A Artus et al., Int. Nucl. Phys. Conf., Gatlinburg, 1966 (Academic Press, 1967) 314
- 1967AU1B J. Audouze, M. Epherre and H. Reeves, Nucl. Phys. A97 (1967) 144
- 1967AU1C Aurdal and Skavlem, Phys. Norvegica 2 (1967) 295
- 1967BA1H J. Bang and J.M. Hansteen, Phys. Lett. B24 (1967) 645
- 1967BE15 E.M. Bernstein, G.G. Ohlsen, V.S. Starkovich and W.G. Simon, Phys. Rev. Lett. 18 (1967) 966
- 1967BE1L K. Bethge and K. Meier-Ewert, Phys. Rev. Lett. 18 (1967) 1010
- 1967BI1C Bilen'kii, Lapidus, Rynoin and Shekhter, Sov. J. Nucl. Phys. 4 (1967) 763
- 1967BL1D Blokhintsev and Dolinskii, Sov. J. Nucl. Phys. 5 (1967) 79
- 1967BL1E Bluemel, Thesis, Univ. of Illinois (1967); Phys. Abs. 11323 (1969)
- 1967BO1C M. Bouten, P. Van Leuven, H. Depuydt and L. Schotsmans, Nucl. Phys. A100 (1967) 90
- 1967BO1E M. Bouten, M. C. Bouten and P. Van Leuven, Nucl. Phys. A100 (1967) 105
- 1967CA17 P. Camiz, Nuovo Cim. B51 (1967) 190
- 1967CH1F Charpak, Favier, Massonet and Zupancic, Int. Nucl. Phys. Conf., Gatlinburg, 1966 (Academic Press, 1967) 465
- 1967CL07 G. Clausnitzer, R. Fleischmann and H. Wilsch, Phys. Lett. B25 (1967) 466
- 1967CO01 J.A. Cookson, D. Dandy and J.C. Hopkins, Nucl. Phys. A91 (1967) 273
- 1967CO1J Coop, Poate and Titterton, Aust. J. Phys. 20 (1967) 609

1967CO32 S. Cohen and D. Kurath, Nucl. Phys. 101 (1967) 1
1967DA1B P. Darriulat, D. Garreta, A. Tarrats and J. Arvieux, Nucl. Phys. A94 (1967) 653
1967DA1C Danzinger, High Energy Nucl. Reactions in Astrophys., Ed. B.S.P. Shen (W.A. Benjamin, 1967) 81
1967DE12 V.P. Denisov, A.P. Komar, L.A. Kulchitskii and E.D. Makhnovskii, Yad. Fiz. 5 (1967) 498; Sov. J. Nucl. Phys. 5 (1967) 349
1967FI1D Fisher, Bevington and Hana, Bull. Amer. Phys. Soc. 12 (1967) 1140
1967FR1A N. Freed and P. Goldhammer, Nucl. Phys. A104 (1967) 683
1967FU1D Fukunga et al., J. Phys. Soc. Jpn. 22 (1967) 28
1967GO1E Goldberg, Ogloblin and Rudakov, Proc. Problem Symp. on Nucl. Phys., Tbilisi, Apr. 1967 (Moscow, 1967) 137
1967HA07 W.D. Harrison, Nucl. Phys. A92 (1967) 253
1967HA08 W.D. Harrison, Nucl. Phys. A92 (1967) 260
1967HA1H Hasegawa and Nagata, Int. Nucl. Phys. Conf., Gatlinburg, 1966 (Academic Press, 1967) 1047
1967HA1J J.M. Hansteen and H.W. Wittern, Phys. Lett. B24 (1967) 381
1967HA24 W.D. Harrison, W.E. Stephens, T.A. Tombrello and H. Winkler, Phys. Rev. 160 (1967) 752
1967HE01 H. Hebach, P. Henneberg and H. Kummel, Phys. Lett. B24 (1967) 134
1967HO01 J.L. Honsaker, Nucl. Phys. A90 (1967) 545
1967JA07 N. Jarmie, R.H. Stokes, G.G. Ohlsen and R.W. Newsome, Jr., Phys. Rev. 161 (1967) 1050
1967JA1C D.F. Jackson, Nucl. Phys. A90 (1967) 209
1967JA1D D.F. Jackson, Phys. Rev. 155 (1967) 1065
1967JA1E B.K. Jain and D.F. Jackson, Nucl. Phys. A99 (1967) 113
1967JA1F Jackson, Nuovo Cim. B51 (1967) 49
1967JO1B Joseph et al., Bull. Amer. Phys. Soc. 12 (1967) 189
1967KA1A Kabachnik and Grishanova, Sov. J. Nucl. Phys. 4 (1967) 583
1967KN1A Knitter and Coppola, Eur 3454.E (1967)
1967KO1B Kolybasov and Smorodinskaya, Yad. Fiz. 5 (1967) 777
1967KO1C D.S. Koltun and A. Reitan, Phys. Rev. 155 (1967) 1139
1967KO1D D.S. Koltun, Phys. Rev. 162 (1967) 963
1967KU10 L.A. Kull, Phys. Rev. 163 (1967) 1066

- 1967LA22 W. Laskar and R. Le Maitre, *Compt. Rend. B265* (1967) 1488
- 1967LE1D Leksin, *Proc. Problem Symp. on Nucl. Phys., Tbilisi, Apr. 1967 (Moscow, 1967)* 321
- 1967LO1E M.A.K. Lodhi, *Nucl. Phys. A97* (1967) 449
- 1967MC01 L.C. McIntyre and W. Haerberli, *Nucl. Phys. A91* (1967) 369
- 1967MC02 L.C. McIntyre and W. Haerberli, *Nucl. Phys. A91* (1967) 382
- 1967ME11 D.F. Measday and J.N. Palmieri, *Phys. Rev. 161* (1967) 1071
- 1967ME14 H. Meiner, E. Baumgartner, S.E. Darden, P. Huber and G.R. Plattner, *Helv. Phys. Acta 40* (1967) 483
- 1967ME1F Meyerhcf, *Proc. Problem Symp. on Nucl. Phys., Tbilisi, Apr. 1967 (Moscow, 1967)* 350
- 1967MI1A Mitler, *High Energy Nucl. Reactions in Astrophys., Ed. B.S.P. Shen (W.A. Benjamin, 1967)* 59
- 1967MO1F Mollenauer et al., *Int. Nucl. Phys. Conf., Gatlinburg, 1966 (Academic Press, 1967)* 983
- 1967NA1E H. Nakamura and K. Nagatani, *Nucl. Phys. A101* (1967) 557
- 1967NE1C Neudachin, *Proc. Int. Conf. Electromag. Inter. Dubna, Feb. 1967, Vol. 3 (Moscow, 1967)* 351
- 1967OD01 F.H. O'Donnell and C.P. Browne, *Phys. Rev. 158* (1967) 957
- 1967PA03 G. Paic, D. Rendic and P. Tomas, *Nucl. Phys. A96* (1967) 476
- 1967PI1B Pinkston, *Nucl. Research with Low Energy Accelerators, Eds. Marion and van Patter (Academic Press, 1967)* 419
- 1967PL02 G.R. Plattner, E. Baumgartner, S.E. Darden, H. Meiner and F. Seiler, *Helv. Phys. Acta 40* (1967) 465
- 1967RI1A Richardson, Shapiro and Malik, *Bull. Amer. Phys. Soc. 12* (1967) 483
- 1967RO06 J.C. Roynette, M. Arditi, J.C. Jacmart, F. Mazloum, M. Riou and C. Ruhla, *Nucl. Phys. A95* (1967) 545
- 1967SA1D Sakamoto, *Int. Nucl. Phys. Conf., Gatlinburg, 1966 (Academic Press, 1967)* 474
- 1967SH05 Y.Y. Sharon, *Nucl. Phys. A99* (1967) 321
- 1967SH14 V.S. Shirley, *UCRL-17990* (1967)
- 1967SH1E Shevchenko, *Proc. Int. Conf. Electromag. Inter. Dubna, Feb, 1967, Vol. 3 (Moscow, 1967)* 206
- 1967SH1F Shaviv, Bahcall and Fowler, *Astrophys. J. 150* (1967) 725
- 1967SI1C Sitenko, Ismatov and Tartakovski, *Yad. Fiz. 5* (1967) 573

- 1967SP09 A. Sperduto, Proc. 3rd Int. Conf. on Atomic Masses, Winnipeg, Canada, 1967; Ed. R.C. Barber (Univ. Manitoba Press, 1967) 657
- 1967SP10 R.J. Spiger and T.A. Tombrello, Phys. Rev. 163 (1967) 964
- 1967SU1A L.R. Suelzle, M.R. Yearian and H. Crannell, Phys. Rev. 162 (1967) 992; Erratum Phys. Rev. 168 (1968) 1414
- 1967SU1C R.J. Sutter, J.L. Friedes, H. Palevsky, G.W. Bennett, G.J. Igo, W.D. Simpson, G.C. Phillips, D.M. Corley, N.S. Wall and R.L. Stearns, Phys. Rev. Lett. 19 (1967) 1189
- 1967TA1C Takimoto, Mem. Coll. Sci. Univ. Kyoto 31, Ser. A. 267, Feb. 1967 (1967)
- 1967TH02 D.R. Thompson and Y.C. Tang, Phys. Rev. Lett. 19 (1967) 87
- 1967TH1C D.R. Thompson and Y.C. Tang, Phys. Rev. 159 (1967) 806
- 1967TO1B Tombrello, Nucl. Research with Low Energy Accelerators, Eds. Marion and van Patter (Academic Press, 1967) 195
- 1967TR05 A. Trier and W. Haeberli, Phys. Rev. Lett. 18 (1967) 915
- 1967WO1B S.S.M. Wong and D.L. Lin, Nucl. Phys. A101 (1967) 663
- 1967YO01 P.G. Young, G.G. Ohlsen and M. Ivanovich, Nucl. Phys. A90 (1967) 41
- 1967YO02 F.C. Young, P.D. Forsyth and J.B. Marion, Nucl. Phys. A91 (1967) 209
- 1967YO1C Young, Nucl. Research with Low Energy Accelerators, Eds. Marion and van Patter (Academic Press, 1967) 109
- 1968AJ02 F. Ajzenberg-Selove and T. Lauritsen, Nucl. Phys. A114 (1968) 1
- 1968AL1F Alberi and Taffara, Nuovo Cim. B58 (1968) 441
- 1968AU05 S.M. Austin and G.M. Crawley, Phys. Lett. B27 (1968) 570
- 1968AU06 S.M. Austin, P.J. Locard, W. Benenson and G.M. Crawley, Phys. Rev. 176 (1968) 1227
- 1968BA09 D. Bachelier, M. Bernas, C. Detraz, P. Radvanyi and M. Roy, Phys. Lett. B26 (1968) 283
- 1968BA1H V.V. Balashov and D.V. Meboniya, Nucl. Phys. A107 (1968) 369
- 1968BA1V Bacher, Tombrello, McClatchie and Resmini, Bull. Amer. Phys. Soc. 13 (1968) 1366
- 1968BA1W Bahcall and Shaviv, Astrophys. J. 153 (1968) 113
- 1968BA1X Baus-Baghdikian and Fuld-Rouserez, Bull. Classe Sci., Acad. Roy. Belgique 54 (1968) 294
- 1968BA2C A.D. Bacher, R.J. Spiger and T.A. Tombrello, Nucl. Phys. A119 (1968) 481
- 1968BA35 B. Barsella, L. Lovitch and S. Rosati, Nucl. Phys. A117 (1968) 638
- 1968BA41 C.J. Batty, B.E. Bonner, E. Friedman, C. Tschalar, L.E. Williams, A.S. Clough and J.B. Hunt, Nucl. Phys. A120 (1968) 297

1968BE1N Bertrand, Grenier and Pornet, Comm. A L'energie Atomique, Rept. CEA 3575 (1968)
 1968BE72 M. Bernas and D. Smet, Ann. Phys. (Paris) 3 (1968) 213
 1968BL06 E.W. Blackmore and J.B. Warren, Can. J. Phys. 46 (1968) 233
 1968BL10 S.L. Blatt, A.M. Young, S.C. Ling, K.J. Moon and C.D. Porterfield, Phys. Rev. 176
 (1968) 1147
 1968BO1N M. Bouten, M.C. Bouten and P. Van Leuven, Phys. Lett. B26 (1968) 191
 1968CH1G Cheon, Prog. Theor. Phys. 40 (1968) 670
 1968CH1H I-T. Cheon, Nucl. Phys. A121 (1968) 679
 1968CI1D C. Ciofi degli Atti, Phys. Rev. 175 (1968) 1256; Erratum Phys. Rev. 183 (1969) 1056
 1968CO07 C.L. Cocke, Nucl. Phys. A110 (1968) 321
 1968CO13 B.S. Cooper and J.M. Eisenberg, Nucl. Phys. A114 (1968) 184
 1968CR07 W.L. Creten, R.J. Jacobs and H.M. Ferdinande, Nucl. Phys. A120 (1968) 126
 1968DA1J Daniel, Rev. Mod. Phys. 40 (1968) 659
 1968DE1L J.P. Deutsch, L. Grenacs, P. Igo-Kemenes, P. Lipnik and P.C. Macq, Phys. Lett. B26
 (1968) 315
 1968EI03 F. Eigenbrod, Z. Naturforsch. A23 (1968) 1671
 1968EW1A W.M. Ewers and H. Kummel, Phys. Lett. B26 (1968) 480
 1968FA1B Faessler, Sauer and Stingl, Z. Phys. 212 (1968) 1
 1968FI1E P.M. Fishbane and J.V. Noble, Phys. Rev. 171 (1968) 1150
 1968GE04 B. Geoffrion, N. Marty, M. Morlet, B. Tatischeff and A. Willis, Nucl. Phys. A116
 (1968) 209
 1968GL1A Glauber, Proc. Symp. on Use of Nimrod, 1968, RHEL/R166 (1968) 41, 60
 1968GO01 P. Goldhammer, J.R. Hill and J. Nachamkin, Nucl. Phys. A106 (1968) 62
 1968GO1J Goldemberg, Proc. Int. Conf. Nucl. Struct., Tokyo, Jpn. (1967); Suppl. J. Phys. Soc.
 Jpn. 24 (1968) 379
 1968GO24 G.S. Gogsdaze and T.I. Kopaleishvili, Izv. Akad. Nauk SSSR Ser. Fiz. 32 (1968) 172;
 Bull. Acad. Sci. USSR Phys. Ser. 32 (1969) 162
 1968GR1D D. Griffiths and C.W. Kim, Phys. Rev. 173 (1968) 1584
 1968HA1C Hayakawa, Suppl. Prog. Theor. Phys. (1968) 156
 1968HA1D G. Hauser, R. Lohken, H. Rebel, G. Schatz, W. Schweimer and J. Specht, Phys. Lett.
 B27 (1968) 220
 1968HA1G Hackenbroich, Wildermuth and Wittern, Tokyo (1968) 44
 1968HO03 J.C. Hopkins, D.M. Drake and H. Conde, Nucl. Phys. A107 (1968) 139

1968HU03 R.M. Hutcheon, T.E. Drake, V.W. Stobie, G.A. Beer and H.S. Caplan, Nucl. Phys. A107 (1968) 266
 1968HU1C Hutcheon, Thesis, Univ. of Saskatchewan (1968); Phys. Abs. 6854 (1969)
 1968IV01 M. Ivanovich, P.G. Young and G.G. Ohlsen, Nucl. Phys. A110 (1968) 441
 1968KO1E Komarov, Kosarev and Savchenko, Joint Inst. Nucl. Res., Lab. Nucl. Problems, USSR, Rept. No. P1 4227 (1968)
 1968KU1B Kudeyarov, Neudachin, Serebryakov and Smirnov, Sov. J. Nucl. Phys. 6 (1968) 876
 1968KU1C Kuhlmann, BMWF FBK 68 06 (1968)
 1968LA13 W. Laskar and R. Le Maitre, J. Phys. (Paris) 29 (1968) 409
 1968LE01 J.K.P. Lee, S.K. Mark, P.M. Portner and R.B. Moore, Nucl. Phys. A106 (1968) 357
 1968LE02 E. Ley-Koo, M. De Llano and J. Quintanilla, Nucl. Phys. A107 (1968) 35
 1968LE15 J.C. Legg, W.D. Simpson and S.T. Emerson, Nucl. Phys. A119 (1968) 209
 1968LE1F I.I. Levintov and K.A. Ter-Martirosyan, Phys. Lett. B27 (1968) 69
 1968LI1C Li and Mark, Can. J. Phys. 46 (1968) 2645
 1968LO1C M.A.K. Lodhi, Nucl. Phys. A121 (1968) 549
 1968LU02 H. Ludecke, T. Wan-Tjin, H. Werner and J. Zimmerer, Nucl. Phys. A109 (1968) 676
 1968MA02 G.S. Mani and A.D.B. Dix, Nucl. Phys. A106 (1968) 251
 1968MA03 G.S. Mani and A. Tarrats, Nucl. Phys. A107 (1968) 624
 1968MA19 J.L. Matthews, W. Bertozzi, S. Kowalski, C.P. Sargent and W. Turchinets, Nucl. Phys. A112 (1968) 654
 1968MA1U May and Clayton, Astrophys. J. 153 (1968) 855
 1968MA25 S. Matsuki, J. Phys. Soc. Jpn. 24 (1968) 1203
 1968ME03 W.E. Meyerhof and T.A. Tombrello, Nucl. Phys. A109 (1968) 1
 1968ME25 F. Merchez, R. Bouchez, R.A. Hoffswell and A.I. Yavin, J. Phys. (Paris) 29 (1968) 969
 1968MI05 P.F. Mizera and J.B. Gerhart, Phys. Rev. 170 (1968) 839
 1968MU1A Murakami, Nuovo Cim. B55 (1968) 604; Nuovo Cim. B58 (1968) 388
 1968NE1B Neumann, Bull. Amer. Phys. Soc. 13 (1968) 100
 1968NG1A Nguyen'trung, Tchsaki and Sakamoto, Tokyo (1968) 412
 1968NO1A M.E. Nordberg, K.F. Kinsey and R.L. Burman, Phys. Rev. 165 (1968) 1096
 1968NO1C J.V. Noble, Phys. Rev. 173 (1968) 1034
 1968OD1A Oda, Hirabayasi and Fujioka, Tokyo (1968) 374
 1968OH04 G.G. Ohlsen, R.H. Stokes, P.G. Young, Phys. Rev. 176 (1968) 1163.

1968OK06 Y. Okuma, J. Phys. Soc. Jpn. 25 (1968) 1
 1968PA1K Park, Bull. Amer. Phys. Soc. 13 (1968) 237
 1968PE1B Pellegrini, Nuovo Cim. B54 (1968) 335
 1968PI04 J.R. Pizzi, R. Bouche, M. Gaillard, P. Gaillard, A. Guichard, M. Gusakov, J.L. Leonhardt and C. Ruhla, Phys. Lett. B28 (1968) 32
 1968RI1L Richardson, Shapiro and Malik, Tokyo (1968) 33
 1968RO1F A. Rotsstein and A. Van Ginneken, Phys. Rev. Lett. 21 (1968) 223
 1968SA1C Saito, Hiura and Tanaka, Prog. Theor. Phys. 39 (1968) 635
 1968SA1D Sasakawa, Tsukamoto, Matsuzaki and Matsui, Tokyo (1968) 48
 1968SC1B Schevchenko, Proc. Int. Conf. Nucl. Struct., Tokyo, Japan, 1967; Suppl. J. Phys. Soc. Jpn. 24 (1968) 397
 1968SH10 N.K. Sherman, J.E.E. Baglin and R.O. Owens, Phys. Rev. 169 (1968) 771
 1968ST12 R.A. Stryk and J.M. Blair, Phys. Rev. 169 (1968) 767
 1968SU1B W. Sunkel and K. Wildermuth, Phys. Lett. B26 (1968) 655
 1968TA1K Tanaka, Proc. Int. Conf. Nucl. Struct., Tokyo, Jpn., 1967; Suppl. J. Phys. Soc. Jpn. 24 (1968) 51
 1968TH01 D.R. Thompson and Y.C. Tang, Nucl. Phys. A106 (1968) 591
 1968TH02 D.R. Thompson and Y.C. Tang, Phys. Lett. B26 (1968) 194
 1968TO1F Tombrello, Proc. Int. Conf. Nucl. Struct., Tokyo, Japan, 1967; Suppl., J. Phys. Soc. Jpn. 24 (1968) 63
 1968VA02 V. Valkovic, C. Joseph, S.T. Emerson and G.C. Phillips, Nucl. Phys. A106 (1968) 138
 1968VA1H Vashakidze and Mamasakhlisov, Yad. Fiz. 7 (1968) 303
 1968WA01 R.E. Warner and R.W. Bercaw, Nucl. Phys. A109 (1968) 205
 1968WA11 B. Wakefield and B.E.F. Macefield, Nucl. Phys. A114 (1968) 561
 1968WI1B Wilkinson, Proc. Int. Conf. Nucl. Struct., Tokyo, Japan, 1967; Suppl. J. Phys. Soc. Jpn. 24 (1968) 469
 1968YI01 F. Yiou, Ann. Phys. (Paris) 3 (1968) 169
 1968ZU1A Zupancic, Proc. Symp. on Use of Nimrod, 1968; RHEL/R166 (1968) 67
 1969AF1A Afanasev et al., Sov. J. Nucl. Phys. 8 (1969) 646
 1969AL1D V.A. Alessandrini, D. Avalos, L. Epele, H. Fanchiotti, C.A. Garcia Canal and M.A. Gregoriol, Phys. Lett. B29 (1969) 83
 1969AL1E Alberi, Cheon and Ciofi degli Atti, Bochum Conf. STI/PUB/232 IAEA (1969) 239
 1969AU1A A. Aurdal, J. Bang and J.M. Hansteen, Nucl. Phys. A135 (1969) 632

- 1969BA05 D. Bachelier, M. Bernas, I. Brissaud, C. Detraz and P. Radvanyi, Nucl. Phys. A126 (1969) 60
- 1969BA17 K. Bahr, T. Becker, R. Jahr and W.R. Kuhlmann, Nucl. Phys. A129 (1969) 388
- 1969BA18 K. Bahr, T. Becker, O.M. Bilaniuk and R. Jahr, Phys. Rev. 178 (1969) 1706
- 1969BA1F V.V. Balashov, N.M. Kabachnik and V.I. Markov, Nucl. Phys. A129 (1969) 369
- 1969BA1M Bahcall, Bahcall and Ulrich, Astrophys. J. 156 (1969) 559
- 1969BE1N Belschner and Wittern, Bochum Conf. STI/PUB/232 IAEA (1969) 250
- 1969BO1G S. Boffi and F.D. Pacati, Nucl. Phys. A129 (1969) 673
- 1969BR19 I. Brissaud, M.K. Brussel, M. Sowinski and B. Tatischeff, Phys. Lett. B30 (1969) 324
- 1969BU1C Burman and Nordberg, Bull. Amer. Phys. Soc. 14 (1969) 537
- 1969CA1B F. Calligaris, C. Cernigoi, I. Gabrielli and F. Pellegrini, Nucl. Phys. A126 (1969) 209
- 1969CH25 I.-T. Cheon, Phys. Lett. B30 (1969) 81
- 1969CH40 S.M.M.R. Chowdhury, S.A. Afzal and S. Suhrabuddin, Nucl. Sci. Appl. B5 (1969) 1; Phys. Abs. 78435 (1971)
- 1969CI1A C. Ciofi Degli Atti, Nucl. Phys. A129 (1969) 350
- 1969CL06 A.S. Clough, C.J. Batty, B.E. Bonner, C. Tschalar, L.E. Williams and E. Friedman, Nucl. Phys. A137 (1969) 222
- 1969CL1D Clement and Wittern, Bochum Conf. STI/PUB/232 IAEA (1969) 244
- 1969CO06 B.L. Cohen, E.C. May, T.M. O'Keefe and C.L. Fink, Phys. Rev. 179 (1969) 962
- 1969DE04 D.W. Devins, S.M. Bunch, H.H. Forster, J. Hoxhikian and C.C. Kim, Nucl. Phys. A126 (1969) 261
- 1969DO02 V.K. Dolinov, Y.V. Melikov, A.F. Tulinov and O.V. Bormot, Nucl. Phys. A129 (1969) 577
- 1969DO03 V.K. Dolinov, D.V. Meboniya and A.F. Tulinov, Nucl. Phys. A129 (1969) 597
- 1969DO1H Dolinov, Sov. J. Nucl. Phys. 8 (1969) 15
- 1969DW1A Dwarkanath, Thesis, CalTech (1969); Phys. Abs. 39101 (1970)
- 1969EI06 F. Eigenbrod, Z. Phys. 228 (1969) 337
- 1969FU11 G.H. Fuller and V.W. Cohen, Nucl. Data Tables A5 (1969) 433
- 1969GA03 G. Gambarini, I. Iori, S. Micheletti, N. Molho, M. Pignanelli and G. Tagliaferri, Nucl. Phys. A126 (1969) 562
- 1969GA18 J. Galin, B. Gatty, M. Lefort, J. Peter, X. Tarrago and R. Basile, Phys. Rev. 182 (1969) 1267
- 1969GA1M Garfagnini, Piragino and Zanini, Nuovo Cim. B63 (1969) 670
- 1969GA1N A. Galindo and P. Pascual, Nucl. Phys. B14 (1969) 37

1969GE08 W.J. Gerace and D.A. Sparrow, Phys. Lett. B30 (1969) 71
 1969GI1A B.F. Gibson, A. Goldberg and M.S. Weiss, Phys. Rev. 181 (1969) 1486
 1969GO1C Golovanova and Zelenskaya, Sov. J. Nucl. Phys. 8 (1969) 158
 1969GR20 W. Greubler, V. Konig, P.A. Schmelzbach and P. Marmier, Nucl. Phys. A134 (1969) 686
 1969GU08 M.R. Gunye, Phys. Lett. B30 (1969) 64
 1969GU10 M.R. Gunye, Nucl. Phys. A139 (1969) 686
 1969HA14 G. Hauser, R. Lohken, H. Rebel, G. Schatz, G.W. Schweimer and J. Specht, Nucl. Phys. A128 (1969) 81
 1969HA1F Hanna, Isospin in Nucl. Phys., Ed. D.H. Wilkinson (North-Holland, 1969) 591
 1969HA1N Hansteen, Bochum Conf. STI/PUB/232 IAEA (1969) 45
 1969HA1P Hackenbroich and Wodsak, Bochum Conf. STI/PUB/232 IAEA (1969) 296
 1969HA1Q Hammono, Morales and Cahill, Bull. Amer. Phys. Soc. 14 (1969) 1212
 1969HE1G Hebach, Henneberg and Kummel, Bochum Conf. STI/PUB/232 IAEA (1969) 280
 1969HO1H Holman et al., Bull. Amer. Phys. Soc. 14 (1969) 1168
 1969HO1K Holmgren, Bochum Conf. STI/PUB/232 IAEA (1969) 17
 1969HO1M T.H. Ho and A.B. Volkov, Phys. Lett. B30 (1969) 303
 1969HU05 R.M. Hutcheon and H.S. Caplan, Nucl. Phys. A127 (1969) 417
 1969IN1A Inglis, Nucl. Isospin, Proc. 1969 Asilomra Conf. (Academic Press, 1969) 789
 1969JA13 A.K. Jain, N. Sarma and B. Banerjee, Nuovo Cim. B62 (1969) 219
 1969JA1D B.K. Jain, Nucl. Phys. A129 (1969) 145
 1969JA1G Jacobs and Wurster, Bochum Conf. STI/PUB/232 IAEA (1969) 313
 1969JA1H Jain, Z. Phys. 222 (1969) 222
 1969JA1J H. Jacobs, K. Wildermuth and E.J. Wurster, Phys. Lett. B29 (1969) 455
 1969JU1A Jungerman et al., Bull. Amer. Phys. Soc. 14 (1969) 488
 1969KA1B R.W. Kavanagh, Nucl. Phys. A129 (1969) 172
 1969KO1G Komarov, Kosarev and Savchenko, Joint Inst. Nucl. Res., Lab. Nucl. Problems, USSR, Rept. No. P1 4373 (1969)
 1969KO1J V.M. Kolybasov and N.Ya. Smorodinskaya, Nucl. Phys. A136 (1969) 165
 1969KO1M Komarov, Kosarev and Savchenko, Joint. Inst. Nucl. Res., Lab. Nucl. Probs., USSR, Rept. No. P1 4876 (1969)
 1969KO1N Konig, Gruebler, Schmelzbach and Marmier, Helv. Phys. Acta 42 (1969) 570

- 1969KO30 T.I. Kopaleishvili and I.Z. Machabeli, *Izv. Akad. Nauk SSSR Ser. Fiz.* 33 (1969) 69; *Bull. Acad. Sci. USSR Phys. Ser.* 33 (1970) 65
- 1969KR14 L. Kraus, I. Linck and D. Magnac-Valette, *Nucl. Phys.* A136 (1969) 301
- 1969KR1C J. Kruger and P. Van Leuven, *Phys. Lett.* B28 (1969) 623
- 1969KR1F Kramer, Bochum Conf. STI/PUB/232 IAEA (1969) 163
- 1969KR20 T. Krogulski, J. Chwaszczewska, M. Dakowski, E. Piasecki, M. Sowinski and J. Tys, *Nucl. Phys.* A128 (1969) 219
- 1969KU13 Y.A. Kudeyarov and R.A. Eramzhyan, *Yad. Fiz.* 9 (1969) 494; *Sov. J. Nucl. Phys.* 9 (1969) 283
- 1969KU1C Yu.A. Kudeyarov, I.V. Kurdyumov, V.G. Neudatchin and Yu.F. Smirnov, *Nucl. Phys.* A126 (1969) 36
- 1969LA19 R.D. Lawson and J.M. Soper, *Nucl. Phys.* A133 (1969) 473
- 1969LA1D Lawson, *Contrib., Montreal* (1969) 190
- 1969LA1F Larces-Poutissou and Jeremie, *Nucl. Instrum. Meth.* 74 (1969) 179
- 1969LE1G Leung and Park, *Bull. Amer. Phys. Soc.* 14 (1969) 511
- 1969LI02 T.Y. Li and S.K. Mark, *Nucl. Phys.* A123 (1969) 147
- 1969LI06 I. Linck, R. Bilwes, L. Kraus, R. Seltz and D. Magnac-Valette, *J. Phys. (Paris)* 30 (1969) 17
- 1969MA13 S. Matsuki, S. Yamashita, K. Fukunaga, D.C. Nguyen, N. Fujiwara and T. Yanabu, *J. Phys. Soc. Jpn.* 26 (1969) 1344
- 1969MA1G Madsen, *Nucl. Isospin, Proc. 1969 Asilomar Conf.* (Academic Press, 1969) 149
- 1969MA1J Mancuso, Knudson, Wolicki and Bluemel, *Bull. Amer. Phys. Soc.* 14 (1969) 487
- 1969MA1L J. Mahalanabis, *Nucl. Phys.* A134 (1969) 376
- 1969MA1M Malecki and Picchi, *Lett. Nuovo Cim.* 1 (1969) 823
- 1969MA1N Mamasakhlisov and Macharadze, *Sov. J. Nucl. Phys.* 9 (1969) 198
- 1969ME1C Meyer, *Amer. J. Phys.* 37 (1969) 296
- 1969ME1D Mecca et al., *Bull. Amer. Phys. Soc.* 14 (1969) 606
- 1969MI10 R.C. Minehart, L. Coulson, W.F. Grubb, III and K. Ziock, *Phys. Rev.* 177 (1969) 1455, 1464
- 1969MO1E L. Moyer and D.S. Koltun, *Phys. Rev.* 182 (1969) 999
- 1969MO1J Monson, *Rept. Naval Postgraduate School, Monterey* (1969); *Phys. Abs.* 779 (1971)
- 1969MU1C Murray, *Bull. Amer. Phys. Soc.* 14 (1969) 1213
- 1969NA09 H. Nakamura, *Nucl. Phys.* A137 (1969) 51
- 1969NA1H K. Nagatani, *Phys. Lett.* B29 (1969) 468

- 1969NE1A Neumann, Bull. Amer. Phys. Soc. 14 (1969) 1224
- 1969NE1B Neuhausen, Z. Phys. 220 (1969) 456
- 1969NE1C Neudatchin, Bochum Conf. STI/PUB/232 IAEA (1969) 35
- 1969NU1A Nusslin, Werner and Zimmerer, Bochum Conf. STI/PUB/232 IAEA (1969) 229
- 1969OG01 K. Ogino and K. Maeda, J. Phys. Soc. Jpn. 26 (1969) 852
- 1969OH02 G.G. Ohlsen, V.S. Starkovich, W.G. Simon and E.M. Bernstein, Phys. Lett. B28 (1969) 404
- 1969OR01 H. Orihara, T. Nakagawa, H. Ueno, T. Tohei, T. Yamaya, Y. Nakagome, M. Baba and S. Morita, Nucl. Phys. A139 (1969) 226
- 1969PE1D Petrauskas and Vanagas, Sov. J. Nucl. Phys. 8 (1969) 270
- 1969PI11 J.R. Pizzi, M. Gaillard, P. Gaillard, A. Guichard, M. Gusakow, G. Reboulet and C. Ruhla, Nucl. Phys. A136 (1969) 496
- 1969PU01 H.G. Pugh, J.W. Watson, D.A. Goldberg, P.G. Roos, D.I. Bonbright and R.A.J. Riddle, Phys. Rev. Lett. 22 (1969) 408
- 1969RA1C S. Radhakant and N. Ullah, Nucl. Phys. A123 (1969) 673
- 1969RA20 V.K. Rasmussen and C.P. Swann, Phys. Rev. 183 (1969) 918
- 1969RA21 S. Ramirez, E. Yopez and M. de Llano, Rev. Mex. Fis. 18 (1969) 283
- 1969RO04 P.G. Roos, H. Him, M. Jain and H.D. Holmgren, Phys. Rev. Lett. 22 (1969) 242
- 1969RU1A Ruhla, Proc. Enrico Fermi School of Phys., Course XL, Lake Como, 1967 (Academic Press, 1969) 701
- 1969SA1C Salem, Nuovo Cim. B63 (1969) 625
- 1969SC1K Schmelzbach, Gruebler, Konig and Marmier, Helv. Phys. Acta 42 (1969) 573
- 1969SH1A Sharon, Bull. Amer. Phys. Soc. 14 (1969) 35
- 1969SH20 P.E. Shanley, Phys. Rev. 187 (1969) 1328
- 1969SM1A Smirnov, Bochum Conf. STI/PUB/232 IAEA (1969) 153
- 1969SO08 B. Sorensen, Nucl. Phys. A134 (1969) 1
- 1969SO13 Y.I. Sorokin, A.K. Shardanov, V.G. Shevchenko and B.A. Yurev, Izv. Akad. Nauk SSSR Ser. Fiz. 33 (1969) 721; Bull. Acad. Sci. USSR Phys. Ser. 33 (1970) 663
- 1969ST1F Starkovich, LA 4191 (1969)
- 1969SU1D Suzuki, Prog. Theor. Phys. 42 (1969) 24
- 1969TA05 M.C. Taylor and G.C. Phillips, Nucl. Phys. A126 (1969) 615
- 1969TA1G Tang, Bochum Conf. STI/PUB/232 IAEA (1969) 109
- 1969TH1C D.R. Thompson and Y.C. Tang, Phys. Rev. 179 (1969) 971

- 1969TH1D Thompson, Edwards, Robson and Talley, Bochum Conf. STI/PUB/232 IAEA (1969) 208
- 1969TI02 G. Tibell, Phys. Lett. B28 (1969) 638
- 1969TO1A I.S. Towner, Nucl. Phys. A126 (1969) 97
- 1969TR1B P. Truoel and W. Bierter, Phys. Lett. B29 (1969) 21
- 1969VA1C S. Varma and P. Goldhammer, Nucl. Phys. A125 (1969) 193
- 1969VA1F Valkovic et al., Bochum Conf. STI/PUB/232 IAEA (1969) 228
- 1969VA1G Vanagas, Petrauskas, Sabaliauskas and Kalinsuskas, Bochum Conf. STI/PUB/232 IAEA (1969) 334
- 1969VE1B Velten, Kern. Karlsruhe, Rept. No. 3/69 24 (1969)
- 1969VI02 D. Vinciguerra and T. Stovall, Nucl. Phys. A132 (1969) 410
- 1969WA11 B.A. Watson, P.O. Singh and R.E. Segel, Phys. Rev. 182 (1969) 977
- 1969WA1F Waghmare, Joshi and Mehta, Contrib., Montreal (1969) 186
- 1969WU1A Wu and Wilets, Ann. Rev. Nucl. Sci. 19 (1969) 527
- 1969YE1A Yopez, Rev. Mex. Fis. 18 (1969) 104
- 1969YI1A Yiou, Seide and Bernas, J. Geophys. Res. 74 (1969) 2447
- 1969ZE1A Zeidman and Fortune, Bull. Amer. Phys. Soc. 14 (1969) 507
- 1970AB04 U. Abbondanno, R. Giacomich, L. Granata, M. Lagonegro and G. Poiani, Nuovo Cim. A66 (1970) 139
- 1970AB12 S.N. Abramovich, L.A. Morkin, V.A. Pereshivkin and V.I. Serov, Izv. Akad. Nauk SSSR Ser. Fiz. 34 (1970) 1724; Bull. Acad. Sci. USSR Phys. Ser. 34 (1971) 1532
- 1970AF02 S.A. Afzal and S. Ali, Nucl. Phys. A157 (1970) 363
- 1970AH1C Ahn, Z. Phys. 235 (1970) 244
- 1970AJ04 F. Ajzenberg-Selove, Nucl. Phys. A152 (1970) 1
- 1970AL14 V.A. Alessandrini, D.R. Avalos, L.N. Epele, M.A. Gregorio and H. Fanchiotti, Nucl. Phys. A150 (1970) 273
- 1970AL1K Al Khol and Blokhintsev, Izv. Akad. Nauk SSSR Ser. Fiz. 34 (1970) 190
- 1970AN1G Andersen et al., Proc. 3rd Int. Conf. on High-Energy and Nucl. Struct., New York, 1969 (Plenum, 1970) 56; Phys. Abs. 43564 (1971)
- 1970AS02 P.A. Assimakopoulos, E. Beardsworth, D.P. Boyd and P.F. Donovan, Nucl. Phys. A144 (1970) 272
- 1970BA1E Backenstoss, Ann. Rev. Nucl. Sci. 20 (1970) 467
- 1970BA1M Bahcall and Fowler, Astrophys. J. 161 (1970) 119

- 1970BA1T Bachelier et al., Proc. 3rd Int. Conf. on High-Energy Phys. and Nucl. Struct., New York, 1969 (Plenum, 1970) 318
- 1970BA1V Baker et al., Bull. Amer. Phys. Soc. 15 (1970) 519
- 1970BA29 R.J. Batten, D.L. Clough, J.B.A. England, R.G. Harris and D.H. Worledge, Nucl. Phys. A151 (1970) 56
- 1970BA41 A.D. Bacher, R.L. McGrath, J. Cerny, R. de Swiniarski, J.C. Hardy and R.J. Slobodrian, Nucl. Phys. A153 (1970) 409
- 1970BA59 Y.D. Bayukov, V.B. Fedorov, V.D. Khovansky, V.M. Kolybasov, G.A. Leksin, V.L. Stolin and L.S. Vorobyev, Phys. Lett. B33 (1970) 416
- 1970BE1N Beveridge, Thesis, Univ. British Columbia (1970); Phys. Abs. 75578 (1971)
- 1970BI1B Bingham, Thesis, Florida State Univ. (1970); Phys. Abs. 67874 (1971)
- 1970BO1Q Bonbright, Thesis, Univ. Maryland (1970); Phys. Abs. 75575 (1971)
- 1970BO1R Boykin, Hardy and Baker, Bull. Amer. Phys. Soc. 15 (1970) 1694
- 1970BR1E Brix, Private Communication (1970)
- 1970BR1N Bray et al., Bull. Amer. Phys. Soc. 15 (1970) 23
- 1970BU1C Burdet and Perrin, Univ. Lyon Rept. No. Lycen 7036 (1970)
- 1970CA1L Calligaris, Cernigoi, Gabrielli and Pellegrini, Proc. 3rd Int. Conf. on High-Energy Phys. and Nucl. Struct., New York, 1969 (Plenum, 1970) 367; Phys. Abs. 43625 (1971)
- 1970CH1K Choi, Thompson and Park, Bull. Amer. Phys. Soc. 15 (1970) 652
- 1970CH1L Cheon, Rept. KG-1 Koqakuin Univ., Tokyo (1968); Phys. Abs. 26934 (1970)
- 1970CH1M Cheon, Prog. Theor. Phys. 44 (1970) 549
- 1970CH1N Cheon and Samaranayake, Nucl. Phys. A154 (1970) 93
- 1970CI1B C. Ciofi Atti and N.M. Kabachnik, Phys. Rev. C1 (1970) 809
- 1970DA19 S.A. Darden, R.M. Prior and K.W. Corrigan, Phys. Rev. Lett. 25 (1970) 1673
- 1970DA21 A. D'Andrea and M. Scalia, Nuovo Cim. A69 (1970) 702
- 1970DE12 C. Detraz, H.H. Duhm and H. Hafner, Nucl. Phys. A147 (1970) 488
- 1970DE17 R.M. Devries, G. Paic, J.L. Perrenoud, M. Singh and J.W. Sunier, Phys. Lett. B32 (1970) 193
- 1970DE1M J. Delorme and M. Ericson, Phys. Lett. B32 (1970) 443
- 1970DE1N Delorme, Nucl. Phys. B19 (1970) 573
- 1970EI05 W. Eichelberger, R.D. Plieninger and E. Velten, Nucl. Phys. A149 (1970) 441
- 1970FA11 S. Fantoni and S. Rosati, Nucl. Phys. A151 (1970) 317

- 1970FA15 D. Favart, F. Brouillard, L. Grenacs, P. Igo-Kemenes, P. Lipnik and P.C. Macq, Phys. Rev. Lett. 25 (1970) 1348
- 1970FO1B Fonda, Theor. of Nucl. Struct., Tricste, 1969, IAEA STI/PUB/249 (1970) 283
- 1970FO1D Fortune and Zeidman, Nucl. Reactions Induced by Heavy Ions, Heidelberg, 1969 (North-Holland, 1970) 307
- 1970GA14 P. Gaillard, M. Chevallier, J.Y. Grossiord, A. Guichard, M. Gusakow, J.-R. Pizzi and J.-P. Maillard, Phys. Rev. Lett. 25 (1970) 593
- 1970GR07 E.E. Gross, E. Newman, W.J. Roberts, R.W. Rutkowski and A. Zucker, Phys. Rev. Lett. 24 (1970) 473
- 1970GR12 W. Gruebler, V. Konig, P.A. Schmelzbach and P. Marmier, Nucl. Phys. A148 (1970) 391
- 1970GR17 E.E. Gross, E.V. Hungerford, J.J. Malanify and R. Woods, Phys. Rev. C1 (1970) 1365
- 1970GU06 P. Guazzoni, I. Iori, S. Micheletti, N. Molho, M. Pignanelli and G. Tagliaferri, Nuovo Cim. A67 (1970) 407
- 1970HA1G Habs et al., Kernforsch. Karlsruhe, Ext. Bericht 18-70 2 (1970)
- 1970HA1N H.H. Hackenbroich and P. Heiss, Phys. Lett. B32 (1970) 78
- 1970HO32 H.M. Hofmann and D. Fick, Z. Phys. 240 (1970) 420
- 1970HU09 R.M. Hutcheon, R. Neuhausen and F. Eigenbrod, Z. Naturf. A25 (1970) 973
- 1970HU13 R.M. Hutcheon, O. Sundberg and G. Tibell, Nucl. Phys. A154 (1970) 261
- 1970IT02 K. Itonaga and H. Bando, Prog. Theor. Phys. 44 (1970) 1232
- 1970JA08 D.F. Jackson and S. Murugesu, Nucl. Phys. A149 (1970) 261
- 1970JA17 M. Jain, P.G. Roos, H.G. Pugh and H.D. Holmgren, Nucl. Phys. A153 (1970) 49
- 1970JA1L Jain, Sarma and Banerjee, Nucl. Phys. A142 (1970) 330
- 1970JA21 A.K. Jain and N. Sarma, Phys. Lett. B33 (1970) 271
- 1970JA23 B.K. Jain and B. Banerjee, Nuovo Cim. A69 (1970) 419
- 1970JE02 J.G. Jenkin, W.D. Harrison and R.E. Brown, Phys. Rev. C1 (1970) 1622
- 1970KA1K Kadenskii et al., Sov. J. Nucl. Phys. 10 (1970) 422
- 1970KA1M Kane, Thesis, Georgetown Univ. (1970); Phys. Abs. 43448 (1971)
- 1970KE17 L.G. Keller and W. Haeberli, Nucl. Phys. A156 (1970) 465
- 1970KI1C C.W. Kim and S.L. Mintz, Phys. Lett. B31 (1970) 503
- 1970KL09 W.J. Klages, H.H. Duhm, H. Yoshida, P.E. Schumacher and C. Detraz, Nucl. Phys. A156 (1970) 65
- 1970KO08 V. Konig, W. Gruebler, P.A. Schmelzbach and P. Marmier, Nucl. Phys. A148 (1970) 380

- 1970KO23 V.M. Kolybasov and T.A. Lomonosova, *Yad. Fiz.* 11 (1970) 578; *Sov. J. Nucl. Phys.* 11 (1970) 325
- 1970KR1G Krogulski and Blocki, *Nucl. Phys.* A144 (1970) 617
- 1970KR1H Kragler and Fick, *Z. Phys.* 235 (1970) 271
- 1970KU02 I.V. Kurdyumov, Y.F. Smirnov, K.V. Shitikova and S.K. El Samarai, *Phys. Lett.* B31 (1970) 163
- 1970KU15 V.I. Kukulkin and V.G. Neudatchin, *Nucl. Phys.* A157 (1970) 609
- 1970KU1D Kull, Thesis, Michigan State Univ. (1970); *Phys. Abs.* 6667 (1970)
- 1970KU1F I.V. Kurdyumov, V.G. Neudatchin and Yu.F. Smirnov, *Phys. Lett.* B31 (1970) 426
- 1970LA1D Lawson, *Nucl. Phys.* A148 (1970) 401
- 1970LO1E M.A. Lodhi, *Phys. Rev.* C1 (1970) 1732
- 1970LO1J Lodhi and Mires, *Nucl. Phys.* A149 (1970) 625
- 1970MA1K Maples and Cerny, *Bull. Amer. Phys. Soc.* 15 (1970) 1598
- 1970MA57 R.M. May and I.R. Nicholls, *Aust. J. Phys.* 23 (1970) 633
- 1970ME1J Merchez, Pouxé and Tournier, *Nucl. Instrum. Meth.* 81 (1970) 173
- 1970MI05 D. Miljanic, M. Furic and V. Valkovic, *Nucl. Phys.* A148 (1970) 312
- 1970MI12 B. Mithra and R. Laverriere, *Nucl. Phys.* A155 (1970) 535
- 1970MI1J Mithra and Lafoucriere, *C. R. Acad. Sci. Ser.* B270 (1970) 1434
- 1970MU05 A. Murakami, *J. Phys. Soc. Jpn.* 28 (1970) 1
- 1970NA02 K. Nagatani, D.P. Boyd, P.F. Donovan, E. Beardsworth and P.A. Assimakopoulos, *Phys. Rev. Lett.* 24 (1970) 675
- 1970NA06 J. Nalda, T. Barriuso and J. Casanova, *Nucl. Phys.* A149 (1970) 350
- 1970NA1E Nam, Osetinskii and Sergeev, *Sov. J. Nucl. Phys.* 10 (1970) 407
- 1970NE1F Neudatchin and Wildermuth, *Proc. Int. Conf. Nucl. Reactions Induced by Heavy Ions, Heidelberg, 1969 (North-Holland, 1970) p.* 327
- 1970OR03 H. Orihara, M. Baba, M. Akiyama, S. Iwasaki, T. Nakagawa, H. Ueno and M. Watanabe, *J. Phys. Soc. Jpn.* 29 (1970) 533
- 1970PA1D Park and Rickett, *Bull. Amer. Phys. Soc.* 15 (1970) 1683
- 1970PA1E P. Pascual and A. Fujii, *Nuovo Cim.* A65 (1970) 411; *Erratum Nuovo Cim.* A67 (1970) 125
- 1970PA23 H. Paul, *Nucl. Phys.* A154 (1970) 160
- 1970PI1D Pizzi, Thesis, Univ. Lyon, France (1970); *Phys. Abs.* 59004 (1970)
- 1970PO03 D.L. Powell, G.M. Crawley, B.V.N. Rao and B.A. Robson, *Nucl. Phys.* A147 (1970) 65

1970PO05 R.L. Poutissou and H. Jeremie, *Can. J. Phys.* 48 (1970) 1414
 1970RI16 A. Richter and C.M. Vincent, *Phys. Rev. Lett.* 25 (1970) 1460
 1970SA14 M. Sanzone, G. Ricco, S. Costa and L. Ferrero, *Nucl. Phys.* A153 (1970) 401
 1970SH1B M.S. Shah and A.N. Mitra, *Phys. Rev. C* 1 (1970) 35
 1970SL1B Slaus, *Theory of Nucl. Struct. - Trieste 1969*, IAEA STI/PUB/249 (1970) 17
 1970SP1C Sparrow and Gerace, *Nucl. Phys.* A145 (1970) 289
 1970SU13 Y. Suzuki and K. Kubodera, *Prog. Theor. Phys.* 44 (1970) 617
 1970SU1B Sukhoruchkin, *Sov. J. Nucl. Phys.* 10 (1970) 144
 1970TH1F Theus et al., *Bull. Amer. Phys. Soc.* 15 (1970) 1695
 1970VA15 P. Van Leuven and C. Wagemans, *J. Phys.* 31 (1970) 149
 1970VI01 J.S. Vincent and E.T. Boschitz, *Nucl. Phys.* A143 (1970) 121
 1970WA1U Watson, Thesis, Univ. Maryland (1970); *Phys. Abs.* 60790 (1971)
 1970WI11 H.W. Wittern, *Phys. Lett.* B32 (1970) 441
 1970WO10 C.F. Wong, R.M. Hutcheon, Y.M. Shin and H.S. Caplan, *Can. J. Phys.* 48 (1970) 1917
 1970YO04 A.M. Young, S.L. Blatt and R.G. Seyler, *Phys. Rev. Lett.* 25 (1970) 1764
 1970YO1A Young, Blatt, Amann and Dieres, *Bull. Amer. Phys. Soc.* 15 (1970) 125
 1970ZE03 B. Zeidman, H.T. Fortune and A. Richter, *Phys. Rev. C* 2 (1970) 1612
 1970ZE1C Zender, Thesis, Florida State Univ. (1970); *Phys. Abs.* 71998 (1971)
 1970ZO1A Zofka, *Czech. J. Phys.* 20 (1970) 926
 1971AJ02 F. Ajzenberg-Selove, *Nucl. Phys.* A166 (1971) 1
 1971AM03 R.D. Amado and J.V. Noble, *Phys. Rev. C* 3 (1971) 2494
 1971AM1A Amato et al., *Bull. Amer. Phys. Soc.* 16 (1971) 511
 1971AR1C Armstrong, Keaton, Lawrence and Catlin, *Bull. Amer. Phys. Soc.* 16 (1971) 537
 1971AU01 T. Aurdal, *Nucl. Phys.* A160 (1971) 99
 1971BE21 J.L. Beveridge and R.R. Johnson, *Can. J. Phys.* 49 (1971) 1374
 1971BI11 H.G. Bingham, A.R. Zander, K.W. Kemper and N.R. Fletcher, *Nucl. Phys.* A173 (1971) 265
 1971BI12 H.G. Bingham, K.W. Kemper and N.R. Fletcher, *Nucl. Phys.* A175 (1971) 374
 1971BR07 K.H. Bray, M. Jain, K.S. Jayaraman, G. LoBianco, W.T.H. Van Oers and Y.I. Wu, *Nucl. Phys.* A163 (1971) 649
 1971BR46 R.E. Brown, I. Reichstein and Y.C. Tang, *Nucl. Phys.* A178 (1971) 145
 1971CA1J Castleberry, Thesis, Univ. Virginia (1971); *Phys. Abs.* 46293 (1972)

- 1971CH06 I.-T. Cheon, Phys. Rev. C3 (1971) 1023
- 1971CH23 I.T. Cheon, Phys. Lett. B35 (1971) 276
- 1971CHYH V.I. Chuev, V.V. Davidov, B.G. Novatskii, A.A. Ogloblin, S.B. Sakuta and D.N. Stepanov, J. Phys. (Paris) Colloq. C-6 (1971) 163
- 1971CO22 C.L. Cocke and J.C. Adloff, Nucl. Phys. A172 (1971) 417
- 1971CO28 B.S. Cooper, J.B. Seaborn and S.A. Williams, Phys. Rev. C4 (1971) 1997
- 1971DA33 V.V. Davydov, B.G. Novatskii, A.A. Ogloblin, S.B. Sakuta, D.N. Stepanov and V.I. Chuev, Izv. Akad. Nauk SSSR Ser. Fiz. 35 (1971) 2399; Bull. Acad. Sci. USSR Phys. Ser. 35 (1972) 2176
- 1971DE08 P.T. Debevec, G.T. Garvey and B.E. Hingerty, Phys. Lett. B34 (1971) 497
- 1971DE15 G. Deconninck, A. Giorni, J.P. Longequeue, J.P. Maillard and Tsan Ung Chan, Phys. Rev. C3 (1971) 2085
- 1971DE1T Dennis, AD 710353; Phys. Abs. 51213 (1971)
- 1971DE1V de Wet, Proc. Cambridge Phil. Soc. 70 (1971) 485
- 1971DE2B de Vries, Thesis, Univ. California, Los Angeles (1971); Phys. Abs. 46255 (1972)
- 1971DE2D Devons, Proc. Conf. Hyperfine Interactions Detected by Nucl. Radiation, Israel, 1970 (London: Gordon & Breach 1971) p. 619
- 1971DI19 D.L. Disdier, G.C. Ball, O. Hausser and R.E. Warner, Phys. Rev. Lett. 27 (1971) 1391
- 1971DW01 M.R. Dwarakanath and H. Winkler, Phys. Rev. C4 (1971) 1532
- 1971EM01 S.T. Emerson, V. Valkovic, W.R. Jackson, C. Joseph, A. Niiler, W.D. Simpson and G.C. Phillips, Nucl. Phys. A169 (1971) 317
- 1971ER1C Ericson, Ann. Phys. 63 (1971) 562
- 1971FA09 J. Favier, T. Bressani, G. Charpak, L. Massonnet, W.E. Meyerhof and C. Zupancic, Nucl. Phys. A169 (1971) 540
- 1971FO08 H.T. Fortune, G.C. Morrison and R.H. Siemssen, Phys. Rev. C3 (1971) 2133
- 1971GA1J Gaillard, Conf. on Certain Microscopic Aspects of Nucl. Reactions, La Toursinei, 1971 (Vieurbanne, France: Inst. Nucl. Phys. 1971); Phys. Abs. 43589 (1971)
- 1971GH1A Ghovanlou and Prats, Bull. Amer. Phys. Soc. 16 (1971) 649
- 1971GH1B Ghovanlou, Thesis, George Washington Univ. (1971); Phys. Abs. 70434 (1972)
- 1971GI1E Givens, Thesis, Univ. Illinois (1971); Phys. Abs. 70463 (1972)
- 1971GR1Y Grubb, Thesis, Univ. Virginia (1971); Phys. Abs. 52734 (1972)
- 1971GU07 H.H. Gutbrod, H. Yoshida and R. Bock, Nucl. Phys. A165 (1971) 240
- 1971HA2G Haerberli, Proc. 2nd Int. Conf. on Polarized Targets LBL 500 (1971) p. 329
- 1971HA59 A. Hasegawa and S. Nagata, Prog. Theor. Phys. 45 (1971) 1786

1971HE1K Heimlich et al., DESY 71 (1971) 55
 1971HO1K Holman, Thesis, Univ. California, Los Angeles (1971); Phys. Abs. 46529 (1972)
 1971HO25 A.B. Holman, J.-L. Perrenoud, J.C. Young, M.B. Epstein and B.T. Wright, Nucl. Phys. A174 (1971) 161
 1971HU1F Hutzelmeyer, Z. Phys. 247 (1971) 444
 1971JA06 M.C. Jain, G.K. Mehta and Y.R. Waghmare, Phys. Rev. C3 (1971) 1466
 1971JE01 J.H. Jett, J.L. Detch, Jr. and N. Jarmie, Phys. Rev. C3 (1971) 1769
 1971KE16 L.G. Keller and W. Haeberli, Nucl. Phys. A172 (1971) 625
 1971KE1E Keaton et al., Polarization, Madison, 1970 (Univ. Wisconsin Press, 1971) 849
 1971KL04 J.T. Kloplic and S.E. Darden, Phys. Rev. C3 (1971) 2171; Erratum Phys. Rev. C4 (1971) 1494
 1971KL1E Klages et al., Suppl. J. Phys. 32 (1971) C6-209
 1971KO02 T.I. Kopaleishvili and I.Z. Machabeli, Nucl. Phys. A160 (1971) 204
 1971KO09 V. Konig, W. Gruebler, A. Ruh, R.E. White, P.A. Schmelzbach, R. Risler and P. Marmier, Nucl. Phys. A166 (1971) 393
 1971KO14 B.Z. Kopeliovich and I.K. Potashnikova, Yad. Fiz. 13 (1971) 1032; Sov. J. Phys. 13 (1971) 592
 1971KO1G Komarov, Kosarev and Savchenko, Sov. J. Nucl. Phys. 12 (1971) 675
 1971KU06 Y.A. Kudeyarov, I.V. Kurdyumov, V.G. Neudatchin and Y.F. Smirnov, Nucl. Phys. A163 (1971) 316
 1971KU22 L.M. Kuznetsova, V.I. Kukulkin and V.G. Neudachin, Yad. Fiz. 13 (1971) 694; Sov. J. Nucl. Phys. 13 (1971) 394
 1971LA20 J.M. Lambert, R.J. Kane, P.A. Treado, L.A. Beach, E.L. Petersen and R.B. Theus, Phys. Rev. C4 (1971) 2010
 1971LI10 G.C. Li, I. Sick, R.R. Whitney and M.R. Yearian, Nucl. Phys. A162 (1971) 583
 1971LI1N Liebert, Thesis, Univ. Rochester (1971); Phys. Abs. 63880 (1972)
 1971LO03 M.A.K. Lodhi, Phys. Rev. C3 (1971) 503
 1971LO07 M.A.K. Lodhi, Z. Naturf. A26 (1971) 224
 1971LO08 M.A.K. Lodhi, Z. Phys. 242 (1971) 364
 1971LO10 M.A.K. Lodhi, Phys. Rev. C3 (1971) 2116
 1971LO13 R.J. Lombard, Phys. Lett. B35 (1971) 493
 1971MA13 G.S. Mani, D. Jacques and A.D.B. Dix, Nucl. Phys. A165 (1971) 145
 1971MA44 G.S. Mani, D. Jacques and A.D.B. Dix, Nucl. Phys. A172 (1971) 166
 1971MA61 I.A. Mackenzie, S.K. Mark and T.Y. Li, Nucl. Phys. A178 (1971) 225

- 1971MI12 D. Miljanic and V. Valkovic, Nucl. Phys. A176 (1971) 110
- 1971MO06 E.J. Moniz, I. Sick, R.R. Whitney, J.R. Ficenece, R.D. Kephart and W.P. Trower, Phys. Rev. Lett. 26 (1971) 445
- 1971MU17 A. Murakami, Phys. Lett. B36 (1971) 165
- 1971MU19 A. Murakami, J. Phys. Soc. Jpn. 31 (1971) 601
- 1971NE03 R. Neuhausen and R.M. Hutcheon, Nucl. Phys. A164 (1971) 497
- 1971NO02 J.L. Norton and P. Goldhammer, Nucl. Phys. A165 (1971) 33
- 1971NO1C Northcliffe et al., Bull. Amer. Phys. Soc. 16 (1971) 540
- 1971OR02 J. Orloff and W.W. Daehnick, Phys. Rev. C3 (1971) 430
- 1971PA11 S.C. Park and J.P. Rickett, Phys. Rev. C3 (1971) 1926
- 1971PE10 J.-L. Perrenoud and R.M. Devries, Phys. Lett. B36 (1971) 18
- 1971PL1C Plattner, Polarization, Madison, 1970 (Univ. Wisconsin Press, 1971) p. 107
- 1971SH26 V.S. Shirley, Proc. Int. Conf. Hyperfine Interactions Detected by Nucl. Radiation, Israel, 1970 (London, Gordon & Breach, 1971) 1255
- 1971ST05 R.H. Stokes and P.G. Young, Phys. Rev. C3 (1971) 984
- 1971ST06 U. Strohmusch, W. Schmidt and G. Huber, Nucl. Phys. A163 (1971) 453
- 1971ST1K Starkovich and Ohlsen, Polarization Phenomena in Nucl. Reactions, Madison, 1970, Eds. H.H. Barschall and W. Haeberli (Univ. Wisconsin Press, 1971) p. 581
- 1971ST1M Strel'nikov, Abramov, Morkin and Yur'eva, Izv. Akad. Nauk SSSR Ser. Fiz. 35 (1971) 165
- 1971ST31 H. Stowe, H.H. Hackenbroich and H. Hutzelmeyer, Z. Phys. 247 (1971) 95
- 1971TE1B Tekou, Nucl. Phys. B29 (1971) 630
- 1971VA20 G.J.C. van Niftrik, L. Lapikas, H. de Vries and G. Box, Nucl. Phys. A174 (1971) 173
- 1971VE10 E. Ventura, C.C. Chang and W.E. Meyerhof, Nucl. Phys. A173 (1971) 1
- 1971WA19 J.W. Watson, H.G. Pugh, P.G. Roos, D.A. Goldberg, R.A.J. Riddle and D.I. Bonbright, Nucl. Phys. A172 (1971) 513
- 1971WA20 G.J. Wagner, C.C. Foster and B. Greenebaum, Nucl. Phys. A174 (1971) 123
- 1971WE1J Werntz, Bull. Amer. Phys. Soc. 16 (1971) 1175
- 1971WE1K Weidenmuller and Winther, Ann. Phys. 66 (1971) 218
- 1971WE1L Werby, Thesis, Florida State Univ. (1971); Phys. Abs. 70475 (1972)
- 1971WI10 B.R. Wienke and S.L. Meyer, Phys. Rev. C3 (1971) 2179
- 1971ZA07 A.R. Zander, K.W. Kemper and N.R. Fletcher, Nucl. Phys. A173 (1971) 273
- 1971ZA1D D.A. Zaikin, Nucl. Phys. A170 (1971) 584

- 1971ZE03 N.S. Zelenskaya, *Yad. Fiz.* 13 (1971) 734; *Sov. J. Nucl. Phys.* 13 (1971) 417
- 1972AB14 O.B. Abdinov and V.S. Barashenkov, *Acta Phys. Pol.* B3 (1972) 385
- 1972AG01 N.M. Agababyan, Y.A. Batusov, S.A. Bunyatov, G.P. Gulkanyan, V.M. Sidorov and V.A. Yarba, *Yad. Fiz.* 15 (1972) 18; *Sov. J. Nucl. Phys.* 15 (1972) 10
- 1972AL04 R.G. Allas, D.I. Bonbright, R.O. Bondelid, E.L. Petersen, A.G. Pieper and R.B. Theus, *Phys. Rev. Lett.* 28 (1972) 569
- 1972AL1T Allas et al., *Bull. Amer. Phys. Soc.* 17 (1972) 929
- 1972AL21 J.C. Alder, W. Dollhopf, W. Kossler, C.F. Perdrisat, W.K. Roberts, P. Kitching, G.A. Moss, W.C. Olsen and J.R. Priest, *Phys. Rev.* C6 (1972) 18
- 1972AN05 R.K. Anderson, M.R. Wilson and P. Goldhammer, *Phys. Rev.* C6 (1972) 136
- 1972AN27 Y.P. Antoufiev, V.L. Agranovich, V.S. Kuzmenko and P.V. Sorokin, *Phys. Lett.* B42 (1972) 347
- 1972AR1C Artemov et al., *Sov. J. Nucl. Phys.* 14 (1972) 615
- 1972AR22 U.R. Arifkhanov, M. Gulyamov, B.I. Islamov and E. Ergashov, *Yad. Fiz.* 15 (1972) 1102; *Sov. J. Nucl. Phys.* 15 (1972) 610
- 1972AV04 G.V. Avakov, E.I. Dolinsky and V.V. Turovtsev, *Nucl. Phys.* A196 (1972) 529
- 1972AV1E Avida, Chang, Boyd and Glavish, *Bull. Amer. Phys. Soc.* 17 (1972) 562
- 1972AZ03 L.S. Azhgirei, Z. Cisek, Z.V. Krumstein, Y.P. Merekov, Z. Moroz, Ngo Quang Zui, V.I. Petrukhin, A.I. Ronzhin, G.A. Shelkov and O.D. Dalkarov, *Nucl. Phys.* A195 (1972) 581
- 1972BA2L Bachelier et al., *Communications, Proc. Aix-En-Provence Conf.* Vol. 2 (1972) 121
- 1972BA2M Bahcall, *Comments on Nucl. Part. Phys.* 5 (1972) 59
- 1972BA89 D. Bachelier, M. Bernas, J.L. Boyard, H.L. Harney, J.C. Jourdain, P. Radvanyi and M. Roy-Stephan, *Nucl. Phys.* A195 (1972) 361
- 1972BB10 F.C. Barker, *Phys. Lett.* B42 (1972) 313
- 1972BL1F Blokhintsev and Safronov, *Nucl. Phys.* A180 (1972) 363
- 1972BO07 H. Bohlen, N. Marquardt, W. von Oertzen and P. Gorodetzky, *Nucl. Phys.* A179 (1972) 504
- 1972BO42 W.R. Boykin, S.D. Baker and D.M. Hardy, *Nucl. Phys.* A195 (1972) 241
- 1972BR03 W.J. Braithwaite, J.M. Cameron, J.G. Cramer, C.R. Rudy and W.W. Eidson, *Phys. Lett.* B38 (1972) 67
- 1972BR1Q Brown, Tang and Thompson, *Few Particle Problems, UCLA, 1972* (North-Holland, 1972) 703
- 1972BR20 K.H. Bray, M. Jain, K.S. Jayaraman, G. Lobianco, G.A. Moss, W.T.H. van Oers and D.O. Wells, *Nucl. Phys.* A189 (1972) 35

- 1972BU01 F.A. Bumiller, F.R. Buskirk, J.N. Dyer and W.A. Monson, Phys. Rev. C5 (1972) 391
- 1972CA37 P. Camiz, E. Olivieri, M. Scalia and A. D'Andrea, Nuovo Cim. A12 (1972) 71
- 1972CL14 C.F. Clement and S.M. Perez, Nucl. Phys. A196 (1972) 561
- 1972CL1A Clayton, Encyclopedia of the Twentieth Century (1972)
- 1972CR1E Crawford, 4th Ainslie Nucl. Phys. Conf., Sydney, 1972 (Sutherland, Australia, Aust. Inst. Nucl. Sci. Engng., 1972) 30; Phys. Abs. 38564 (1972)
- 1972DE01 R.M. Devries, J.W. Sunier, J.-L. Perrenoud, M. Singh, G. Paic and I. Slaus, Nucl. Phys. A178 (1972) 417
- 1972DE02 R.M. Devries, J.-L. Perrenoud, I. Slaus and J.W. Sunier, Nucl. Phys. A178 (1972) 424
- 1972DE46 M.L.V.L. de Slobodrian, B. Cujec, R. Roy and R.J. Slobodrian, Nucl. Phys. A194 (1972) 577
- 1972DE49 R.M. DeVries, I. Slaus, J.W. Sunier, T.A. Tombrello and A.V. Nero, Phys. Rev. C6 (1972) 1447
- 1972DR1B Drake, Proc. 1971 Mont Tremblant Summer School Meeting on Dynamic Struct. of Nucl. States, Toronto, Canada (Univ. Toronto Press, Canada, 1972) 420; Phys. Abs. 82957 (1972)
- 1972EL04 M. El-Nadi and A. Osman, Phys. Lett. B39 (1972) 156
- 1972FA14 G. Faldt and H. Pilkuhn, Phys. Lett. B40 (1972) 613
- 1972FE12 V.N. Fetisov and Y.S. Kopysov, Phys. Lett. B40 (1972) 602
- 1972FI1G Fiore et al., Few Particle Problems, UCLA, 1972 (North-Holland, 1972) 620
- 1972FO1H Fowler, Nature 238 (1972) 24
- 1972FU07 M. Furic, R.K. Cole, H.H. Forster, C.C. Kim, D.Y. Park, J. Rucker, H. Spitzer and C.N. Waddell, Phys. Lett. B39 (1972) 629
- 1972GA1E Garrett, Symp. on Two-Nucleon Transfer and Pairing Excitations, Argonne (1972) 232; (CONF-720309)
- 1972GE1H Genin et al., Sendai (1972) 439
- 1972GH1A Ghovanlou and Lehman, Bull. Amer. Phys. Soc. 17 (1972) 553
- 1972GI07 R.W. Givens, M.K. Brussel and A.I. Yavin, Nucl. Phys. A187 (1972) 490
- 1972GO1P Goodman, Hensley, van der Woude and Raman, Bull. Amer. Phys. Soc. 17 (1972) 929
- 1972GR07 E.E. Gross, E. Newman, M.B. Greenfield, R.W. Rutkowski, W.J. Roberts and A. Zucker, Phys. Rev. C5 (1972) 602
- 1972HA2D Hardekopf et al., LA 5051 (1972)
- 1972HA64 D.M. Hardy, R.J. Spiger, S.D. Baker, Y.S. Chen and T.A. Tombrello, Nucl. Phys. A195 (1972) 250

1972HO1H Hourani, Nakamura, Takeuchi and Yuasa, Few Particle Problems, UCLA, 1972 (North-Holland, 1972) 487

1972HU1A W.T. Huang, C.A. Levinson and M.K. Banerjee, Phys. Rev. C5 (1972) 651

1972JA07 O.N. Jarvis, C. Whitehead and M. Shah, Nucl. Phys. A184 (1972) 615

1972JA14 J. Janecke, Phys. Rev. C6 (1972) 467

1972JA1K Jarlskog and Yndurain, Nuovo Cim. A12 (1972) 801

1972JA21 B.K. Jain, Nucl. Phys. A194 (1972) 651

1972JE05 H. Jeremie, Phys. Lett. B40 (1972) 311

1972KA08 R.J. Kane, J.M. Lambert and P.A. Treado, Nucl. Phys. A179 (1972) 725

1972KN05 L.D. Knutson, Nucl. Phys. A198 (1972) 439

1972KO1E Koike, Prog. Theor. Phys. 48 (1972) 66

1972KO1J Komarov, Few Particle Problems, UCLA, 1972 (North-Holland, 1972) 551

1972KO1L Kolybasov and Smorodinskaya, Sov. J. Nucl. Phys. 14 (1972) 330

1972KO1M Kopysov and Fetisov, JETP Lett. 16 (1972) 39

1972KO1N Kosiara, Thesis, Case Western Reserve Univ. (1972); Phys. Abs. 82883 (1972)

1972KU05 I.V. Kurdyumov and V.G. Neudatchin, Nucl. Phys. A182 (1972) 634

1972KU08 B. Kuhn, H. Kumpf, S. Parzhitsky and S. Tesch, Nucl. Phys. A183 (1972) 640

1972KU12 K.-I. Kubo and M. Hirata, Nucl. Phys. A187 (1972) 186

1972KU1N Kuhn, Kumpf, Sarshitsky and Tesch, Wiss. Z. Tech. Univ. Dresden, 21 (Germany, 1972) 712; Phys. Abs. 35898 (1973)

1972KU20 I.V. Kurdyumov, V.G. Neudatchin, Y.F. Smirnov and V.P. Korennoy, Phys. Lett. B40 (1972) 607

1972LA07 J. Law and J.L. Campbell, Nucl. Phys. A185 (1972) 529

1972LE1L Lee and Cusson, Ann. Phys. 72 (1972) 353

1972LE1U Leemann et al., Bull. Amer. Phys. Soc. 17 (1972) 562

1972LI04 E.K. Lin, R. Hagelberg and E.L. Haase, Nucl. Phys. A179 (1972) 65

1972LO1L Lodhi, Texas J. Sci. 23 (1972) 421; Phys. Abs. 52802 (1972)

1972LO1M Lodhi and Clingan, Few Particle Problems, UCLA, 1972 (North-Holland, 1972) 987

1972MA1W Mak, Mann and Kavanagh, Bull. Amer. Phys. Soc. 17 (1972) 1180

1972MA61 I.A. Mackenzie, S.K. Mark and T.Y. Li, Nucl. Phys. A195 (1972) 609

1972ME05 F. Merchez, R. Bouchez and A.I. Yavin, Nucl. Phys. A182 (1972) 428

1972ME1F Mett and Jackson, Few Particle Problems, UCLA, 1972 (North-Holland, 1972) 898

1972MI1L Mitchell, Ohlsen and Salzman, Bull. Amer. Phys. Soc. 17 (1972) 686

- 1972MI1M Mikaelyan and Fayans, *Yad. Fiz.* 15 (1972) 975
- 1972MI1N Miller, Bonbright, Watson and Wilson, *Few Particle Problems, UCLA, 1972 (North-Holland, 1972)* 731
- 1972MU07 N.C. Mukhopadhyay, *Phys. Lett.* B40 (1972) 157
- 1972NA05 P.T. Nang, *Nucl. Phys.* A185 (1972) 413
- 1972NA1D Nakamura, *Prog. Theor. Phys.* 48 (1972) 695
- 1972NI15 H. Nissimov and J.P. Elliott, *Nucl. Phys.* A198 (1972) 1
- 1972OB1B Oberg, Bodansky, Chamberlin and Jacobs, *Bull. Amer. Phys. Soc.* 17 (1972) 893
- 1972OH01 I.K. Oh, C.S. Zaidins, C.D. Zafiratos and S.I. Hayakawa, *Nucl. Phys.* A178 (1972) 497
- 1972OH02 G.G. Ohlsen, J.L. Gammel and P.W. Keaton, Jr., *Phys. Rev.* C5 (1972) 1205
- 1972OS01 A. Osman, *Part. Nucl.* 3 (1972) 28
- 1972OS02 R. Ost, E. Speth, K.O. Pfeiffer and K. Bethge, *Phys. Rev.* C5 (1972) 1835
- 1972PN1A Pniewski, *Few Particle Problems, UCLA, 1972 (North-Holland, 1972)* 145
- 1972RA30 G.M. Raisbeck, J. Lestringuez and F. Yiou, *Phys. Rev.* C6 (1972) 685
- 1972RI10 A.S. Rinat, L.P. Kok and M. Stingl, *Nucl. Phys.* A190 (1972) 328
- 1972RU03 C. Rudy, R. Vandenbosch, P. Russo and W.J. Braithwaite, *Nucl. Phys.* A188 (1972) 430.
- 1972SA10 W.W. Sapp, Jr., M. Eckhause, G.H. Miller and R.E. Welsh, *Phys. Rev.* C5 (1972) 690
- 1972SC14 P.A. Schmelzbach, W. Gruebler, V. Konig and P. Marmier, *Nucl. Phys.* A184 (1972) 193
- 1972ST1C Steshenko and Filippov, *Sov. J. Nucl. Phys.* 14 (1972) 403
- 1972SW1A Swannack, Thesis, Carnegie-Mellon Univ. (1972); *Phys. Abs.* 70461 (1972)
- 1972THZF H. Theissen, *Springer Tracts in Modern Phys.*, Ed. Hohler, Vol. 65 (Berlin, Germany-Springer Verlag, 1972) 1
- 1972TI03 Y.I. Titov and E.V. Stepula, *Yad. Fiz.* 15 (1972) 649; *Sov. J. Nucl. Phys.* 15 (1972) 361
- 1972TO1D Tombrello, *Few Particle Problems, UCLA, 1972 (North-Holland, 1972)* 928
- 1972TR1E Truol et al., *Helv. Phys. Acta* 45 (1972) 923
- 1972VA36 J.F.A. Van Hienen and P.W.M. Glaudemans, *Phys. Lett.* B42 (1972) 301
- 1972VE07 J.D. Vergados and H.W. Baer, *Phys. Lett.* B41 (1972) 560
- 1972VE1C Ventura, Calaroo, Chang and Diener, *Bull. Amer. Phys. Soc.* 17 (1972) 585
- 1972VO06 A.A. Vorobyov, D.M. Seliverstov, V.T. Grachev, I.A. Kondurov, A.M. Nikitin, N.N. Smirnov and Y.K. Zalite, *Phys. Lett.* B40 (1972) 102

- 1972WA1L Wagner, Mairle, Kleinagel and Bilwes, Few Particle Problems, UCLA, 1972 (North-Holland, 1972) 747
- 1972WE03 W. Weise, Phys. Lett. B38 (1972) 301
- 1972YO02 F.C. Young and A.R. Knudson, Nucl. Phys. A184 (1972) 563
- 1973AR05 K.P. Artemov, V.Z. Goldberg, I.P. Petrov, V.P. Rudakov, I.N. Serikov and V.A. Timofeev, Yad. Fiz. 17 (1973) 225; Sov. J. Nucl. Phys. 17 (1974) 115
- 1973AR1L Arad and Ben-David, Rev. Mod. Phys. 45 (1973) 230
- 1973AU1H Audouze and Truran, OAP-310 (1973)
- 1973AU1K Aulenkamp, Hackenbroich, Heiss and Niem, in Munich 1 (1973) 111
- 1973BA01 D. Bachelier, M. Bernas, O.M. Bilaniuk, J.L. Boyard, J.C. Jourdain and P. Radvanyi, Phys. Rev. C7 (1973) 165
- 1973BA1Y Bamberger et al., Nucl. Phys. B60 (1973) 1
- 1973BA2C Bahcall, Nucl. Instrum. Meth. 110 (1973) 381
- 1973BA2G Baer and Crowe, in Asilomar (1973) 583
- 1973BA2R Backenstoss et al., in Contrib., Uppsala (1973) 146
- 1973BA2U Bachelier et al., in Munich 1 (1973) 456
- 1973BA2V Backenstoss et al., in Munich 1 (1973) 317
- 1973BA62 H.W. Baer, J.A. Bistirlich, K.M. Crowe, N. de Botton, J.A. Helland and P. Truol, Phys. Rev. C8 (1973) 2029
- 1973BA65 Y.D. Bayukov, L.S. Vorobev, V.M. Kolybasov, G.A. Leksin, N.Y. Smorodinskaya, V.L. Stolin and V.B. Fedorov, Pisma Zh. Eksp. Teor. Fiz. 17 (1973) 629; JETP Lett. (USSR) 17 (1973) 442
- 1973BE07 J. Bernabeu, Nucl. Phys. A201 (1973) 41
- 1973BE2H Berezhnoi and Soznik, Ukr. Fiz. Zh. 18 (1973) 29; Phys. Abs. 19838 (1973)
- 1973BE2J Benenson, Kashy, Moalem and Nann, Bull. Amer. Phys. Soc. 18 (1973) 1382
- 1973BE51 J. Bernabeu and F. Cannata, Nucl. Phys. A215 (1973) 411
- 1973BI1M Bishop, J. Phys. A6 (1973) L21
- 1973BO1Y Bollen et al., Bull. Amer. Phys. Soc. 18 (1973) 1600
- 1973BR1J Brennen and Werntz, Bull. Amer. Phys. Soc. 18 (1973) 1409
- 1973BR20 K.H. Bray, J.M. Cameron, H.W. Fearing, D.R. Gill and H.S. Sherif, Phys. Rev. C8 (1973) 881
- 1973CA1M Cardman, Fivozinsky, O'connell and Penner, Bull. Amer. Phys. Soc. 18 (1973) 78
- 1973CH05 M. Chemarin, J.P. Burq, J.C. Cabrillat and B. Ille, Nucl. Phys. A202 (1973) 71
- 1973CH08 D.S. Chuu, C.S. Han and D.L. Lin, Phys. Rev. C7 (1973) 1329

1973CH1Q Chang, Roos, Bhowik and Chant, Bull. Amer. Phys. Soc. 18 (1973) 1401
 1973CH1R Chang et al., Bull. Amer. Phys. Soc. 18 (1973) 650
 1973CH1V Cheon, in Munich 1 (1973) 671
 1973CH27 F.S. Chwieroth, R.E. Brown, Y.C. Tang and D.R. Thompson, Phys. Rev. C8 (1973) 938
 1973CH35 C.C. Chang, H.F. Glavish, R. Avida and R.N. Boyd, Nucl. Phys. A212 (1973) 189
 1973CL09 C.F. Clement, Nucl. Phys. A213 (1973) 469
 1973CL1K Clement, Kanellopoulos and Wildermuth, in Munich 1 (1973) 109
 1973CO1N Costa, in Asilomar (1973) 1319
 1973CO2A Conzett et al., Bull. Amer. Phys. Soc. 18 (1973) 699
 1973CO2B Cole et al., Bull. Amer. Phys. Soc. 18 (1973) 1600
 1973DA1Q Dahme et al., in Munich 1 (1973) 444
 1973DE17 V.P. Denisov, L.A. Kulchitskii and I.Y. Chubukov, Izv. Akad. Nauk SSSR Ser. Fiz. 37 (1973) 107; Bull. Acad. Sci. USSR Phys. Ser. 37:1 (1973) 94
 1973DE18 T.J. Deal and S. Fallieros, Phys. Lett. B44 (1973) 224
 1973DO07 T.W. Donnelly and J.D. Walecka, Phys. Lett. B44 (1973) 330
 1973DO12 W. Dollhopf, C. Lunke, C.F. Perdrisat, P. Kitching, W.C. Olsen, J.R. Priest and W.K. Roberts, Phys. Rev. C8 (1973) 877
 1973DO1F C.B. Dover and R.H. Lemmer, Phys. Rev. C7 (1973) 2312
 1973DO1H Donnelly, in Asilomar (1973) 846
 1973DU1D Duck, Phillips and Valkovic, in Munich 1 (1973) 423
 1973DW1A Dwarakanath, OAP-331 (1973)
 1973ED02 S. Edwards, D. Robson, T.L. Talley, W.J. Thompson and M.F. Werby, Phys. Rev. C8 (1973) 456
 1973EL1C Eldyshev, Lukyanov and Pol, Sov. J. Nucl. Phys. 15 (1973) 282
 1973FA04 L.W. Fagg, W.L. Bendel, N. Ensslin and E.C. Jones, Jr., Phys. Lett. B44 (1973) 163
 1973FI04 S. Fiarman and W.E. Meyerhof, Nucl. Phys. A206 (1973) 1
 1973FO09 F. Fossati, C. Petronio and T. Pinelli, Nucl. Phys. A208 (1973) 196
 1973FO1J Fowler, OAP-339 (1973)
 1973GA16 S.N. Gardiner, J.L. Matthews and R.O. Owens, Phys. Lett. B46 (1973) 186
 1973GA1M Gardes et al., in Contrib., Uppsala (1973) 87
 1973GE1H Geesamna, Lesser, Mcgrath and Urone, Bull. Amer. Phys. Soc. 18 (1973) 78
 1973GO2A Goldberg et al., Bull. Amer. Phys. Soc. 18 (1973) 78

- 1973GR1L Grotzschel et al., in Munich 1 (1973) 6
- 1973GR34 G. Gruber, I.C. Dormehl, K. Meier-Ewert and K. Bethge, Z. Phys. 265 (1973) 411
- 1973HA1V Hausser, J. Phys. Soc. Jpn. Suppl. 34 (1973) 135
- 1973HA31 R. Hagelberg, E.L. Haase and Y. Sakamoto, Nucl. Phys. A207 (1973) 366
- 1973HA45 M.L. Halbert, D.C. Hensley and H.G. Bingham, Phys. Rev. C8 (1973) 1226
- 1973HA49 P.S. Hauge and S. Maripuu, Phys. Rev. C8 (1973) 1609
- 1973HA50 M.L. Halbert, A. van der Woude and N.M. O'Fallon, Phys. Rev. C8 (1973) 1621
- 1973HE1L Heimlich et al., Asilomar (1973) Paper 8A6
- 1973HI03 S. Hiramatsu, T. Kamae, H. Muramatsu, K. Nakamura, N. Izutsu and Y. Watase, Phys. Lett. B44 (1973) 50
- 1973JA21 A.K. Jain, J.Y. Grossiord, M. Chevallier, P. Gaillard, A. Guichard, M. Gusakow and J.R. Pizzi, Nucl. Phys. A216 (1973) 519
- 1973JO1K John and Kramer, Nucl. Phys. A204 (1973) 203
- 1973JU1E Julien et al., in Contrib., Uppsala (1973) 171
- 1973JU2A M. Juric, G. Bohm, J. Klabuhn, U. Krecker, F. Wysotzki, G. Coremans-Bertrand, J. Sacton, G. Wilquet, T. Cantwell, F. Esmael et al., Nucl. Phys. B52 (1973) 1
- 1973KA1D Karapetyan, Korenman and Popov, in Contrib., Uppsala (1973) 154
- 1973KI1M Kitching et al., in Contrib., Uppsala (1973) 177
- 1973KO1D Kovar, in Symp. on Heavy Ion Transfer Reactions, ANL Phys. B1 (1973) 59
- 1973KR07 P. Kramer and D. Schenzle, Nucl. Phys. A204 (1973) 593
- 1973KU03 D. Kurath, Phys. Rev. C7 (1973) 1390
- 1973KU12 K.-I. Kubo, H.H. Duhm and N. Ueta, Phys. Lett. B45 (1973) 299
- 1973LA19 H. Laumer, S.M. Austin, L.M. Panggabean and C.N. Davids, Phys. Rev. C8 (1973) 483
- 1973LI02 R.H. Lindsay, W. Toews and J.J. Veit, Nucl. Phys. A199 (1973) 513
- 1973LI19 T.K. Lim, Phys. Rev. Lett. 31 (1973) 1258
- 1973LI22 R.B. Liebert, K.H. Purser and R.L. Burman, Nucl. Phys. A216 (1973) 335
- 1973MA11 W. Maguire and C. Werntz, Nucl. Phys. A205 (1973) 211
- 1973MA1K Maripuu, in 5th Symp. Struct. Low-Medium Mass Nuclei, Univ. Press of Kentucky (1973) 63
- 1973MA2C Mahanti and Srivastava, Asilomar (1973) Paper 5A7
- 1973MA48 F. Malaguti and P.E. Hodgson, Nucl. Phys. A215 (1973) 243
- 1973MA51 Y. Matsui, Prog. Theor. Phys. 49 (1973) 1947

- 1973MI1J Miller et al., Bull. Amer. Phys. Soc. 18 (1973) 1382
- 1973MI20 D. Miljanic, T. Zabel, R.B. Liebert, G.C. Phillips and V. Valkovic, Nucl. Phys. A215 (1973) 221
- 1973MU11 N.C. Mukhopadhyay, Phys. Lett. B45 (1973) 309
- 1973NA12 H. Nakamura, Nucl. Phys. A208 (1973) 207
- 1973NI1C Nixon et al., Bull. Amer. Phys. Soc. 18 (1973) 675
- 1973NO07 U. Nocken, U. Quast, A. Richter and G. Schrieder, Nucl. Phys. A213 (1973) 97
- 1973NY04 E.M. Nyman, Nucl. Phys. A215 (1973) 397
- 1973OH01 G.G. Ohlsen, P.A. Lovoi, G.C. Salzman, U. Meyer-Berkhout, C.K. Mitchell and W. Gruebler, Phys. Rev. C8 (1973) 1262
- 1973OH02 G.G. Ohlsen, G.C. Salzman, C.K. Mitchell, W.G. Simon and W. Gruebler, Phys. Rev. C8 (1973) 1639
- 1973OS1C Ost et al., in Munich (1973) 402
- 1973PA17 K.H. Passler, Z. Naturforsch. A28 (1973) 8
- 1973PA1C Parker, Pisano, Cobern and Marks, Nature 241 (1973) 110
- 1973PA1Q Pauli, Rosel, Trautmann and Alder, in Munich 1 (1973) 682
- 1973PE13 S.M. Perez, Phys. Rev. C8 (1973) 1606
- 1973PE1E Pedroni et al., in Contrib., Uppsala (1973) 75
- 1973PF02 K.O. Pfeiffer, E. Speth and K. Bethge, Nucl. Phys. A206 (1973) 545
- 1973RA04 R.B. Raphael, Nucl. Phys. A201 (1973) 621
- 1973RA1G Rai, Ghovanlou and Prats, Bull. Amer. Phys. Soc. 18 (1973) 651
- 1973RA23 R.B. Raphael, Phys. Rev. C8 (1973) 269
- 1973RE1G Reeves, Audouze, Fowler and Schramm, Astrophys. J. 179 (1973) 909
- 1973RO1R Robson, Nucl. Phys. A204 (1973) 523
- 1973RO2A Roberts, Gross and Newman, Bull. Amer. Phys. Soc. 18 (1973) 18
- 1973RO2B Rotter, in Contrib., Uppsala (1973) 180
- 1973SA21 T. Saito, J. Phys. Soc. Jpn. 35 (1973) 1
- 1973SH08 C.M. Shakin and M.S. Weiss, Phys. Rev. C7 (1973) 1820
- 1973SI27 A.J. Sierk and T.A. Tombrello, Nucl. Phys. A210 (1973) 341
- 1973SL03 I. Slaus, R.G. Allas, L.A. Beach, R.O. Bondelid, E.L. Petersen, J.M. Lambert and D.L. Shannon, Phys. Rev. C8 (1973) 444
- 1973SR1B Srivastava and Yadav, Asilomar (1973) Paper 5A7
- 1973SU1B Sugimoto, J. Phys. Soc. Jpn. Suppl. 34 (1973) 197

- 1973TH01 D.R. Thompson, Y.C. Tang, J.A. Koepke and R.E. Brown, Nucl. Phys. A201 (1973) 301
- 1973TH1B Theissen, in Asilomar (1973) 871
- 1973TH1E Thompson, Bull. Amer. Phys. Soc. 18 (1973) 21
- 1973TH1F D.R. Thompson and Y.C. Tang, Phys. Rev. C8 (1973) 1649
- 1973TR1E Trimble and Reines, Rev. Mod. Phys. 45 (1973) 1
- 1973VE09 E. Ventura, J.R. Calarco, W.E. Meyerhof and A.M. Young, Phys. Lett. B46 (1973) 364
- 1973VE1B Ventura, Thesis, Stanford Univ. (1973)
- 1973VE1E Ventura et al., Asilomar (1973) Paper 8B3
- 1973VE1F Vergados, Asilomar (1973) Paper 5C5
- 1973VO08 W. von Oertzen, E.R. Flynn, J.D. Garrett and E. Cosman, Phys. Rev. Lett. 31 (1973) 724; Erratum Phys. Rev. Lett. 32 (1974) 34
- 1973VO1G Vorobyov et al., in Munich 1 (1973) 716
- 1973WE07 M.F. Werby, M.B. Greenfield, K.W. Kemper, D.L. McShan and S. Edwards, Phys. Rev. C8 (1973) 106
- 1973WE09 M.F. Werby and S. Edwards, Phys. Rev. C8 (1973) 978
- 1973WE18 C. Werntz and H. Uberall, Z. Phys. 265 (1973) 405
- 1973WE1V Werby and Edwards, Bull. Amer. Phys. Soc. 18 (1973) 626
- 1973WH02 W.R. Wharton, J.G. Cramer, D.H. Wilkinson, J.R. Calarco and K.G. Nair, Phys. Rev. Lett. 31 (1973) 54
- 1973WH1C Wharton and Debevec, Bull. Amer. Phys. Soc. 18 (1973) 1388
- 1973WI07 N. Willis, I. Brissaud, Y. Le Bornec, B. Tatischeff and G. Duhamel, Nucl. Phys. A204 (1973) 454
- 1973WI11 D.H. Wilkinson, Nucl. Phys. A209 (1973) 470
- 1973WO1D Wong et al., Bull. Amer. Phys. Soc. 18 (1973) 652
- 1973YE1B Yen, Cardman, Kalinsky and Bockelman, in Munich 1 (1973) 624
- 1974AU1A Audouze and Tinsley, Astrophys. J. 192 (1974) 487
- 1974CH15 C.C. Chang and E. Ventura, Phys. Rev. C9 (1974) 1671
- 1974DO1G Dollhopf, Perdrisat, Kitching and Olsen, Bull. Amer. Phys. Soc. 19 (1974) 43
- 1974GR02 J.Y. Grossiord, C. Coste, A. Guichard, M. Gusakow, A.K. Jain, J.R. Pizzi, G. Bagieu and R. de Swiniarski, Phys. Rev. Lett. 32 (1974) 173
- 1974VE02 J.D. Vergados, Nucl. Phys. A220 (1974) 259
- 1974WI1T Wienke and Meyer, Bull. Amer. Phys. Soc. 19 (1974) 44

1975AJ02 F. Ajzenberg-Selove, Nucl. Phys. A248 (1975) 1

1975BR21 K.H. Bray, A.D. Frawley, T.R. Ophel and P.B. Treacy, Aust. J. Phys. 28 (1975) 235