

Energy Levels of Light Nuclei $A = 12$

F. Ajzenberg-Selove

University of Pennsylvania, Philadelphia, Pennsylvania 19104-6396

Abstract: An evaluation of $A = 11-12$ was published in *Nuclear Physics A248* (1975), p. 1. This version of $A = 12$ differs from the published version in that we have corrected some errors discovered after the article went to press. Figures and introductory tables have been omitted from this manuscript. [Reference](#) key numbers have been changed to the NNDC/TUNL format.

(References closed January 31, 1975)

The original work of Fay Ajzenberg-Selove was supported by the US Department of Energy [DE-AC02-76-ER02785]. Later modification by the TUNL Data Evaluation group was supported by the US Department of Energy, Office of High Energy and Nuclear Physics, under: Contract No. DEFG05-88-ER40441 (North Carolina State University); Contract No. DEFG05-91-ER40619 (Duke University).

Table of Contents for $A = 12$

Below is a list of links for items found within the PDF document. Figures from this evaluation have been scanned in and are available on this website or via the link below.

A. Nuclides: [\$^{12}\text{Li}\$](#) , [\$^{12}\text{Be}\$](#) , [\$^{12}\text{B}\$](#) , [\$^{12}\text{C}\$](#) , [\$^{12}\text{N}\$](#) , [\$^{12}\text{O}\$](#) , [\$^{12}\text{F}\$](#)

B. Tables of Recommended Level Energies:

[Table 12.1](#): Energy levels of ^{12}Be

[Table 12.2](#): Energy levels of ^{12}B

[Table 12.8](#): Energy levels of ^{12}C

[Table 12.25](#): Energy levels of ^{12}N

C. [References](#)

D. Figures: [\$^{12}\text{B}\$](#) , [\$^{12}\text{C}\$](#) , [\$^{12}\text{N}\$](#) , [Isobar diagram](#)

E. Erratum to this Publication: [PS](#) or [PDF](#)

^{12}Li
(Not illustrated)

^{12}Li is not observed in the 4.8 GeV proton bombardment of a uranium target: it is particle unstable (1974BO05). Its atomic mass excess is therefore > 49.0 MeV. (1974TH01) calculate the mass excess of ^{12}Li to be 52.92 MeV. ^{12}Li would then be unstable with respect to $^{11}\text{Li} + \text{n}$, $^{10}\text{Li} + 2\text{n}$ and $^9\text{Li} + 3\text{n}$ by 3.9, 3.68 and 3.74 MeV, respectively. See also (1972TH13, 1973BO30, 1974IR04).

^{12}Be
(Figs. 5 and 8)

GENERAL: (See also (1968AJ02).)

Special reactions: (1965GI10, 1969AR13, 1971AR02, 1972VO06, 1973KO1D).

General review: (1974CE1A).

Theoretical papers: (1971DO1F, 1972ST1C, 1973WI15, 1974IR04, 1974MA1E).

Mass of ^{12}Be : The Q -value of the $^{14}\text{C}(^{18}\text{O}, ^{20}\text{Ne})^{12}\text{Be}$ reaction [-15.77 ± 0.05 MeV] (1974BA15) leads to an atomic mass excess of 25.05 ± 0.05 MeV; that for the $^7\text{Li}(^7\text{Li}, 2\text{p})^{12}\text{Be}$ reaction [$Q = -9.71 \pm 0.10$ MeV] (1971HO26) leads to an A.M.E. of 24.95 ± 0.10 MeV. We adopt an atomic mass excess of 25.030 ± 0.045 MeV for ^{12}Be . The binding energies of ($^{11}\text{Be} + \text{n}$), ($^{10}\text{Be} + 2\text{n}$) and ($^9\text{Be} + 3\text{n}$) are then 3.22, 3.72 and 10.53 MeV, respectively. See also (1972CE1A, 1972WA07, 1974TH01).

1. $^{12}\text{Be}(\beta^-)^{12}\text{B}$ $Q_m = 11.66$

An activity of $\tau_{1/2} = 11.4 \pm 0.5$ msec, observed in the GeV proton bombardment of various targets, is ascribed to ^{12}Be . $\log ft = 3.5$ if the transition is to the ground state of ^{12}B (1965PO03).

2. $^7\text{Li}(^7\text{Li}, 2\text{p})^{12}\text{Be}$ $Q_m = -9.79$
 $Q_0 = -9.71 \pm 0.10$ (1971HO26).

This reaction has been studied at $E(^7\text{Li}) = 25.0, 30.0$ and 30.1 MeV. The ground state of ^{12}Be and an excited state with $E_x = 0.81 \pm 0.10$ MeV are populated with cross sections of 2.9 ± 1.0 $\mu\text{b}/\text{sr}^2$ and 1.1 ± 0.6 $\mu\text{b}/\text{sr}^2$, respectively (1971HO26, 1971HO1J).

Table 12.1: Energy levels of ^{12}Be

E_x (MeV \pm keV)	$J^\pi; T$	$\tau_{1/2}$ (msec)	Decay	Reactions
0	$0^+; 2$	11.4 ± 0.5	β^-	1, 2, 3
(0.81 \pm 100)			(γ)	2
2.09 \pm 50			(γ)	3

3. $^{14}\text{C}(^{18}\text{O}, ^{20}\text{Ne})^{12}\text{Be}$

$$Q_m = -15.75$$

$$Q_0 = -15.77 \pm 0.05 \text{ (1974BA15)}.$$

At $E(^{18}\text{O}) = 88.7$ MeV, the population of the ground state of ^{12}Be and of an excited state at $E_x = 2.09 \pm 0.05$ MeV [and of many states in ^{20}Ne : see (1978AJ03)] is reported by (1974BA15). $^{12}\text{Be}^*(0.81)$, reported in reaction 2, was not observed by (1974BA15).

¹²B
(Figs. 5 and 8)

GENERAL: (See also (1968AJ02).)

Model calculations: (1968FU1B, 1968GU11, 1969MO1F, 1969VA1C, 1970TA1J, 1973HA49, 1973SA30).

Special levels: (1968CE1A, 1968GU11, 1970FR1C, 1973SA30).

Electromagnetic transitions: (1969VA1C, 1973HA49, 1973SA30).

Special reactions: (1969AR13, 1969GA18, 1971AR02, 1973KO1D, 1973WI15, 1974FO22).

Muon capture (See also reaction 16.): (1969VA37, 1970BU1B, 1970HI09, 1971MO1Q, 1971MU20, 1972BA1X, 1972DE50, 1972MI15, 1973CH16, 1973MU04, 1973MU11, 1973MU1B, 1974DE1V, 1974IM1C, 1974PO05, 1975SU1G).

Pion capture and pion reactions: (1970HI09, 1970HI10, 1970RA39, 1971GU13, 1971SK03, 1971SK02, 1973AN1J, 1973KA1D, 1973UB01, 1974DE1U, 1974SE02).

Astrophysical questions: (1970BA1M).

Other topics: (1971BA2Y, 1972AN05, 1972GA1L, 1972OC01, 1972PN1A, 1973JU2A, 1973WI15, 1974IR04, 1975KI1M, 1975ZI1D).

Ground state:

$$\mu = +(1.003 \pm 0.001) \text{ nm (1968SU05);}$$

$$\mu = +(1.00285 \pm 0.00015) \text{ nm (1970WI17, 1970WI1L);}$$

$$Q = (+0.030 \pm 0.008) \text{ b (1970WI17);}$$

$$Q = (0.0151 \pm 0.0014) \text{ b (1970SU04);}$$

$$Q = (0.0171 \pm 0.0016) \text{ b (1971MI06).}$$

Effective μ in various hosts have been measured by (1974MC12): μ ranges from 1.00282 (2) nm in Si, 1.00291 (2) nm in Ge and 1.00287 (2) in SiC.

See also (1967SH14, 1968WE12, 1969FU11, 1969VA1C, 1969WE1G, 1971SH26, 1972VA36, 1972WI08, 1973HOYD, 1973KU1L, 1973MA1K, 1973MIYZ, 1973SA30, 1973ST1P, 1973SU1B, 1974CO1P, 1974MC07).

1. $^{12}\text{B}(\beta^-)^{12}\text{C}$ $Q_m = 13.370$

The half-life of ^{12}B is 20.41 ± 0.06 msec: see Table 12.2 here and Tables 12.1 and 12.2 in

Table 12.2: Energy levels of ^{12}B

E_x in ^{12}B (MeV \pm keV)	$J^\pi; T$	τ or $\Gamma_{\text{c.m.}}$ (keV)	Decay	Reactions
g.s.	$1^+; 1$	$\tau_{1/2} = 20.41 \pm 0.06$ msec	β^-	1, 2, 3, 6, 7, 9, 10, 13, 16, 17, 19, 21, 25, 26, 27
0.95314 ± 0.60	2^+	$\tau_m = 260 \pm 40$ fsec	γ	2, 3, 7, 9, 13, 16, 19, 20, 21, 26
1.67365 ± 0.60	2^-	$\tau_m < 50$ fsec	γ	2, 3, 7, 9, 13, 16, 19
2.6208 ± 1.2	1^-	$\tau_m < 70$ fsec	γ	2, 3, 7, 9, 13, 16, 19
2.723 ± 11	0^+	$\tau_m < 140$ fsec	γ	2, 3, 7, 9, 13, 19
3.3884 ± 1.4	3^-	$\Gamma_{\text{c.m.}} = 3.1 \pm 0.6$ eV	γ, n	2, 7, 9, 10, 11, 13
3.759 ± 6	2^+	37 ± 5	γ, n	7, 9, 10, 11, 13
4.302 ± 6	1^-	9 ± 4	γ, n	7, 9, 10, 11
4.37	2^-	broad	n	11
4.521 ± 7	4^-	110 ± 20	γ, n	7, 9, 10, 11, 13
4.99 ± 15	1^+	50 ± 15	γ, n	7, 9, 10, 11
5.607 ± 7	3^+	110 ± 20	n	7, 9, 11
5.725 ± 7	3^-	60 ± 15	n	7, 9, 11
5.8	$(1)^-$	broad	n	11
6.6	$(1)^+$	140	n	7, 11
6.8	$(1)^+$	broad	n	11
7.545 ± 20	> 3	≤ 14	n	7, 11
7.836 ± 20	> 0	60 ± 30	n	7, 11, 17
7.937 ± 20	> 0	27	n	7, 11
8.1 ± 100		900 ± 200	(n)	7
8.120 ± 20			(n)	7
8.24 ± 30	> 1	65	n	7, 11
8.376 ± 20		40 ± 20	n	7, 11
8.58 ± 30	> 1	75	n	7, 11
8.707 ± 20			(n)	7
9.03 ± 20	> 1	120	n	7, 11
9.175 ± 20			(n)	7
9.43 ± 20		85 ± 30	(n)	7

Table 12.2: Energy levels of ^{12}B (continued)

E_x in ^{12}B (MeV \pm keV)	$J^\pi; T$	τ or $\Gamma_{\text{c.m.}}$ (keV)	Decay	Reactions
9.585 \pm 20		60 \pm 30	(n)	7
9.758 \pm 20			(n)	7
(9.83)			(n)	7
10.00 \pm 40	> 0	100	n	7, 11
10.11 \pm 40				7
10.21 \pm 30		50 \pm 20		7
10.435 \pm 20		75 \pm 40		7
10.58 \pm 20	> 2	50 \pm 30	n	7, 11
10.887 \pm 20		40 \pm 20		7
(11.08)				7
11.31 \pm 30		130 \pm 60		7
11.59 \pm 20		75 \pm 25		7
12.33 \pm 30	> 2	100 \pm 30	n	7, 11
12.710 \pm 20	$0^+; 2$	(85 \pm 40)		7, 24
13.33 \pm 30		50 \pm 20		7
^a				
14.7	($2^+; 2$)	sharp		4, 24
15.5				7

^a Thirteen resonances in $^9\text{Be}(t, n)^{11}\text{B}$ with $13.6 < E_x < 14.7$ MeV [see Table 12.3].

(1968AJ02). The decay is complex; ^{12}B decays to $^{12}\text{C}^*(0, 4.4, 7.7, 10.3)$: see Table 12.16. The transitions to $^{12}\text{C}^*(0, 4.4)$ are allowed: hence the J^π of $^{12}\text{B}_{\text{g.s.}}$ is 1^+ .

2. $^6\text{Li}(^7\text{Li}, p)^{12}\text{B}$

$$Q_m = 8.337$$

At $E(^7\text{Li}) = 2$ MeV, eleven groups of protons are reported to known states of ^{12}B (1959MO12). Angular distributions have been measured at $E(^6\text{Li}) = 3.5$ MeV (1967GA06: $p_0 \rightarrow p_3$) and $E(^7\text{Li}) = 3.78$ to 5.95 MeV (1967KI03: $p_0, p_1, p_2, p_{3+4}, p_5$). Except for p_2 the distributions are nearly isotropic. See also (1968AJ02).

Table 12.3: Resonances in ${}^9\text{Be}(t, n){}^{11}\text{B}$ (1961VA1C)

E_t (MeV)	E_x in ${}^{12}\text{B}$ (MeV)	$\Gamma_{\text{c.m.}}$ (keV)	E_t (MeV)	E_x in ${}^{12}\text{B}$ (MeV)	$\Gamma_{\text{c.m.}}$ (keV)
1.00	13.677	100	1.880	14.337	45
1.130	13.775		1.932	14.375	40
1.350	13.939	60	2.045	14.460	70
1.405	13.981	50	2.130	14.524	75
1.505	14.056	70	2.210	14.584	60
1.585	14.116	65	2.325	14.670	50
1.765	14.250	110			

3. ${}^7\text{Li}({}^7\text{Li}, d){}^{12}\text{B}$

$$Q_m = 3.311$$

Angular distributions have been measured at $E({}^7\text{Li}) = 2.10$ to 5.75 MeV (1969CA1A: d_0, d_1, d_2, d_{3+4}). The gamma decay of the first four excited states has been studied by (1963CA09): ${}^{12}\text{B}^*(0.95)$ decays of course to the ground state. So, primarily, do ${}^{12}\text{B}^*(1.67)$ [$> 98\%$] and ${}^{12}\text{B}^*(2.72)$ [$> 80\%$], while ${}^{12}\text{B}^*(2.62)$ decays [$> 90\%$] via ${}^{12}\text{B}^*(0.95, 1.67)$. [See also Table 12.7.] The mean lifetimes of ${}^{12}\text{B}^*(0.95, 2.62)$ are 295 ± 37 fsec and < 48 fsec, respectively (1969TH01). See also (1967CA1D, 1974CE06).

4. ${}^9\text{Be}(t, n){}^{11}\text{B}$

$$Q_m = 9.5591$$

$$E_b = 12.928$$

Reported resonances in the yield of neutrons at $\theta = 0^\circ$ are listed in Table 12.3 (1961VA1C). See also ${}^{11}\text{B}$.

5. (a) ${}^9\text{Be}(t, d){}^{10}\text{Be}$

$$Q_m = 0.5544$$

$$E_b = 12.928$$

(b) ${}^9\text{Be}(t, t){}^9\text{Be}$

(c) ${}^9\text{Be}(t, \alpha){}^8\text{Li}$

$$Q_m = 2.926$$

Yields of elastically scattered tritons have been measured for $E_t = 0.60$ to 1.70 MeV (1969NA04) and 1.0 to 2.1 MeV (1970CO04). The yields of α -particles [α_0, α_1] have been obtained for $E_t = 0.52$ to 1.70 MeV by (1969NA04). See also (1970CO04). There is no evidence of the resonance structure observed in reaction 4. See also ${}^8\text{Li}$ and ${}^9\text{Be}$ in (1974AJ01). For reaction (a) see (1969NA04) and ${}^{10}\text{Be}$ in (1974AJ01).

Table 12.4: Levels of ^{12}B from $^9\text{Be}(^7\text{Li}, \alpha)^{12}\text{B}$

(1961HO19) ^a	(1969GL07) ^b	(1971AJ1B) ^c	(1971AJ1B) ^c
E_x (MeV)	E_x (MeV)	E_x (MeV \pm keV)	$\Gamma_{\text{c.m.}}$ (keV)
g.s.	g.s.	g.s.	
0.90	0.9	0.951 \pm 15	
1.61	1.65	1.674 \pm 15	
2.58	2.60	2.625 \pm 15	
		2.724 \pm 15	
3.27	3.30	3.390 \pm 15	
3.60	3.70	3.77 \pm 20	50 \pm 20
4.22		4.305 \pm 15	< 30
4.39	4.50	4.534 \pm 15	
4.90	5.00	4.982 \pm 15	40 \pm 20
5.60		5.57 \pm 30	
5.80	5.7	5.728 \pm 15	50 \pm 20
6.61			
7.00			
7.42		7.545 \pm 20	< 30
7.77		7.836 \pm 20	60 \pm 30
		7.937 \pm 20	< 40
		8.1 \pm 100	900 \pm 200
8.05		8.120 \pm 20	
	8.25	8.24 \pm 30	
8.34		8.376 \pm 20	40 \pm 20
		8.58 \pm 30	
		8.707 \pm 20	
9.06		9.03 \pm 20	
		9.175 \pm 20	
		9.43 \pm 20	85 \pm 30
	9.55	9.585 \pm 20	60 \pm 30
		9.758 \pm 20	
		(9.83)	
		10.00 \pm 40	

Table 12.4: Levels of ^{12}B from $^9\text{Be}(^7\text{Li}, \alpha)^{12}\text{B}$ (continued)

(1961HO19) ^a	(1969GL07) ^b	(1971AJ1B) ^c	(1971AJ1B) ^c
E_x (MeV)	E_x (MeV)	E_x (MeV \pm keV)	$\Gamma_{\text{c.m.}}$ (keV)
		10.11 \pm 40	
		10.21 \pm 30	50 \pm 20
		10.435 \pm 20	75 \pm 40
	10.6	10.58 \pm 20	50 \pm 30
		10.887 \pm 20	40 \pm 20
		(11.08)	
		11.31 \pm 30	130 \pm 60
	11.8	11.59 \pm 20	75 \pm 25
	12.5	12.33 \pm 30	100 \pm 30
		12.77 \pm 30	85 \pm 40
	13.5	13.33 \pm 30	50 \pm 20
	15.5		

^a $E(^7\text{Li}) = 3.5$ MeV. Typical resolution $\Gamma_{1/2} \approx 200$ keV.

^b $E(^7\text{Li}) = 30.3$ MeV. No errors shown. Typical resolution ≈ 200 keV.

^c And private communication. $E(^7\text{Li}) = 20$ MeV. Typical resolution ≈ 40 keV.

6. $^9\text{Be}(\alpha, p)^{12}\text{B}$ $Q_m = -6.886$

See (1968AJ02).

7. $^9\text{Be}(^7\text{Li}, \alpha)^{12}\text{B}$ $Q_m = 10.462$

Observed α -particle groups are displayed in Table 12.4 (1961HO19, 1969GL07, 1971AJ1B). Angular distributions have been measured at $E(^7\text{Li}) = 3.3, 3.5, 3.75$ MeV (1961HO19: $\alpha_0 \rightarrow \alpha_4$), 5.6 to 6.2 MeV (1969SN02: $\alpha_0 \rightarrow \alpha_4$) and 30.3 MeV (1969GL07: to most states listed in Table 12.3). See also (1970OG1A).

8. (a) $^{10}\text{Be}(\text{d}, p)^{11}\text{Be}$ $Q_m = -1.722$ $E_b = 12.374$

(b) $^{10}\text{Be}(\text{d}, \alpha)^8\text{Li}$ $Q_m = 2.372$

Table 12.5: ^{12}B states from $^{10}\text{B}(t, p)^{12}\text{B}$

E_x in ^{12}B (MeV) ^{a,d}	Γ (keV) ^c	L ^{a,b,c}	J^π ^{a,b,c}
g.s.			
0.955		0	3^+
1.673			
2.627		0	3^+
2.73		(0)	(3^+)
3.393		0	3^+
3.754	42 ± 5	1	$2^-, 3^-, 4^-$
4.297	≤ 15		
4.514	100 ± 15	1	$2^-, 3^-, 4^-$
5.00	130 ± 40		
5.612	120 ± 20	0	3^+
5.724	70 ± 20	0	3^+

^a ± 8 keV, except for the 2.73 and 5.00 MeV states.

^b See, however, Tables 12.6 and 12.7.

^c (1964MI04).

^d (1960JA17).

The cross sections for production of ^8Li (reaction (b)) and of ^{11}Be (reaction (a)) have been measured for $E_d = 0.67$ to 3.0 MeV and 2.3 to 12 MeV: the yields for both reactions vary smoothly with energy. No resonances are observed (1970GO11, 1973GO09).

9. $^{10}\text{B}(t, p)^{12}\text{B}$ $Q_m = 6.343$

Excited states of ^{12}B observed by (1960JA17) at $E_t = 5.5$ MeV and by (1964MI04) at $E_t = 10$ MeV are displayed in Table 12.5. See also (1968CO1H), (1967OG1A) and (1969SO02, 1970BA58, 1970MA04, 1970MA38, 1970NE1F, 1971KA1E, 1974GU1D; theor.).

10. $^{11}\text{B}(n, \gamma)^{12}\text{B}$ $Q_m = 3.369$

The thermal neutron capture section is 5 ± 3 mb (1962IM01) [(1973MU14) adopt 5.5 ± 3.3 mb]. The capture cross section shows a resonance at $E_n = 20.8 \pm 0.5$ keV (see also reaction 11) with

$\Gamma_\gamma = 0.025 \pm 0.008$ eV (1969MO10). In the range 140 to 2325 keV, resonances are observed at $E_n = 0.43, 1.03, 1.28$ and 1.78 MeV, with radiation widths of 0.3, 0.3, 0.2 and 0.9 eV, respectively ($\pm 50\%$) (1962IM01). For astrophysical implications see (1968FO1A).

11. $^{11}\text{B}(n, n)^{11}\text{B}$

$$E_b = 3.369$$

The thermal (bound) scattering cross section is 3.9 ± 0.2 b. The scattering amplitude (bound) is $a = 6.1 \pm 0.1$ fm (1973MU14). See also (1969BA1P). Parameters of observed resonances in σ_{tot} are shown in Table 12.6.

Comparison of $^{11}\text{B} + n$ and of data from $^{11}\text{B}(d, p)$ shows that the $E_n = 20.8$ keV resonance is d-wave and that $^{12}\text{B}^*(3.388)$ has $J^\pi = 3^-$. The neutron width [3.1 ± 0.6 eV] is about the Wigner limit (1969MO10). The 0.43 MeV resonance [$^{12}\text{B}^*(3.76)$] is formed by $l = 1$; $\gamma_{S=1}^2 = \gamma_{S=2}^2$; $J^\pi = 2^+$ (1955WI25, 1962EL01, 1970LA21).

The polarization and differential cross sections have been measured for $0.075 \leq E_n \leq 2.2$ MeV by (1970LA21) as has σ_t for $0.3 \leq E_n \leq 2.05$ MeV. A two-channel R -matrix analysis fits both $\sigma(\theta)$ and $P(\theta)$ assuming broad 2^- ($l = 0$) and 4^- ($l = 2$) states at $E_x = 4.37$ and 4.54 MeV [$E_n = 1.09$ and 1.28 MeV] in addition to the sharp state $^{12}\text{B}^*(4.30)$ fitted with $J^\pi = 1^-$. The analysis also confirms $J^\pi = 1^+$ for $^{12}\text{B}^*(4.99)$ (1970LA21). Differential cross sections have also been measured for $2.2 < E_n < 4.5$ MeV by (1973NE1F, 1973NE19) and analyzed by a three-level R -matrix calculation. The fit is quite good if assignments 1^- and (1^+) are made for broad states of ^{12}B at $E_x = 5.8$ and 6.8 MeV, respectively [$E_n = 2.7$ and 3.8 MeV]. $^{12}\text{B}^*(5.61, 5.73, 6.6)$ are assigned $J^\pi = 3^+, 3^-$ and (1^+) , respectively (1973NE19). See also (1974BI07; theor.). For a study of the excitation function of $^{11}\text{B}(n, n'\gamma_1)$ see (1961LI04).

Total cross sections from $E_n = 3.4$ to 15.5 MeV have been studied by (1961FO07): see Table 12.6. There is no evidence of sharp structure in the range $9.7 < E_x < 17.3$ MeV. Limitations of statistical accuracy exclude observation of $J = 0$ levels above $E_n = 4$ MeV, and of $J = 1$ levels above $E_n = 12$ MeV in this work (1961FO07). The σ_t for natural boron has been measured for $E_n = 2.5$ to 15 MeV (1971FO1A). Cross section measurements are also reported at $E_n = 7.55$ MeV (1969HO1G: elastic, and inelastic to $^{11}\text{B}^*(2.12, 4.45)$), 9.72 MeV (1970CO12: elastic, and inelastic to ^{11}B states below 6.8 MeV), 14.1 MeV (1970AL08: elastic, and inelastic to ^{11}B states below 8.6 MeV) and 14.5 MeV (1970AN1F: $^{\text{nat}}\text{B}$). See also (1972LA1F), (1969AN1E, 1969MA39, 1969RO1F, 1970PO1E) and (1967BE1F; theor.).

12. (a) $^{11}\text{B}(n, p)^{11}\text{Be}$

$$Q_m = -10.726$$

$$E_b = 3.369$$

(b) $^{11}\text{B}(n, d)^{10}\text{Be}$

$$Q_m = -9.005$$

(c) $^{11}\text{B}(n, t)^9\text{Be}$

$$Q_m = -9.5591$$

(d) $^{11}\text{B}(n, \alpha)^8\text{Li}$

$$Q_m = -6.633$$

Table 12.6: Resonances in $^{11}\text{B}(n, n)^{11}\text{B}$ ^a

E_n (MeV \pm keV)	$\Gamma_{\text{c.m.}}$ (keV)	$^{12}\text{B}^*$ (MeV)	l	J^π	Comments
0.0208 ± 0.5 ^b	$\ll 1.4$	3.3884	2	3^- ^c	$\Gamma_n = 3.1 \pm 0.6$ eV ^b
0.43 ± 10 ^{g,k}	37 ± 5	3.763	1	2^+ ^c	
1.027 ± 11 ^{h,k}	9 ± 4	4.310	0	1^- ^c	
1.09 ^c	broad	4.37	0	2^- ^c	i
1.28 ± 20 ^{g,k}	130 ± 20	4.54	2	4^- ^c	
1.78 ± 20 ^{g,k}	60 ± 20	5.00	1	1^+ ^c	
2.45 ± 20 ^g	110 ± 40	5.61	1	3^+ ^d	
2.58 ± 20 ^g	55 ± 20	5.73	2	3^- ^d	
2.7 ^d	broad	5.8	2	1^- ^{d,j}	
3.5 ^e	140	6.6	1	$(1)^+$ ^d	
3.8 ^d	broad	6.8	1	$(1)^+$ ^d	
4.55 ^f	≤ 14	7.54	> 3		
(4.68)	45	(7.66)	> 0		
4.80	90	7.77	> 0		
(5.01)	27	(7.96)	> 0		
5.31	65	8.23	> 1		
5.49	110	8.40			
5.59	75	8.49	> 1		
6.18	120	9.03	> 1		
7.18	100	9.94	> 0		
7.82	65	10.53	> 2		
9.72	120	12.27	> 2		

^a See also Table 12.5 in (1968AJ02).

^b (1969MO10). Also observed in $^{11}\text{B}(n, \gamma)$: $\Gamma_\gamma = 25 \pm 8$ meV (1969MO10).

^c (1970LA21). See also (1974BI07).

^d (1973NE19). See also (1974BI07).

^e (1961FO07).

^f This resonance and all the higher energy ones have been observed by (1961FO07).

^g (1951BO45, 1968AJ02).

^h (1962IM01).

ⁱ The low penetrability for $l = 2$ neutrons means that the observed width of this level is predominantly $l = 0$. The reduced width is probably $\approx 80\%$ $l = 2$ and 20% $l = 0$ (1970LA21).

^j 2^- cannot be excluded (1973NE19).

^k Also observed in $^{11}\text{B}(n, \gamma)$ (1962IM01).

The cross section for reaction (a) has been measured for $E_n = 14.7$ to 16.9 MeV (1962KA1A, 1966ST17, 1967FL16, 1967NA1C). See also (1971CU1B, 1971PR09, 1972ED01). For reaction (b) see ^{10}Be in (1974AJ01). For reaction (c) see (1958WY67, 1972BIIE). See also ^9Be in (1974AJ01). The cross section for reaction (d) has been measured by (1956AR21, 1959SA04, 1970SC29, 1973BO26) in the range $E_n = 12.6$ to 20.0 MeV, and at $E_n = 25$ and 38 MeV (1972KI19): no resonances are observed. See also ^8Li in (1974AJ01) and (1968AJ02).

13. $^{11}\text{B}(\text{d}, \text{p})^{12}\text{B}$ $Q_m = 1.145$

Observed proton groups and gamma rays are displayed in Table 12.7.

Angular distributions have been studied at many energies: see (1968AJ02) for earlier references and Table 12.7. Recent interest has centered on the first unbound state in ^{12}B , at $E_x = 3.39$ MeV: a DWBA analysis, when combined with information from $^{11}\text{B} + \text{n}$ (see reactions 10 and 11), finds $l_n = 2$ and is consistent with $J^\pi = 3^-$ for $^{12}\text{B}^*(3.39)$ (1969FO10). See also (1971BU02; theor.). Assuming $l_n = 2$ to this state (1972DZ06, 1973DO02) analyzed the data in terms of a peripheral stripping model and calculated $\Gamma_n = (1.9_{-0.6}^{+0.8})$ eV for $^{12}\text{B}^*(3.39)$ [see also Table 12.6]. The probability $p_{3/2}$ for transfer of a neutron with angular momentum $\frac{3}{2}$ has been determined for the p_0 and p_1 groups using vector polarized deuterons with $E_d = 10$ and 12 MeV (1970FI07).

The J^π assignments for $^{12}\text{B}^*(0.95, 1.67)$ are derived as follows [see (1968AJ02) for detailed listing of earlier references]: 0.95 MeV: $l_n = 1$ leads to $J^\pi = 0^+, 1^+, 2^+$ or 3^+ . The γ -radiation is anisotropic and therefore $J \neq 0$ (1963WA20, 1968CO14). τ_m is too short for pure E2 and hence $J \neq 3$, which is confirmed by studies of the polarization of γ_1 , most recently by (1968GO17: $E_d = 0.5$ to 5.5 MeV). The results are consistent with $J^\pi = 1^+$ or 2^+ . The latter is fixed by γ - γ correlations in the cascade $1.67 \rightarrow 0.95 \rightarrow \text{g.s.}$ (1968CH05). The mixing ratio $\delta = -0.08 \pm 0.06$ (1968GO17). $\Gamma_\gamma = 2.2 \pm 0.25$ meV (1968OL01). See also (1968GO18, 1974KA29). 1.67 MeV: $l_n = 0$ and therefore $J^\pi = 1^-$ or 2^- . The state decays primarily to $^{12}\text{B}_{\text{g.s.}}$. Gamma-gamma correlations lead to $J^\pi = 2^-$ (1968CH05). An assignment of 1^- to $^{12}\text{B}^*(2.62)$ is made in a similar manner.

(1971MO14) have analyzed existing $^{11}\text{B}(\text{d}, \text{p})^{12}\text{B}$ and $^{11}\text{B} + \text{p}$ reactions and have listed the properties of the first seven $T = 1$ states in ^{12}B and ^{12}C : see Table 12.13. Neutron reduced widths $\gamma_{\lambda_n}^2$ for the first six excited states in ^{12}B were calculated from spectroscopic factors and compared with $2\gamma_{\lambda_p}^2$ for the corresponding ^{12}C states. The agreement was quite good once new values for the partial widths of $^{12}\text{C}^*(16.11)$ [see (1974AN19)] became available (1971MO14).

See also (1967SP09, 1967TI1A, 1970WI17, 1973HOYD), (1973FI1C) and (1970VO09; theor.).

14. $^{11}\text{B}(\text{t}, \text{d})^{12}\text{B}$ $Q_m = -2.888$

Not reported.

Table 12.7: ^{12}B states from $^{11}\text{B}(\text{d}, \text{p})^{12}\text{B}$ ^a

$^{12}\text{B}^*$ (MeV \pm keV)	l_n ^g	J^π ^g	S ⁱ	Gamma decay (%) ^c	τ_m (fsec)
0	1	1^+	0.69		
0.95314 ± 0.60 ^b	1	2^+	0.55	to g.s.	300 ± 33 ^c
1.67365 ± 0.60 ^b	0	2^-	0.57	(3.2 ± 0.4) ^k [$\rightarrow 0.95$]	200 ± 40 ^j
2.6208 ± 1.2 ^c	0	1^-	0.75	(96.8 ± 0.4) [\rightarrow g.s.]	< 50 ^c
				(14 ± 3) [$\rightarrow 1.67$]	< 70 ^c
				(80 ± 3) [$\rightarrow 0.95$]	
				(6 ± 1) [\rightarrow g.s.]	
2.723 ± 11 ^{d,f}	1	0^+	0.21	(> 85) [\rightarrow g.s.]	< 140 ^f
3.383 ± 9 ^d	2 ^h	3^-	0.58		
3.76 ^e	1	2^+			
4.52 ^e	2				

^a See also Table 12.6 in (1968AJ02).

^b (1966WI01).

^c (1968OL01).

^d (1950BU1A, 1953EL12).

^e (1953HO48).

^f 2728 ± 2 keV (1971HIZF: unpublished).

^g See (1968AJ02) and (1971MO14). See also (1971HIZF).

^h (1969FO10).

ⁱ DWBA analysis (1971MO14).

^j (1969GA16, 1970GA09).

^k $(3.2 \pm 0.5)\%$ (1968OL01), $(3.0 \pm 0.6)\%$ (1968CH05).

15. $^{11}\text{B}(\alpha, ^3\text{He})^{12}\text{B}$ $Q_m = -17.209$

Not reported.

16. $^{12}\text{C}(\mu^-)^{12}\text{B}$ $Q_m = 92.289$

Observation of γ -transitions has led to the determination of the capture rates to $^{12}\text{B}^*(0, 0.95, 1.67, 2.62)$ (1970BU1B, 1972MI15); those to $^{12}\text{B}^*(0.95, 1.67)$ are consistent with zero (1972MI15). Using polarized muons, (1974PO05) have determined the average polarization of $^{12}\text{B}_{\text{g.s.}}$ to be 0.43 ± 0.10 . See also (1970HI09).

17. $^{12}\text{C}(\text{n}, \text{p})^{12}\text{B}$ $Q_m = -12.588$

At $E_n = 54$ MeV strong excitation of $^{12}\text{B}^*(0, 4.4, 7.8)$ is reported (1973KI1K). See also (1968AJ02) and ^{13}C in (1976AJ04).

18. $^{12}\text{C}(\text{t}, ^3\text{He})^{12}\text{B}$ $Q_m = -13.352$

Not reported.

19. $^{12}\text{C}(^7\text{Li}, ^7\text{Be})^{12}\text{B}$ $Q_m = -14.232$

At $E(^7\text{Li}) = 52$ MeV the population of $^{12}\text{B}^*(0, 0.95, 1.71, 2.70, 2.87)$ and $^7\text{Be}(0)$ [and in the case of $^{12}\text{B}(0)$, of $^7\text{Be}^*(0.43)$] is reported by (1973BA34).

20. $^{13}\text{C}(\gamma, \text{p})^{12}\text{B}$ $Q_m = -17.534$

At $E_{\text{bs}} = 15$ to 40 MeV, $^{12}\text{B}^*(0.95)$ is weakly excited (1971WI1N). See also (1973KI1J; theor.) and ^{13}C in (1976AJ04).

21. $^{13}\text{C}(\text{d}, ^3\text{He})^{12}\text{B}$ $Q_m = -12.041$

At $E_d = 28$ MeV angular distributions have been measured for the ^3He groups to $^{12}\text{B}^*(0, 0.95)$ (1972BR27). [See reaction 66 in ^{12}C for a discussion of the population of the analog states in ^{12}C in the mirror reaction $^{13}\text{C}(d, t)^{12}\text{C}$.]

22. $^{13}\text{C}(t, \alpha)^{12}\text{B}$ $Q_m = 2.280$

Not reported.

23. $^{14}\text{C}(n, t)^{12}\text{B}$ $Q_m = -17.229$

Not reported.

24. $^{14}\text{C}(p, ^3\text{He})^{12}\text{B}$ $Q_m = -17.993$

At $E_p = 63.4$ MeV, the excitation of the lowest $T = 2$ state in ^{12}B is stated to be at $E_x = 12.710 \pm 0.020$ MeV (1971NE1B, 1971NE1E: unpublished). This state has also been observed at $E_p = 54$ MeV as has another at $E_x = 14.7 \pm 0.1$ MeV. The angular distribution of the lower state is consistent with $L = 0$; that for the higher state is rather featureless (D. Ashery, private communication) [see also reaction 70 in ^{12}C]. See also (1970OL1B).

25. $^{14}\text{C}(d, \alpha)^{12}\text{B}$ $Q_m = 0.361$

See (1968AJ02).

26. $^{14}\text{N}(^{12}\text{C}, ^{14}\text{O})^{12}\text{B}$ $Q_m = -18.515$

At $E(^{14}\text{N}) = 118$ MeV the excitation of $^{12}\text{B}^*(0, 0.95)$ is reported by (1974AN36).

27. $^{15}\text{N}(n, \alpha)^{12}\text{B}$ $Q_m = -7.622$

See (1948JE03).

28. $^{18}\text{O}(^{11}\text{B}, ^{17}\text{O})^{12}\text{B}$ $Q_m = -4.678$

See (1974SW04).

¹²C
(Figs. 6 and 8)

GENERAL: (See also (1968AJ02).)

Shell model: (1967SV1A, 1968BA1L, 1968DR1B, 1968FA1B, 1968FU1B, 1968GO01, 1968GU1C, 1968HA1I, 1968RO1G, 1969GU1E, 1969GU03, 1969IK1A, 1969LA26, 1969MO1F, 1969SA1A, 1969SV1A, 1969WA06, 1969WO05, 1970AR21, 1970BE26, 1970BO33, 1970BO1J, 1970CO1H, 1970DE1F, 1970DO1A, 1970EI06, 1970GI1I, 1970GU1I, 1970KH01, 1970KO04, 1970KR1D, 1970LO1C, 1970RE1G, 1970RU1A, 1970RY1A, 1970SV1B, 1970WO12, 1971AR1R, 1971BO29, 1971GR16, 1971GU1I, 1971NO02, 1971RO03, 1971ZO03, 1971ZO01, 1972AB12, 1972BE1X, 1972BO38, 1972BR1G, 1972FO1G, 1972JA18, 1972KR1D, 1972LE1L, 1972MS01, 1972RE03, 1972SA1B, 1972SU01, 1972VE01, 1973BO07, 1973EL04, 1973FR09, 1973HA05, 1973HA49, 1973KU03, 1973LO1C, 1973SA30, 1973YA1A, 1974HU1D, 1974KA11, 1974KU05).

Collective and deformed models: (1968HE1C, 1969AB05, 1969BA1R, 1969RU04, 1970DA13, 1970KH01, 1970SH1C, 1970SV1B, 1970TU01, 1970WE1B, 1971AR1R, 1971BO29, 1971CI03, 1971HO19, 1971SP11, 1971ZO03, 1971ZO01, 1972AB1C, 1972BE1X, 1972BO38, 1972FO1G, 1972HO56, 1972LE1L, 1973BO07, 1973CA16, 1973DO10, 1973FU1E, 1973KO1F, 1973LA35, 1973MS01, 1973YA1A, 1974AR04, 1974LE04, 1974TA19).

Cluster and alpha particle model: (1968FU1A, 1968HE1B, 1968PI1A, 1968TA1G, 1969AB1B, 1969BA1J, 1969BE1K, 1969BR1H, 1969HE1G, 1969HU1C, 1969IK1A, 1969KI02, 1969KO1K, 1969LE21, 1969NA1C, 1969SM1A, 1969TA1F, 1969TA1C, 1969WA06, 1969YA1A, 1970BA1Q, 1970BR35, 1970DE45, 1970EI05, 1970EI06, 1970EL01, 1970HU1F, 1970KO26, 1970LI24, 1970MC1D, 1970NE1F, 1970NO1A, 1970YU02, 1970ZI04, 1971AB07, 1971AB1B, 1971BA85, 1971BO20, 1971DA13, 1971DU06, 1971FR06, 1971FR15, 1971KH06, 1971KU1G, 1971NO03, 1971NO02, 1971OS04, 1971RA36, 1971RI1D, 1971SA1A, 1971TA13, 1971VI05, 1972AB1C, 1972AB11, 1972AB19, 1972AK10, 1972BA59, 1972DE03, 1972FR1B, 1972GR42, 1972HO56, 1972IK1A, 1972LE40, 1972RU13, 1972TU01, 1972ZI03, 1972ZI05, 1973AB1G, 1973AB1A, 1973AN1K, 1973AN05, 1973AN1M, 1973BE1L, 1973CO13, 1973CO15, 1973FU1E, 1973HA57, 1973IK1A, 1973KH1A, 1973KU03, 1973LA35, 1973SA38, 1973VA1M, 1973YA1A, 1974AB05, 1974HO1Q, 1974JA24, 1974KA23, 1974KA11, 1974ME08, 1974SM1A, 1974SM04, 1974SU1B, 1974VA1N).

Special levels: (1966BR1D, 1967MA1B, 1968CE1A, 1968LA1B, 1969GU03, 1969HA1G, 1969HA1F, 1969SO1E, 1969WO05, 1970AR21, 1970BO33, 1970BO1J, 1970DA13, 1970GR27, 1970PE18, 1970RO20, 1970RU1A, 1971AR1R, 1971BE2B, 1971FA1I, 1971FR15, 1971GO1D, 1971GR49, 1971GR23, 1971GR1V, 1971MC15, 1971NO02, 1971RO03, 1971SE03, 1971VI05, 1971WA27, 1972AI01, 1972BE1X, 1972DE03, 1972EN05, 1972GR1K, 1972HA1R, 1972JA18, 1972SU01, 1972SU04, 1973BO07, 1973CA1J, 1973IK1A, 1973KH1A, 1973KN1C, 1973MA1K, 1973MI1F, 1973SA30, 1973VA1M, 1973YA1A, 1974AR04, 1974HA1G, 1974IT1A, 1974KA11, 1975SH01).

Giant resonance: (1968BA1J, 1969DR05, 1969MA22, 1969RO26, 1969UB01, 1970FI1D, 1970FR1E, 1971DU13, 1971GR23, 1971GU1B, 1971GU10, 1971SE03, 1971WA27, 1972KA33,

Table 12.8: Energy levels of ^{12}C ^a

E_x in ^{12}C (MeV \pm keV)	$J^\pi; T$	$\Gamma_{\text{c.m.}}$ (keV)	Decay	Reactions
g.s.	$0^+; 0$		stable	4, 10, 11, 12, 13, 20, 21, 22, 23, 24, 25, 29, 30, 31, 32, 33, 34, 35, 36, 43, 45, 46, 47, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 92, 93, 94, 95, 96, 97
4.4391 ± 0.3	$2^+; 0$	10.8 ± 0.6 meV	γ	3, 4, 10, 11, 12, 20, 21, 22, 23, 24, 25, 29, 30, 31, 34, 35, 36, 43, 45, 46, 47, 49, 51, 52, 53, 55, 56, 57, 58, 59, 63, 64, 65, 66, 67, 68, 70, 73, 74, 75, 76, 77, 78, 80, 81, 83, 84, 85, 86, 88, 90, 98
7.6552 ± 0.8	$0^+; 0$	8.7 ± 2.7 eV	γ, π, α	4, 10, 11, 12, 20, 22, 25, 29, 30, 31, 35, 43, 46, 47, 49, 51, 52, 53, 55, 56, 58, 63, 66, 67, 76, 80, 84, 85
9.641 ± 5	$3^-; 0$	34 ± 5 keV	γ, α	4, 10, 11, 20, 22, 25, 29, 30, 31, 34, 43, 46, 47, 49, 51, 52, 53, 55, 56, 58, 67, 76, 84, 85, 86
10.3 ± 300	$(0^+); 0$	3000 ± 700	α	10, 35, 46, 63
10.844 ± 16	$1^-; 0$	315 ± 25	α	10, 20, 29, 30, 43, 46, 47, 53, 55, 58
(11.16 ± 50)	$(2^+); 0$	430 ± 80		30
11.828 ± 16	$2^-; 0$	260 ± 25	α	20, 22, 29, 30, 46, 47, 53, 55, 58
12.710 ± 6	$1^+; 0$	14.6 ± 2.6 eV	γ, α	20, 22, 29, 30, 31, 43, 46, 47, 49, 51, 52, 53, 55, 58, 63, 65, 66, 67, 75, 76
13.352 ± 17	$(2^-); 0$	375 ± 40 keV		20, 30, 53, 55, 58
14.083 ± 15	$4^+; 0$	258 ± 15		11, 20, 43, 47, 51, 52, 53, 55, 56, 58, 75, 76, 80, 84, 86
15.110 ± 3	$1^+; 1$	42 ± 7 eV	γ, α	3, 4, 13, 20, 22, 25, 29, 30, 36, 43, 47, 49, 51, 63, 64, 65, 66, 67, 75
16.1067 ± 0.5	$2^+; 1$	6.5 ± 0.6 keV	γ, p, α	12, 20, 25, 29, 30, 36, 43, 47, 51, 65, 66, 67, 75, 80

Table 12.8: Energy levels of ^{12}C ^a (continued)

E_x in ^{12}C (MeV \pm keV)	$J^\pi; T$	$\Gamma_{\text{c.m.}}$ (keV)	Decay	Reactions
16.58	$2^-; 1$	300	γ, p, α	20, 25, 27, 29, 43, 51
17.23	$1^-; 1$	1150	γ, p, α	25, 27, 29, 36
17.76 \pm 20	$0^+; 1$	80 \pm 20	p, α	12, 25, 27, 38, 65, 80
18.13	$(1^+; 0)$	600 \pm 100	γ, p	25, 43
(18.27 \pm 50)	$(4^-; 0)$	275 \pm 40		30
18.36 \pm 50	$(3^-; 1)$	210 \pm 40	γ, p, α	25, 30
18.40 \pm 60	$0^-; (1)$	43	p	27, 51
(18.6 \pm 100)	(3^-)	300		43
18.71	$\pi = +; (1)$	100	p, α	25
18.80 \pm 40	$2^+; 1$	80 \pm 30	γ, n, p	25, 26, 27, 29, 47, 51, 65
19.25	$(1^-; 1)$	1100	γ, n, p, α	25, 26, 27, 30, 38, 43
19.40	$(2^+; 0)$	45	γ, p, α	25, 27
19.57 \pm 40	$(4^-; 1)$	400 \pm 60		30, 43, 51
19.69		180	n, p	26
20.0 \pm 100	(2^+)	90	p	27, 43
20.24		170	n, p	26, 27
20.5 \pm 100	$(3^+; 1)$	\approx 250	γ, n, p, α	20, 25, 26, 27, 43
20.6 \pm 100	$(3^-; 1)$	200 \pm 40	γ, n, p, α	25, 26, 27, 30
20.98		270	n, p	26
21.60 \pm 60	3^-	1200 \pm 200	γ, n, p	25, 26, 43, 47, 65
21.95 \pm 150	$1^-; 1$	800 \pm 100		43, 47
22.50 \pm 50	$1^-; 1$	275 \pm 40	γ, n, p	26, 30, 37, 40, 47, 65
22.5	$1^-; 1$	3200	γ, n, p, α	25, 37, 38, 43
23.04	$(2^-; 1)$	60	n, p	26, 27, 37
23.52 \pm 30	$1^-; 1$	230 \pm 80	γ, n, p, α	12, 25, 26, 37, 38, 47
23.90 \pm 80	$(1^-; 1)$	400 \pm 100	$(\gamma), n, p$	26, 37, 43, 47
24.43		100	n, p	26
25.2 \pm 150	$(1^-; 1)$	510 \pm 100	γ, n, p	26, 38, 43, 47
25.24		165	n, p	26
25.5	$(1^-; 1)$	\approx 2000	γ, n, p	25, 37, 38, 43
25.9		400	γ, n, p, d, α	14, 16, 18, 26, 38, 47
26.7		270	γ, n, p, d, α	16, 25, 26, 43

Table 12.8: Energy levels of ^{12}C ^a (continued)

E_x in ^{12}C (MeV \pm keV)	$J^\pi; T$	$\Gamma_{\text{c.m.}}$ (keV)	Decay	Reactions
27.0 \pm 200	(1 ⁻ ; 1)	1400 \pm 200	γ , p	25, 47
27.611 \pm 20	0 ⁺ ; $T = 2$			12, 70
27.8 \pm 200		\approx 350	γ , n, p, ^3He	5, 25, 43
28.2	1 ⁻ ; 1	1600	γ , n, p, ^3He	4, 25, 37
28.83 \pm 40		1540 \pm 90	γ , p, ^3He	4, 25
29.4 \pm 300		1400 \pm 200	γ , n, p, t, ^3He	5, 6, 25, 37, 38, 42, 47
29.6 \pm 100	(2 ⁺ ; $T = 2$)	narrow		70
30.29 \pm 30		1960 \pm 150	γ , n, ^3He	4, 37, 43
31.16 \pm 30		2100 \pm 150	γ , p, ^3He	4, 38
32.29 \pm 40		1320 \pm 230	γ , n, ^3He	4, 37, 43
33.47 \pm 210		1930 \pm 50	γ , ^3He	4
35.7 \pm 700			γ , p	38

^a See also Tables 12.9, 12.10 and 12.12.

1972KE06, 1972MS01, 1972SU01, 1972NA05, 1973BA05, 1973DE53, 1973HA1Q, 1973MA1T, 1973MS01, 1973MS02, 1973PI06, 1973SU03, 1974CA1R, 1974FA1A, 1974MU13).

Special reactions: (1968BR1E, 1969GA18, 1971AR02, 1971BA16, 1972AB11, 1973AZ1A, 1973BU12, 1973DE07, 1973KU03, 1973WI15, 1974FO22, 1974RE1B, 1975CR01, 1975KU01).

Electromagnetic transitions: (1968CA08, 1968LA1B, 1969AB05, 1969DR05, 1969HA1G, 1969HA1F, 1969LA26, 1970DO1A, 1970WE1B, 1971TA13, 1972AB12, 1972BE1X, 1972BE98, 1972BO38, 1972DE03, 1972NA05, 1973AL14, 1973BE1L, 1973BO07, 1973BO31, 1973CA16, 1973EL04, 1973HA49, 1973HA1Q, 1973KU1N, 1973LE1E, 1973SA30, 1974AB05, 1974FI03, 1974MU13).

Astrophysical questions: (1967SH1B, 1967WI1B, 1968DU1C, 1969TR1A, 1970OH1B, 1972CL1A, 1972KO1A, 1972UL1A, 1973AR1H, 1973AU1B, 1973AU1D, 1973AU1C, 1973BO1R, 1973CA1B, 1973CO1J, 1973CO1B, 1973DA1L, 1973GR1G, 1973IB1B, 1973RA1D, 1973SA1J, 1973SC1T, 1973SM1A, 1973TA1E, 1973TA1D, 1973TR1C, 1973TR1B, 1973UL1B, 1974AR1G, 1974BE1R, 1974BO2K, 1974DA1N, 1974LA1J, 1974LA1K, 1974PA1E, 1974SC1F, 1974SN1B, 1974TO1C, 1974WI1F, 1975FA1H, 1975TA1E).

Muon and neutrino capture and reactions: (1967EV1B, 1967HI1B, 1968FR1E, 1968FU1B, 1968HI1C, 1968KE1D, 1968RH1A, 1969DI1C, 1969OZ1A, 1969VA37, 1969WU1A, 1970BU1B, 1970CA1H, 1970CA1J, 1970FR1E, 1970HI09, 1970PR1H, 1971AG01, 1971LA1J, 1971MO1Q, 1971MU20, 1971PI1D, 1971PL01, 1971PL1F, 1972BA1X, 1972CA08, 1972DE50, 1972KE06,

1972LO1J, 1972MI15, 1972OC01, 1972UB01, 1973BA68, 1973BE51, 1973BE38, 1973CH16, 1973DO04, 1973KI12, 1973KU1N, 1973MU04, 1973MU11, 1973SA1U, 1974DE1V, 1974DO1C, 1974DU02, 1974IM1C, 1974KA1Q, 1974KO1M, 1974PO05, 1974VO12, 1975SU1G).

Pion capture and pion reactions: (1965CH12, 1965GI10, 1967FO1A, 1967KO1B, 1967LE1D, 1967MI1B, 1968AG1A, 1968AG1C, 1968BA1M, 1968BA48, 1968BE1F, 1968BI1B, 1968CH1D, 1968DA1G, 1968ER1A, 1968GO1L, 1968KE1D, 1968KO1B, 1968KO1C, 1968NO1A, 1968RH1A, 1968ST1G, 1968TA1C, 1968UB1A, 1968VA1F, 1968WI1B, 1968WI1D, 1968ZE1A, 1968ZU1A, 1969AG1A, 1969BA1Q, 1969BA1L, 1969CA1B, 1969CH1C, 1969CH19, 1969GO1C, 1969HE1E, 1969KO1F, 1969MA1C, 1969MO1E, 1969MO1G, 1969UB01, 1969WE05, 1970AB1A, 1970BA44, 1970BA1E, 1970BA1F, 1970BE1J, 1970BE1L, 1970BI1A, 1970BI10, 1970BJ1A, 1970CA1J, 1970CH1F, 1970CH1C, 1970EL1E, 1970ER1A, 1970GO28, 1970GO1F, 1970HI09, 1970HI10, 1970HI11, 1970JA23, 1970JO18, 1970KA1H, 1970KA1J, 1970KO23, 1970KO26, 1970KR1F, 1970MA18, 1970SC1P, 1970RA39, 1970ST21, 1970VA18, 1970WI21, 1971AM1A, 1971BI1K, 1971CA01, 1971CA1J, 1971DE31, 1971ED02, 1971FA09, 1971GR1X, 1971GU11, 1971GU1H, 1971GU13, 1971IN1A, 1971KO30, 1971LA1P, 1971LE14, 1971LE1Q, 1971LO1H, 1971MA1C, 1971MA29, 1971MA1P, 1971MA1T, 1971MA2A, 1971MO29, 1971PE1D, 1971RO14, 1971RO1L, 1971SE02, 1971SI36, 1971SK03, 1971SK02, 1971ST10, 1971TH05, 1972AB1H, 1972AL45, 1972BA13, 1972BE34, 1972BE36, 1972BI09, 1972BU1P, 1972DE07, 1972ER02, 1972ER1A, 1972FA03, 1972FA14, 1972FU1C, 1972FU22, 1972GI04, 1972GO1L, 1972GO1D, 1972GR1M, 1972HU1A, 1972HU1F, 1972JA1H, 1972KO1H, 1972KO31, 1972LA01, 1972LA10, 1972LA24, 1972LE03, 1972LE40, 1972MA1H, 1972MA32, 1972NI13, 1972SA10, 1972SC18, 1972SC40, 1972SE13, 1972SE1F, 1972SI24, 1972ST1H, 1972SW1A, 1972VA1K, 1972YO1C, 1973AL09, 1973AL1E, 1973AL14, 1973AL1A, 1973AN18, 1973AR1B, 1973AS1A, 1973BA2G, 1973BA1E, 1973BE2C, 1973BE2B, 1973BE2D, 1973BE47, 1973BR1J, 1973BU1B, 1973BU12, 1973CA1J, 1973CA17, 1973CA1L, 1973CL1J, 1973DA1G, 1973DE1Y, 1973DI08, 1973DO1F, 1973DU1C [η], 1973EI01, 1973FA1N, 1973GA20, 1973GE11, 1973GO18, 1973GO44, 1973GO41, 1973GR1J, 1973GR1F, 1973HA34, 1973HE30, 1973HO43, 1973HS1A, 1973HS1B, 1973HU1E, 1973JA1K, 1973KA1D, 1973KI03, 1973LA1N, 1973LA30, 1973LE1F, 1973LE22, 1973LI18, 1973LU1A, 1973MA10, 1973MA11, 1973MO1H, 1973MO26, 1973MO1L, 1973NY04, 1973PE1E, 1973RO10, 1973RO1Q, 1973SE1E, 1973SH1E, 1973SI1N, 1973ST1K, 1973UB01, 1973WA1J, 1973WI1A, 1973YE02, 1973ZI1A, 1974AM01, 1974AZ02, 1974BA2E, 1974BE2A, 1974BO27, 1974BU1H, 1974CA21, 1974CA1P, 1974CA1G, 1974CA1Q, 1974CA25, 1974CL04, 1974CU1A, 1974DE1U, 1974EP02, 1974GA08, 1974GI08, 1974HA61, 1974HE1F, 1974HO29, 1974HU14, 1974KI01, 1974KO14, 1974KO07, 1974KU1K, 1974KU02, 1974LA12, 1974LA22, 1974LE1L, 1974LE1M, 1974LI1H, 1974LI08, 1974LI15, 1974MA37, 1974MI07, 1974MI06, 1974MI11, 1974MI12, 1974MU03, 1974NE18, 1974NI08, 1974OH01, 1974PI02, 1974ST1G, 1974TA18, 1974UL02, 1974VO12, 1974WI1P, 1975AR02, 1975GE02, 1975HE1M, 1975PI1E, 1975YA02).

Kaon capture and kaon reactions: (1968CH1F, 1969KU1B, 1971MA1T, 1972BA09, 1972BL10, 1972JU1A, 1972WA1F, 1973BA1Y, 1973BO1W, 1973BO1X, 1973BU1H, 1973CH1M, 1973FA1P, 1973GO41, 1974AL1J, 1974CA1H, 1974DE41, 1974HU1D, 1974HU1E, 1974MO1H, 1975KI1M).


Other topics: (1966BR1D, 1967KU1D, 1968BA1L, 1968BA1J, 1968BO1H, 1968FA1B, 1968GU1C, 1968IR1A, 1968LA1B, 1968LE1F, 1968NE1C, 1968RO1G, 1968TK1A, 1969AB05, 1969CH1A, 1969DR05, 1969GU03, 1969GR1A, 1969HO1M, 1969IR1A, 1969KE1B, 1969LA26, 1969LE21, 1969LO06, 1969MC1C, 1969NA1E, 1969RU04, 1969SH1A, 1969SO08, 1969SO1E, 1969VI1C, 1969VO1E, 1970BE26, 1970BO1M, 1970BO1J, 1970DR07, 1970EF01, 1970HO1J, 1970JA02, 1970KA30, 1970KA1K, 1970PE18, 1970RE1G, 1970RU1A, 1970SU1B, 1970VA07, 1971BA85, 1971BE2B, 1971BO1F, 1971FA11, 1971GR1L, 1971GR49, 1971GR2C, 1971GR1V, 1971HO19, 1971KA14, 1971KU1G, 1971MC15, 1971OS04, 1971RY1A, 1971SO11, 1971NG01, 1971VO1E, 1971ZO03, 1972AB12, 1972AI01, 1972AN05, 1972AR13, 1972BR1G, 1972EL1E, 1972FO1G, 1972FR1B, 1972FR09, 1972GR1G, 1972HA57, 1972KO01, 1972KR11, 1972KR1D, 1972LE1L, 1972OC01, 1972PA32, 1972PN1A, 1972RE03, 1972SA1B, 1972ST02, 1972ST1C, 1972SU04, 1972TU01, 1972TU1B, 1972VE01, 1972ZI03, 1973AN05, 1973AV1C, 1973BA1Y, 1973BO31, 1973CL09, 1973DE07, 1973DZ1A, 1973ED1A, 1973EL04, 1973ER1C, 1973ER10, 1973FA1P, 1973FO1F, 1973FR09, 1973GR36, 1973HA05, 1973HA57, 1973KO26, 1973KU03, 1973KU1G, 1973LA35, 1973LO1C, 1973MA48, 1973MI1F, 1973PE05, 1973PO1D, 1973RA1E, 1973RO1R, 1973SA1T, 1973SI21, 1973UL01, 1973VA01, 1974AB05, 1974AR04, 1974AU1E, 1974CA1H, 1974DU11, 1974DZ03, 1974FA1A, 1974FI03, 1974HO1J, 1974HU1D, 1974HU1E, 1974IR04, 1974ME08, 1974MU13, 1974SI1F, 1974ZA01, 1975GR03, 1975KI1M, 1975KU01, 1975SH01, 1975ZI1D).

Ground state: (1968BA1L, 1968BO1H, 1968FA1B, 1969AB05, 1969AG03, 1969GU03, 1969KE1B, 1969LA26, 1969LE21, 1970EL01, 1970ST19, 1971BO20, 1971BO29, 1971GR16, 1971GR1L, 1971GR2C, 1971RU14, 1971ZO03, 1972AB12, 1972AV1D, 1972BE1X, 1972BR1G, 1972DE03, 1972FR09, 1972GR1K, 1972GR42, 1972KR11, 1972KR1D, 1972LE1L, 1972SI24, 1972VE01, 1973AB1A, 1973AR1C, 1973BU12, 1973CA16, 1973DO1F, 1973EN1E, 1973ER1C, 1973ER10, 1973FE13, 1973FO1F, 1973GR36, 1973HA57, 1973KO26, 1973KU1L, 1973LE1E, 1973LO1C, 1973PE05, 1973SA38, 1973SA30, 1973VA01, 1973VA1M, 1974AB05, 1974AD1C, 1974AR04, 1974BA1Z, 1974DU02, 1974DZ03, 1974JA24, 1974KA23, 1974MU13, 1974SI03, 1974VA1N, 1974ZA01).

1. (a) ${}^6\text{Li}({}^6\text{Li}, n){}^{11}\text{C}$	$Q_m = 9.453$	$E_b = 28.175$
(b) ${}^6\text{Li}({}^6\text{Li}, p){}^{11}\text{B}$	$Q_m = 12.218$	
(c) ${}^6\text{Li}({}^6\text{Li}, d){}^{10}\text{B}$	$Q_m = 2.987$	
(d) ${}^6\text{Li}({}^6\text{Li}, \alpha){}^8\text{Be}$	$Q_m = 20.808$	
(e) ${}^6\text{Li}({}^6\text{Li}, n\alpha){}^7\text{Be}$	$Q_m = 1.908$	
(f) ${}^6\text{Li}({}^6\text{Li}, p\alpha){}^7\text{Li}$	$Q_m = 3.552$	
(g) ${}^6\text{Li}({}^6\text{Li}, 2\alpha){}^4\text{He}$	$Q_m = 20.900$	

For $E({}^6\text{Li}) = 1.2$ to 2.8 MeV, population ratios of ${}^7\text{Be}^*(0.43)$, ${}^7\text{Li}^*(0.48)$ and ${}^{10}\text{B}^*(0.72)$ (reactions (c), (e) and (f)) remain approximately constant. Simple tunneling or compound nucleus

models are not compatible with the data and a direct interaction through long-range tails is suggested (1962MC12). Absolute reaction cross sections at $E(^6\text{Li}) = 2.1$ MeV are in reasonable agreement with estimates based on barrier penetration. A strong preference for α -emission suggests that the favored mechanism involves interacting clusters (1963HU02). The α_0 yield (0°) (reaction (d)) shows two broad peaks at $E(^6\text{Li}) = 4$ and 9 MeV (1967CA1D: prelim. results; $E(^6\text{Li}) = 2$ to 14.5 MeV) while (1970FR06: $E(^6\text{Li}) = 4$ to 24 MeV) report a broad peak at $E(^6\text{Li}) \approx 10$ MeV. The yield of $^6\text{Li} + ^6\text{Li} \rightarrow 3\alpha$ (reaction (g)) for $E(^6\text{Li}) = 4$ to 20 MeV is dominated by a broad resonance ($\Gamma = 5$ MeV) at the Coulomb barrier, which is consistent with the formation of a quasi-molecular state $^6\text{Li} + ^6\text{Li}$ with $\tau \approx 10^{-21}$ sec (1970FR06). A multiparameter coincidence study of reaction (g) for $E(^6\text{Li}) = 2$ to 13 MeV shows the importance of direct interactions: the data were fitted assuming an ($\alpha + d$) cluster structure for ^6Li and an interaction potential acting only between the two deuterons (1971GA1N, 1971GA21, 1972GA32). See also (1971WY01), (1968AJ02) for the earlier work, ^8Be and ^{10}B in (1974AJ01) and ^{11}B and ^{11}C for reactions (a) and (b).



The elastic scattering (reaction (b)) follows the Mott formula at low energies [$\lesssim 4.0$ MeV] (1966PI02: $E(^6\text{Li}) = 3.2$ to 7.0 MeV). A broad structure is observed in the excitation functions [$\theta_{\text{c.m.}} = 60^\circ$ and 90°] at $E(^6\text{Li}) \approx 13$ MeV (1973GR34) and ≈ 26 MeV [$\Gamma \approx 7$ MeV] (1971FO08: $\theta_{\text{c.m.}} = 90^\circ$; $E(^6\text{Li})$ to 34 MeV). The elastic scattering appears to be dominated by absorption (1971FO08). See also (1973GO01). Excitation functions for the transitions to $^6\text{Li}_{3,56}^* + ^6\text{Li}_{3,56}^*$ have been measured for $E(^6\text{Li}) = 28.0$ to 33.0 MeV (1970NA02: $\theta_{\text{c.m.}} = 90^\circ$) and 28.0 to 36.0 MeV (1973WH02: $\theta_{\text{c.m.}} = 88^\circ$). See also ^6Li in (1974AJ01). For reaction (a) see ^6He in (1974AJ01).



At $E(^7\text{Li}) = 2.6$ MeV, population of $^{12}\text{C}^*(4.44, 15.11)$ is reported (1962BE24).



(1970BL09) had reported the observation of a capture resonance at $E(^3\text{He}) = 1.74$ MeV which subsequently decayed via $^{12}\text{C}^*(15.11)$ and which was assumed to correspond to the first $J^\pi = 0^+$; $T = 2$ state in ^{12}C [$E_x = 27.585 \pm 0.005$ MeV]. However, neither (1972HA63) nor (1972WA18) have been able to repeat this measurement: $\Gamma_{^3\text{He}}\Gamma_\gamma/\Gamma < 1.5$ meV (1972WA18), < 2 meV (1972HA63). See also (1974HA1G). Excitation functions and angular distribution studies

Table 12.9: Electromagnetic decay of ^{12}C levels ^a

Level (MeV)	Width or τ_m	Refs.	
4.44	$\Gamma_\gamma = 10.6 \pm 1.1 \text{ meV}$ $\Gamma_\gamma = 10.1 \pm 2 \text{ meV}$ $\tau_m = 55 \pm 7 \text{ fsec}$ $\Gamma_\gamma = 12.0 \pm 1.5 \text{ meV}$ $\tau_m = 65 \pm 9 \text{ fsec}$ $\Gamma_\gamma = 10.1 \pm 1.5 \text{ meV}$ $\Gamma_\gamma = 11.0 \pm 1.0 \text{ meV}$	(1967CR01) (1958RA14) (1968RI16) (1970CO09) (1970ST10)	
7.66	$\Gamma_\gamma = 10.8 \pm 0.6 \text{ meV}$ $\Gamma_\pi/\Gamma = (6.9 \pm 2.1) \times 10^{-6}$ $\Gamma_\pi = 62 \pm 6 \mu\text{eV}$ $\Gamma_\pi = 59 \pm 5 \mu\text{eV}$	mean (1960AL04, 1972OB01) (1967CR01) (1970ST10)	
9.64	$\Gamma_\pi = 60 \pm 4 \mu\text{eV}$ $\Gamma_{\text{rad}}/\Gamma = (4.2 \pm 0.2) \times 10^{-4}$ ^f $\Gamma = (8.7 \pm 2.7) \text{ eV}$ $\Gamma_{\text{rad}} = (3.7 \pm 1.2) \text{ meV}$ ^b $\Gamma_{\text{rad}} = (3.4 \pm 1.1) \text{ meV}$ $\Gamma_{\text{rad}}/\Gamma < 4.1 \times 10^{-7}$ $\Gamma_{\text{rad}} < 14 \text{ meV}$ ^c	mean (1974CH03) from above values from above values (1973BA73) (1974CH32) (1974CH32)	
12.71	$\Gamma = 14.6 \pm 2.6 \text{ eV}$ $\Gamma_{\gamma_0} = 0.35 \pm 0.05 \text{ eV}$ $\Gamma_{\gamma_0}/\Gamma_\gamma = 0.83 \pm 0.03$ $\Gamma_\alpha/\Gamma = 0.971 \pm 0.003$ $\Gamma_\alpha = 14.2 \pm 2.5 \text{ eV}$	(1974CE01) (1974CE01) (1970RE09) (1970RE09)	
$E_f \rightarrow$	Branching ratio (%) to		
	0	4.4	7.7
	83 ± 3	17 ± 3	< 10
	85 ± 4	15 ± 4	(1970RE09) (1972AL03)
15.11	$\Gamma_{\gamma_0} = 37.0 \pm 1.1 \text{ eV}$ ($\Gamma_{\gamma_0} = 39.4 \pm 1.5 \text{ eV}$)	(1973CH16) Table 12.8 (1968AJ02)	

Table 12.9: Electromagnetic decay of ^{12}C levels ^a (continued)

Level (MeV)	Width or τ_m					Refs.
$E_f \rightarrow$	$\Gamma_{\gamma_0}/\Gamma_{\gamma} = 0.92 \pm 0.02$					(1972AL03)
	$\Gamma_{\alpha}/\Gamma = 0.041 \pm 0.009$					(1974BA42)
	$\Gamma_{\alpha} = 1.8 \pm 0.3 \text{ eV}$					(1974BA42)
	$\Gamma = 42 \pm 7 \text{ eV}$					from above
	Branching ratio (%) to					
	0	4.4	7.7	10.3	12.7	
	96 ± 1	1.5 ± 0.3	1.5 ± 0.2		0.7 ± 0.3	(1970RE09)
	92 ± 2	2.3 ± 0.9	2.6 ± 0.7	(1.6) ^d	1.4 ± 0.4	(1972AL03)
		2.32 ± 0.25 ^e				(1973HA1Y)

^a See also Tables 12.10, 12.12, 12.20 and 12.23.

^b $\Gamma_{\text{rad}} \equiv \Gamma_{\gamma} + \Gamma_{\pi}$.

^c Based on $\Gamma = 34 \pm 5 \text{ keV}$: see Table 12.8.

^d Undetected: branching ratio shown is derived from β -decay work (1972AL03).

^e $3.6 \pm 0.7\%$ (1970AH02).

^f $\Gamma_{\text{rad}}/\Gamma = (4.30 \pm 0.20) \times 10^{-4}$ (1975MA2J: preliminary value and C.N. Davids, private communication).

have been carried out by (1972BL17: $E(^3\text{He}) = 1.0$ to 6.0 MeV ; $\gamma_0, \gamma_1, \gamma_2$), (1972LI29: 1.5 to 11 MeV ; $\gamma_0, \gamma_1, \gamma_2, \gamma_3$), (1964BL12: 2 to 4.5 MeV ; γ_0, γ_1) and (1974SH01: 3 to 21 MeV (γ_2), to 24 MeV (γ_0), to 26 MeV (γ_1, γ_3)). Observed resonances are shown in Table 12.10.

$^{12}\text{C}^*(28.2)$ appears to be formed by s- and d-wave capture. The γ_0 and γ_2 transitions to the 0^+ states $^{12}\text{C}^*(0, 7.7)$ are strong and show a similar energy dependence. A strong non-resonant contribution is necessary to account for the γ_1 yield (1972BL17). The resonance structure reported by (1974SH01) appears to confirm the role of 3p-3h configurations for ^{12}C excitations somewhat above the giant resonance region. The γ_3 yield is relatively unstructured (1972LI29, 1974SH01: to $E(^3\text{He}) = 26 \text{ MeV}$).

5. (a) $^9\text{Be}(^3\text{He}, n)^{11}\text{C}$	$Q_m = 7.558$	$E_b = 26.2801$
(b) $^9\text{Be}(^3\text{He}, p)^{11}\text{B}$	$Q_m = 10.3229$	
(c) $^9\text{Be}(^3\text{He}, 2n)^{10}\text{C}$	$Q_m = -5.566$	

Excitation functions for neutrons have been measured for $E(^3\text{He}) = 1.2$ to 9.9 MeV for several neutron groups: see (1968AJ02) for a listing of the earlier references. No sharp structure is

Table 12.10: Resonances in ${}^9\text{Be}({}^3\text{He}, \gamma){}^{12}\text{C}$

$E({}^3\text{He})$ (MeV \pm keV)	Res. in	E_x (MeV)	$\Gamma_{\text{c.m.}}$ (MeV)	$J^\pi; T$	Refs.
2.55 ^a	γ_0, γ_2	28.2	1.6	$1^-; 1$	(1972BL17)
3.40 ± 40	γ_0, γ_2	28.83	1.54 ± 0.09		(1972LI29, 1974SH01)
5.35 ± 30	γ_1	30.29	1.96 ± 0.15		(1972LI29, 1974SH01)
6.51 ± 30	γ_0	31.16	2.10 ± 0.15		(1972LI29, 1974SH01)
8.02 ± 40	γ_1, γ_2	32.29	1.32 ± 0.23		(1974SH01)
9.60 ± 210	γ_1, γ_2	33.47	1.93 ± 0.05		(1974SH01)

^a $\Gamma_\gamma \geq 11.8$ eV [γ_0], ≥ 4.6 eV [γ_1], ≥ 11.3 eV [γ_2], assuming $J = 1$, $\Gamma({}^3\text{He}) = \Gamma$.

observed but there is some suggestion from angular distribution data and excitation functions at forward angles for a broad structure ($\Gamma \approx 350$ keV) at $E({}^3\text{He}) \approx 2$ MeV: $E_x = 27.8$ MeV (1965DI06, 1963DU12). The total cross section for ${}^{11}\text{C}$ production rises monotonically for $E({}^3\text{He}) = 0.60$ to 1.15 MeV (1973SU07) and then shows a broad maximum, $\sigma = 113$ mb, at $E({}^3\text{He}) = 4.3$ MeV (1966HA21: $E({}^3\text{He}) = 3.2$ to 10 MeV). Polarization measurements have been carried out for $E({}^3\text{He}) = 2.1$ to 3.9 MeV (1971TH15: n_0, n_1, n_{2+3}): the shapes of the measured angular distributions for n_0 and n_1 show very gradual changes with energy. It is suggested that a significant direct interaction contribution is present (1971TH15). See also (1970KR09) and ${}^{11}\text{C}$.

Excitation functions and angular distributions for protons (reaction (b)) have been measured for $E({}^3\text{He}) = 1.0$ to 10.2 MeV for a number of proton groups: see (1968AJ02) for a listing of the earlier references. The yields of ten proton groups have been determined for $E({}^3\text{He}) = 0.50$ to 1.10 MeV ($\theta = 110^\circ$): the yields increase monotonically (1971ST1H, 1973SU07). The excitation curves at higher energies show only a slow and smooth increase: see, e.g. (1960HI08). See also ${}^{11}\text{B}$. The excitation function for reaction (c) has been measured from threshold to $E({}^3\text{He}) = 31$ MeV (1974MO23).

$$\begin{array}{lll}
 6. (a) {}^9\text{Be}({}^3\text{He}, d){}^{10}\text{B} & Q_m = 1.0916 & E_b = 26.2801 \\
 (b) {}^9\text{Be}({}^3\text{He}, t){}^9\text{B} & Q_m = -1.0860 &
 \end{array}$$

The cross section for ground state tritons (reaction (b)) increases monotonically for $E({}^3\text{He}) = 2.5$ to 4.2 MeV (1969OR01: $\theta = 40^\circ$) and then shows a broad maximum at $E({}^3\text{He}) \approx 4.5$ MeV (1967EA01: $\theta = 20^\circ$). For reaction (a) see (1967CR04). See also ${}^9\text{B}$ and ${}^{10}\text{B}$ in (1974AJ01).

$$7. {}^9\text{Be}({}^3\text{He}, {}^3\text{He}){}^9\text{Be} \qquad E_b = 26.2801$$

The elastic scattering excitation function decreases monotonically for $E(^3\text{He}) = 4.0$ to 9.0 MeV (1967EA01: $\theta = 45^\circ$) and 15.0 to 21.0 MeV (1972MC01: $\theta_{\text{c.m.}} = 90^\circ$). At $\theta_{\text{c.m.}} = 111^\circ$ a slight rise is observed for $E(^3\text{He}) = 19$ to 21 MeV (1972MC01). See also (1974BO38: $E(^3\text{He}) = 1.2$ to 2.5 MeV). Polarization measurements are reported at $E(^3\text{He}) = 18$ MeV (1972MC01) and 31.4 MeV (1971EN03). See also ^9Be in (1974AJ01).

$$\begin{array}{lll} 8. \text{ (a) } ^9\text{Be}(^3\text{He}, \alpha)^8\text{Be} & Q_{\text{m}} = 18.9134 & E_{\text{b}} = 26.2801 \\ \text{ (b) } ^9\text{Be}(^3\text{He}, 2\alpha)^4\text{He} & Q_{\text{m}} = 19.005 & \end{array}$$

Excitation functions at $\theta = 140^\circ$ (reaction (a)) do not show resonant behavior for $E(^3\text{He}) = 1.0$ to 1.9 MeV (1970EH1A: α_0, α_1 ; unpublished work). For reaction (b) see ^8Be in (1974AJ01) and (1972TA04). See also (1971OS05; theor.).

$$9. \ ^9\text{Be}(^3\text{He}, ^6\text{Li})^6\text{Li} \qquad Q_{\text{m}} = -1.895 \qquad E_{\text{b}} = 26.2801$$

The excitation functions for $E(^3\text{He}) = 4$ to 10 MeV (1969TA05: $\theta = 50^\circ$; 1972YO02: $\theta_{\text{c.m.}} = 32^\circ, 90^\circ$) show some fluctuations. See also ^6Li in (1974AJ01).

$$10. \ ^9\text{Be}(\alpha, \text{n})^{12}\text{C} \qquad Q_{\text{m}} = 5.702$$

Neutron groups have been observed to $^{12}\text{C}^*(0, 4.4, 7.7, 9.6, (10.1), (10.8))$. Angular distributions of neutron groups have been measured at many energies in the range $E_\alpha = 1.9$ to 23 MeV: see (1968AJ02) for earlier references and (1969KL09: $E_\alpha = 1.75$ and 1.96 MeV; n_0), (1970VA23: $E_\alpha = 2.55$ to 7.87 MeV (n_0); 2.55 to 7.47 MeV (n_1); 4.36 to 7.47 MeV (n_2)), (1972OB01: 3.21 to 6.44 MeV (n_0, n_1, n_2); 6.24 and 6.44 MeV (n_3)) and (1968VE06: $6.79, 7.96, 8.91, 9.92$ MeV; n_0, n_1, n_2).

The mean life of $^{12}\text{C}^*(4.4) [J^\pi = 2^+]$ is 57_{-17}^{+23} fsec, $\Gamma_\gamma = (11.5_{-3.2}^{+5})$ meV (1966WA10): see Table 12.9. $^{12}\text{C}^*(7.7)$ decays predominantly into $^8\text{Be} + \alpha$ (see reactions 20 and 35), $J^\pi = 0^+$, $\Gamma_\pi/\Gamma = (6.9 \pm 2.1) \times 10^{-6}$ (1960AL04, 1972OB01).

See (1959AJ76, 1968AJ02) for surveys of the earlier work. See also ^{13}C in (1976AJ04) and (1968LE24, 1969KL1C, 1969NO01, 1969ZI1A, 1970FO1C, 1970GE1A, 1972DA32, 1972DE10, 1973TY1A, 1973VI1C, 1973WE03) and (1968VA1E, 1969HO34; theor.).

$$11. \ ^9\text{Be}(^6\text{Li}, \text{t})^{12}\text{C} \qquad Q_{\text{m}} = 10.486$$

At $E(^6\text{Li}) = 23.8$ MeV strong transitions are observed to $^{12}\text{C}^*(0, 4.4, 7.7, 9.6, 14.1)$ (1970OG1A; unpublished). See also (1968JA08) and (1972RI1C; theor.).

12. $^{10}\text{Be}(^3\text{He}, \text{n})^{12}\text{C}$ $Q_{\text{m}} = 19.468$

At $E(^3\text{He}) = 13$ MeV neutron groups are observed to $^{12}\text{C}^*(0, 4.4, 7.7, 16.1, 17.8)$ and to excited states at $E_{\text{x}} = 23.53 \pm 0.04$ [$\Gamma < 0.4$ MeV] and 27.611 ± 0.020 MeV. The latter is formed with a 0° cross section of ≈ 200 $\mu\text{b}/\text{sr}$ and is taken to be the first 0^+ ; $T = 2$ state of ^{12}C (1974GO23).

13. $^{10}\text{B}(\text{d}, \gamma)^{12}\text{C}$ $Q_{\text{m}} = 25.1885$

The (d, $\gamma\gamma$) excitation function [via the $J^\pi = 1^+$; $T = 1$ state at $E_{\text{x}} = 15.1$ MeV] has been measured for $E_{\text{d}} = 2.655$ to 2.91 MeV. The non-resonant yield of 15 MeV γ -rays is due to direct capture process or to a very broad resonance: no sharp resonances are observed corresponding to the $T = 2$ state reported in reaction 4 [$\Gamma_{\text{d}_0}\Gamma_{\gamma}/\Gamma \lesssim 0.2$ eV] (1970BL09, 1974HA1G). Upper limits to the differential cross sections for γ_0 and γ_1 are 5 nb/sr and 50 nb/sr, respectively for $E_{\text{d}} = 4.0$ to 20.2 MeV (1971SH1E; prelim. results).

14. $^{10}\text{B}(\text{d}, \text{n})^{11}\text{C}$ $Q_{\text{m}} = 6.467$ $E_{\text{b}} = 25.1885$

The thin-target excitation function in the forward direction in the range $E_{\text{d}} = 0.3$ to 4.6 MeV shows some indication of a broad resonance near $E_{\text{d}} = 0.9$ MeV. Above $E_{\text{d}} = 2.4$ MeV, the cross section increases rapidly to 210 mb/sr at 3.8 MeV, and then remains constant to 4.6 MeV (1954BU06, 1955MA76). The 0° excitation function for ground state neutrons shows no structure for $E_{\text{d}} = 3.2$ to 9.0 MeV (1967DI01). The excitation function for the neutrons to $^{11}\text{C}^*(6.48)$ increases monotonically for $E_{\text{d}} = 4.0$ to 4.8 MeV (1972TH14). The branching ratios at 90° for the transitions to the ground states of ^{11}C and ^{11}B [n_0/p_0] have been measured for $E_{\text{d}} = 1.0$ to 2.0 MeV by (1973BR24).

Polarization measurements have been carried out for $E_{\text{d}} = 1.20$ to 2.90 MeV (1968BR26: n_0) and 2.4 to 4.0 MeV (1972ME06: n_0, n_1, n_{2+3}). The transitions to $^{11}\text{C}^*(0, 4.32 + 4.80)$ appear to involve a direct reaction mechanism (1972ME06). See also (1969DI08) and ^{11}C .

15. $^{10}\text{B}(\text{d}, \text{p})^{11}\text{B}$ $Q_{\text{m}} = 9.2314$ $E_{\text{b}} = 25.1885$

Absolute yields have been measured for various proton groups for $E_{\text{d}} = 0.14$ to 12 MeV: see (1968AJ02) and (1972AR31: $E_{\text{d}} = 0.7$ to 2.5 MeV; $p_0 \rightarrow p_3$) and (1970BL09: $E_{\text{d}} = 2.605$ to 2.960 MeV; $p_0 \rightarrow p_3$). See also (1970PO03). No clear resonance structure is observed. There is some indication that a broad resonance, corresponding to $^{12}\text{C}^*(27.1)$ affects the p_1 and p_3 yields (1964BR1A). Upper limits for the partial widths ($p_0 \rightarrow p_3$) of the $T = 2$ state reported in reaction

4 are given by (1970BL09). See also (1972AH1A). For a study of the branching ratio n_0/p_0 see reaction 14 (1973BR24).

Polarization measurements have been carried out recently for $E_d = 1.15, 1.40$ and 1.85 MeV (1969DI08; p_0), 10 MeV (1969CU10; p_0) and 10 and 12 MeV (1970FI07, 1972FI1E; p_0) and 13.6 MeV (1967GO27; p_0). For earlier polarization studies [$E_d = 6.9$ to 21 MeV] see (1968AJ02). See also (1967GO27, 1967SA06), (1970DE35, 1973CO18; theor.) and ^{11}B .

16. $^{10}\text{B}(\text{d}, \text{d})^{10}\text{B}$

$$E_b = 25.1885$$

The yield of elastically scattered deuterons has been measured for $E_d = 1.0$ to 2.0 MeV: resonances at $E_d = 1.0$ and 1.9 MeV are suggested by (1969LO01). Excitation functions for the deuterons to $^{10}\text{B}^*(1.74, 2.16)$ [$J^\pi = 0^+$; $T = 1$ and $J^\pi = 1^+$; $T = 0$, respectively] have been measured at several angles for $E_d = 4.2$ to 16 MeV: they are characterized by rather broad, slowly varying structures. The ratio $\sigma_{1.74}/\sigma_{2.15}$ varies from $0.69 \pm 0.04\%$ at $E_d = 6.5$ MeV to $0.16 \pm 0.04\%$ at $E_d = 12.0$ MeV corresponding, respectively, to isospin impurities of $\approx 2\%$ and $\approx 0.5\%$ (1974ST01). No resonance structure is observed in the elastic yield for $E_d = 14.0$ to 15.5 MeV (1974BU06). Polarization measurements are reported at $E_d = 9, 10$ and 11 MeV (1972FI1E, 1973FI1C) and at 15 MeV (1974BU06). See also ^{10}B in (1974AJ01).

17. (a) $^{10}\text{B}(\text{d}, \text{t})^9\text{B}$

$$Q_m = -2.178$$

$$E_b = 25.1885$$

(b) $^{10}\text{B}(\text{d}, ^3\text{He})^9\text{Be}$

$$Q_m = -1.0916$$

For polarization measurements at $E_d = 15$ MeV involving $^9\text{Be}^*(0, 2.43)$ and $^9\text{B}^*(0, 2.36)$ see (1974LU06). See also ^9Be and ^9B in (1974AJ01).

18. (a) $^{10}\text{B}(\text{d}, \alpha)^8\text{Be}$

$$Q_m = 17.822$$

$$E_b = 25.1885$$

(b) $^{10}\text{B}(\text{d}, 2\alpha)^4\text{He}$

$$Q_m = 17.9138$$

Excitation functions have been measured for the α_0 and α_1 groups for $E_d = 0.4$ to 3.3 MeV: see (1968AJ02) for earlier references and (1968FR07: 0.5 to 2.0 MeV), (1968CO31: 0.8 to 2.5 MeV) and (1970BL09: 2.605 to 2.960 MeV). The α_0 yield has also been measured for $E_\alpha = 4$ to 12 MeV by (1971RE1D) and the yields to $^8\text{Be}^*(16.6, 16.9)$ have been determined for $E_d = 2.856$ to 2.906 MeV by (1972AH1A; in 2 keV steps; unpublished). A number of broad maxima are observed in the excitation curves above $E_d = 1$ MeV. The α_0 yield shows such a maximum at $E_d = 1$ MeV which (1968FR07) attribute to an s-wave resonance corresponding to a state with $E_x \approx 26.0$ MeV, $\Gamma \approx 0.5$ MeV. No evidence for the $T = 2$ state reported in reaction 4 was found in the α_0 and α_1 yield curves taken in 2 keV steps for $27.35 < E_x < 27.65$ MeV

(1970BL09). See also (1972AH1A). The relative populations of ${}^8\text{Be}^*(17.6, 18.1)$ have been determined for $E_d = 4$ to 12 MeV (1970CA12): see ${}^8\text{Be}$, reaction 38 (1974AJ01). For reaction (b) see (1968AS01, 1973RO28) and ${}^8\text{Be}$ in (1974AJ01). See also (1967LE1C, 1967NA11) and (1970KO01, 1970KO27, 1971LA25; theor.).

$$19. {}^{10}\text{B}(d, {}^6\text{Li}){}^6\text{Li} \qquad Q_m = -2.987 \qquad E_b = 25.1885$$

This reaction has been studied for $E_d = 8$ to 13.5 MeV (1964GE1A).

$$\begin{aligned} 20. \text{(a) } & {}^{10}\text{B}({}^3\text{He}, p){}^{12}\text{C} & Q_m &= 19.6948 \\ & \text{(b) } & {}^{10}\text{B}({}^3\text{He}, p\alpha){}^8\text{Be} & Q_m &= 12.328 \\ & \text{(c) } & {}^{10}\text{B}({}^3\text{He}, 2p){}^{11}\text{B} & Q_m &= 3.738 \\ & \text{(d) } & {}^{10}\text{B}({}^3\text{He}, pn){}^{11}\text{C} & Q_m &= 0.973 \end{aligned}$$

Proton groups observed by (1958MO99, 1959AL1A, 1962BR10) are displayed in Table 12.11. Angular distributions of many of these groups have been measured for $E({}^3\text{He}) = 1.4$ to 14 MeV: see (1968AJ02) for the earlier references and (1970BE1F).

From studies of ${}^{10}\text{B}({}^3\text{He}, p\alpha){}^8\text{Be}$ it is determined that ${}^{12}\text{C}^*(7.7, 9.6, 10.8, 14.1, 16.1)$ have natural parity $\pi = (-1)^J$, and that ${}^{12}\text{C}^*(11.8, 12.7, 13.3)$, which decay only to ${}^8\text{Be}^*(2.9)$ and not to the ground state, have unnatural parity: see Tables 12.8 and 12.11, and (1968AJ02). ${}^{12}\text{C}^*(12.7)$ decays also by γ -emission: the cascade via ${}^{12}\text{C}^*(4.4)$ is $15 \pm 4\%$, the crossover transition is $85 \pm 4\%$ (1972AL03); $\Gamma_\gamma/\Gamma_\alpha = 2.5 \pm 1\%$ (1958MO99, 1959AL1A). ${}^{12}\text{C}^*(15.11)$ [$J^\pi = 1^+$; $T = 1$] decays by γ -emission to ${}^{12}\text{C}^*(0, 4.4, 7.7, (10.3), 12.7)$: see Table 12.9 (1972AL03). It is suggested by (1972AL03) that an isospin-forbidden α -decay branch from ${}^{12}\text{C}^*(15.11)$ to ${}^8\text{Be}^*(2.9)$, which had been reported with an intensity of $(1.2 \pm 0.7)\%$ in reaction 67, does not exist: the problem might have been an inaccurate determination of the intensity of the γ -branch to ${}^{12}\text{C}^*(12.7)$ by (1970RE09): see, however, (1974BA42) in reaction 67.

${}^{12}\text{C}^*(16.11, 16.58)$ show decay to both ${}^8\text{Be}^*(0, 2.9)$. The consequent assignment of natural parity is consistent with $J^\pi = 2^+$ for the former but not with $J^\pi = 2^-$ for the latter. For ${}^{12}\text{C}^*(16.11)$ observed values of Γ_{α_0}/Γ are $0.05 - 0.12$; the decay to 3α occurs rarely if at all (1966WA16).

Reactions (c) and (d) have been studied by (1970BO39). The latter, at $E({}^3\text{He}) = 11$ MeV, appears to proceed via a state in ${}^{12}\text{C}$ at $E_x = 20.5 \pm 0.1$ MeV, which is suggested to be $J^\pi = 3^+$; $T = 1$. The relative intensities of the decays of ${}^{12}\text{C}$ states with $20 < E_x < 25$ MeV via channels (c) and (d) is estimated. The α_0 decay is very small, consistent with the expected population of $T = 1$ states (1970BO39).

See also ${}^8\text{Be}$ in (1974AJ01), ${}^{13}\text{N}$ in (1976AJ04) and (1968KR02, 1970BE1F, 1972BE05, 1974AN19), (1967HO1C) and (1967PR1B; theor.).

Table 12.11: ^{12}C states from $^{10}\text{B}(^3\text{He}, \text{p})^{12}\text{C}$

E_x^a (MeV \pm keV)	$\Gamma_{\text{c.m.}}^c$ (keV)	Γ_γ/Γ	Alpha decay ^{d,j}		Parity ^{d,k}	$J^\pi; T$
			$^8\text{Be}_{\text{g.s.}}$	$^8\text{Be}^*(2.9)$		
4.44						
7.655 \pm 6		$3 \times 10^{-4}^e$	yes		natural	0^+
9.645 \pm 6	36 \pm 6		yes	yes	natural	
10.849 \pm 25	320 \pm 30		strong	yes	natural	
11.841 \pm 25	245 \pm 30		no	yes	unnatural	
12.713 \pm 6		0.025 ± 0.01^f	no	yes	unnatural	1^+
13.29 \pm 30	430 \pm 100		no	yes	unnatural	$\geq 1^d$
	290 \pm 70 ^d					
14.083 \pm 15	252 \pm 15		yes	yes	natural	$(2^-)^g$
	320 \pm 50 ^d					
15.108 \pm 6		$> 0.95^{h,i}$				$1^+; 1$
16.108 \pm 6			weak	strong	natural	(2^-)
16.58			yes	yes	natural	
20.5 \pm 100 ^b						

^a (1962BR10). Excitation energies based on $Q_0 = 19.693$ MeV and $\text{Po } \alpha = 5.3056$ MeV: see also (1958MO99, 1959AL1A).

^b (1970BO39). Previous work by (1967CO1F) is unpublished.

^c (1962BR10).

^d (1966WA16).

^e (1961AL23): The cascade decay (via 4.44) is $(3.3 \pm 0.9) \times 10^{-4}$ of the total decay. This is 50 times stronger than the direct g.s. decay (via pairs). $\Gamma_{\text{rad}}/\Gamma = (3.5 \pm 1.2) \times 10^{-4}$ (1964HA23): see Table 12.9.

^f Branching ratios to $^{12}\text{C}^*(0, 4.4)$ are $85 \pm 4\%$ and $15 \pm 4\%$, respectively (1972AL03): see Table 12.9.

^g Proton- α correlations require $J \geq 2$ (1966WA16).

^h (1965AL1B): $\Gamma_\alpha/\Gamma < 0.05$.

ⁱ Branching ratios to $^{12}\text{C}^*(0, 4.4, 7.7, 12.7)$ are, respectively, $92 \pm 2\%$, $2.3 \pm 0.9\%$, $2.6 \pm 0.7\%$, $1.4 \pm 0.4\%$ (1972AL03): see Table 12.9. Gamma rays are observed with energies $E_\gamma = 15.11, 10.71 \pm 0.05, 7.48 \pm 0.03, 4.44$ and 2.38 ± 0.02 MeV (1972AL03).

^j (1968KR02).

^k (1965AL1B).

Table 12.12: Resonances in $^{11}\text{B}(p, \gamma)^{12}\text{C}$ and $^{11}\text{B}(p, \alpha)^8\text{Be}$

Peak number	E_p (MeV)	$\Gamma_{\text{c.m.}}$ (keV)	$\sigma(\gamma_0)$ (μb)	$\sigma(\gamma_1)$ (μb)	$\sigma(\alpha_0)$ (mb)	$\sigma(\alpha_1)$ (mb)	Γ_{γ_0} (eV)	Γ_{γ_1} (eV)	Γ_{α_0} (keV)	Γ_{α_1} (keV)	Γ_p (keV)	$^{12}\text{C}^*$ (MeV)	$J^\pi; T$	Refs.
1	0.163 ^a	6.5 ^a	5.5	152	res.	res.	0.65	21.0 \pm 3.3 ^b	0.290 \pm 0.045	6.3 \pm 0.5	0.0217 \pm 0.0018	16.1067	2 ⁺ ; 1	(1953HU29, 1961SE10, 1974AN19)
2	0.675	300	non-res.	48 ^f	non-res.	600 ^f	< 0.4	8.0	< 0.27	150	150	16.58	2 ⁻ ; 1	(1953BE61, 1953HU29, 1965SE06)
3	1.388	1150	[27] ^c	3	3.3	\approx 180	44	5	10	140	1000	17.23	1 ⁻ ; 1	(1953HU29, 1963SY01, 1965SE06)
4	1.98	100	non-res.	non-res.	9.0	(25)	< 0.5	< 0.5	4.6	11.4	76	17.77	0 ⁺ ; 1	(1955HO48, 1963SY01, 1965SE06)
5	2.37	600 \pm 100		0.77 ^h								18.13	(1 ⁺ ; 0)	(1972SU08)
6	2.62	310	weak?	res.	32.4 \pm 4.8	270 \pm 40	< 1.5	3.2	65	177	68	18.36	(3 ⁻ ; 1)	(1955BA22, 1963SY01, 1965SE06, 1974GO21)
7	2.66	43	non-res.	non-res.	non-res.	non-res.	< 0.5	< 0.5	< 1	< 5	33	18.39	0 ⁻	(1965SE06)
8	3.01	100	non-res.	non-res.	3.4					< 10		18.71	n. π . ^g ; (1)	(1965SE06)
9	3.12	100	weak	[20] ^c	non-res.	non-res.	(0.4)	2.0	< 0.2	< 1.5	97	18.82	2 ⁺ ; 1	(1955BA22, 1965SE06)
10	3.5	1100	[20] ^c	res.	5.2	res.	25	10	50	200	300	19.2	(1 ⁻ ; 1)	(1955BA22, 1965SE06)
11	3.75	(1100)	non-res.	res.	7.4 \pm 1.1	300 \pm 40	< 3	3	20	450	450	19.39	(2 ⁺ ; 0)	(1963SY01, 1965SE06)
12	4.93	180	non-res.	res.	non-res.	170 \pm 40						20.47		(1955BA22, 1963SY01, 1964AL20)
13	5.11	275	non-res.	[35] ^c	6.0 \pm 0.9	non-res.						20.64	(3 ⁻ ; 1)	(1955BA22, 1963SY01, 1964AL20)
14	6.0		res.	non-res.								21.5		(1964AL20)
15	6.7		res.	[35] ^c	res.							22.1		(1963BE18, 1964AL20)
16	7.2	3200	120	non-res.		(res.)	\geq 2500 ^e					22.6	(1 ⁻ ; 1)	(1961GO13, 1963BE18, 1964AL20)
17	8.3		res.	res.	res.							23.6		(1963BE18, 1964AL20)
18	10.3	\approx 6500	[60] ^c	83						k		25.4	i	(1961GO13, 1963BE18, 1964AL20, 1967FE04, 1972GL01)
19	11.76		non-res.	45 ^d	res.					k		26.73	(1 ⁻) ¹	(1963BE18, 1964AL20, 1967FE04)
20	12.55 ^j			21 ^d	non-res.							27.45		(1967FE04)
21	13.09			19 ^d	38 ^d							27.94		(1964AL20, 1967FE04)

Table 12.12: Resonances in $^{11}\text{B}(p, \gamma)^{12}\text{C}$ and $^{11}\text{B}(p, \alpha)^8\text{Be}$ (continued)

Peak number	E_p (MeV)	$\Gamma_{c.m.}$ (keV)	$\sigma(\gamma_0)$ (μb)	$\sigma(\gamma_1)$ (μb)	$\sigma(\alpha_0)$ (mb)	$\sigma(\alpha_1)$ (mb)	Γ_{γ_0} (eV)	Γ_{γ_1} (eV)	Γ_{α_0} (keV)	Γ_{α_1} (keV)	Γ_p (keV)	$^{12}\text{C}^*$ (MeV)	$J^\pi; T$	Refs.
22	[13.6] ^j		non-res.	25 ^d					k			28.4		(1967FE04)
23	14.19 ^j		16 ^d	non-res.								28.95		(1967FE04)
24	14.8	broad	res.						k			29.5		(1969KE02)

^a 163.1 ± 0.2 keV, $\Gamma_{c.m.} = 6.5 \pm 0.6$ keV: see (1955AJ61) and see footnote 7 in (1961SE10).

^b 97% of the value for Γ_γ reported by (1974AN19) [21.7 ± 3.3 eV] to take into account the branching ratios.

^c Estimated from graph (1964AL20).

^d $4\pi \times \sigma$ (90°).

^e Assuming a single resonance (1961GO13).

^f (1953HU29, 1953BE61).

^g n. π . = natural parity.

^h Resonance in yield of 15.1 MeV γ -rays; $(2J + 1) \Gamma_\gamma \geq 2.8 \pm 0.6$ eV (1972SU08).

ⁱ See text (1972GL01).

^j See also (1971SN1A).

^k See (1972TH1C).

^l See (1970KO27).

21. $^{10}\text{B}(\alpha, \text{d})^{12}\text{C}$

$$Q_m = 1.3409$$

$$Q_0 = 1340.6 \pm 1.5 \text{ keV (1967BR1B)}.$$

At $E_\alpha = 21.2, 23.0$ and 25.0 MeV angular distributions of the deuterons to $^{12}\text{C}^*(0, 4.4)$ have been measured (1967AL16). The $(\text{d}\gamma_{4.4})$ angular correlations have been measured for $E_\alpha = 19$ to 25 MeV (1972EL09). See also (1967SP09, 1973HA1Y, 1973SP1D), (1971BU1K, 1973ZE03; theor.) and ^{14}N in (1976AJ04).

22. $^{10}\text{B}(^6\text{Li}, \alpha)^{12}\text{C}$

$$Q_m = 23.715$$

At $E(^6\text{Li}) = 4.9$ MeV angular distributions have been obtained for the α -particles to $^{12}\text{C}^*(0, 4.4, 7.7, 9.6)$. The population of $^{12}\text{C}^*(11.8, 12.7)$ is also reported (1966MC05), as is that of $^{12}\text{C}^*(15.11)$ [$T = 1$] (1964CA18: $E(^6\text{Li}) = 3.8$ MeV): the intensity ratio $\alpha_{15.1}/\alpha_{12.7} = 3 \pm 2\%$. See also (1969CO1D, 1970GI05).

23. $^{10}\text{B}(^{14}\text{N}, ^{12}\text{C})^{12}\text{C}$

$$Q_m = 14.916$$

Angular distributions involving $^{12}\text{C}_{4.4}^* + ^{12}\text{C}_{\text{g.s.}}$ and $^{12}\text{C}_{4.4}^* + ^{12}\text{C}_{4.4}^*$ have been measured at $E(^{14}\text{N}) = 22.5$ and 30 MeV (1969IS01). See also (1972VO02).

24. $^{10}\text{B}(^{16}\text{O}, ^{14}\text{N})^{12}\text{C}$

$$Q_m = 4.452$$

Angular distributions involving $^{14}\text{N}_{\text{g.s.}} + ^{12}\text{C}_{\text{g.s.}}$ and $^{14}\text{N}_{\text{g.s.}} + ^{12}\text{C}_{4.4}^*$ have been measured at $E(^{16}\text{O}) = 30$ and 32.5 MeV and also at 26 MeV for the double ground state transition (1969IS01). See also (1968OK06).

25. (a) $^{11}\text{B}(\text{p}, \gamma)^{12}\text{C}$

$$Q_m = 15.9572$$

(b) $^{11}\text{B}(\text{p}, \alpha)^8\text{Be}$

$$Q_m = 8.591$$

$$E_b = 15.9572$$

(c) $^{11}\text{B}(\text{p}, \alpha)^4\text{He}^4\text{He}$

$$Q_m = 8.6824$$

In view of the complexity of the available information on these three reactions, we will first summarize the recent experimental results and then review the evidence for the parameters of ^{12}C states observed as resonances.

(a) In the range $4 \text{ MeV} < E_p < 14.5 \text{ MeV}$ $\sigma(\gamma_0)$ is dominated by the giant dipole resonance at $E_p = 7.2 \text{ MeV}$ ($E_x = 22.6 \text{ MeV}$, $\Gamma_{\text{c.m.}} = 3.2 \text{ MeV}$), while the giant resonance in γ_1 occurs at

$E_p \approx 10.3$ MeV ($E_x = 25.4$ MeV, $\Gamma_{c.m.} \approx 6.5$ MeV): see (1964AL20). A study of the giant dipole resonance region with polarized protons ($E_p = 6$ to 14 MeV) sets new limits on the configuration mixing in the γ_0 giant resonance. The analysis of γ_1 is more complicated: the asymmetry results are consistent either with a single $J^\pi = 2^-$ state or with interference of pairs of states such as $(1^-, 3^-)$, $(2^-, 3^-)$ and $(1^-, 2^-)$ (1972GL01). Measurements of differential cross sections at 90° ($E_p = 13$ to 22 MeV), of angular distributions ($E_p = 7$ and 14 to 21 MeV), and of total cross sections ($E_p = 14$ to 21 MeV) have been reported by (1970BR1J, 1972BR26) for γ_0 , γ_1 and γ_3 [to $^{12}\text{C}^*(0, 4.4, 9.6)$]: disagreement is reported with the cross section values reported by (1964AL20). The γ_2 yield to $^{12}\text{C}^*(7.7)$ exhibits a peak at $E_p \approx 14.3$ MeV with a cross section $\approx 2.3\%$ that of γ_0 . The γ_3 yield shows two large asymmetric peaks at $E_p = 12.5$ and 13.8 MeV with $\Gamma \approx 0.7$ and 2.5 MeV, respectively, as well as a weaker structure near $E_p = 9.8$ MeV (1971SN1A: $E_p = 6$ to 18 MeV; abstracts). (1969KE02: $E_p = 13$ to 21 MeV) report a broad peak in the γ_0 cross section at $E_p = 14.8$ MeV [$E_x = 29.5$ MeV]. The previously reported resonance in γ_0 at $E_p = 20.1$ MeV [see (1968AJ02)] does not exist: see (1969KE02, 1972BR26). No evidence is seen in this reaction for the $J^\pi = 0^+$; $T = 2$ state reported in reactions 4 and 12 (1974HA1G: search for $\gamma_{12.5} + \gamma_{15.1}$, that is $(0^+; 2) \rightarrow (1^+; 1) \rightarrow (0^+; 0)$). Work on other resonances is discussed below. See also the reviews by (1968BR1D, 1968SC1B, 1972HA1Y, 1973GL1C, 1973HA1Q, 1973SU1E, 1974HA1N), (1972CA1H) and (1969MA22, 1971GO1D, 1973BA05, 1973HA1X, 1973SU03; theor.).

(b) Excitation functions for α_0 have been measured recently for $7.50 < E_p < 18.9$ MeV: no marked structure is observed above $E_x = 28$ MeV (1972TH1C: Ph.D. thesis; (1969TH1B, 1971TH1F); abstracts). See also ^8Be in (1974AJ01) and (1968CH01, 1971GU23).

(c) This reaction has been studied for $E_p = 0.15$ to 9.5 MeV. It proceeds predominantly by sequential two-body decay via $^8\text{Be}^*(0, 2.9)$: see ^8Be in (1974AJ01) and (1968CH01, 1968GI03, 1969QU01, 1970CO03, 1971KO22, 1971YA13, 1972CH35, 1972DZ10, 1972HU04, 1972MI1J, 1972TR07, 1972VO01, 1973PR1C). See also (1969PH1B), (1967CO29, 1967EN1A, 1967FL12, 1968LA1C, 1969LA1B, 1970PA10), (1969GO13, 1969SA1B, 1970GI1C, 1970GO1J, 1970GO33, 1970GO49, 1970KO01, 1970KO1K, 1970KO27, 1970MC25, 1970MC1T, 1970SC01, 1971GO20, 1971LA25, 1972GO1N, 1972KO1J, 1973GO35, 1973KO11, 1973KO38; theor.) and (1974LI1M; applied).

The parameters of the observed resonances are displayed in Table 12.12. The following summarizes the information on the low-lying resonances: for a full list of references see (1968AJ02).

$E_p = 0.16$ MeV [$^{12}\text{C}^*(16.11)$]. This is the $J^\pi = 2^+$; $T = 1$ analog of the first excited states of ^{12}B and ^{12}N . The γ -decay is to $^{12}\text{C}^*(0, 4.4, 9.6)$: the angular distribution of γ_3 , together with the known α -decay of $^{12}\text{C}^*(9.6)$, fix $J^\pi = 3^-$ for the latter (1961CA13). A new measurement of the (p, γ) and (p, α) resonant cross sections yields 125 ± 16 μb and 38.5 ± 3.2 mb, respectively, based on $\Gamma_{c.m.} = 6.7$ keV. Γ_γ and Γ_p for $^{12}\text{C}^*(16.11)$ are then 21.7 ± 3.3 eV and 21.7 ± 1.8 eV, respectively (1974AN19). See also Table 12.9.

$E_p = 0.67$ MeV [$^{12}\text{C}^*(16.58)$]. The proton width [$\Gamma_p \approx 150$ keV] indicates s-wave protons and therefore $J^\pi = 1^-$ or 2^- . This is supported by the near isotropy of the two resonant exit channels, α_1 and γ_1 . The α_1 cross section indicates $2J + 1 \geq 5$: therefore $J^\pi = 2^-$. [This is consistent with the results of an α - α correlation study via $^8\text{Be}^*(2.9)$ (1972TR07)]. The γ_1 E1

transition has $|M|^2 \approx 0.01$ W.u., suggesting $T = 1$ (1957DE11, 1965SE06). (1962BL10) report a γ branch to $^{12}\text{C}^*(12.71)$ ($\approx 6\%$ of the intensity of the γ_1 transition). Such a branch may also be present for $^{12}\text{C}^*(17.23)$. See also (1973PR1C).

$E_p = 1.4 \text{ MeV}$ [$^{12}\text{C}^*(17.23)$]. $(2J + 1) \Gamma_{\gamma_0} \geq 115 \text{ eV}$. This indicates $J^\pi = 1^-$, with $T = 1$ most probable (1965SE06). $J^\pi = 1^-$ is also required to account for the interference at lower energies in α_0 and γ_0 : see (1957DE11) and is consistent with the α - α correlation results of (1972TR07). Two solutions for Γ_p are possible; the larger (chosen for Table 12.12) is favored by elastic scattering data (1965SE06).

$E_p = 2.0 \text{ MeV}$ [$^{12}\text{C}^*(17.76)$]. The resonance in the yield of α_0 requires natural parity, the small α -widths suggest $T = 1$. For $J^\pi = 1^-$ or 3^- the small γ -widths would be surprising; $J^\pi = 2^+$ would lead to a larger anomaly than is observed. J^π is then 0^+ ; $T = 1$ (1965SE06).

$E_p = 2.37 \text{ MeV}$ [$^{12}\text{C}^*(18.13)$]. Seen as a resonance in the yield of 15.1 MeV γ -rays: $\sigma_R = 0.77 \pm 0.15 \mu\text{b}$, $\Gamma_{\text{c.m.}} = 600 \pm 100 \text{ keV}$, $(2J + 1) \Gamma_\gamma \geq 2.8 \pm 0.6 \text{ eV}$. The results are consistent with $J^\pi = 1^+$; $T = 0$, but interference with a non-resonant background excludes a definite assignment (1972SU08).

$E_p = 2.62 \text{ MeV}$ [$^{12}\text{C}^*(18.36)$]. The resonance for α_0 requires natural parity; the presence of a large P_4 term in the angular distribution requires $J \geq 2$ and $l_p \geq 2$. The assignment $J^\pi = 3^-$ is consistent with the data (1965SE06, 1972CH35, 1972VO01, 1974GO21).

$E_p = 2.66 \text{ MeV}$ [$^{12}\text{C}^*(18.40)$] is not seen here: see $^{11}\text{B}(p, p)$.

$E_p = 3.12 \text{ MeV}$ [$^{12}\text{C}^*(18.80)$]. The angular distribution of γ_0 indicates E2 radiation, $J^\pi = 2^+$. This assignment is supported by the angular correlation in the cascade γ_1 and by the behavior of $\sigma(\alpha_0)$; $T = 1$ is suggested by the small Γ_α (1965SE06).

The structure near $E_p = 3.5 - 3.7 \text{ MeV}$ [$^{12}\text{C}^*(19.2, 19.4)$] seems to require at least two levels. The large Γ_{γ_0} requires that one be $J^\pi = 1^-$; $T = 1$ and interference terms in $\sigma(\alpha_0)$ require the other to have even spin and even parity: $J^\pi = 2^+$; $T = 0$ is favored (1963SY01, 1965SE06).

Levels at $E_p = 4.93$ and 5.11 MeV , seen in $\sigma(\gamma_1)$ (1955BA22) also appear in $\sigma(\alpha_1)$, but not in $\sigma(\alpha_0)$. Angular distributions suggest $J^\pi = 2^+$ or 3^- for the latter [$^{12}\text{C}^*(20.64)$]; the strength of γ_1 and absence of γ_0 favors $J^\pi = 3^-$; $T = 1$ (1963SY01).

The first seven $T = 1$ states in ^{12}B and ^{12}C have been identified by comparing reduced proton widths obtained from this reaction and reduced widths obtained from the (d, p) and (d, n) reactions: see Table 12.13 (1971MO14, 1974AN19).

26. $^{11}\text{B}(p, n)^{11}\text{C}$

$$Q_m = -2.765$$

$$E_b = 15.9572$$

Excitation functions have been reported for $E_p = 2.6$ to 11.5 MeV . They are characterized by numerous peaks: see Table 12.14. The positions of these appear to correspond with $^{11}\text{B}(p, \alpha)^8\text{Be}$ and with some of the (γ, n) and (γ, p) structure, suggesting that resonances, and not fluctuations, are involved. Angular distributions do not change as rapidly as might be expected from the pronounced structure in the excitation function (1965OV01). The strength of the pronounced peak at $E_p = 6.03 \text{ MeV}$ ($E_x = 21.49$) appears to demand $J \geq 4$ (1961LE11).

Table 12.13: Properties of $T = 1$ analogs in ^{12}B and ^{12}C

$E_x(^{12}\text{B})$ (MeV)	$E_x(^{12}\text{C})$ (MeV)	J^π	$S(\text{d}, \text{p})^a$	$S(\text{d}, \text{p})^b$	$S(\text{d}, \text{n})^c$	Γ_p^d (keV)	$\frac{\gamma_{\lambda p}^2}{2\gamma_{\lambda p}^2}$
0	15.11	1^+	0.69	0.50	0.77		0.59 ^e
0.95	16.11	2^+	0.55	0.35	0.74	$(21.7 \pm 1.8) \times 10^{-3}$	0.47 ^e
1.67	16.58	2^-	0.57	0.26	0.54	150	0.76 ^e
							0.68 ^a
2.62	17.23	1^-	0.75			1000	0.70 ^a
2.72	17.76	0^+	0.21			76	0.93 ^a
3.39	18.36	3^-	0.58			68	0.99 ^a
3.76	18.80	2^+				33	0.93 ^f

^a (1971MO14).

^b $E_d = 5.5$ MeV (1965GA02): see (1974AN19).

^c $E_d = 6.0$ MeV (1974AN19).

^d See Table 12.12.

^e (1974AN19): $\pm 30\%$.

^f See discussion on p. 2196 of (1971MO14).

The polarization transfer coefficient has been measured for $E_p = 7$ to 15 MeV: the strong influence of resonances is apparent (1974LI1J). See also (1974MA07; theor.). Polarization measurements have been carried out for $E_p = 7$ to 11 MeV (1965WA04) and at 24.5 MeV (1972MO41). See also (1973BA05; theor.), ^{11}C and (1968AJ02).

27. (a) $^{11}\text{B}(\text{p}, \text{p})^{11}\text{B}$

$$E_b = 15.9572$$

(b) $^{11}\text{B}(\text{p}, \text{p}')^{11}\text{B}^*$

(c) $^{11}\text{B}(\text{p}, 2\text{p})^{10}\text{Be}$

$$Q_m = -11.2294$$

A pronounced anomaly in the elastic scattering is observed near $E_p = 0.67$ MeV at all angles; the level is therefore formed by s-waves. The 0.3 to 1.0 MeV results are well accounted for by two resonances: $E_p = 0.67$ MeV, s-wave, $J^\pi = 2^-$, $\Gamma = 0.33$ MeV, $\Gamma_p/\Gamma = 0.5$, and $E_p = 1.4$ MeV, $J^\pi = 1^-$ (1957DE11). Higher energy structure in the yields of reactions (a) and (b) are displayed in Table 12.14 (1955BA22, 1965SE06, 1971SA1H). Excitation functions for p_0 and p_1 have been measured for $E_p = 7.5$ to 21.5 MeV: no pronounced structure is observed above $E_x = 28$ MeV (1972TH1C: Ph.D. thesis; (1969TH1B, 1971TH1F); abstracts).

Table 12.14: Maxima in yields of $^{11}\text{B}(p, n)^{11}\text{C}$ and $^{11}\text{B}(p, p')^{11}\text{B}^*$

Peak number	A		(1965OV01) ^{a,b}		(1955BA22) ^c		(1965SE06) ^e		E_x (MeV)
	E_p (MeV)	Γ_{lab} (keV)	E_p (MeV)	res. in group(s)	E_p (MeV)	Γ_{lab} (keV)	E_p (MeV)	Γ_{lab} (keV)	
1							1.98 ^d		17.77
2					2.664	48	2.66 ^{c,d}	46	18.40
3	3.16	100			3.15	100	3.15 ^{c,d}	100	18.84
4	3.66	500			3.4	500	3.5 ^c	broad	19.3
5					3.78	50			19.42
6	4.05	200	4.10	n_0					19.69
7					4.28	100			19.88
8	4.70	150	4.62	n_0	4.68	200			20.24
9	5.065	180	5.07	n_0	5.13	200			20.60
10	5.48	300	5.50	n_0					20.98
11	6.04	560	6.01	n_0, n_1					21.47
12			6.4	n_0					21.8
13	7.29	360	7.3	n_0, n_1					22.63
14	7.74	65	7.73	n_0, n_1			7.73 ^f		23.04
15	8.25	380	8.25	n_0, n_1					23.51
16	(8.30)	(≤ 50)							(23.56)
17	8.65	180	8.6	n_0, n_2					23.88
18	9.0								24.2
19	9.25	110	9.25	n_0, n_2					24.43
20	9.79	1000	9.79	n_0, n_1					24.92
21	10.14	180	10.1	n_0, n_2					25.24
22	10.91	440	10.9	n_0					25.95
23	11.88	300							26.84

A: (1955BA22, 1959GI47, 1961LE11, 1964BA16, 1965SE06): see (1968AJ02).

^a Widths ≈ 200 keV, except $E_p = 6.4$ and ≥ 9.25 MeV which are wider.

^b (p, n).

^c (p, p').

^d (p, p).

^e See also Table 12.12.

^f Observed in (p, p) and (p, p') with polarized protons: $J^\pi = 2^-$; $T = 1$ is consistent with the data (1971SA1H: conf. proceedings).

Table 12.15: States in ^{12}C from $^{11}\text{B}(\text{d}, \text{n})$ and $^{11}\text{B}(^3\text{He}, \text{d})$

Peak number	E_x (MeV \pm keV)	$J^\pi; T$	$\Gamma_{\text{lab}}^{\text{a}}$ (keV)	l_{p}^{b}	l^{c}	$S_{\text{rel}}^{\text{d}}$	$S_{\text{rel}}^{\text{e}}$	$S_{\text{rel}}^{\text{f}}$	$S_{\text{rel}}^{\text{g}}$	$S_{\text{rel}}^{\text{h}}$	$S_{\text{rel}}^{\text{i}}$	$S_{\text{rel}}^{\text{j}}$	$S_{\text{rel}}^{\text{k}}$
1	g.s.	$0^+; 0$		1	1	8.0 ± 2.6	3.30	5.4		5.8 ± 0.6	7.1 ± 1.5		
2	4.44	$2^+; 0$		1	1	3.1 ± 0.7	1.53	0.78	1.23 ± 0.20	2.2 ± 0.3	1.64 ± 0.17		
3	7.66	$0^+; 0$			1	< 0.5		0.078	0.08 ± 0.02				
4	$9.629 \pm 10^{\text{l}}$	$3^-; 0$		2	2	0.73 ± 0.09	0.29	0.28	0.45 ± 0.08	0.35 ± 0.1	0.35	0.155 ± 0.01	0.191 ± 0.01
5	$10.84 \pm 20^{\text{m}}$	$1^-; 0$	330 ± 30	0	0	0.13 ± 0.03		1.1	0.13 ± 0.02	0.17 ± 0.08	0.22 ± 0.10	0.038 ± 0.01	0.047 ± 0.01
				2		0.5 ± 0.2			$\leq 0.14 \pm 0.10$				
6	$11.16 \pm 50^{\text{n}}$	$(2^+); 0$	550 ± 100		(1)			0.14					
7	$11.82 \pm 20^{\text{m}}$	$2^-; 0$	300 ± 30	0	2	0.13 ± 0.03		0.17	0.11 ± 0.02	0.11 ± 0.04	0.20 ± 0.1	0.11 ± 0.01	0.073 ± 0.03
				2		0.5 ± 0.2			$\leq 0.28 \pm 0.10$				
8	$12.70 \pm 10^{\text{m}}$	$1^+; 0$		1	1	$\equiv 1$	$\equiv 1$	$\equiv 1$	$\equiv 1$	$\equiv 1$	$\equiv 1$	$\equiv 1$	$\equiv 1$
9	$13.38 \pm 20^{\text{m}}$	$(2^-); 0$	500 ± 80		(0)								
10	$(14.71 \pm 10)^{\text{m}, \text{o}}$		< 15		$0^{\text{g}, \text{o}}$				$0.02 \pm 0.01^{\text{o}, \text{r}}$				
11	15.11	$1^+; 1$		1	1	$0.63 \pm 0.04^{\text{p}}$	1.58	0.92	1.50 ± 0.20			0.87 ± 0.05	0.89 ± 0.05
12	16.11	$2^+; 1$		1	1	$0.27 \pm 0.05^{\text{p}}$		1.1	1.55 ± 0.50			0.58 ± 0.04	0.65 ± 0.04
13	16.58	$2^-; 1$				$^{\text{q}}$							
14	17.23	$1^-; 1$		> 1									
15	$18.27 \pm 50^{\text{n}}$	$(4^-); 0$	350 ± 50		(2)								
16	18.36	$(3^-); 1$	270 ± 50		(2)								
17	19.25	$(1^-); 1$			(2)								
18	$19.56 \pm 50^{\text{n}}$	$(4^-); 1$	500 ± 80		(2)								
19	20.6	$(3^-); 0$	250 ± 50		(2)								
20	$22.40 \pm 80^{\text{n}}$	$(1^-); 1$	350 ± 50		(2)								

^a (1961HI08, 1971RE03).

^b (d, n): see Table 12.12 in (1968AJ02).

^c ($^3\text{He}, \text{d}$): see Table 12.13 in (1968AJ02) and (1971RE03).

^d All S_{rel} are relative to $^{12}\text{C}^*(12.71)$. $E_{\text{d}} = 6$ MeV (1967FU07).

^e $E_{\text{d}} = 11.8$ MeV (1971MU18).

^f $E(^3\text{He}) = 44$ MeV (1971RE03): values recomputed so that they are relative to $^{12}\text{C}^*(12.71)$.

^g $E(^3\text{He}) = 11.8$ MeV (1968BO26). Values shown are average when r (cutoff) is varied between 0 and 4 fm.

^h $E(^3\text{He}) = 10 - 12$ MeV: deep potential, zero range, no cutoff (1969MI15).

ⁱ $E(^3\text{He}) = 10 - 12$ MeV: deep potential, finite range, no cutoff (1969MI15).

^j $E(^3\text{He}) = 18$ MeV: deep potential, zero range, no cutoff (1969MI15).

^k $E(^3\text{He}) = 18$ MeV: deep potential, finite range, no cutoff (1969MI15).

^l Based on 7656 ± 7 keV for next lower level (1960FO01).

^m (1961HI08).

ⁿ (1971RE03); ($^3\text{He}, \text{d}$).

^o This state, reported by (1961HI08), is not seen by (1971RE03). At $E(^3\text{He}) = 44$ MeV, $\theta = 12.5^\circ$, its yield is $< 2\%$ that of $^{12}\text{C}^*(15.11)$. (1968BO26) report an angular distribution for $^{12}\text{C}^*(14.71)$ but their paper does not give enough information to determine whether the group was a clearly resolved one.

^p See also Table 12.13 (1974AN19).

^q See (1974AN19).

^r Assuming $J^\pi = (1)^-$.

Polarization measurements have been reported at $E_p = 1.9$ to 3.0 MeV (1974DE45: p_0), 3.5 to 10.5 MeV (1971SA1H; prelim. report; p_0, p_1), 30.3 MeV (1969KA15, 1971LO05; p_0, p_1, p_2) and 155 MeV (1968GE04; p_0, p_1, p_2, p_4). See also (1965HU10, 1968RI1J, 1972RE06) and (1969WA11, 1971BL1E; theor.). For reaction (c) see (1971RA26). See also ^{11}B and ^{10}Be in (1974AJ01).

$$28. \ ^{11}\text{B}(p, d)^{10}\text{B} \qquad Q_m = -9.2314 \qquad E_b = 15.9572$$

See ^{10}B in (1974AJ01).

$$29. \ ^{11}\text{B}(d, n)^{12}\text{C} \qquad Q_m = 13.7325$$

Reported neutron groups are displayed in Table 12.15. Angular distributions have been reported for many energies in the range $0.5 < E_d < 11.8$ MeV: see (1968AJ02) for a listing of the earlier references and (1970BU15: 5.5 MeV; n_0, n_1), (1967FU07: 6 MeV; see Table 12.15), (1974AN19: 6 MeV; n to $^{12}\text{C}^*(15.1, 16.1)$; see Table 12.13), (1971MU18: 11.8 MeV; see Table 12.15). See (1971MU18) for a discussion of the problems involved in comparing spectroscopic factors obtained in this reaction and in the ($^3\text{He}, d$) reaction [reaction 30].

Angular correlations of neutrons and γ -rays have been studied at many energies: see (1968AJ02) for the earlier references and (1968TE03: 1.6 to 3.3 MeV for $\gamma_{4.4}$; 2.9 and 3.3 MeV for $\gamma_{15.1}$) and (1972TH14: 4.0 to 4.8 MeV; $\gamma_{4.4}, \gamma_{15.1}$).

In the range $E_d = 1.0$ to 5.5 MeV, two slow neutron thresholds are observed at 1.627 ± 0.004 MeV ($E_x = 15.109 \pm 0.005$ MeV) and near 4.1 MeV (broad; $E_x = 17.2$ MeV) (1955MA76). At the lower threshold, 15.1 MeV γ -rays are observed: $E_d = 1.633 \pm 0.003$ MeV, $\Gamma < 2$ keV (1958KA31) [$E_x = 15.110 \pm 0.003$ MeV].

A study of the angular distributions and energy spectra of α -particles from the decay of ^{12}C states shows that the 12.71 and 11.83 MeV states decay sequentially via ^8Be ; the former via $^8\text{Be}^*(2.9)$, the latter 90% via $^8\text{Be}^*(2.9)$ and 10% via $^8\text{Be}(0)$. There is some evidence that the 10.84 MeV state decays primarily to $^8\text{Be}(0)$. $J^\pi = 3^-$ for the 9.64 MeV state is favored on the basis of the angular distribution of the α -particles to $^8\text{Be}(0)$. There is no evidence for direct 3α decay of ^{12}C levels in the range $E_x = 9$ to 13 MeV, nor does $^{12}\text{C}^*(10.3)$ appear to participate in this reaction (1965OL01).

See also ^{13}C in (1976AJ04) and (1970MI1G, 1970YA11; theor.).

$$30. \text{ (a) } \ ^{11}\text{B}(^3\text{He}, d)^{12}\text{C} \qquad Q_m = 10.4634$$

$$\text{ (b) } \ ^{11}\text{B}(^3\text{He}, np)^{12}\text{C} \qquad Q_m = 8.2388$$

Observed deuteron groups are displayed in Table 12.15. Angular distributions have been measured at $E(^3\text{He}) = 5.1$ to 44 MeV: see (1968AJ02) for the earlier references and (1969MI15: $E(^3\text{He}) = 10, 12$ and 18 MeV), (1968BO26: 11 MeV), (1971RE03: 44 MeV). $^{13}\text{N}^*(15.1) [T = \frac{3}{2}]$ has been observed to decay to $^{12}\text{C}^*(9.6, 10.8)$ with branching ratios of $9.6 \pm 1.4\%$ and $16.4 \pm 3.6\%$, respectively. The upper limit to $^{12}\text{C}^*(12.7)$ is $\approx 5\%$ (1974AD1D).

$$31. \ ^{11}\text{B}(\alpha, t)^{12}\text{C} \quad Q_m = -3.8574$$

Angular distributions have been measured at $E_\alpha = 15.1, 18.3$ and 24.9 MeV (1973VA1A: t_0 ; and t_1 at 24.9 MeV), 27 MeV (1969TE1B: t_0, t_1 ; unpublished) and 46 MeV (1969FO1C: $t_0 \rightarrow t_3$ and t to $^{12}\text{C}^*(12.7)$; abstracts). See also (1968AJ02). The (t_1, γ) angular correlations have been measured for $E_\alpha = 21.2$ to 25.0 MeV (1972EL09). See also (1973ZE03; theor.).

$$32. \ ^{11}\text{B}(^7\text{Li}, ^6\text{He})^{12}\text{C} \quad Q_m = 5.979$$

See (1968ST12).

$$33. \ ^{11}\text{B}(^{14}\text{N}, ^{13}\text{C})^{12}\text{C} \quad Q_m = 8.407$$

Angular distributions have been measured for the ground state transition at $E(^{14}\text{N}) = 41, 77$ and 113 MeV: they show damping of the oscillations with increasing energy (1971LI11). See also (1973DE1U; theor.).

$$34. \ ^{11}\text{B}(^{16}\text{O}, ^{15}\text{N})^{12}\text{C} \quad Q_m = 3.829$$

Angular distributions have been measured at $E(^{16}\text{O}) = 27, 30, 32.5, 35$ and 60 MeV for the transitions $^{15}\text{N}_{\text{g.s.}} + ^{12}\text{C}_{\text{g.s.}}, ^{15}\text{N}_{6.3}^* + ^{12}\text{C}_{\text{g.s.}}, ^{15}\text{N}_{\text{g.s.}} + ^{12}\text{C}_{4.4}^*$ and $^{15}\text{N}_{\text{g.s.}} + ^{12}\text{C}_{9.6}^*$ (the latter at $E = 60$ MeV only) (1972SC03): at the highest energy the ratio $\theta^2/\theta_{\text{g.s.}}^2$ for the transition $^{11}\text{B}_{\text{g.s.}} + p \rightarrow ^{12}\text{C}$ is 0.12 and 0.05, respectively for $^{12}\text{C}^*(4.4, 9.6)$. See also (1968OK06), (1969BR1D, 1972MO1E) and (1968VA1D, 1969KA1G, 1970AN1D, 1970SC1G, 1972BO21, 1973DE1W, 1973DE1U, 1973OS03, 1974OS1A; theor.).

$$35. \ ^{12}\text{B}(\beta^-)^{12}\text{C} \quad Q_m = 13.370$$

Table 12.16: Branching in $^{12}\text{B}(\beta^-)^{12}\text{C}$

Decay to $^{12}\text{C}^*$ (MeV)	Branch (%)	$\log ft$	Refs.
g.s.	97.13 ± 0.31	4.072 ± 0.002	(1974MC11)
4.43891 ± 0.00031 ^a	1.33 ± 0.09 ^b		(1972AL31)
	1.27 ± 0.06		
	1.29 ± 0.05	5.11 ± 0.02 ^c	mean
7.6544 ± 0.0021 ^d	1.5 ± 0.3 ^e	4.14 ± 0.10 ^f	
10.3 ± 0.3 ^g	0.08 ± 0.02 ^h	4.2 ± 0.2 ^f	

^a (1967CH19).

^b Mean of values obtained by (1956TA07, 1958KA31, 1963PE10).

^c (1974MC11).

^d Based on Wapstra-Gove value for the atomic mass excess of ^4He , and the decay energy for the breakup of this state into 3α measured by (1973BA73) [$Q = 379.6 \pm 2.0$ keV]. See also footnote ⁿ of Table 12.21.

^e Mean of values obtained by (1957CO59, 1963AL15).

^f See (1966BA1A).

^g $\Gamma = 3.0 \pm 0.7$ MeV, $\theta_\alpha^2 = 1.5$ (1966SC23).

^h Mean of values obtained by (1958CO66, 1963WI05).

The decay is mainly to $^{12}\text{C}_{\text{g.s.}}$; branching ratios to $^{12}\text{C}^*(4.4, 7.7, 10.3)$ are shown in Table 12.16. All the observed transitions are allowed. The half-life is 20.41 ± 0.06 msec [see Table 12.2 of (1968AJ02)].

$^{12}\text{C}^*(7.7)$ is of particular interest for helium burning processes in stars [see (1968AJ02)]. The fact that the β -decay is allowed indicates $J^\pi = 0^+, 1^+$ or 2^+ ; it decays primarily by α -emission eliminating $J^\pi = 1^+$, and requiring 0^+ (1957CO59). (1973BA73) have measured the Q of the α -decay of $^{12}\text{C}^*(7.7)$ to be 379.6 ± 2.0 keV. When this result is combined with the Q determined from accurate measurements of the E_x of $^{12}\text{C}^*(7.7)$, the “best” value is $Q = 380.1 \pm 1.1$ keV. This value, together with previously measured values of Γ_π , Γ_π/Γ and $\Gamma_{\text{rad}}/\Gamma$ [see Table 12.9] lead to $\Gamma_{\text{rad}} = 3.41 \pm 1.12$ meV and to a mean lifetime for the destruction of helium by the $[\alpha\alpha\alpha]$ process of $2.59 \times 10^{-8} \rho^2 T_9^{-3} \exp(-4.411/T^9)$ sec⁻¹ (1973BA73).

A search for transitions to $^{12}\text{C}^*(12.7)$ has been unsuccessful (1967AL03). See also reaction 63. For asymmetry measurements see (1967PF02, 1973ST1P, 1974PO05). See also ^{12}C , reaction 28 in (1968AJ02), and (1971MI06, 1973CH16, 1973MIYZ, 1974PO05).

See also (1974AL11), (1968DA1J) and (1969BL1D, 1969CH1A, 1969CH1F, 1969MO1F, 1970ST04, 1971BL06, 1971KI04, 1971KI11, 1971LA21, 1971LI1F, 1971LI1H, 1971WI18, 1971WI1C, 1972AR04, 1972EM02, 1972OC01, 1972WI28, 1972WI1C, 1973BO09, 1973EM1B, 1973HA49, 1973KU1D, 1973KU1N, 1973TO14, 1973WI11, 1973YO04, 1974BO18, 1974HO1D, 1974WI1L, 1975GR03; theor.).

36. $^{12}\text{C}(\gamma, \gamma)^{12}\text{C}$

Resonance scattering and absorption by $^{12}\text{C}^*(15.11)$ have been studied by many groups: see Table 12.15 in (1968AJ02). The partial widths are displayed in Table 12.9. The scattering angular distribution indicates dipole radiation (1959GA09), the azimuthal distribution of scattered polarized radiation indicates M1 (1960JA01) and the large Γ_γ indicates $T = 1$. The branching ratio for the cascade decay via $^{12}\text{C}^*(4.4)$ is $3.6 \pm 0.7\%$ (1970AH02). Elastic scattering to $^{12}\text{C}^*(4.4, 16.1, 17.2)$ has also been observed. See also (1968AJ02) and Table 12.20.

At higher energies, elastic scattering studies show the giant resonance peak at ≈ 24 MeV. A considerable tail is visible, extending to > 40 MeV (1959PE32). See also reaction 37, (1969MO1H, 1971ME1B) and (1968SI1A; theor.).

$$\begin{array}{ll} 37. \text{(a) } ^{12}\text{C}(\gamma, n)^{11}\text{C} & Q_m = -18.722 \\ \text{(b) } ^{12}\text{C}(\gamma, 2n)^{10}\text{C} & Q_m = -31.846 \end{array}$$

The total absorption, mainly $(\gamma, n) + (\gamma, p)$, is dominated by the giant resonance peak at 23.2 MeV, $\Gamma = 3.2$ MeV [$\sigma_{\text{max}} = 19.8$ mb (1965WY1A)] and by a smaller structure at 25.6 MeV, $\Gamma \approx 2$ MeV ($\sigma_{\text{max}} \approx 8$ mb): see (1968AJ02) [Tables 12.16, 12.17] for a detailed listing of the earlier references and results, and see (1973AH1A, 1974BE2B). See also (1967DO1A, 1969BE92). Total absorption cross sections have also been measured at $E_\gamma = 84$ to 662 keV by (1968RA1D), at 7.28 and 7.65 MeV by (1969MO1H), at 10 to 140 MeV by (1970AH02, 1972AH1B, 1973AH1A) and at 250 to 1000 MeV by (1972MI1K, 1974HO15). See also Table 12.16 in (1968AJ02).

The (γ, n) cross section shows a giant resonance centered at about 22.5 MeV, $\Gamma \approx 3$ MeV ($\sigma_{\text{max}} \approx 8$ mb), a secondary maximum at 25.5 MeV, $\Gamma \approx 2$ MeV, and a long tail: see (1968AJ02). The giant resonance peak is rather flat-topped with several small fine structure bumps across the top (E.G. Fuller, private communication): see (1966CO09, 1966FU02, 1966LO04, 1972IS1A, 1972VA32, 1973BE2F, 1973IS1A, 1974BE2B). The (γ, n_0) cross section has been measured at 90° for $21 < E_x < 40$ MeV and compared with the (γ, p_0) cross section (1968WU01): the isospin mixing averages about 2% in intensity and shows structure at the giant resonance. [See the reviews by (1970HA1F, 1973HA1Q).] Angular distributions of n_0 measured over the giant resonance region indicate that the main excitation mechanism is of a $1p_{3/2} \rightarrow 1d_{5/2}$ E1 single particle character. No significant E2 strength is observed (1968RA21, 1970JU1C, 1973JU1C). The fraction of transitions to the ground state and to excited states of ^{11}C has been measured at $E_{\text{bs}} = 24.5$ to 42 MeV: see ^{11}C (1970ME17), reaction 38 and the discussion in (1973DI1C). For polarization measurements see (1973NA1K) and (1968AJ02). For a listing of recent cross section measurements see Table 12.17.

The cross section for reaction (b) has been measured for $E_\gamma = 35$ to 130 MeV. The $(\gamma, 2n)$ cross section is very much smaller than that for (γ, n) : the highest value is 0.15% of the maximum value for reaction (a) in the energy range $E_\gamma = 20$ to 140 MeV (1970KA37).

See also (1968AN1C, 1969DE12, 1971JO1E, 1973MO1G, 1973VA12), (1972BU1J, 1973CO1N, 1973HA1Q) and (1968PA1H, 1969ER1A, 1969GA1J, 1969GO1D, 1969MA22, 1969UB01, 1970MU1D,

Table 12.17: Recent cross section measurements: $^{12}\text{C}(\gamma, n)^{11}\text{C}$ and $^{12}\text{C}(\gamma, p)^{11}\text{B}$ ^a

Range in E_γ (MeV)	Reaction	Refs.
19.0 – 19.7	(γ, n)	(1968JO08)
19.0 – 24.0	(γ, n)	(1972IS1A, 1973IS1A)
19 – 25	(γ, n)	(1969BA35, 1971BA2W)
19 – 33	(γ, n)	(1972VA32)
19 – 37	(γ, n)	(1974BA1Z)
20 – 140	(γ, n)	(1970KA37)
21 – 40	(γ, n)	(1968WU01)
55, 85	(γ, n)	(1968KA1D, 1971KA70)
64 – 123	(γ, n)	(1973EY1A)
64 – 128	(γ, n)	(1971MI04, 1970MI1H)
100 – 1050	(γ, n)	(1970HY01)
30 – 1000	(γ, n)	(1968DI1B)
1 – 5.5 GeV	(γ, n)	(1969DE34)
1 – 7 GeV	(γ, n)	(1972AN19)
20 – 29	(γ, p)	(1969CA22, 1974WI12)
21 – 37.5	(γ, p)	(1968FR12, 1968FR14)
24 – 70	(γ, p)	(1970TA1F)
400 – 1400	(γ, p)	(1969AN1F, 1969AN10)

^a See Table 12.16 in (1968AJ02) for earlier measurements. See also the text of reactions 37 and 38.

1971AN08, 1971BA97, 1971BI01, 1971GO1D, 1971WA27, 1972BI11, 1973BA05, 1973BE1W, 1973BI1K, 1973MA1T, 1973MS01, 1973MS02, 1973SR1B, 1973SU03, 1973WE1U, 1974CA1R, 1974FI03, 1974GI1A; theor.). For applied work see (1973AL1G).

- | | |
|--|---------------------------|
| 38. (a) $^{12}\text{C}(\gamma, \text{p})^{11}\text{B}$ | $Q_{\text{m}} = -15.9572$ |
| (b) $^{12}\text{C}(\gamma, \pi^+)^{12}\text{B}$ | $Q_{\text{m}} = -152.939$ |
| (c) $^{12}\text{C}(\gamma, \pi^-)^{12}\text{N}$ | $Q_{\text{m}} = -156.913$ |

The photo-proton cross section exhibits two broad peaks, the giant resonance peak at 22.4 MeV, $\Gamma = 3.2$ MeV, $\sigma_{\text{max}} = 13$ mb [see Table 12.19 in (1968AJ02)], and a second broad peak at 25.1 MeV, in addition to some fine structure. In contrast with the giant resonance peak in the (γ, n) cross section, the (γ, p) cross section shows a sharp peak in the center of the broad giant resonance peak. Above 24.5 MeV, the ground state (γ, p) and (γ, n) excitation functions have the same shape up to at least 36 MeV (E.G. Fuller, private communication). The (γ, p) results of (1968FR12, 1968FR14, 1969CA22) are in good agreement with those of (1964AL20) for the inverse reaction, $^{11}\text{B}(\text{p}, \gamma_0)^{12}\text{C}$ [see reaction 25], when the population of $^{11}\text{B}^*(4.4, 5.0)$ is taken into account: the required cross sections for the (γ, p_2) and (γ, p_3) processes peak at 1.5 mb at 29 and 30 MeV, respectively (1973DI1C, 1974DI17). The fraction of transitions to the ground and excited states of ^{11}B at several energies in the range $E_{\text{bs}} = 24.5$ to 42 MeV has been measured by (1970ME17): most of the transitions are to $^{11}\text{B}_{\text{g.s.}}$ and the excited state transitions appear to originate from localized E_{x} regions. See ^{11}B and the discussions in (1970HA1F, 1973DI1C). Proton spectra and angular distributions have also been measured at $E_{\text{bs}} = 50$ to 80 MeV (1968MA32, 1969MA23), 98.5 MeV (1968MA19) and 80, 120, 285 and 1140 MeV (1971AN1F). The ratio of deuterons to protons has been determined at 1140 MeV by (1972AN1M). For polarization measurements see (1970TO09). See also (1968AJ02) for the earlier measurements and reaction 44.

For reactions (b) and (c) see (1971GR1X, 1972AB1H, 1974BO47, 1974DE1U, 1974EP02) and the “Pion capture and pion reactions” section here.

See also (1970WO1E, 1971AN04, 1971EG03, 1971EG02, 1971IR1C, 1972GO1M, 1972TO22, 1973DO13, 1974BO47, 1974DO08, 1974DO07), (1972BU1J, 1973CO1N, 1973HA1Q) and (1969GA1J, 1969GO1D, 1969MA22, 1969UB01, 1970MU1D, 1971BA97, 1971BI01, 1971GI1D, 1971GO1D, 1972AK02, 1972BI11, 1972WE1G, 1973BA05, 1973BE1W, 1973DE1Y, 1973LA1M, 1973MS01, 1973MS02, 1974SE02; theor.)

- | | |
|--|---------------------------|
| 39. (a) $^{12}\text{C}(\gamma, \text{d})^{10}\text{B}$ | $Q_{\text{m}} = -25.1885$ |
| (b) $^{12}\text{C}(\gamma, \text{pn})^{10}\text{B}$ | $Q_{\text{m}} = -27.4132$ |

Cross sections and angular distributions of the deuterons corresponding to transitions to $^{10}\text{B}_{\text{g.s.}}$ and/or low excited states have been measured at $E_{\gamma} \approx 40$ MeV: the results are consistent with

E2. There is some evidence also for the excitation of higher states of ^{10}B via non-E2 transitions (1972SK08). The high apparent threshold for reaction (a) is thought to reflect the presence of continuum states of ^{10}B with a high parentage in ^{12}C (1964SH1B). For $E_{\text{bs}} = 90$ MeV, the ratio of yields of deuterons to protons is $\approx 2\%$, for particle energies 15 to 30 MeV. For higher particle energies, the ratio decreases (1962CH1B). See also (1969AN1F, 1969AN10, 1971AN04, 1972AN1L, 1972AN1M, 1972AN09) for excitation functions to 1400 MeV, and (1968AJ02). For reaction (b) see (1968TA10, 1970TA1F) and (1973KO1H; theor.).

$$40. \text{ (a) } ^{12}\text{C}(\gamma, \text{t})^9\text{B} \quad Q_{\text{m}} = -27.366$$

$$\text{ (b) } ^{12}\text{C}(\gamma, ^3\text{He})^9\text{Be} \quad Q_{\text{m}} = -26.2801$$

The yield of tritons has been measured for $E_{\gamma} = 35$ to 50 MeV by (1967KR05). See also (1969AN1F, 1972AN09). For reaction (b) see (1970TA1F).

$$41. ^{12}\text{C}(\gamma, \alpha)^8\text{Be} \quad Q_{\text{m}} = -7.367$$

The cross section exhibits broad peaks at about 18 MeV and ≈ 29 MeV; a pronounced minimum occurs at 20.5 MeV: to what extent the peaks have fine structure is not clear: see (1964TO1A) and (1968AJ02). For $E_{\gamma} < 22$ MeV, transitions are mainly to $^8\text{Be}_{\text{g.s.}}$ and $^8\text{Be}^*(2.9)$ with the g.s. transition dominating for $E_{\gamma} \lesssim 14$ MeV. For $E_{\gamma} > 26.4$ MeV, ^8Be ($T = 1$) levels near 17 MeV are strongly excited (1955GO59). Alpha energy distributions show surprisingly strong E1 contributions below $E_{\gamma} \approx 17$ MeV (1955GO59, 1964TO1A).

$$42. \text{ (a) } ^{12}\text{C}(\gamma, \text{p}\alpha)^7\text{Li} \quad Q_{\text{m}} = -24.623$$

$$\text{ (b) } ^{12}\text{C}(\gamma, \text{n}\alpha)^7\text{Be} \quad Q_{\text{m}} = -26.267$$

The yield of 0.48 MeV γ -rays from the decay of ^7Be , formed in reaction (b), shows a resonance at $E_{\gamma} \approx 29.5$ MeV, $\sigma = 0.9 \pm 0.2$ mb. It is assumed to be the dipole state with a 5p-5h character ($J^{\pi} = 0^+$) based on $^{12}\text{C}^*(7.66)$ considered to be relatively pure 4p-4h (1969OW01). For work on the γ -induced spallation of ^{12}C see (1968TA10, 1970TA1F). See also (1968DI1B, 1969DI18, 1971DI1F) and (1969ER1A; theor.). For older work on these reactions see (1968AJ02).

$$43. ^{12}\text{C}(\text{e}, \text{e})^{12}\text{C}$$

The nuclear charge radius of ^{12}C , $R_{\text{rms}} = 2.462 \pm 0.022$ fm (1973FE13). Other values include $R_{\text{rms}} = 2.445 \pm 0.015$ fm (Fermi model), 2.453 ± 0.008 fm (shell model) (1972JA10). See also (1969BE21, 1970BR1E, 1970BR1C, 1970SI08, 1971BE25, 1973EN1E, 1973KL12, 1973TH1B) and (1968AJ02). Elastic scattering has been studied up to 4 GeV: see (1968AJ02) for the earlier references and (1972JA10: $E_e = 20 \rightarrow 80$ MeV), (1973KL12: $E_e = 374.6$ MeV), (1970SI08: $E_e = 374.5$ and 747.4 MeV) and (1971ST10: $E_e = 1$ to 4 GeV).

Table 12.18: States of ^{12}C from $^{12}\text{C}(e, e')^{12}\text{C}$ ^a

E_x (MeV)	$J^\pi; T$	Γ_{γ_0} (eV)	Refs.
4.44	$2^+; 0$	$(10.6 \pm 1.1) \times 10^{-3}$ $(11.0 \pm 1.0) \times 10^{-3}$	(1967CR01) (1970ST10)
7.66 ^b	$0^+; 0$	$(6.2 \pm 0.6) \times 10^{-5}$ $(5.9 \pm 0.5) \times 10^{-5}$	(1967CR01) (1970ST10)
9.64	$3^-; 0$	$(3.1 \pm 0.4) \times 10^{-4}$	(1967CR01)
10.84	$1^-; 0$		(1969TO01, 1971NA14)
12.71 ^c	$1^+; 0$	0.35 ± 0.05 (M1)	(1974CE01)
14.08 ^d	$4^+; 0$		(1971NA14)
15.11 ^g	$1^+; 1$	35.74 ± 0.86 37.0 ± 1.1	(1972SP1C) (1973CH16)
16.11 ^g	$2^+; 1$	0.83 ± 0.06 1.8 ± 0.5 ^k	(1969GU05) (1963BO36, 1965BI1B)
16.58	2^- ¹		(1970AN1C, 1971YA03)
17.6 ± 0.2	1^-		(1969GU05)
18.1	(1^-)		(1968BE1H, 1970AN1C, 1971BE51, 1971YA03)
18.6 ± 0.1	(3^-) ¹		(1970TO13, 1971YA03)
19.3	2^- ¹		(1968BE1H, 1968DR01, 1969GU05, 1970AN1C, 1971YA03)
19.6 ± 0.1 ^g	(4^-)		(1970TO13, 1971BE51, 1971YA03)
20.0 ± 0.1 ^g	(2^+)		(1968BE1H, 1969GU05, 1970TO13, 1971YA03)
20.6 ± 0.1 ^g	(3^+)		(1968BE1H, 1969GU05, 1970TO13, 1971YA03)
21.6 ± 0.1 ^{h,i}	(3^-)		(1969GU05, 1970TO13, 1971YA03)
22.0 ± 0.1 ^{h,i}	(1^-) ¹		(1970TO13, 1971YA03)
22.7 ± 0.1 ^{e,f,h,i}	(1^-)		(1969GU05, 1970TO13, 1971BE51, 1971YA03)
23.8 ± 0.1 ^h	(1^-) ¹		(1969GU05, 1970TO13, 1971YA03)
24.9 ± 0.2 ^j			(1969GU05)
25.5 ^{h,i,j}	(1^-)		(1971BE51, 1971YA03)
25.5 ^{h,i}	(3^-)		(1971YA03)
26.4 ± 0.3 ^{h,i}			(1969GU05)
27.8 ± 0.2 ⁱ			(1969GU05)
30.2 ± 0.4 ⁱ			(1969GU05)
32.3 ± 0.3			(1969GU05)

- ^a See also Table 12.20 and reaction 36 in (1968AJ02) and Table 12.9.
- ^b The matrix element is $5.48 \pm 0.22 \text{ fm}^2$ for the E0 decay by π to $^{12}\text{C}_{\text{g.s.}}$ (1968ST20).
- ^c $\Gamma_{\text{tot}} = 14.6 \pm 2.6 \text{ eV}$ (1974CE01).
- ^d $\Gamma \approx 0.3 \text{ MeV}$ (1971NA14).
- ^e The giant dipole resonance has an average $E_x = 23.0 \pm 0.7 \text{ MeV}$ and $\Gamma = 5.7 \pm 0.7 \text{ MeV}$ (1969GU05).
- ^f May involve fine structure at $E_x = 22.2, 22.8, 23.4$ and 23.8 MeV .
- ^g See also (1968DO08).
- ^h See also (1970LI02).
- ⁱ See also (1968RI06).
- ^j See also (1970AN1C).
- ^k (1969GU05) have recalculated this value and suggest that it should be 1.0 eV .
- ^l See (1972AN03). Widths for these states have also been calculated.

^{12}C states observed in the inelastic scattering are displayed in Table 12.18 (1963BO36, 1965BI1B, 1967CR01, 1968BE1H, 1968DO08, 1968ST20, 1969GU05, 1969TO01, 1970AN1C, 1970LI02, 1970ST10, 1970TO13, 1971BE51, 1971NA14, 1972SP1C, 1973CH16, 1974CE01). See also (1968PR01, 1969VA10). The variation of the form factor $F(q^2)$ with momentum transfer yields unambiguous assignments of $J^\pi = 2^+, 0^+$ and 3^- , respectively for $^{12}\text{C}^*(4.4, 7.7, 9.6)$ (1960BA38, 1964CR11, 1967HA1F). Form factors for $^{12}\text{C}^*(0, 4.4, 14.1)$ have been measured by (1971NA14). The isospin mixing between $^{12}\text{C}^*(12.71)$ and (15.11) [both $J^\pi = 1^+$; $T = 0$ and 1 , respectively] has been measured by (1974CE01): $\beta = 0.19 \pm 0.01$ or 0.05 ± 0.01 .

Inelastic scattering of the giant resonance has been studied by many groups: see (1968AJ02) for the earlier work and Table 12.18. The longitudinal form factors show $^{12}\text{C}^*(16.1, 18.6, 20.0, 21.6, 22.0, 23.8, 25.5)$ while the transverse form factors show $^{12}\text{C}^*(15.1, 16.1, 16.6, 18.1, 19.3, 19.6, 20.6, 22.7, (25.5))$ (1970AN1C, 1970TO13, 1971YA03, 1972AN03). See also (1969TO10). $^{12}\text{C}^*(19.3)$ may be the expected giant magnetic quadrupole state, $J^\pi = 2^-$: see (1968AJ02) and (1968BE1H, 1968DR01). See also (1970GR27; theor.).

(1974OB01) has measured the most probable energy loss for $E_e = 50$ and 100 MeV . See also (1968DE25, 1969CA1C, 1970AN1G, 1970DE04, 1971TI03, 1973ME1K), (1968GO1J, 1972THZF, 1973BI1A, 1973TH1B), reaction 44 and (1968AN1B, 1968BO1J, 1968CI1C, 1968FR1E, 1968HE1C, 1968HO1B, 1968KE10, 1968MA1N, 1968RA1B, 1969CH01, 1969CH1A, 1969CI1A, 1969DE14, 1969DO1D, 1969FU1F, 1969HE1F, 1969KA1H, 1969KU1C, 1969UB01, 1969VI02, 1970CH1H, 1970CH1J, 1970CI1B, 1970DO1F, 1970DO1G, 1970DO1H, 1970DO1A, 1970FR1E, 1970HI1C, 1970JA08, 1970LI18, 1970LI1P, 1970MC1D, 1970ON1B, 1970SA1B, 1970SP1C, 1971CI03, 1971DE1T, 1971DU06, 1971FR13, 1971GO1D, 1971GU1B, 1971MO1Q, 1971TA13, 1972AB19, 1972AN03, 1972BE1X, 1972BO01, 1972FR06, 1972GU25, 1972LE45, 1972OC01, 1972PA32, 1972ST35, 1972SU01, 1972UB01, 1973AL14, 1973AN1M, 1973BA05, 1973BO1Q, 1973DO1H, 1973EL1C, 1973FO1G, 1973FO1F, 1973GA19, 1973KU1N, 1973MA07, 1973MU04, 1973RI1A, 1973ROYN, 1973SI13, 1973SI1P, 1973SU03, 1973TA1F, 1974AB05, 1974BA1Z, 1974DZ06, 1974DZ05, 1974FR12, 1974IN05, 1974SI03; theor.).

44. (a) $^{12}\text{C}(e, e'p)^{11}\text{B}$

$$Q_m = -15.9572$$

(b) $^{12}\text{C}(e, e'n)^{11}\text{C}$	$Q_m = -18.722$
(c) $^{12}\text{C}(e, e'\alpha)^8\text{Be}$	$Q_m = -7.367$
(d) $^{12}\text{C}(e, e\pi^+)^{12}\text{B}$	$Q_m = -152.939$
(e) $^{12}\text{C}(e, e\pi^-)^{12}\text{N}$	$Q_m = -156.913$

Electron spectra in the region of large energy loss show a broad peak which is ascribed to quasi-elastic processes involving ejection of single nucleons from bound shells: see (1968AJ02). A study of e' -p coincidences for $E_e = 550 - 600$ MeV reveals peaks corresponding to ejection of 1p and 1s protons: the results are consistent with observations in (p, 2p) (1964AM1C, 1967AM03). At $E_e = 497$ MeV, the proton spectrum is dominated by an $l = 1$ transition to $^{11}\text{B}_{\text{g.s.}}$ (1974BE12). See also (1971BU26). The data obtained by (1974BE12) do not satisfy the sum rule of (1972KO01). The quasi-elastic scattering cross section has also been measured at $E_e = 199.5$ MeV (1969GU05), 500 MeV (1971MO06, 1974WH05) [the Fermi momentum is 221 ± 5 MeV/c (1971MO06)], 1 to 4 GeV (1971ST10) and 2.5 and 2.7 GeV (1974HE20, 1974KO21). See also (1967AM1A, 1968BO46, 1968DE25, 1969BE1L, 1969DE20, 1970DE04, 1970HI1F, 1970VY01, 1970WO1E, 1971EG03, 1971EG02, 1971SH09, 1972BE1U, 1972VL1A, 1973HE1H, 1974BA70, 1974SI1G) and (1967AM1C, 1972RA1E).

Absolute cross sections for reaction (b) have been measured for $E_e = 20$ to 30 MeV, using both electrons and positrons (1972KU27). See also (1973MO1G, 1973VO09). For reaction (c) see (1970EN1A). For reactions (d) and (e) see (1969TI04, 1970TI03, 1971TI03, 1971ST10, 1973HE1H) and the “*Pion capture and pion reactions*” section here. See also (1968BO1J, 1968BO1D, 1968CI1B, 1968DE1F, 1968MA1M, 1968WA1D, 1969DR05, 1969MO1G, 1969ST1E, 1969VY1A, 1969WA1E, 1970CI1C, 1970EP1A, 1970PA1H, 1971BO1M, 1971CI1A, 1971PA42, 1971SH18, 1971SI1C, 1972AM1C, 1972AN03, 1972RA20, 1972RA18, 1972WE14, 1973BA2M, 1973BA71, 1973CI1A, 1973HI03, 1973JO1H, 1973SH02, 1974HA14, 1974KN1C, 1974ME24; theor.).

45. (a) $^{12}\text{C}(\pi^-, \pi^-)^{12}\text{C}$
 (b) $^{12}\text{C}(\pi^+, \pi^+)^{12}\text{C}$
 (c) $^{12}\text{C}(\pi^-, \pi^+\pi^-\pi^-)^{12}\text{C}$

Angular distributions of the elastic scattering and for the inelastic scattering to $^{12}\text{C}^*(4.4, 9.6, 15.0)$ have been measured at $E_{\pi^-} = 120$ to 280 MeV (1970BI1A). [Not all groups were measured at the seven energies in the above interval. $^{12}\text{C}^*(9.6)$ represents the group of levels with $9.6 \leq E_x \leq 10.8$ and $^{12}\text{C}^*(15.0)$ those with $15.1 \leq E_x \leq 17.2$ (1970BI1A).] Observation of 4.4 MeV γ -rays at $E_{\pi^-} = 73$ MeV leads to a cross section ratio (π^-/π^+) of 1.23 ± 0.22 . The cross section is 14.5 ± 3.0 mb for π^+ . The population of $^{12}\text{C}^*(15.11)$ was not observed in either reaction (1970HI10). The involvement of $^{12}\text{C}^*(4.4)$ in reaction (c) has been studied by (1973AS1A). See also the “GENERAL” section here, (1971TH05, 1975PI1E) and (1971RO14, 1974JA1F, 1974NI08; theor.).

Table 12.19: Summary of $^{12}\text{C}(n, n)$ angular distribution studies ^a

E_n (MeV)	^{12}C states	Refs.
0.50 – 2.00	g.s.	(1970AH1B)
1.8 – 4.0	g.s.	(1975HO1N)
1.98 – 4.64	g.s.	(1973AB07)
2.15 – 4.72	g.s.	(1973FA06)
2.63	g.s.	(1973KN06)
3.0 – 6.94	g.s.	(1972GA13)
4.0, 5.1, 5.6	g.s.	(1971BO07)
4.7 – 5.2	g.s.	(1972DR03)
5.8 – 7.5	4.4	(1970DR1B)
7 – 14 ^b	g.s.	(1974HO1E)
7.20 – 9.00	g.s.	(1973VE03)
7.48	g.s., 4.4	(1972MC20)
7.73 – 9.00	4.4	(1973VE03)
14.1	g.s., 4.4	(1972BO03)
14.1	g.s., 4.4, 7.7, 9.6	(1967JO13, 1969GR30)
15.0	g.s., 4.4	(1971SP01)
17.3, 18.3, 19.9	g.s., 4.4	(1970DE14)

^a See Table 12.21 in (1968AJ02) for a listing of the earlier references.

^b Forward angles only.

46. (a) $^{12}\text{C}(n, n)^{12}\text{C}$

(b) $^{12}\text{C}(n, n')^4\text{He}^4\text{He}^4\text{He}$ $Q_m = -7.2748$

Elastic and inelastic scattering to $^{12}\text{C}^*(4.4, 7.7, 9.6, 10.3, 10.8, 11.8)$ have been studied at many energies up to 350 MeV: see (1968AJ02) and Table 12.19. Angular correlations of $(n_1, \gamma_{4.4})$ have been studied at $E_n = 13.9$ MeV (1973DE45) and 15.0 MeV (1971SP01), and at 14–14.7 MeV [see (1968AJ02)]. The spin-flip probability for the transition to $^{12}\text{C}^*(4.4)$ has been studied at $E_n = 7.48$ MeV (1971MC1K, 1972MC20) and at 15.0 and 16.9 MeV (1973TH08, 1974ME29). The shape of the angular distribution of the probability at $E_n = 7.48$ MeV is similar to that measured by (1964SC07) in the (p, p') reaction at $E_p = 10$ MeV (1972MC20); while that at $E_n = 16.9$ MeV is similar to that measured by (1969KO07) at $E_p = 20$ MeV (1974ME29).

Table 12.20: $^{12}\text{C}(p, p)^{12}\text{C}$ angular distribution studies ^a

E_p (MeV)	Angular distributions to $^{12}\text{C}^*$	Refs.
5.9	g.s.	(1968AN27)
7.0	g.s., 4.4	(1969GU02)
7.999, 8.175	4.4	(1972BE15)
9.95 – 10.90	g.s.	(1972WI26)
12.3 – 13.2	g.s., 4.4	(1970KO15)
12.74, 13.60, 16.19, 19.46	g.s.	(1974JA25)
19.9 – 28.9	g.s.	(1970GI04)
≈ 20	7.7	(1974PL02)
20	g.s., 4.4	(1972TE01)
22.3, 26.7, 30.5, 61.9	12.7, 15.1	(1974AM05)
22 – 45	12.7, 15.1	(1973GE1F)
40	4.4	(1974IN02)
45, 155	see Table 12.21	(1974BU17)
46	g.s.	(1972WI24)
49.5	g.s., 4.4	(1970CL10, 1971RU04)
61.4	g.s.	(1969FU07)
100	g.s.	(1968LI1C)
100	see Table 12.21	(1969HO1J, 1970HO03)
144	g.s.	(1972JA07)
156	g.s.	(1974CO09)
185	see Table 12.21	(1969SU03)
1000	g.s., 4.4	(1972AL1M)
1040	g.s., 4.4, 7.7, 9.6	(1973BE29)
2.1 GeV/c	g.s.	(1974ZH1B)

^a See Table 12.22 in (1968AJ02) for a listing of the earlier experiments and ^{13}N in (1976AJ04).

At $E_n = 14.4$ MeV reaction (b) involves $^{12}\text{C}^*(9.6, 10.8, 11.8, 12.7)$. The decay of $^{12}\text{C}^*(11.8)$ leads to an assignment of $J^\pi = 1^-$ (1964BR25, 1971DO1K, 1975AN01, 1975AN02). [See, however, Table 12.8]. See also (1966MO05, 1968BE1J).

See also ^{13}C in (1976AJ04), (1968BR05, 1968KO1A, 1969PE1C, 1969RO1F, 1970BR1K, 1970MA1J, 1972DE31, 1974DR1C), (1968CA1A, 1968CH35, 1968TI1B, 1969AL1C, 1969DU1B, 1969OL03, 1970CA13, 1970SH14, 1971CH01, 1971MI07, 1972IK01, 1972JO11, 1972MO45, 1974CH1X; theor.) and (1969TR1A; astrophys. problems).

47. $^{12}\text{C}(p, p)^{12}\text{C}$

Angular distributions of elastically and inelastically scattered protons have been measured at many energies up to $E_p = 1040$ MeV: see Table 12.22 in (1968AJ02) for the earlier work and Table 12.20 here. Angular distributions at $E_p = 20$ MeV (1963DI16, 1970BL03) and 46 MeV (1967PE05) show that a large quadrupole deformation exists: $\beta_2 = -0.72$ (1972DE13) and 0.6 (1967SA13), respectively.

Table 12.21 shows the information on excited states of ^{12}C . The angular distribution for $^{12}\text{C}^*(7.7)$ is best described by double quadrupole excitation via $^{12}\text{C}^*(4.4)$. $^{12}\text{C}^*(14.1)$ is identified as the 4^+ rotational state (1967SA13). The values $E_x = 7656.2 \pm 2.1$ keV (1971AU16), 7655.9 ± 2.5 keV (1971ST22) obtained for the 0^+ second excited state of ^{12}C lead to a substantial change in the reaction rate for helium-burning nucleosynthesis: see (1971AU16).

The in-plane and spin-flip $p\gamma_{4,4}$ angular correlations have been measured at 20 MeV. The sub-state cross sections were determined: these show a more pronounced structure than does the total inelastic cross section to $^{12}\text{C}^*(4.4)$. The $M = 0$ cross section is the most diffraction like. Agreement with the compound nucleus DWBA predictions is poor (1972TE01). The spin-flip probability in the scattering to $^{12}\text{C}^*(4.4)$ has been studied at $E_p = 8.00$ to 8.30 MeV (1972BE15), 12 to 14 MeV (1970KO15), 12, 13, 14, 15 and 20 MeV (1969KO07), 15.9 and 17.35 MeV (1971WI16) and 26.2 and 40 MeV (1969KO13). See also (1973SA1N). (1972BE15) find that the interference between the resonant and the background spin-flip is large: see ^{13}N in (1976AJ04). At $E_p = 26.2$ and 40 MeV the observed spin-flip is almost entirely accounted for by distortions in the entrance and exit elastic channels, due to the spin-orbit term in the optical model potential (1969KO13).

For polarization measurements see (1970LI19, 1975GL1C) and ^{13}N in (1976AJ04). See also (1971GA42, 1973TH1A, 1974AL1G, 1974BR1J, 1974DA1Q, 1974GA30, 1974OB1C, 1975PI1E), (1964KA1A, 1967LE13, 1968BA1K, 1968CH35, 1968GL1A, 1968KO26, 1968LE1D, 1968LI1B, 1968NE1B, 1968TA1D, 1968TA1E, 1968TI1B, 1969BA06, 1969BY1A, 1969HA07, 1969KO1H, 1969LE03, 1969MA1G, 1969NE1A, 1969OL03, 1969PE1E, 1969TA1D, 1969TI02, 1969WA11, 1970BA1F, 1970CA13, 1970CZ1A, 1970DA17, 1970GU15, 1970HA1J, 1970KO1L, 1970KR1E, 1970KU1C, 1970SA06, 1970SH01, 1970SH14, 1971AH03, 1971CH01, 1971FR1L, 1971HA31, 1971IN05, 1971JA16, 1971LE01, 1971MI07, 1971MO18, 1971RA36, 1971SH18, 1971SI11, 1971SI37, 1972AU1A, 1972BA2E, 1972JO11, 1972IK01, 1972SI19, 1972SO03, 1972ST35, 1973AL14, 1973AN1K, 1973AU05, 1973DO10, 1973FR08, 1973GE1E, 1973KA04, 1973MA2B, 1973MI19,

1973SI37, 1973VA18, 1974AL1H, 1974BE22, 1974BR06, 1974IN04, 1974IN06, 1974IN07, 1974JA1F, 1974KU20, 1974SC1K, 1974ST02, 1973TE1B; theor.) and (1969TR1A; astrophys. questions).

Table 12.21: ^{12}C levels from $^{12}\text{C}(p, p')^{12}\text{C}^*$ ^a

$^{12}\text{C}^*$ ^b (MeV)	$^{12}\text{C}^*$ ^g (MeV)	Multipolarity ^{g,i}	Γ ^{b,g} (MeV)
4.43 ± 0.03 ^c	4.4390 ± 0.0011 ^m	E2	j
7.67 ± 0.05 ^d	7.6552 ± 0.0011 ⁿ		
9.63 ± 0.04		E3	
10.78 ± 0.10		E3	
(11.8 ± 0.2) ^e			
12.70 ± 0.08		(M1)	k
14.05 ± 0.10		E4	
15.11 ± 0.05 ^f		M1	l
16.05 ± 0.10			
18.20 ± 0.10	18.35 ± 0.05		$0.5 - 0.8$
	18.8		
19.35 ± 0.10	h	M2	$0.5 - 0.8$
20.40 ± 0.15	h		$0.5 - 0.8$
21.4 ± 0.3	21.65 ± 0.08	E3 ^o	1.2 ± 0.2
22.1 ± 0.3	21.95 ± 0.15	E1	0.8 ± 0.1
	(22.4)	not E1	
	22.6 ± 0.1	E1	0.45 ± 0.2
23.4 ± 0.4	23.50 ± 0.05	E1	0.23 ± 0.08
	23.92 ± 0.08	(E1)	0.4 ± 0.1
	25.3 ± 0.15	(E1)	0.51 ± 0.1
	(25.8 ± 0.3)	(E1)	(0.75 ± 0.15)
	27.0 ± 0.2	(E1)	(1.4 ± 0.2)
	29.4 ± 0.3		≈ 2

^a See also Table 12.23 in (1968AJ02).

^b $E_p = 185$ MeV (1965HA17, 1969SU03). See also (1969HO1J, 1970HO03: 100 MeV).

^c $E_x = 4442.2 \pm 1.5$ keV (1971ST22), 4439.2 ± 0.5 keV (1974NO07).

^d $E_x = 7655.9 \pm 2.5$ keV (1971ST22), 7656.2 ± 2.1 keV (1971AU16).

^e (1970HO03).

^f The branching ratio for the decay to $^{12}\text{C}^*(4.4)$ is $2.32 \pm 0.25\%$ (1973HA1Y): see also Table 12.9.

^g $E_p = 45$ and 155 MeV (1974BU17) and M. Buenerd, private communication.

^h Observed but unresolved.

ⁱ (1964JA03, 1969SU03).

^j $\tau_m = 55 \pm 7$ fsec (1968RI16): $\Gamma_\gamma = 12.0 \pm 1.5$ eV.

^k $\Gamma_\gamma/\Gamma = 0.027 \pm 0.007$ (1962WA31).

^l $\Gamma_\gamma/\Gamma = 1.15 \pm 0.3$ (1962WA31).

^m (1974JO14).

ⁿ (1974JO15). The best value of E_x is 7655.2 ± 0.8 keV, based on this and other measurements. This sets the Q -value for the decay into 3α as 380.3 ± 1.1 keV. When this value is combined with that of (1973BA73) [379.6 ± 2.0 keV] the value 380.1 ± 1.0 keV is suggested (1974JO15).

^o $\beta_3^2 = 0.125$ (M. Buenerd, private communication).

48. (a) $^{12}\text{C}(p, 2p)^{11}\text{B}$	$Q_m = -15.9572$
(b) $^{12}\text{C}(p, pn)^{11}\text{C}$	$Q_m = -18.722$
(c) $^{12}\text{C}(p, pd)^{10}\text{B}$	$Q_m = -25.1885$
(d) $^{12}\text{C}(p, p\alpha)^8\text{Be}$	$Q_m = -7.367$

At $E_p = 56.5$ MeV, $^{12}\text{C}^*(20.3 \pm 0.5)$ is excited and then decays to $^{11}\text{B}_{g.s.}$ (1969EP01). At $E_p = 385$ MeV and estimate of the momentum distribution of the protons bound in ^{12}C has been obtained. The results are consistent with a model in which the nuclear core is essentially a spectator. Distortion effects are mainly of an absorptive nature (1969JA05). At $E_p = 1.0$ GeV, the process is essentially quasifree (1970SI01, 1972CO11). See also (1971PA1H). Small angle multiple scattering of 600 MeV protons has been measured by (1972HU12). The angular correlation to $^{11}\text{B}(0)$ has been measured at $E_p = 49.5$ MeV by (1971HA61).

See also (1968AJ02) for earlier references, ^{11}B , (1968PE1A, 1971LA16, 1972LO1F), (1969JA1F, 1969VO1E, 1972RA1E) and (1968DE1G, 1968JA1E, 1969GU1G, 1969JA1D, 1969KO1J, 1969MC13, 1970FL1B, 1970KR1E, 1971JA11, 1971JA16, 1971MC1G, 1971SH18, 1971WI15, 1971YO1E, 1972AB1G, 1972CH1L, 1972JA1C, 1972PE04, 1972PI11, 1972ST29, 1972WI16, 1973ER19, 1973FR09, 1973GU1D, 1973JA01, 1973JO1H, 1973SH02, 1974BH1B, 1974PI01; theor.).

Table 12.22: Summary of recent $^{12}\text{C}(d, d)$, $(^3\text{He}, ^3\text{He})$ and (α, α) angular distributions ^a

 (a) $^{12}\text{C}(d, d)$ measurements

E_d (MeV)	^{12}C states	Refs.
1.39 – 2.16	g.s.	(1970AL26)
4.66 – 5.27	g.s.	(1968CO04)
5.00 – 8.40	g.s.	(1969CO02)
9.2 – 13.9	g.s.	(1966BA1G)
10.03, 12.01	g.s.	(1974JA25)
10.6 – 13.9	g.s.	(1970GU01)
13.6	g.s.	(1970VE06, 1972MA47)
13.7	4.4	(1970GU01)
24.1, 26.2, 27.5, 28.8	12.7, 15.1	(1975LI1K)
28	g.s.	(1968GA13, 1968LE1G, 1970BU1G)
41, 46, 51	g.s.	(1971FE1C)
52	g.s., 4.4, 7.7, 9.6	(1968HI09, 1968HI1B)
80	g.s., 4.4, 9.6	(1971DU09)

 (b) $^{12}\text{C}(^3\text{He}, ^3\text{He})$ measurements

$E(^3\text{He})$ (MeV)	^{12}C states	Refs.
3.6 – 3.8	g.s.	(1967SC27)
5.29 – 5.50	g.s.	(1969LA1A)
6, 7, 8	g.s.	(1968WE15, 1968WE1C)
9.5, 10.5, 11.5	g.s., 4.4	(1970BO34)
11	g.s.	(1970SC23)
15	g.s.	(1969ZU02)
16, 17, 18	g.s., 4.4	(1968FO06)
18.6, 20.0, 22.2, 23.9	g.s.	(1968WA1E, 1970BA1P)
24.0, 29.2, 34.7, 39.6	g.s., 4.4, 7.7, 9.6	(1973FU03)
25.3	g.s.	(1968MA46)
34.7, 39.6	14.1	(1973FU03)
36	g.s., 4.4, 12.7, 14.1, 15.1, 16.1	(1969AR08, 1969AR10, 1970AR05)
36, 42	g.s.	(1968HU1A, 1969HU1B)
42	g.s., 4.4, 7.7, 12.7, 14.1, 16.1	(1973SI11)
49.8	see Table 12.23	(1968BA1E, 1969BA06)
65	g.s., 4.4, 7.7, 9.6, 12.7, 14.1, 15.1, 16.1	(1973CE1C)
217	g.s.	(1973WI07, 1974WI16)

 (c) $^{12}\text{C}(\alpha, \alpha)$ measurements

E_α (MeV)	^{12}C states	Refs.
12.5 – 16.9	7.7	(1970MO22)
15.3 – 17.0	9.6	(1970MO22)
18.0 – 26.6	g.s.	(1972KU19, 1973KU18)

Table 12.22: Summary of recent $^{12}\text{C}(\text{d}, \text{d})$, $(^3\text{He}, ^3\text{He})$ and (α, α) angular distributions ^a
(continued)

19.4 – 26.6	g.s., 4.4	(1970MO06)
20.1 – 24.0	g.s., 4.4, 9.6	(1968AG03, 1969AG06, 1970AG08, 1970FE07, 1970FE09, 1971FE1F)
22, 24, 28, 29	g.s.	(1972OE01, 1973OE01)
28.4	g.s., 4.4	(1965KO1A)
32.5	g.s., 4.4	(1972BU09)
33.4	g.s., 4.4	(1968AR1A)
36	12.7	(1975CE1E)
41	g.s., 4.4	(1971BA64)
44	g.s.	(1968FA1A)
56	g.s.	(1968GA1C, 1969GA11)
56	g.s., 4.4	(1968LE1G)
90	see Table 12.23	(1972FA07)
104	g.s.	(1968HA1D, 1969HA14)
104	g.s., 4.4, 7.7	(1970SP01, 1971SP08)
139	g.s., 4.4, 7.7, 9.6	(1973SM03)
155	4.4, 9.6	(1970TA12)
166	g.s., 4.4, 7.7, 9.6	(1969BR19, 1970TA12, 1972BR30, 1973BI12)

^a See (1968AJ02) for the older measurements, in particular Table 12.24 for (α, α) .

For reaction (b) see (1968PA05: $E_p = 450$ MeV). See also (1971TH05: $\bar{p}, \bar{p}n$), (1970TH1F) and (1972AB1G; theor.). For reaction (c) see (1970BA1T, 1971AZ1A, 1972AZ03, 1972BO17, 1973KO1M) and (1968RO1F, 1974ZH01; theor.).

At $E_p = 56.5$ MeV, reaction (d) proceeds primarily by sequential α -decay: initially $^{12}\text{C}^*(19.7 \pm 0.5, 21.1 \pm 0.3, 22.2 \pm 0.5$ and 26.3 ± 0.5 MeV) are formed. The states, which therefore must have natural parity and a significant $T = 0$ admixture, subsequently decay to $^8\text{Be}_{\text{g.s.}}$ [$^{12}\text{C}^*(22.2, 26.0)$] or $^8\text{Be}^*(2.9)$ [$^{12}\text{C}^*(19.7, 21.1, 26.3)$] (1969EP01). At $E_p = 160$ MeV, knock-out, sequential decay and spallation processes are observed (1970GO12). See also (1969HO1K, 1971GA1J, 1972MA62, 1972YA1B, 1973HO1R, 1973TH1A) and ^8Be and ^9B in (1974AJ01). For spallation studies see (1968KO1E, 1969DA1D, 1969ED01, 1969KO1G) and ^{13}N in (1976AJ04). See also (1968ED1A). For pion production see (1970DO04), (1971IN1A, 1971RE12, 1972KE1F, 1973DI1G, 1974MI11; theor.), the “*Pion capture and pion reactions*” section here and ^{13}C in (1976AJ04).

49. (a) $^{12}\text{C}(\text{d}, \text{d})^{12}\text{C}$

(b) $^{12}\text{C}(\text{d}, \text{pn})^{12}\text{C} \quad Q_m = -2.2246$

The angular distribution of elastically and inelastically scattered deuterons has been studied at many energies to $E_d = 650$ MeV: see (1968AJ02) for the older references and Table 12.22 here.

DWBA analysis of the distributions at $E_d = 80$ MeV leads to $\beta_l = 0.47 \pm 0.05$ and 0.35 ± 0.06 for $^{12}\text{C}^*(4.4, 9.6)$, respectively (1971DU09). E_x of $^{12}\text{C}^*(4.4)$ is 4440.5 ± 1.1 keV: the average of this value and of the one determined in (p, p') (Table 12.21) gives 4439.5 ± 1.0 keV (1974JO14). The isospin mixing of $^{12}\text{C}^*(12.71, 15.11)$ [both $J^\pi = 1^+$; $T = 0$ and 1 , respectively] has been measured for $E_d = 27.2$ and 28.0 MeV. The ratio of the cross sections for the population of the $T = 1$ and 0 states is $(7.0 \pm 1.2) \times 10^{-3}$. [In a remeasurement of this quantity (1975LI1K) find $\approx (1.1 \times 10^{-2})$. Angular distributions for the two states were obtained at $E_d = 24.1, 26.2, 27.5$ and 28.8 MeV (1975LI1K).] This leads to $\beta^2 = 0.011 \pm 0.003$ (1972BR27: see also reactions 66, 67, 76). For a study of the distribution of ionic charge when ^{12}C recoils in elastic scattering at $E_p = 10$ MeV, see (1971WO10).

Reaction (b) has been studied, in a kinematically complete experiment, at $E_d = 5.00$ to 5.50 , 9.20 and 9.85 MeV by (1970SA1K, 1973SA03). An increase in yield is observed for all spectra in the region of low relative proton-neutron energy where both rescattering and sequential decay leading to the $^1\text{S}_0$ final state interaction are possible. Due to the probable superposition and interference of different reaction mechanisms, it is apparently not possible to evaluate how much spin singlet and spin triplet interaction is involved (1973SA03). See, however, (1973SH04). Studies of reaction (b) are also reported at $E_d = 5.1$ to 6.25 MeV (1973SH04), 5.4 and 6.0 MeV (1968BO02) and 5.5 to 6.5 MeV (1970VA1K, 1972VA10). See also ^{13}C and ^{13}N in (1976AJ04) and (1972GE1G).

See also ^{14}N in (1976AJ04), (1968VA12, 1968VE11, 1968VE1C, 1969KO1B, 1969PH1B, 1971PU01, 1972HE1E) and (1968DU01, 1968LY1A, 1968ME1E, 1968NO1C, 1969OL03, 1969TA1D, 1969VE09, 1970EL16, 1970OH1C, 1971KO43, 1971KO42, 1971SI24, 1972BE54, 1972DM01, 1972GR1N, 1972ST1J, 1973HE1J, 1974AS1D, 1974IA02, 1974IN07; theor.).

50. $^{12}\text{C}(t, t)^{12}\text{C}$

Angular distributions of elastically scattered tritons have been determined at $E_t = 1.0$ to 1.75 MeV (1962GU01, 1969HE08), 1.11 to 3.40 MeV (1969ET01), 1.75 and 2.10 MeV (1969SI12), 6.4 , 6.8 and 7.2 MeV (1964PU01), 12 MeV (1965GL04, 1966GL1B), 16 and 20 MeV (1972KE02) and 20.04 MeV (1974JA25). See also (1968HO1C) and (1971KA04; theor.).

51. $^{12}\text{C}(^3\text{He}, ^3\text{He})^{12}\text{C}$

Angular distributions of ^3He ions have been measured at many energies in the range $E(^3\text{He}) = 2$ to 217 MeV: see reaction 43 in (1968AJ02) for the older measurements and Table 12.22, here, for the newer ones. DWBA analyses seem to be inadequate: complete coupled channels analyses appear to be necessary to explain the data; see, e.g., (1972AS03, 1973SI11).

Angular distributions of the ^3He groups to $^{12}\text{C}^*(15.11, 16.11, 16.58, 19.57)$ have been compared with those for the tritons to $^{12}\text{N}^*(0, 0.96, 1.19, 4.25)$ in the analogue reaction $^{12}\text{C}(^3\text{He},$

t)¹²N: the correspondence is excellent and suggests strongly that these are $T = 1$ isobaric analogue states (1968BA1E, 1969BA06: $E(^3\text{He}) = 49.8$ MeV). See also Tables 12.13 and 12.23, ¹²N and (1970AR05, 1974WI16). The (³He', γ_1) reaction plane angular correlation has been measured at $E(^3\text{He}) = 17$ MeV as a function of gamma-ray angle for 43 ³He scattering angles. The spin-flip probability was also determined, and the quadrupole deformation was found to be $\beta_2 = -0.60$ (1968AS03, 1972AS03). See also (1971PA1K, 1974YA10). For polarization measurements see ¹⁵O in (1976AJ04).

See also (1967BA1D, 1968AR1A, 1970JA1E, 1970KA1D) and (1968LE1G, 1968PA1F, 1969RA1B, 1970CA1G, 1973BR1L; theor.).

52. (a) ¹²C(α , α)¹²C

(b) ¹²C(α , 2α)⁸Be $Q_m = -7.367$

Angular distributions have been measured at many energies to $E_\alpha = 166$ MeV: see Table 12.24 in (1968AJ02) and Table 12.22 here. Alpha-particle groups have been observed to many ¹²C states: see Tables 12.22 and 12.23 (1972FA07). J^π assignments have also been suggested for ¹²C states with $9.6 \leq E_x \leq 39.3$ MeV on the basis of their decay into 3 α -particles: see (1973JA02; $E_\alpha = 90$ MeV). See also (1969BA06).

Angular correlation measurements ($\alpha_1\gamma_{4.4}$) have been carried out at $E_\alpha = 10.2$ to 10.5 MeV (1972KE18), 18.0 to 24.0 MeV (1968KL07), 19 MeV (1972AS03), 19.3 to 25.3 MeV (1972EL09), 22.75 MeV (1970HA15), 32.5 MeV (1972BU09) and 41 MeV (1971BA64): the relative population of magnetic substates has been studied by (1970HA15, 1972BU09). See also (1968AJ02). The quadrupole deformation, β_2 , is -0.29 ± 0.02 (1971SP08), 0.46 (1973SM03); $\beta_3 = 0.24$ (1973SM03). See also (1971BE60, 1972EE1A).

Measurements of the radiative widths yield $\Gamma_{\text{rad}}/\Gamma = (4.2 \pm 0.2) \times 10^{-4}$ [$\Gamma_{\text{rad}} \equiv \Gamma_\gamma + \Gamma_{e^\pm}$ is then 3.7 ± 1.2 meV] for ¹²C*(7.7) (1974CH03) and $\Gamma_{\text{rad}}/\Gamma < 4.1 \times 10^{-7}$ [$\Gamma_{\text{rad}} < 14$ meV] for ¹²C*(9.6) (1974CH32): see also Table 12.9. The value for Γ_{rad} for ¹²C*(7.7) implies a 45% faster rate for the ($\alpha\alpha\alpha$) astrophysical process (1974CH03). See also (1973HA1Y, 1974MA2C). For total cross sections for formation of various ¹²C states, see ¹⁶O in (1971AJ02, 1977AJ02) and (1973SP1D).

For polarization measurements, see ¹⁶O in (1977AJ02). See also (1967HA1G, 1968CA11, 1968ED1B, 1968GA1D, 1968RA1C, 1968SH1D, 1968SH1E, 1968TO1D, 1969BU1D, 1969PI02, 1971MU1H, 1971TA30, 1971TE10, 1972DM01, 1973AL14, 1973BR1K, 1973BU1G, 1973DM01, 1973KU08, 1973SI1M, 1974PI11, 1974GO1U, 1974HO19, 1974WA02; theor.) and (1969TR1A; astrophys. questions).

Reaction (b) at $E_\alpha = 25$ MeV appears to involve ¹²C*(7.66, 9.64) (1969DO02, 1969DO03). See also (1974RU06). See (1968YA02, 1969PI1B, 1970KE1B, 1970EI05, 1970PI1D, 1973RU09, 1974DO1G) for other studies of the (α , 2α) reaction with E_α up to 700 MeV. See also ⁸Be in (1974AJ01), (1971GA1J) and (1968BA1H, 1970BU1C, 1970MI12, 1972AV04, 1972MI05; theor.).

Table 12.23: Energy levels of ^{12}C from $^{12}\text{C}(^3\text{He}, ^3\text{He})^{12}\text{C}$, $^{12}\text{C}(\alpha, \alpha)^{12}\text{C}$ and $^{14}\text{N}(\text{d}, \alpha)^{12}\text{C}$

E_x ^{a,b} (MeV \pm keV)	L ^b	E_x ^{a,c} (MeV \pm keV)	Γ ^c (MeV)	$J^\pi; T$ ^d
0	0	0		$0^+; 0$
4.4422 ± 1.5 ^e	2	4.44		$2^+; 0$
7.67		7.67		$0^+; 0$
9.64	3	9.642 ± 14 ^j	0.030 ± 0.008 ^j	$3^-; 0$
10.84	^f	10.84 ^f		$1^-; 0$
11.83	^f	11.83 ^f		$2^-; 0$
12.71	0	12.71 ± 130 ^{f,k}		$1^+; 0$
		13.29 ^l	0.355 ± 0.050 ^l	
14.08		14.08 ± 30 ^h		$4^+; 0$
15.11	0			$1^+; 1$
		15.62 ± 120 ^h	1.2 ± 0.3	
16.11	2			$2^+; 1$
16.58 ^g				$2^-; 1$
18.40 ± 60 ^g	^f	18.39 ± 80 ^f		0^-
18.80 ^g	^f			2^+
		19.20 ± 130 ^{f,i}	0.39 ± 0.10	
19.58 ± 60 ^g		20.3 ± 300 ^{f,i}	0.45 ± 0.15	
		21.81 ± 80 ^{f,i}	0.43 ± 0.08	
		22.70 ± 80 ^{f,i}		
		24.24 ± 80 ^{f,i}	0.18 ± 0.08	

^a When no errors are shown, values are from Table 12.8.

^b $E(^3\text{He}) = 49.8$ MeV (1968BA1E, 1969BA06).

^c $E_\alpha = 90$ MeV and $E_d = 52$ MeV (1972FA07).

^d Best values.

^e (1971ST22).

^f Angular distribution not obtained.

^g ($T = 1$) (1969BA06).

^h (1972FA07) suggests $J^\pi = 3^-$ for $^{12}\text{C}^*(14.08)$ and 4^+ for $^{12}\text{C}^*(15.6)$.

ⁱ Decays predominantly by α -emission.

^j (1956DO41): $^{14}\text{N}(\text{d}, \alpha)^{12}\text{C}$.

^k 12.7 ± 0.07 MeV (1965PE17): $^{14}\text{N}(\text{d}, \alpha)^{12}\text{C}$.

^l (1965SC12): $^{14}\text{N}(\text{d}, \alpha)^{12}\text{C}$.

53. (a) $^{12}\text{C}(^6\text{Li}, ^6\text{Li})^{12}\text{C}$
 (b) $^{12}\text{C}(^7\text{Li}, ^7\text{Li})^{12}\text{C}$

The elastic scattering in reaction (a) has been studied at $E(^6\text{Li}) = 4.5$ to 13 MeV (1972PO07), 20 MeV (1968BE1K, 1972WA31), 24.5 MeV (1968DA20), 28 MeV (1972BA52), 30 MeV (1971CH1P, 1971DA33), 34 and 36 MeV (1973SC26; also $^{12}\text{C}^*(4.4)$) and 36.4 and 40 MeV (1974BI04). See also (1964OL1A). (1974BI04) have also measured the inelastic angular distributions to $^{12}\text{C}^*(4.4, 7.7, 9.6, 10.8, 11.8, 12.7, 13.4, 14.1)$ and have calculated deformation parameters under various assumptions. Two step processes are important in the excitation of $^{12}\text{C}^*(7.7, 14.1)$ (1974BI1H). See also (1971DA1J) and (1968NO1C, 1971OS02, 1974AS1D; theor.).

The elastic scattering in reaction (b) has been studied at $E(^7\text{Li}) = 4.5, 5.8, 9.0, 11.0$ and 13.0 MeV (1972PO07), 15 and 21.1 MeV (1972WE08) and at 36 MeV (1973SC26). At 36 MeV the angular distributions corresponding to $^{12}\text{C}_{\text{g.s.}} + ^7\text{Li}_{0.48}^*$, $^{12}\text{C}_{4.4}^* + ^7\text{Li}_{\text{g.s.}}$ and $^{12}\text{C}_{4.4}^* + ^7\text{Li}_{0.48}^*$ have also been studied (1973SC26).

54. $^{12}\text{C}(^9\text{Be}, ^9\text{Be})^{12}\text{C}$

Elastic scattering angular distributions have been obtained at $E(^{12}\text{C}) = 12, 15, 18$ and 21 MeV (1970BA49).

55. (a) $^{12}\text{C}(^{10}\text{B}, ^{10}\text{B})^{12}\text{C}$
 (b) $^{12}\text{C}(^{11}\text{B}, ^{11}\text{B})^{12}\text{C}$

Angular distributions have been measured for reaction (a) at $E(^{10}\text{B}) = 18$ MeV (1968VO1A, 1969VO10: to g.s.) and 100 MeV (1973BI1J, 1974BI1E: to $^{12}\text{C}^*(0, 4.4, 7.7, 9.6, 10.8, 11.8, 12.7, 13.4, 14.1, 14.8)$). Two-step processes appear to be involved in the excitation of $^{12}\text{C}^*(7.7, 14.1)$ (1974BI1E). See also (1974AS1D; theor.).

Angular distributions for reaction (b) have been studied at $E(^{12}\text{C}) = 15, 17, 20$ and 24 MeV (1974BO15: to g.s.) and 87 MeV (1971LI11: to g.s.), and at $E(^{11}\text{B}) = 28$ MeV (1968VO1A, 1969VO07, 1969VO10: to g.s., 4.4; and to several ^{11}B states). A consistent description of the elastic data at $E(^{12}\text{C}) = 15$ to 24 MeV is obtained by including the elastic transfer of a $1p_{1/2}$ hole (1974BO15). See also (1972SC1Q) and (1970AN1D, 1973DE1U; theor.).

For yield measurements see ^{22}Na and ^{23}Na in (1973ENVA) and (1974DA1P).

56. $^{12}\text{C}(^{12}\text{C}, ^{12}\text{C})^{12}\text{C}$

Angular distributions have been measured at $E(^{12}\text{C}) = 18.8$ to 37.6 MeV (1973EM03: g.s. + g.s., g.s. + 4.4, 4.4 + 4.4), 40 to 60 MeV (1973WI09: g.s. + g.s., g.s. + 4.4, 4.4 + 4.4), 70 MeV (1971KO11: g.s.) and at 87 MeV (1971LI11: g.s.). At $E(^{12}\text{C}) = 114$ and 174 MeV differential cross sections have been measured for the population of $^{12}\text{C}^*(0, 4.4, 7.7, 9.6, 14.1, 19.6)$. The population of $^{12}\text{C}_{4.4}^* + ^{12}\text{C}_{4.4}^*$ is also reported (1973AN22).

The relative population of elastic and inelastic channels is very energy dependent: see ^{24}Mg in (1973ENVA) and (1968WI1C, 1973EM03, 1973GO01, 1973RE13, 1973RE12, 1973WI09, 1974RA1J, 1974RA1K, 1974SH16, 1974SP06, 1974VO09, 1975OB1B).

See also (1969BR1D, 1969BR1G, 1969HE06, 1970BR1G, 1973BR1C, 1973PE1D, 1973ST1A, 1974ST1L), (1968IM1A, 1969IM1A, 1969MI1B, 1969VO1E, 1970AN1D, 1970MI1D, 1970MO35, 1970PR12, 1971MC1J, 1971RI1F, 1971RI1G, 1972AR11, 1972FI11, 1972GO1G, 1972MA74, 1972MI1H, 1972RE1K, 1972RI19, 1973BO06, 1973CO1X, 1973FI07, 1973JA22, 1973MO1J, 1973SC1K, 1974FI1G, 1974GA1L, 1974KO1N, 1974PA08, 1974WA02; theor.) and (1968AR1C, 1970NA1F, 1971BA1A, 1972MI1H, 1973AR1E, 1973CL1E, 1973GR1G, 1974AR2B, 1974CO1L, 1975SW1A; astrophys. questions).

57. (a) $^{12}\text{C}(^{13}\text{C}, ^{13}\text{C})^{12}\text{C}$

(b) $^{12}\text{C}(^{14}\text{C}, ^{14}\text{C})^{12}\text{C}$

Elastic angular distributions in reaction (a) have been studied at $E(^{12}\text{C}) = 15$ and 19 MeV (1971BO52, 1971BO1U, 1972BO68), at 20 to 36 MeV (1972CH1H, 1973CH1L; and also to $^{12}\text{C}^*(4.4)$ and various states in ^{13}C) and at 87 MeV (1971LI11). See also (1970GO1B, 1971WI1J, 1973BR1C, 1973GO01, 1973SC1B) and ^{13}C in (1976AJ04). Elastic angular distributions in reaction (b) are reported at $E(^{12}\text{C}) = 12$ to 20 MeV (1972BO68).

For yield measurements, see (1972BO68, 1973FE03, 1974CR03) and ^{24}Mg and ^{25}Mg in (1973ENVA). See also (1970VO1D, 1973BA2K, 1973DE1U, 1973MC1J, 1973SA1K, 1973VO04, 1974GA1L, 1974IM1B; theor.).

58. $^{12}\text{C}(^{14}\text{N}, ^{14}\text{N})^{12}\text{C}$

Angular distributions have been measured at $E(^{14}\text{N}) = 21$ MeV (1971BO1U, 1971VO01: to g.s.), 22.5 MeV (1969HE06: to g.s.), 65, 84 and 88 MeV (1971KO11: to g.s.), 78 MeV (1970VO02: to g.s., 4.4) and 155 MeV (1974BI1E: to g.s., 4.4, 7.7, 9.6, 10.8, 11.8, 12.7, 13.4, 14.1; see also reaction 54). See (1968AJ02) for earlier measurements. See also ^{14}N in (1976AJ04), (1974AN36) and (1974NA1G). For yield measurements see ^{26}Al in (1973ENVA) and (1974JO1J, 1974ST1N). See also (1969BR1D) and (1972MA74, 1974GA1L; theor.).

59. (a) $^{12}\text{C}(^{16}\text{O}, ^{16}\text{O})^{12}\text{C}$

(b) $^{12}\text{C}(^{16}\text{O}, \alpha)^{12}\text{C}^{12}\text{C}$ $Q_m = -7.1616$

Elastic angular distributions have been measured at $E(^{16}\text{O}) = 20, 24, 35$ and 42 MeV (1968VO1A, 1969VO10), $26, 30$ and 32.5 MeV (1969KR03), 27 to 53 MeV (1972MA29, 1972MA1P), 36 MeV (1971OR02) and 65 and 80 MeV (1973GU12). At $E(^{16}\text{O}) = 65$ and 80 MeV, angular distributions involving $^{12}\text{C}^*(0, 4.4)$ and various states of ^{16}O have been studied by (1973GU12): see ^{16}O in (1977AJ02).

A kinematically complete study of reaction (b) has been carried out at $E(^{16}\text{O}) = 58.3$ MeV. The main process appears to involve $(^{12}\text{C} + \alpha)$ corresponding to an excited state of ^{16}O with $E_x \approx 10$ MeV. Formation and decay of compound states in ^{24}Mg are also involved (1974WI05). See also (1973ENVA).

For studies of the yields of these reactions see (1968MA1J, 1969VO10, 1972MA29, 1972ST09, 1973CH1N, 1973MA1N, 1974MA1L, 1974WI05). See also ^{28}Si in (1973ENVA).

See also (1970JA1B), (1969BR1D, 1969BR1G, 1969HE06, 1970BL1E, 1970BR1G, 1971GA1P, 1972GA1E, 1973PA1J, 1973PE1D, 1973ST1A), (1969KA1G, 1969RO1G, 1969VO1E, 1970AN1D, 1970CL1E, 1971DA30, 1972BA73, 1972CH1E, 1972GO1G, 1972MA1U, 1972RI03, 1973DE40, 1973FE1G, 1973LO02, 1973SA1K, 1974GA1L, 1974WA02, 1975KI01; theor.) and (1970NA1F, 1971WO1E, 1973AR1E, 1973CL1E, 1974CO1L, 1975SW1A; astrophys. questions).

60. (a) $^{12}\text{C}(^{17}\text{O}, ^{17}\text{O})^{12}\text{C}$
 (b) $^{12}\text{C}(^{18}\text{O}, ^{18}\text{O})^{12}\text{C}$

The elastic scattering angular distributions in both (a) and (b) have been measured at $E = 35$ MeV (1967GO1A). See also ^{18}O in (1978AJ03) and (1971BE60, 1974CH1Q).

61. $^{12}\text{C}(^{19}\text{F}, ^{19}\text{F})^{12}\text{C}$

Elastic scattering angular distributions have been measured at $E(^{19}\text{F}) = 40, 60$ and 68.8 MeV (1968VO1A, 1969VO10, 1972SC03). See also (1970AN1D, 1970BL1E; theor.).

62. $^{12}\text{C}(^{20}\text{Ne}, ^{20}\text{Ne})^{12}\text{C}$

The elastic scattering angular distribution has been measured at $E(^{12}\text{C}) = 37$ MeV (1974VA18). See also ^{32}S in (1973ENVA).

63. $^{12}\text{N}(\beta^+)^{12}\text{C}$ $Q_m = 17.344$

Table 12.24: Branching in $^{12}\text{N}(\beta^+)^{12}\text{C}$

Decay to $^{12}\text{C}^*$	Branch (%)	$\log ft^c$	Refs.
g.s. ^a	94.25	4.119 ± 0.003	
4.44	2.4 ± 0.2 2.2 ± 0.25		(1963PE10) (1963WI05)
7.66	2.10 ± 0.16 2.2 ± 0.6 3.0 ± 0.5	5.11 ± 0.03	^d (1963GL04) (1962MA22)
10.3	2.7 ± 0.4 0.85 ± 0.6 0.44 ± 0.15	4.34 ± 0.06	mean (1963GL04) (1963WI05)
12.71 ^b	0.46 ± 0.15 0.29 ± 0.13	4.36 ± 0.17 3.55 ± 0.16	mean (1967AL03)
15.11	$(4.4 \pm 1.5) \times 10^{-3}$	3.30 ± 0.13	(1967AL03)

^a $E_{\beta}(\text{max}) = 16.384 \pm 0.015$ MeV (1963GL04, 1963PE10).

^b See also (1963GL04, 1963WI05, 1966SC23).

^c Based on $\tau_{1/2} = 10.97 \pm 0.04$ msec and on Q_m : see (1974MC11) and (1966BA1A).

^d Based on adopted branching ratio $1.29 \pm 0.05\%$ for $^{11}\text{B}(\beta^-) \rightarrow ^{12}\text{C}^*(4.4)$ (1972AL31, 1974MC11) and “best” value of the $^{12}\text{N}/^{12}\text{B}$ ratio for this decay, $R = 1.63 \pm 0.11$ (1974MC11).

The decay is mainly to the ground state via an allowed transition. Branching ratios to other states of ^{12}C are displayed in Table 12.24. The half-life is 10.97 ± 0.04 msec: see Table 12.28 in (1968AJ02). Since transitions to $^{12}\text{C}^*(\text{g.s.}, 4.4)$ are allowed $J^{\pi}(^{12}\text{N}) = 1^+$.

Recent measurements of the ratios of the branching ratios, $^{12}\text{N}/^{12}\text{B}$, for the decays to $^{12}\text{C}^*(4.4)$ is 1.52 ± 0.06 (1972AL31), 1.74 ± 0.08 (1974MC11). Using $R = 1.63 \pm 0.11$, and other data, (1974MC11) find that the asymmetry in the decay to the excited state is $\delta_{4.44} = -0.013 \pm 0.066$ and that $\delta_{\text{g.s.}} = 0.1155 \pm 0.0085$. See also (1973KU1D; theor.).

$^{12}\text{C}^*(12.7)$, populated in an allowed transition, decays primarily to $^8\text{Be}^*(2.9)$ [$J^{\pi} = 2^+$]; the absence of decay to $^8\text{Be}_{\text{g.s.}}$ is in agreement with the assignment $J^{\pi} = 1^+$ (1966SC23). The ft values for the β -transitions to $^{12}\text{C}^*(12.7, 15.1)$ agree well with shell-model calculations of (1965CO25). The agreement strongly suggests a close relation between $^{12}\text{C}^*(12.7)$ [$J^{\pi} = 1^+$; $T = 0$] and $^{12}\text{C}^*(15.1)$ [$J^{\pi} = 1^+$; $T = 1$]. See also (1971MI06, 1973CH16, 1973MIYZ).

See also (1968DA1J) and (1969BL1D, 1969CH1A, 1969CH1F, 1970JA1K, 1970ST04, 1971BL06, 1971KI04, 1971KI11, 1971LA21, 1971LI1F, 1971LI1H, 1971WI18, 1971WI1C, 1972EM02, 1972OC01, 1972WI28, 1972WI1C, 1973EM1B, 1973HA49, 1973TO14, 1973YO04, 1974HO1D,

1974WIIL, 1974WI1Q, 1975GR03; theor.).

$$64. \text{}^{13}\text{C}(\gamma, n)\text{}^{12}\text{C} \quad Q_m = -4.9464$$

At $E_{\text{bs}} = 28$ MeV, 4.4 and 15.1 MeV γ -rays have been observed corresponding to the population of $^{12}\text{C}^*(4.4, 15.1)$, while at $E_{\text{bs}} = 21$ MeV only $^{12}\text{C}^*(4.4)$ is excited (1971MU11). See also (1971WI1N), (1973KI1J; theor.) and ^{13}C in (1976AJ04).

$$65. \text{(a) } \text{}^{13}\text{C}(\text{p}, \text{d})\text{}^{12}\text{C} \quad Q_m = -2.7218$$

$$\text{(b) } \text{}^{13}\text{C}(\text{p}, \text{pn})\text{}^{12}\text{C} \quad Q_m = -4.9464$$

Angular distributions of the d_0 and d_1 groups to $^{12}\text{C}^*(0, 4.4)$ have been measured at $E_p = 8$ and 12 MeV (1966GL01), 17 MeV (1961BE12), 50 MeV (1970SC02) and 54.9 MeV (1968TA08). In addition angular distributions have also been measured for the groups to $^{12}\text{C}^*(12.7, 15.1, 16.1)$ at the two higher energies (1968TA08, 1970SC02). $^{12}\text{C}^*(14.1)$ is not excited, consistent with $J^\pi = 4^+$ (1970SC02, 1974PA01). At $E_p = 62$ MeV, (1974PA01) report the excitation of states with $E_x = 15112 \pm 5$, 16110 ± 5 [< 20], 17760 ± 20 [80 ± 20], 18800 ± 40 [80 ± 30], 21500 ± 100 [< 200] and 22550 ± 50 [< 200] keV [the numbers shown in the brackets are $\Gamma_{\text{c.m.}}$, in keV]: $l_n = 1$ for all states except $^{12}\text{C}^*(21.5)$ and (22.55) for which $l_p = (1)$ and $\neq 1$, respectively. Spectroscopic factors are derived by (1968TA08, 1970SC02, 1974PA01). At $E_p = 17$ MeV (1969CO06) give the ratio of $\sigma(\text{p}, \text{d})/\sigma(\text{p}, \bar{\text{d}})$ to the ground state of ^{12}C as 17. (1971OT02) suggest, however, that a part of the apparent (p, $\bar{\text{d}}$) cross section may be due to $^{12}\text{C} + n$ final state interaction through $^{13}\text{C}^*(10.75)$. In a kinematically complete experiment at $E_p = 7.9$ to 12.5 MeV, it is found that sequential decay via states in ^{13}C and ^{13}N is strongly involved in reaction (b). Near $E_p = 12.5$ MeV there is some indication of sequential decay via singlet deuteron formation (1971OT02). See also (1967SP09, 1970VA1K) and ^{13}C , ^{13}N and ^{14}N in (1976AJ04).

$$66. \text{}^{13}\text{C}(\text{d}, \text{t})\text{}^{12}\text{C} \quad Q_m = 1.3112$$

Angular distributions have been obtained at $E_d = 0.41$ to 0.81 MeV (1971PU01: t_0), 1.0 to 2.7 MeV (1970LI1E, 1971LI1K: t_0), 2.2 and 3.3 MeV (1954HO48: t_0), 8 and 12 MeV (1966GL01: t_0, t_1), 12.1, 13.3 and 14.0 MeV (1968TE04: t_0, t_1), 13.6 MeV (1973ZA06: t_0, t_1), 14.8 MeV (1960MA10: t_0, t_1, t_2), 15 MeV (1974LU06) and 28 MeV (1972BR27). In the latter experiment (1972BR27) have studied the triton groups to $^{12}\text{C}^*(12.7, 15.1, 16.1)$ [$J^\pi; T = (1^+; 0), (1^+; 1)$ and $(2^+; 1)$, respectively] and the ^3He groups, in the analogue reaction, to $^{12}\text{B}^*(0, 0.95)$ [$J^\pi = 1^+$; $T = 1$ and $J^\pi = 2^+$; $T = 1$, respectively]. The relative yield to $^{12}\text{C}^*(15.1)$ is greater than that to its analogue, $^{12}\text{B}_{\text{g.s.}}$, while the yields to the 2^+ states are in good agreement. The value of β required

to give the observed ratio of yields for the 1^+ states is 0.13 [in good agreement with the (d, d') results: see reaction 49]: the charge-dependent matrix element is then 250 ± 50 keV (1972BR27). See also ^{15}N in (1976AJ04), (1967SP09, 1969DE1H) and (1969LIID; theor.).

$$67. \text{ (a) } ^{13}\text{C}(^3\text{He}, \alpha)^{12}\text{C} \quad Q_m = 15.6321$$

$$\text{ (b) } ^{13}\text{C}(^3\text{He}, 2\alpha)^8\text{Be} \quad Q_m = 8.2653$$

Angular distributions have been measured at many energies up to $E(^3\text{He}) = 45$ MeV: see (1968AJ02) for the earlier references and (1971BO26: 1.5 to 5.3 MeV; $\alpha_0, \alpha_1, \alpha_2$) and (1968AR12: 19.1, 27.3, 35.7, 36.8 MeV; $\alpha_0, \alpha_1, \alpha_2, \alpha_3$ and α to $^{12}\text{C}^*(12.7, 15.1, 16.1)$). Angular correlations of α -particles and 4.4 MeV γ -rays have been studied at $E(^3\text{He}) = 4.5$ MeV (1962HO13) and for $\alpha\gamma_{15.1}$ at 9.4 and 11.2 MeV (1969TA09). See also (1975MA2J).

Attempts have been made using this reaction (1970RE09, 1971AR1L, 1974BA42) and reactions 49 and 66 to study the T mixing between the 1^+ states $^{12}\text{C}^*(12.71, 15.11)$. Reported values for Γ_α/Γ for $^{12}\text{C}^*(15.11)$ are $1.2 \pm 0.7\%$ (1970RE09, 1970RE1F), $6.0 \pm 2.5\%$ (1971AR1L), $4.1 \pm 0.9\%$ (1974BA42). The (1974BA42) value was obtained by observing the decay α -particles in reaction (b): adopting this value, and using the other parameters for the decay of $^{12}\text{C}^*(15.11)$ [see Table 12.9] leads to $\Gamma_\alpha = 1.8 \pm 0.3$ eV. If this isospin forbidden α -width is the result of mixing between the two 1^+ states via a charge-dependent interaction, the matrix element is 340 ± 60 keV (1974BA42). (1970RE09) have measured branching ratios for the decays of $^{12}\text{C}^*(12.7, 15.1)$: see Table 12.9. See also ^{16}O in (1977AJ02).

$$68. \text{ (a) } ^{13}\text{C}(^6\text{Li}, ^7\text{Li})^{12}\text{C} \quad Q_m = 2.3042$$

$$\text{ (b) } ^{13}\text{C}(^7\text{Li}, ^8\text{Li})^{12}\text{C} \quad Q_m = -2.9136$$

At $E(^7\text{Li}) = 34$ MeV angular distributions have been observed for the reactions to $^{12}\text{C}^*(0, 4.4) + ^7\text{Li}^*(\text{g.s.}, 0.48)$ and $^8\text{Li}^*(0, 0.95)$ in all combinations. While $^{12}\text{C}^*(0, 4.4)$ are dominant in the two spectra, $^{12}\text{C}^*(7.7, 9.6)$ and, in reaction (a) at $E(^6\text{Li}) = 36$ MeV, $^{12}\text{C}^*(12.7)$ are also populated (1973SC26).

$$69. \text{ (a) } ^{13}\text{C}(^{16}\text{O}, ^{17}\text{O})^{12}\text{C} \quad Q_m = -0.8040$$

$$\text{ (b) } ^{13}\text{C}(^{17}\text{O}, ^{18}\text{O})^{12}\text{C} \quad Q_m = 3.1004$$

$$\text{ (c) } ^{13}\text{C}(^{18}\text{O}, ^{19}\text{O})^{12}\text{C} \quad Q_m = -0.9895$$

Angular distributions have been obtained for reaction (a) at $E(^{16}\text{O}) = 14, 17$ and 20 MeV (1968KN1A, 1971BA68: $^{12}\text{C}_{\text{g.s.}} + ^{17}\text{O}^*(\text{g.s.}, 0.87)$), 41.7 and 46.0 MeV (1973DE21). See also ^{28}Si in (1973ENVA) and (1974BE1J; theor.).

For reaction (b) see (1974CH1Q). Ground state angular distributions for reaction (c) have been measured at $E(^{18}\text{O}) = 15, 20$ and 24 MeV (1971BA68, 1971KN05). See also (1974CH1Q).

$$70. \ ^{14}\text{C}(\text{p}, \text{t})^{12}\text{C} \quad Q_{\text{m}} = -4.6412$$

Angular distributions have been measured at $E_{\text{p}} = 14.5$ MeV (1971CU01: t_0), 18.5 MeV (1963LE03: t_0) and 39.8 MeV (1970OL1B, 1973HO10: t_0, t_1). At $E_{\text{p}} = 50.5$ MeV the excitation of a $T = 2$ state with $E_{\text{x}} = 27.595 \pm 0.020$ MeV is reported by (1970NE1A, 1971NE1B, 1971NE1E; unpublished results). This state has also been observed at $E_{\text{p}} = 54$ MeV as has another narrow state at $E_{\text{x}} = 29.6 \pm 0.1$ MeV. The angular distribution of the tritons to the lower state is consistent with $L = 0$; that for the higher state is rather featureless (D. Ashery, private communication). [See also reaction 24 in ^{12}B .] See also (1971KA04; theor.).

$$71. \text{ (a) } \ ^{14}\text{C}(^{16}\text{O}, ^{18}\text{O})^{12}\text{C} \quad Q_{\text{m}} = -0.9342$$

$$\text{ (b) } \ ^{14}\text{C}(^{18}\text{O}, ^{20}\text{O})^{12}\text{C} \quad Q_{\text{m}} = -1.563$$

Angular distributions leading to the ground states in reaction (a) have been measured at $E(^{16}\text{O}) = 20, 25$ and 30 MeV (1973SC24). For reaction (b) see (1972EY01) and ^{20}O in (1978AJ03).

$$72. \ ^{14}\text{N}(\gamma, \text{np})^{12}\text{C} \quad Q_{\text{m}} = -12.4971$$

See (1970TH01, 1972GE11), ^{13}C and ^{14}N in (1976AJ04), and (1973KI05; theor.).

$$73. \ ^{14}\text{N}(\text{n}, \text{t})^{12}\text{C} \quad Q_{\text{m}} = -4.0149$$

Angular distributions of the t_0 group have been measured at $E_{\text{n}} = 14\text{--}15$ MeV: see (1968AJ02). The γ -ray from $^{12}\text{C}^*(4.4)$ has been seen: $E_{\gamma} = 4436 \pm 5$ keV (1971NY03). See also ^{15}N in (1976AJ04) and (1971MI1H).

$$74. \ ^{14}\text{N}(\text{p}, \text{pd})^{12}\text{C} \quad Q_{\text{m}} = -10.2725$$

At $E_{\text{p}} = 46$ MeV the transitions to $^{12}\text{C}^*(0, 4.4)$ have been studied by (1970WE1J, 1971WE05). See also ^{14}N in (1976AJ04).

75. $^{14}\text{N}(\text{p}, ^3\text{He})^{12}\text{C}$

$$Q_m = -4.7787$$

Angular distributions have been studied at $E_p = 7.53, 8.03, 9.54$ and 10.54 MeV (1970ME30: g.s.), $20.5, 24.3, 29.4, 34.6, 40.1$ and 44.6 MeV (1974PI05: g.s., 4.4), 39.8 MeV (1973HO10: g.s., 4.4) and 50 MeV (1970SC02: g.s., 4.4, 12.7, 14.1, 15.1, 16.1). The results of (1970SC02) strongly indicate $J^\pi = 4^+$ for $^{12}\text{C}^*(14.1)$. See also ^{15}O in (1970AJ04, 1976AJ04), (1968SH11, 1968TO1E) and (1970CH1E; theor.).

76. (a) $^{14}\text{N}(\text{d}, \alpha)^{12}\text{C}$

$$Q_m = 13.5751$$

(b) $^{14}\text{N}(\text{d}, 2\alpha)^8\text{Be}$

$$Q_m = 6.2084$$

Observed α -particle groups are shown in Table 12.23 (1956DO41, 1965PE17, 1965SC12, 1972FA07). Angular distributions have been measured at many energies up to $E_d = 28.5$ MeV: see (1968AJ02) for the earlier work and (1969GO14: $1.0 - 3.1$ MeV; $\alpha_0 \rightarrow \alpha_3$), (1971AR41: $1.70, 2.30, 2.90$ MeV; $\alpha_0, \alpha_1, \alpha_2$), (1967BO37: $2.29 - 5.76$ MeV; α_0, α_1), (1969CU08: 10.5 MeV; $\alpha_0 \rightarrow \alpha_3$), (1970SC02: 15 to 20 MeV; α_0, α_1 and α to $^{12}\text{C}^*(12.7, 14.1)$), (1968SC1C: 17 MeV; $\alpha_1 \rightarrow \alpha_3$ and α to $^{12}\text{C}^*(12.7, 14.1)$), (1968MA1K: 20 MeV; $\alpha_0 \rightarrow \alpha_3$ and α to $^{12}\text{C}^*(12.7, 14.1)$) and (1967VI03: 28.5 MeV; α_0, α_1). At $E_d = 40$ MeV the upper limits for the ratio of the cross sections to $^{12}\text{C}^*(15.11)$ and $^{12}\text{C}^*(12.71)$ are $\approx 0.3\%$ for $\theta_{\text{lab}} = 6^\circ$ to 10° and 0.5% at 40° and 50° : these results by (1974VA15) imply a lower isospin mixing between these two 1^+ states than suggested by the work of (1972BR27): see reactions 49, 66 and 67. For reaction (b) see (1972FA07). See also ^{16}O in (1977AJ02), (1967SP09) and (1968DA1K, 1968ZE1B, 1969JO23, 1970JA1J; theor.).

77. $^{14}\text{N}(^3\text{He}, \text{p}\alpha)^{12}\text{C}$

$$Q_m = 8.0814$$

See (1969HO13), ^{13}N in (1970AJ04, 1976AJ04) and ^{16}O in (1971AJ02, 1977AJ02).

78. (a) $^{14}\text{N}(\alpha, ^6\text{Li})^{12}\text{C}$

$$Q_m = -8.7987$$

(b) $^{14}\text{N}(\alpha, \alpha\text{d})^{12}\text{C}$

$$Q_m = -10.2725$$

At $E_\alpha = 42$ MeV, angular distributions of ^6Li ions corresponding to transitions to $^{12}\text{C}^*(0, 4.4)$ have been measured by (1964ZA1A). Reaction (b) at $E_\alpha = 22.9$ MeV proceeds by sequential decay via states in ^{14}N , ^{16}O or ^6Li to $^{12}\text{C}_{\text{g.s.}}$ (1969BA17): see also ^6Li in (1974AJ01), ^{14}N in (1970AJ04) and ^{16}O in (1971AJ02).

79. (a) $^{14}\text{N}(^{10}\text{B}, 3\alpha)^{12}\text{C}$ $Q_m = 7.6413$
 (b) $^{14}\text{N}(^{10}\text{B}, ^{12}\text{C})^{12}\text{C}$ $Q_m = 14.9161$

See (1965SH1A) (reaction (a)) and (1973ST1A) (reaction (b)).

80. $^{15}\text{N}(\text{p}, \alpha)^{12}\text{C}$ $Q_m = 4.9661$

Angular distributions of α_0 and α_1 have been measured for E_p up to 18.6 MeV (see (1968AJ02)) and at six energies in the range $E_p = 19.85$ to 43.35 MeV (1971GU23). At $E_p = 43.7$ MeV the angular distributions to the 0^+ states $^{12}\text{C}^*(0, 7.66, 17.76)$ are fitted by $L = 1$, and $L = 3$ is consistent with the distributions to $^{12}\text{C}^*(14.1, 16.1)$ [$J^\pi = 4^+$ and 2^+ , respectively] (1972MA21). The lifetime of $^{12}\text{C}^*(4.4)$ $\tau_m = 65 \pm 9$ fsec (1970CO09). The energy of the second excited state of ^{12}C is 7654.2 ± 1.6 keV. The weighted average of this and previous values leads to $E_x = 7654.6 \pm 1.1$ keV, a value which leads to a sharply reduced rate for the $(\alpha\alpha\alpha)$ process (1973MC01). See also (1972CA1N, 1973CL1E; astrophys. questions) and (1967SP09).

81. $^{15}\text{N}(\alpha, ^7\text{Li})^{12}\text{C}$ $Q_m = -12.382$

At $E_\alpha = 42$ MeV angular distributions have been obtained for all four of the transitions $^{12}\text{C}_{\text{g.s.}} + ^7\text{Li}^*(\text{g.s.}, 0.48)$ and $^{12}\text{C}_{4.4}^* + ^7\text{Li}^*(\text{g.s.}, 0.48)$ (1968MI05).

82. (a) $^{16}\text{O}(\gamma, \alpha)^{12}\text{C}$ $Q_m = -7.1616$
 (b) $^{16}\text{O}(\gamma, 3\alpha)^4\text{He}$ $Q_m = -14.4364$

There is evidence for the involvement of many ^{12}C states: see (1965RO05, 1967CA1C). See also (1973CL1E; astrophys. questions).

83. (a) $^{16}\text{O}(\text{n}, \text{n}\alpha)^{12}\text{C}$ $Q_m = -7.1616$
 (b) $^{16}\text{O}(\text{p}, \text{p}\alpha)^{12}\text{C}$ $Q_m = -7.1616$

For reaction (a) see (1968AJ02). Reaction (b) appears to proceed primarily via excited states of ^{13}N and ^{16}O to $^{12}\text{C}^*(0, 4.4)$: see (1971EP03: $E_p = 46.8$ MeV) and (1973BO1D: $E_p = 50$ MeV), ^{13}N in (1976AJ04) and ^{16}O in (1971AJ02, 1977AJ02). At $E_p = 160$ MeV, unpublished measurements by S.L. Kannenberg quoted by (1971EP03) show that reaction (b) proceeds in part by quasi-elastic scattering to $^{12}\text{C}_{\text{g.s.}}$. See also (1970GO12).

84. $^{16}\text{O}(\text{d}, ^6\text{Li})^{12}\text{C}$ $Q_{\text{m}} = -5.6879$

Angular distributions have been determined at $E_{\text{d}} = 13.6$ and 14.6 MeV (1974GA30: g.s.), 14.6 MeV (1964DA1B: g.s.), 19.5 MeV (1971GU07: g.s., 4.4), 28 MeV (1972BE29, 1972BE1T: g.s., 4.4), 35 MeV (1975BE01: g.s.) and 55 MeV (1971MC04: g.s., 4.4, 7.7, 9.6, 14.1). See also (1969KE1C, 1972CO23), (1967OG1A, 1972GA1E) and (1971DR02, 1972RO1L, 1974DO03, 1974KU05; theor.).

85. $^{16}\text{O}(^3\text{He}, ^7\text{Be})^{12}\text{C}$ $Q_{\text{m}} = -5.575$

Angular distributions have been measured at $E(^3\text{He}) = 25.5$ to 29 MeV (1972PI1A: $^{12}\text{C}^*(0, 4.4) + ^7\text{Be}^*(0, 0.4)$) and 30 MeV (1970DE12: $^{12}\text{C}^*(0, 4.4, 9.6) + ^7\text{Be}^*(0, 0.4)$, $^{12}\text{C}^*(7.6) + ^7\text{Be}(0)$). See also (1971DE37, 1973PI1B, 1973ST1N) and (1972RO1L, 1973KL1B; theor.). (1975AU01) report the extraction of the α -particle pickup spectroscopic factor S_{α} using a finite range DWBA analysis ($E(^3\text{He}) = 26$ MeV).

86. (a) $^{16}\text{O}(\alpha, 2\alpha)^{12}\text{C}$ $Q_{\text{m}} = -7.1616$
 (b) $^{16}\text{O}(\alpha, ^8\text{Be})^{12}\text{C}$ $Q_{\text{m}} = -7.2535$

Reaction (a) at $E_{\alpha} = 25$ MeV proceeds in part by sequential decay via states in ^{16}O and ^{20}Ne (1968PA12): see (1971AJ02, 1972AJ02). See also (1971BR1G, 1972SH1J). Angular distributions for the transitions to $^{12}\text{C}^*(0, 4.4)$ in reaction (b) have been studied at $E_{\alpha} = 35.5$ to 41.9 MeV (1965BR13) and 65 MeV (1973WO06). The excitation of $^{12}\text{C}^*(9.6, 14.1)$ is also reported (1973WO06, 1974WO1D). See also (1972SH10; theor.) and (1973SC1B).

87. $^{16}\text{O}(^{14}\text{N}, ^{18}\text{F})^{12}\text{C}$ $Q_{\text{m}} = -2.746$

See (1966GA10). See also (1969BR1D) and (1970AN1D; theor.).

88. $^{16}\text{O}(^{16}\text{O}, ^{20}\text{Ne})^{12}\text{C}$ $Q_{\text{m}} = -2.432$

Angular distributions have been measured at $E(^{16}\text{O}) = 23.9$ MeV (1974SP06: g.s. + g.s.) and 51.5 MeV (1974RO04: $^{12}\text{C}^*(0, 4.4)$ and various ^{20}Ne states). See also (1971SI1F, 1973PE1D, 1974ER1A), ^{20}Ne in (1978AJ03) and ^{32}S in (1973ENVA).

$$89. {}^{17}\text{O}(\text{d}, {}^7\text{Li}){}^{12}\text{C} \quad Q_{\text{m}} = -2.580$$

See (1967DE03).

$$90. {}^{18}\text{O}(\text{p}, \text{t}\alpha){}^{12}\text{C} \quad Q_{\text{m}} = -10.869$$

The decay of the lowest $T = 2$ state of ${}^{16}\text{O}$ to ${}^{12}\text{C}^*(0, 4.4)$ has been studied by (1973KO02). See also ${}^{16}\text{O}$ in (1977AJ02).

$$91. {}^{18}\text{O}(\text{d}, {}^8\text{Li}){}^{12}\text{C} \quad Q_{\text{m}} = -8.594$$

See (1963DE02; unpublished).

$$92. {}^{19}\text{F}(\text{p}, {}^8\text{Be}){}^{12}\text{C} \quad Q_{\text{m}} = 0.861$$

See (1969GO1B, 1971GO1R). See also ${}^{20}\text{Ne}$ in (1972AJ02).

$$93. {}^{19}\text{F}(\text{d}, {}^9\text{Be}){}^{12}\text{C} \quad Q_{\text{m}} = 0.302$$

Ground state angular distributions have been measured at $E_{\text{d}} = 9$ to 14.5 MeV (1964DA1B, 1967DE03, 1967DE14).

$$94. {}^{19}\text{F}({}^3\text{He}, {}^{10}\text{B}){}^{12}\text{C} \quad Q_{\text{m}} = 1.393$$

See (1967DE14).

$$95. {}^{19}\text{F}({}^{13}\text{C}, {}^{20}\text{F}){}^{12}\text{C} \quad Q_{\text{m}} = 1.655$$

See (1972SE1J).

$$96. {}^{19}\text{F}({}^{15}\text{N}, {}^{22}\text{Ne}){}^{12}\text{C} \quad Q_{\text{m}} = 6.641$$

See (1973GA14).

$$97. {}^{20}\text{Ne}(\alpha, {}^{12}\text{C}){}^{12}\text{C} \quad Q_m = -4.6168$$

The α -induced fission of ${}^{20}\text{Ne}$ has been studied by (1962LA05, 1962LA03, 1962LA15, 1963LA1B). See also (1974VO09, 1974WI05).

$$98. {}^{24}\text{Mg}({}^{16}\text{O}, {}^{28}\text{Si}){}^{12}\text{C} \quad Q_m = 2.823$$

At $E({}^{16}\text{O}) = 42$ MeV (1972MA36) and 56 MeV (1974GR1R) angular distributions involving ${}^{12}\text{C}^*(4.4)$ and several ${}^{28}\text{Si}$ states have been measured.

^{12}N
(Figs. 7 and 8)

GENERAL: (See also (1968AJ02).)

Model calculations: (1973HA49, 1973KU1L, 1973SA30).

Muon and neutrino interactions: (1972KE06, 1972UB01).

Pion reactions: (1970HI10, 1970RA39, 1973BE1X, 1973UB01, 1974BO27, 1974EP02, 1974SE02).

Other topics: (1969GA1G, 1972AN05, 1972JA14, 1972OC01, 1973HA77, 1973RO1R, 1974IR04).

$$\mu = +(0.4571 \pm 0.0005) \text{ nm (1968SU05)}.$$

See also (1971SH26, 1972VA36, 1973KU1L, 1973MA1K, 1973SU1B, 1974HA2C).

1. $^{12}\text{N}(\beta^+)^{12}\text{C}$ $Q_m = 17.344$

The half-life of ^{12}N is 10.97 ± 0.04 msec: see Table 12.28 in (1968AJ02). ^{12}N decays to $^{12}\text{C}^*(0, 4.44, 7.65, 10.3, 12.71, 15.11)$: see Table 12.24.

2. $^{10}\text{B}(^3\text{He}, n)^{12}\text{N}$ $Q_m = 1.569$

Observed neutron groups are displayed in Table 12.26 (1966ZA01, 1968AD03, 1970BO39, 1971ADZZ, 1974FU11). Angular distributions have been studied at $E(^3\text{He}) = 2.5$ to 5.8 MeV (see (1968AJ02)), at 11 MeV (1970BO39: n_0 and n to $^{12}\text{N}^*(5.3)$) and at 12.5 and 13 MeV (1974FU11: to states shown in Table 12.26 except $^{12}\text{N}^*(2.4)$). See also (1970CH1G).

3. $^{12}\text{C}(p, n)^{12}\text{N}$ $Q_m = -18.126$

$$E_{\text{thresh.}} = 19.658 \pm 0.005 \text{ (1969OV01)}.$$

At $E_p = 50$ MeV neutron groups are reported to ^{12}N states at $E_x = 0, 1.0 \pm 0.1, 3.7 \pm 0.2, 4.2 \pm 0.2, 5.3 \pm 0.2$ and 7.5 ± 0.3 MeV [compare with Table 12.25]. Angular measurements have been measured at $E_p = 30.5$ and 49.5 MeV for the two most energetic groups (1970CL01). See also (1969JU1A, 1970AM1A, 1970WI1B, 1973WA1K, 1975CA1W) and (1968AJ02).

4. $^{12}\text{C}(^3\text{He}, t)^{12}\text{N}$ $Q_m = -17.362$

Table 12.25: Energy levels of ^{12}N

E_x (MeV \pm keV)	$J^\pi; T$	$\tau_{1/2}$ or $\Gamma_{\text{c.m.}}$ (keV)	Decay	Reactions
g.s.	$1^+; 1$	$\tau_{1/2} = 10.97 \pm 0.4$ msec	β^+	1, 2, 3, 4, 5, 6
0.964 ± 8	$2^+; 1$	$\Gamma < 35$ keV	(p)	2, 3, 4, 5
1.192 ± 9	$(2)^-; 1$	140 ± 30	(p)	2, 3, 4
(1.72 ± 0.08)			(p)	2
2.43 ± 40			(p)	2, 4, 5
3.114 ± 15	$\pi = +$	210 ± 50	(p)	2, 4
3.533 ± 15	$(2)^+; 1$	170 ± 50	(p)	2, 3, 4, 5
4.25 ± 30		290 ± 70	(p)	2, 3, 4
5.320 ± 12		180 ± 20	(p)	2, 3, 4
(6.4)			(p)	2
(6.9)			(p)	2, 5
7.629 ± 20		200 ± 40	(p)	2, 3
8.446 ± 17		90 ± 30		2
9.035 ± 12		< 35		2

Table 12.26: Neutron groups from $^{10}\text{B}(^3\text{He}, \text{n})^{12}\text{N}$ ^a

E_x (MeV \pm keV)				L	$\Gamma_{\text{c.m.}}$ (keV)	
(1966ZA01)	(1968AD03, 1971ADZZ) ^b	(1970BO39)	(1974FU11)	(1974FU11)	(1966ZA01)	(1974FU11) ^h
g.s.	g.s.	g.s. ^c	g.s.	2	sharp	20 ± 20
0.959 ± 20	0.972 ± 13		0.960 ± 12	2	< 50	16 ± 20
1.24 ± 30	1.195 ± 13		1.189 ± 12	1	140 ± 40	140 ± 30
(1.72 ± 0.08)	(1.75)					
2.4 ± 100	(2.44)		(2.40 ± 60)			
3.14 ± 80			3.114 ± 15	2	280 ± 80	180 ± 40
3.57 ± 80			3.533 ± 15	2	270 ± 80	120 ± 40
		4.3	4.250 ± 30 ^f			290 ± 70 ^f
		5.3 ^d	5.320 ± 12	(0)		180 ± 20
		6.4 ^e				
		6.9 ^e				
		7.7 ^e	7.629 ± 20			200 ± 40
			8.446 ± 17			90 ± 30
		9.2 ^e	9.035 ± 12			16 ± 20
			g			

^a See also Table 12.29 in (1968AJ02).

^b Values shown are from the unpublished report (1971ADZZ). (1968AD03) reported $E_x = 969 \pm 10, 1191 \pm 10$ keV.

^c $L = 2$.

^d $L = 0$ assignment is made by authors who suggest $J^\pi = 3^+$ for $^{12}\text{N}^*(5.3)$.

^e Reported to be involved in the sequential decay at $E(^3\text{He}) = 11$ MeV. These E_x are given to ± 50 keV.

^f May be due to unresolved states.

^g (1970CH1G; unpublished) also reports the excitation of states at $E_x = 9.6, 10.2, 11.0$ and 11.6 MeV.

^h T.G. Masterson, private communication.

Table 12.27: States of ^{12}N from $^{12}\text{C}(^3\text{He}, \text{t})^{12}\text{N}$

(1969BA06)		(1969BA06)
E_x (MeV \pm keV)	J^π ^a	E_x (MeV \pm keV)
g.s.		3.10 ± 30
0.96 ± 20	2^+	3.50 ± 40 ^b
1.20 ± 30	(2^-)	4.24 ± 50 ^c
2.43 ± 40 ^b		5.27 ± 40

^a Determined in this study.

^b Angular distributions were not measured.

^c Broad or unresolved.

Triton groups observed at $E(^3\text{He}) = 49.8$ MeV are shown in Table 12.27 (1968BA1E, 1969BA06). Angular distributions of inelastically scattered ^3He to $^{12}\text{C}^*(15.11, 16.11, 16.58, 19.57)$ have been compared with those of the tritons to $^{12}\text{N}^*(0, 0.96, 1.19, 4.25)$. When the ^3He cross sections are corrected for phase-space and isospin factors, the angular distributions are closely similar (to within 10%) to those for the triton groups, strongly suggesting isobaric analogues (1969BA06). Angular distributions have also been studied at $E(^3\text{He}) = 217$ MeV (1974WI16: 0, 0.96, 3.53; partly resolved). See also (1970AR05, 1973PA1C).

5. $^{14}\text{N}(\text{p}, \text{t})^{12}\text{N}$ $Q_m = -22.141$

At $E_p = 46$ MeV triton groups are reported to $^{12}\text{N}^*(0, 0.97, 2.41, 3.50, 4.51, 5.13, 6.12, 7.13)$ (1968FO1C, 1968TO1E, 1969KI1C; abstracts). See also (1971KA04; theor.).

6. $^{16}\text{O}(^3\text{He}, ^7\text{Li})^{12}\text{N}$ $Q_m = -22.058$

See (1971DE37).

^{12}O
(Not illustrated)

This nucleus has not been observed: see (1968AJ02, 1972WA07, 1973SP1A, 1974IR04).

^{12}F
(Not illustrated)

This nucleus has not been observed: see (1974IR04).

References

(Closed 31 January 1975)

References are arranged and designated by the year of publication followed by the first two letters of the first-mentioned author's name and then by two additional characters. Most of the references appear in the National Nuclear Data Center files (Nuclear Science References Database) and have NNDC key numbers. Otherwise, TUNL key numbers were assigned with the last two characters of the form 1A, 1B, etc. In response to many requests for more informative citations, we have, when possible, included up to ten authors per paper and added the authors' initials.

- 1948JE03 J.V. Jelley and E.B. Paul, Proc. Cambridge Phil. Soc. 44 (1948) 133
- 1950BU1A Buechner, van Patter, Strait and Sperduto, Phys. Rev. 70 (1950) 262
- 1951BO45 C.K. Bockelman, D.W. Miller, R.K. Adair and H.H. Barschall, Phys. Rev. 84 (1951) 69
- 1953BE61 O. Beckman, T. Huus and C. Zupancic, Phys. Rev. 91 (1953) 606
- 1953EL12 M.M. Elkind, Phys. Rev. 92 (1953) 127
- 1953HO48 J.R. Holt and T.N. Marsham, Prog. Phys. Soc. A66 (1953) 1032
- 1953HU29 T. Huus and R.B. Day, Phys. Rev. 91 (1953) 599
- 1954BU06 W.H. Burke, J.R. Risser and G.C. Phillips, Phys. Rev. 93 (1954) 188
- 1954HO48 H.D. Holmgren, J.M. Blair, B.E. Simmons, T.F. Stratton and R.V. Stuart, Phys. Rev. 95 (1954) 1544
- 1955AJ61 F. Ajzenberg and T. Lauritsen, Rev. Mod. Phys. 27 (1955) 77
- 1955BA22 J.K. Bair, J.D. Kington and H.B. Willard, Phys. Rev. 100 (1955) 21
- 1955GO59 F.K. Goward and J.J. Wilkins, Proc. Roy. Soc. 228 (1955) 376
- 1955HO48 R.E. Holland, D.R. Inglis, R.E. Malm and F.P. Mooring, Phys. Rev. 99 (1955) 92
- 1955MA76 J.B. Marion, T.W. Bonner and C.F. Cook, Phys. Rev. 100 (1955) 847
- 1955WI25 H.B. Willard, J.K. Bair and J.D. Kington, Phys. Rev. 98 (1955) 669
- 1956AR21 A.H. Armstrong and G.M. Frye, Jr., Phys. Rev. 103 (1956) 335
- 1956DO41 R.A. Douglas, J.W. Broer, R. Chiba, D.F. Herring and E.A. Silverstein, Phys. Rev. 104 (1956) 1059
- 1956TA07 N.W. Tanner, Phil. Mag. 1 (1956) 47
- 1957CO59 C.W. Cook, W.A. Fowler, C.C. Lauritsen and T. Lauritsen, Phys. Rev. 107 (1957) 508
- 1957DE11 G. Dearnaley, G.A. Dissanaïke, A.P. French and G.L. Jones, Phys. Rev. 108 (1957) 743
- 1958CO66 C.W. Cook, W.A. Fowler, C.C. Lauritsen and T. Lauritsen, Phys. Rev. 111 (1957) 567
- 1958KA31 R.W. Kavanagh and C.A. Barnes, Phys. Rev. 112 (1958) 503

1958MO99 C.D. Moak, A. Galonsky, R.L. Traugber and C.M. Jones, Phys. Rev. 110 (1958) 1369

1958RA14 V.K. Rasmussen, F.R. Metzger and C.P. Swann, Phys. Rev. 110 (1958) 154

1958WY67 M.E. Wyman, E.M. Fryer and M.M. Thorpe, Phys. Rev. 112 (1958) 1264

1959AJ76 F. Ajzenberg and T. Lauritsen, Nucl. Phys. 11 (1959) 1

1959AL1A E. Almqvist, et al., Phys. Rev. 114 (1959) 1040

1959GA09 E.L. Garwin, Phys. Rev. 114 (1959) 143

1959GI47 J.H. Gibbons and R.L. Macklin, Phys. Rev. 114 (1959) 571

1959MO12 G.C. Morrison and J.A. Galey, Phys. Rev. 116 (1959) 1583

1959PE32 A.S. Penfold and E.L. Garwin, Phys. Rev. 116 (1959) 120

1959SA04 M. Sakisaka, J. Phys. Soc. Jpn. 14 (1959) 554

1960AL04 D.E. Alburger, Phys. Rev. 118 (1960) 235

1960BA38 F.C. Barker, E. Bradford and L.J. Tassie, Nucl. Phys. 19 (1960) 101

1960FO01 P.D. Forsyth, F. de S. Barros, A.A. Jaffe, I.J. Taylor and S. Ramavataram, Proc. Phys. Soc. (London) A75 (1960) 291

1960HI08 S. Hinds and R. Middleton, Proc. Phys. Soc. (London) 75 (1960) 754

1960JA01 D. Jamnik and P. Axel, Phys. Rev. 117 (1960) 194

1960JA17 A.A. Jaffe, F. de S. Barros, P.D. Forsyth, J. Muto, I.J. Taylor and S. Ramavataram, Prog. Phys. Soc. 76 (1960) 914

1960MA10 S. Mayo and A.I. Hamburger, Phys. Rev. 117 (1960) 832

1961AL23 D.E. Alburger, Phys. Rev. 124 (1961) 193

1961BE12 E.F. Bennett, Phys. Rev. 122 (1961) 595

1961CA13 R.R. Carlson, Nucl. Phys. 28 (1961) 443

1961FO07 D.B. Fossan, R.L. Walter, W.E. Wilson and H.H. Barschall, Phys. Rev. 123 (1961) 209

1961GO13 H.E. Gove, A.E. Litherland and R. Batchelor, Nucl. Phys. 26 (1961) 480

1961HI08 J. Hinds and R. Middleton, Proc. Phys. Soc. (London) 78 (1961) 81

1961HO19 R.K. Hobbie, C.W. Lewis and J.M. Blair, Phys. Rev. 124 (1961) 1506

1961LE11 G.J.F. Legge, Nucl. Phys. 26 (1961) 616

1961LI04 D.A. Lind and R.B. Day, Ann. Phys. 12 (1961) 485

1961SE10 R.E. Segel and M.J. Bine, Phys. Rev. 124 (1961) 814

1961VA1C Valter et al., Ukr. Fiz. Zh. 6 (1961) 457

1962BE24 E. Berkowitz, S. Bashkin, R.R. Carlson, S.A. Coon and E. Norbeck, Phys. Rev. 128 (1962) 247
 1962BL10 S.L. Blatt and W.E. Meyerhof, Bull. Amer. Phys. Soc. 7 (1962) 624, W8
 1962BR10 C.P. Browne, W.E. Dorenbusch and J.R. Erskine, Phys. Rev. 125 (1962) 992
 1962CH1B Chizhov et al., Nucl. Phys. 34 (1962) 562
 1962EL01 A.J. Elwyn and R.O. Lane, Nucl. Phys. 31 (1962) 78
 1962GU01 G.D. Gutsche, H.D. Holmgren, L.M. Cameron and R.L. Johnston, Phys. Rev. 125 (1962) 648
 1962HO13 H.D. Holmgren and E.A. Wolicki, Nucl. Phys. 38 (1962) 489
 1962IM01 W.L. Imhof, R.G. Johnson, F.J. Vaughn and M. Walt, Phys. Rev. 125 (1962) 1334
 1962KA1A Kantele and Garoner, Nucl. Phys. 35 (1962) 353
 1962LA03 N.O. Lassen, Phys. Lett. 1 (1962) 65
 1962LA05 N.O. Lassen, Phys. Lett. 1 (1962) 161
 1962LA15 N.O. Lassen, Nucl. Phys. 38 (1962) 442
 1962MA22 T. Mayer-Kuckuk and F.C. Michel, Phys. Rev. 127 (1962) 545
 1962MC12 R.L. McGrath, Phys. Rev. 127 (1962) 2138
 1962WA31 E.K. Warburton and H.O. Funsten, Phys. Rev. 128 (1962) 1810
 1963AL15 D.E. Alburger, Phys. Rev. 131 (1963) 1624
 1963BE18 J.A. Becker and J.D. Fox, Nucl. Phys. 42 (1963) 669
 1963BO36 P. Bounin and G.R. Bishop, J. Phys. 24 (1963) 974
 1963CA09 R.R. Carlson and E. Norbeck, Phys. Rev. 131 (1963) 1204
 1963DE02 L.J. Denes and W.W. Daehnick, Bull. Amer. Phys. Soc. 8 (1963) 25, F1
 1963DI16 J.K. Dickens, D.A. Haner and C.N. Waddell, Phys. Rev. 132 (1963) 2159
 1963DU12 J.L. Duggan, P.D. Miller and R.F. Gabbard, Nucl. Phys. 46 (1963) 336
 1963GL04 N.W. Glass and R.W. Peterson, Phys. Rev. 130 (1963) 299
 1963HU02 M.N. Huberman, M. Kamegai and G.C. Morrison, Phys. Rev. 129 (1963) 791
 1963LA1B Lassen and Olsen, Mat-Fys. Medd. Kgl. Danske Videnskab. Selskab. 33 (1963) 1
 1963LE03 J.C. Legg, Phys. Rev. 129 (1963) 272
 1963PE10 R.W. Peterson and N.W. Glass, Phys. Rev. 130 (1963) 292
 1963SY01 G.D. Symons and P.B. Treacy, Nucl. Phys. 46 (1963) 93
 1963WA20 W.K. Warburton and L.F. Chase, Jr., Phys. Rev. 132 (1963) 2273
 1963WI05 D.H. Wilkinson, D.E. Alburger, A. Gallmann and P.F. Donovan, Phys. Rev. 130 (1963) 1953

- 1964AL20 R.G. Allas, S.S. Hanna, L. Meyer-Schutzmeister and R.E. Segel, Nucl. Phys. 58 (1964) 122
- 1964AM1C Amaldi et al., Phys. Rev. Lett. 13 (1964) 341
- 1964BA16 J.K. Bair, C.M. Jones and H.B. Willard, Nucl. Phys. 53 (1964) 209
- 1964BL12 J.L. Black, G.A. Jones and P.B. Treacy, Nucl. Phys. 54 (1964) 689
- 1964BR1A Breuer, Z. Phys. 178 (1964) 268
- 1964BR25 T.A. Brinkley, B.A. Robson and E.W. Titterton, Proc. Phys. Soc. (London) 84 (1964) 201
- 1964CA18 R.R. Carlson and M. Throop, Phys. Rev. 136 (1964) B630
- 1964CR11 H.L. Crannell and T.A. Griffy, Phys. Rev. 136 (1964) B1580
- 1964DA1B W.W. Daehnick and L.J. Denes, Phys. Rev. 136 (1964) B1325.
- 1964GE1A Gemmell, Erskine and Schiffer, Phys. Rev. 134 (1964) B110
- 1964HA23 I. Hall and N.W. Tanner, Nucl. Phys. 53 (1964) 673
- 1964JA03 J.C. Jacmart, J.P. Garron, M. Riou and C. Ruhla, Phys. Lett. 8 (1964) 269
- 1964KA1A Kawai, Terasawa and Izumo, Nucl. Phys. 59 (1964) 289
- 1964MI04 R. Middleton and D.J. Pullen, Nucl. Phys. 51 (1964) 50
- 1964OL1A Ollerhead, Chasman and Bromley, Phys. Rev. 134 (1964) B74
- 1964PU01 D.J. Pullen, J.R. Rook and R. Middleton, Nucl. Phys. 51 (1964) 88
- 1964SC07 F.H. Schmidt, R.E. Brown, J.B. Gerhart and W.A. Kolasinski, Nucl. Phys. 52 (1964) 353
- 1964SH1B Shklyarevsky, Nucl. Phys. 54 (1964) 125
- 1964TO1A M.E. Toms, Nucl. Phys. 50 (1964) 561
- 1964ZA1A C.D. Zafiratos, Phys. Rev. 136 (1964) B1279
- 1965AL1B D.E. Alburger and P.F. Donovan, Rev. Mod. Phys. 37 (1965) 448
- 1965BI1B Bishop, Phys. Lett. 17 (1965) 310
- 1965BR13 R.E. Brown, J.S. Blair, D. Bodansky, N. Cue and C.D. Kavaloski, Phys. Rev. 138 (1965) B1394
- 1965CH12 G. Charpak, G. Gregoire, L. Massonnet, J. Saudinos, J. Favier, M. Gusakow and M. Jean, Phys. Lett. 16 (1965) 54
- 1965CO25 S. Cohen and D. Kurath, Nucl. Phys. 73 (1965) 1; Erratum Nucl. Phys. 89 (1966) 707
- 1965DI06 G. Din and J.L. Weil, Nucl. Phys. 71 (1965) 641
- 1965GA02 A. Gallman, F. Hibou, P. Fintz, P.E. Hodgson and E.K. Warburton, Phys. Rev. 138 (1965) B560

- 1965GI10 L. Gilly, M. Jean, R. Meunier, M. Spighel, J.P. Stroot and P. Duteil, Phys. Lett. 19 (1965) 335
- 1965GL04 R.N. Glover and A.D.W. Jones, Phys. Lett. 16 (1965) 69
- 1965HA17 D. Hasselgren, P.U. Renberg, O. Sundberg and G. Tibell, Nucl. Phys. 69 (1965) 81
- 1965HU10 H. Hulubei, M. Ivascu, A. Berinde, I. Neamu, N. Scintei, I. Francz, N. Martalogu and E. Marincu, Rev. Roum. Phys. 10 (1965) 403
- 1965KO1A Kokame, Fukunaga, Nakamura and Inoue, Bull. Inst. for Chem. Research, Kyoto Univ., Suppl. Issue (1965) 26
- 1965OL01 W.C. Olsen, W.K. Dawson, G.C. Neilson and J.T. Sample, Nucl. Phys. 61 (1965) 625
- 1965OV01 J.C. Overley, R.R. Borchers, Nucl. Phys. 65 (1965) 156
- 1965PE17 R.H. Pehl, J. Cerny, E. Rivet and B.G. Harvey, Phys. Rev. 140 (1965) B605
- 1965PO03 A.M. Poskanzer, P.L. Reeder and I. Dostrovsky, Phys. Rev. 138 (1965) B18
- 1965RO05 J.P. Roalsvig, Can. J. Phys. 43 (1965) 1015
- 1965SC12 W.A. Schier and C.P. Browne, Phys. Rev. 138 (1965) B857
- 1965SE06 R.E. Segel, S.S. Hanna and R.G. Allas, Phys. Rev. 139 (1965) B818
- 1965SH1A Shumilov, Klyucharev and Rutkevich, Yad. Fiz. 2 (1965) 1030
- 1965WA04 B.D. Walker, C. Wong, J.D. Anderson and J.W. McClure, Phys. Rev. 137 (1964) B1504
- 1965WY1A Wyckoff, Ziegler, Koch and Uhlig, Phys. Rev. 137 (1965) B576
- 1966BA1A Bahcall, Nucl. Phys. 75 (1966) 10
- 1966BA1G Baldeweg et al., Nucl. Phys. 84 (1966) 305
- 1966BR1D Broder, Dovbenko, Kolesov, Latshuk and Sadokhin, FEI-32 (1966)
- 1966CO09 B.C. Cook, J.E.E. Baglin, J.N. Bradford and J.E. Griffin, Phys. Rev. 143 (1966) 724
- 1966FU02 S.C. Fultz, J.T. Caldwell, B.L. Berman, R.L. Bramblett and R.R. Harvey, Phys. Rev. 143 (1966) 790
- 1966GA10 R.M. Gaedke and K.S. Toth, Nucl. Phys. 83 (1966) 353
- 1966GL01 R.N. Glover and A.D.W. Jones, Nucl. Phys. 84 (1966) 673
- 1966GL1B R.N. Glover and A.D.W. Jones, Nucl. Phys. 81 (1966) 268
- 1966HA21 R.L. Hahn and E. Ricci, Phys. Rev. 146 (1966) 650
- 1966LO04 W.A. Lochstet and W.E. Stephens, Phys. Rev. 141 (1966) 1002
- 1966MC05 R.L. McGrath, Phys. Rev. 145 (1966) 802
- 1966MO05 J. Mosner, G. Schmidt and J. Schintlmeister, Nucl. Phys. 75 (1966) 113
- 1966PI02 L.L. Pinsonneault and J.M. Blair, Phys. Rev. 141 (1966) 961

- 1966SC23 D. Schwalm and B. Povh, Nucl. Phys. 89 (1966) 401
- 1966ST17 B.Z. Stepanic, D.M. Stanojevic, R.V. Popic and M.R. Aleksic, Bull. Inst. Nucl. Sci. Boris Kidrich (Belgrade) 17 (1966) 237
- 1966WA10 E.K. Warburton, J.W. Olness, K.W. Jones, C. Chasman, R.A. Ristinen and D.H. Wilkinson, Phys. Rev. 148 (1966) 1072
- 1966WA16 M.A. Waggoner, J.E. Etter, H.D. Holmgren and C. Moazed, Nucl. Phys. 88 (1966) 81
- 1966WI01 H.H. Williams, E.K. Warburton, K.W. Jones and J.W. Olness, Phys. Rev. 144 (1966) 801
- 1966ZA01 C.D. Zafiratos, F. Ajzenberg-Selove and F.S. Dietrich, Nucl. Phys. 77 (1966) 81; Erratum Nucl. Phys. 89 (1966) 706
- 1967AL03 D.E. Alburger and D.H. Wilkinson, Phys. Rev. 153 (1967) 1061
- 1967AL16 A.U. Aldzhauakhiri, A.V. Spasskii, I.B. Teplov and L.N. Fateeva, Yad. Fiz. 6 (1967) 248; Sov. J. Nucl. Phys. 6 (1968) 180
- 1967AM03 U. Amaldi, Jr., G.C. Venuti, G. Cortellessa, E. De sanctis, S. Frullani, R. Lombard and P. Salvadori, Phys. Lett. B25 (1967) 24
- 1967AM1A Amaldi, ISS 66/30 (1967)
- 1967AM1C Amaldi et al., Proc. Problem Symp. on Nucl. Phys., Tbilisi, Apr. 1967 (Moscow, 1967) 360
- 1967BA1D Bastawros, Dissertation Abs. B28 (1967); Phys. Abs. 43085 (1968)
- 1967BE1F Beery, Harper, Stovall and Rosen, Los Alamos Sci. Lab. Rept. LA-3788 (1967)
- 1967BO37 K. Boehle, J. Leifson, V. Meyer and H.H. Muller, Helv. Phys. Acta 40 (1967) 973
- 1967BR1B Browne and O'Donnell, Proc. 3rd Int. Conf. on Atomic Masses, Winnipeg, Canada, 1967 (Winnipeg Univ. Manitoba Press, 1967) 508
- 1967CA1C Caldwell, UCRL 50287 (1967)
- 1967CA1D Carlson, Nucl. Research with Low Energy Accelerators, Eds. Marion and van Patter (Academic Press, 1967) 475
- 1967CH19 C. Chasman, K.W. Jones, R.A. Ristinen and D.E. Alburger, Phys. Rev. 159 (1967) 830
- 1967CO1F Comfort and Baglin, Bull. Amer. Phys. Soc. 12 (1967) 34
- 1967CO29 P.M. Cockburn and I.S. Grant, Nucl. Sci. App. 3 (1967) 10
- 1967CR01 H. Crannell, T.A. Griffy, L.R. Suelzle and M.R. Yearian, Nucl. Phys. A90 (1967) 152
- 1967CR04 M.A. Crosby and J.C. Legg, Nucl. Phys. A95 (1967) 639
- 1967DE03 L.J. Denes and W.W. Daehnick, Phys. Rev. 154 (1967) 928
- 1967DE14 D. Dehnhard, D.S. Gemmell and Z. Vager, Nucl. Phys. A104 (1967) 202

- 1967DI01 G.U. Din, M.A. Nagarajan and R. Pollard, Nucl. Phys. A93 (1967) 190
- 1967DO1A Dolbilkin, Proc. P. N. Lebedev Inst. 36 (1967) 17
- 1967EA01 L.G. Earwaker, Nucl. Phys. A90 (1967) 56
- 1967EN1A Engelhardt and Fontenille, France, Commissariat A L'Energie Atomique, Rept. CEA 3270 (1967)
- 1967EV1B Evseev, Proc. Problem Symp. on Nucl. Phys., Tbilisi, Apr. 1967 (Moscow, 1967) 669
- 1967FE04 L. Feldman, B.B. Baliga and M. Nessim, Phys. Rev. 157 (1967) 921
- 1967FL12 Y. Flamant, Y. Chanut and R. Ballini, J. Phys. (Paris) 28 (1967) 622
- 1967FL16 F. Flesch and P. Hille, Oesterr. Akad. Wiss. Math-Naturw. Kl. Sitzber. Abt. II, 176 (1967) 45
- 1967FO1A Fowler and Mayes, Proc. Phys. Soc. (London) 92 (1967) 377
- 1967FU07 H. Fuchs, K. Grabisch, P. Kraaz and G. Roschert, Nucl. Phys. A105 (1967) 590
- 1967GA06 D.S. Gale and J.M. Blair, Phys. Rev. 161 (1967) 1061
- 1967GO1A G. Goldring, H.M. Loebenstein, I. Plesser and M.W. Sachs, Phys. Lett. B25 (1967) 538
- 1967GO27 Y.V. Gofman, N.I. Zaika, A.V. Mokhnach, O.F. Nemets, P.L. Shmarin and A.M. Yasnogorodskii, Yad. Fiz. 5 (1967) 718; Sov. J. Nucl. Soc. 5 (1967) 510
- 1967HA1F Hansen, Stelts, Vidal and Wesolowski, Bull. Amer. Phys. Soc. 12 (1967) 534
- 1967HA1G F.J.W. Hahne, Nucl. Phys. A104 (1967) 545
- 1967HI1B Hill et al., Proc. 2nd Int. Conf. on High Energy Phys. and Nucl. Struct., Rehovoth (1967); Phys. Abs. 33884 (1968)
- 1967HO1C Holmgren, Nucl. Research with Low Energy Accelerators, Eds. Marion and van Patter (Academic Press, 1967) 213
- 1967JO13 C. Joseph, G.-A. Grin, J.-C. Alder and B. Vaucher, Helv. Phys. Acta 40 (1967) 693
- 1967KI03 K.G. Kibler, Phys. Rev. 155 (1967) 1110
- 1967KO1B Kolybasov and Smorodinskaya, Yad. Fiz. 5 (1967) 777
- 1967KR05 K. Kramer, H.V. Buttlar, A. Goldmann and B. Huber, Z. Phys. 207 (1967) 1
- 1967KU1D Kuemmel, Proc. 3rd Int. Conf. on Atomic Masses, Winnipeg, Canada, 1967 (Winnipeg, U. Manitoba Press, 1967) 20
- 1967LE13 H.K. Lee and H. McManus, Phys. Rev. 161 (1967) 1087
- 1967LE1C Lemeille, Marquez and Saunier, Compt. Rend. B265 (1967) 1050
- 1967LE1D Leksin, Proc. Problem Symp. on Nucl. Phys., Tbilisi, Apr. 1967 (Moscow, 1967) 321
- 1967MA1B Marion, Nucl. Research with Low Energy Accelerators, Eds. Marion and van Patter (Academic Press, 1967) 497

- 1967MI1B Miller, Thesis, Princeton Univ. (1967); Phys. Abs. 9047 (1969)
- 1967NA11 J. Nalda, L. Marquez and J.-L. Quebert, J. Phys. (Paris) 28 (1967) 752
- 1967NA1C Naude and Peisach, J. Nucl. Energy 21 (1967) 893
- 1967OG1A Ogloblin, Proc. Problem Symp. on Nucl. Phys., Tbilisi, Apr. 1967 (Moscow, 1967) 169
- 1967PE05 E.L. Petersen, I. Slaus, J.W. Verba, R.F. Carlson and J.R. Richardson, Nucl. Phys. A102 (1967) 145
- 1967PF02 L. Pfeiffer and L. Madansky, Phys. Rev. 163 (1967) 999
- 1967PR1B Prats and Salyers, Phys. Rev. Lett. 19 (1967) 661
- 1967SA06 L.S. Saltykov, Izv. Akad. Nauk SSSR Ser. Fiz. 31 (1967) 260; Bull. Acad. Sci. USSR Phys. Ser. 31 (1967) 244
- 1967SA13 G.R. Satchler, Nucl. Phys. A100 (1967) 497
- 1967SC27 L.A. Schaller, R.S. Thomason, N.R. Roberson, R.L. Walter and R.M. Drisko, Phys. Rev. 163 (1967) 1034
- 1967SH14 V.S. Shirley, UCRL-17990 (1967)
- 1967SH1B Shapiro and Silberberg, High Energy Nucl. Reactions in Astrophys., Ed. B.S.P. Shen (W.A. Benjamin, 1967) 37
- 1967SP09 A. Sperduto, Proc. 3rd Int. Conf. on Atomic Masses, Winnipeg, Canada, 1967; Ed. R.C. Barber (Univ. Manitoba Press, 1967) 657
- 1967SV1A Svenne, Lect. on Nucl. Many Body Problems, Herceg Novi (1967)
- 1967TI1A Tilley, Nucl. Research with Low Energy Accelerators; Eds. Marion and van Patter (Academic Press, 1967) 389
- 1967VI03 J.-L. Vidal, R. Bouche, C. Fayard, L. Feuvrais, M. Gaillard, P. Gaillard, M. Gouanere, M. Gusakov, G.H. Lamot and J.R. Pizzi, J. Phys. (Paris) 28 (1967) 617
- 1967WI1B Wiedling, Ark. Fys. 34 (1967) 467
- 1968AD03 J.M. Adams, A. Adams and J.M. Calvert, Phys. Soc. J. Phys. (London) A1 (1968) 549
- 1968AG03 J. Aguilar, C.F. Pineda, J.L. Ferrero, A. Garcia, J.M. Chaveli and F. Senent, An. Fis. 64 (1968) 273
- 1968AG1A Aganyants et al., JETP Lett. (USSR) 8 (1968) 226
- 1968AG1C A.O. Aganyants, Yu.D. Bayukov, V.N. Deza, S.V. Donskov, V.B. Fedorov, N.A. Ivanova, V.D. Kohvansky, V.M. Kolybasov, G.A. Leksin, V.L. Stolin et al., Phys. Lett. B27 (1968) 590
- 1968AJ02 F. Ajzenberg-Selove and T. Lauritsen, Nucl. Phys. A114 (1968) 1
- 1968AN1B Antony-Spies, Donner, Wahsweiler and Greiner, Phys. Lett. B26 (1968) 268
- 1968AN1C Antufev, Miroshnichenko, Noga and Sorokin, Sov. J. Nucl. Phys. 6 (1968) 312

- 1968AN27 A.E. Antropov, K.A. Gridnev, P.P. Zarubin, V.I. Kudryashov, B.N. Orlov, A.V. Plavko and I.V. Stepanov, *Izv. Akad. Nauk SSSR Ser. Fiz.* 32 (1968) 2031; *Bull. Acad. Sci. USSR Phys. Ser.* 32 (1969) 1868
- 1968AR12 K.P. Artemov, V.Z. Goldberg, V.P. Rudakov and I.N. Serikov, *Yad. Fiz.* 7 (1968) 500; *Sov. J. Nucl. Phys.* 7 (1968) 314
- 1968AR1A Artemov, Goldberg, Rudakov and Serikov, *Sov. J. Nucl. Phys.* 6 (1968) 9
- 1968AR1C Arnett, *Nature* 219 (1968) 1344
- 1968AS01 P.A. Assimakopoulos and N.H. Gangas, *Nucl. Phys.* A108 (1968) 497
- 1968AS03 G.E. Assousa, R.A. LaSalle, C.E. Ahlfeld, H.A. Van Rinsvelt and N.P. Heydenburg, *Phys. Lett.* B26 (1968) 503
- 1968BA1E Ball, UCRL-18263 (1968)
- 1968BA1H V.V. Balashov and D.V. Meboniya, *Nucl. Phys.* A107 (1968) 369
- 1968BA1J R. Bach and C. Werntz, *Phys. Rev.* 173 (1968) 958
- 1968BA1K R.H. Bassel and C. Wilkin, *Phys. Rev.* 174 (1968) 1179
- 1968BA1L W.H. Bassichis, B.A. Pohl and A.K. Kerman, *Nucl. Phys.* A112 (1968) 360
- 1968BA1M Batusov, Bunyatov, Sidorov and Yarba, *Sov. J. Nucl. Phys.* 6 (1968) 836
- 1968BA48 Y.A. Batusov, S.A. Bunyatov, V.M. Sidorov and V.A. Yarba, *Yad. Fiz.* 7 (1968) 28; *Sov. J. Nucl. Phys.* 7 (1968) 20
- 1968BE1F H.W. Bertini, *Phys. Rev.* 171 (1968) 1261
- 1968BE1H Beer et al., *Nuovo Cim.* B53 (1968) 7
- 1968BE1J Berkowitz et al., *Bull. Amer. Phys. Soc.* 13 (1968) 607
- 1968BE1K Bethge, Meier-Ewert and Pfeiffer, *Z. Phys.* 208 (1968) 486
- 1968BI1B Binon et al., *Proc. Int. Conf. Nucl. Struct., Tokyo, Japan, 1967; Suppl. J. Phys. Soc. Jpn.* 24 (1968) 556
- 1968BO02 W. Bohne, D. Hilscher, H. Homeyer, H. Morgenstern and J.A. Scheer, *Nucl. Phys.* A106 (1968) 442
- 1968BO1D S. Boffi, M. Bouten, C. Ciofi Degli Atti and J. Sawicki, *Nucl. Phys.* A120 (1968) 135
- 1968BO1H E. Boeker, *Nucl. Phys.* A119 (1968) 435
- 1968BO1J Boffi, Pacati and Sawicki, *Nuovo Cim.* B57 (1968) 103
- 1968BO26 W. Bohne, H. Homeyer, H. Morgenstern and J. Scheer, *Nucl. Phys.* A115 (1968) 457
- 1968BO46 V.F. Borzhkovskii, A.S. Cherkasov, N.G. Afanasev, I.A. Grishaev and I.I. Zalyubovskii, *Yad. Fiz.* 7 (1968) 261; *Sov. J. Nucl. Phys.* 7 (1968) 181
- 1968BR05 R.C. Braley, M.A. Nagarajan, M.W. Gilpatrick and R.W. Finlay, *Phys. Lett.* B26 (1968) 248

- 1968BR1D Bromley, Proc. Int. Conf. Nucl. Struct., Tokyo, Japan, 1967; Suppl. J. Phys. Soc. Jpn. 24 (1968) 250
- 1968BR1E S.J. Brodsky and J.R. Gillespie, Phys. Rev. 173 (1968) 1011
- 1968BR26 R. Bruning, F.W. Busser, H. Dubenkropp, F. Niebergall and J. Christiansen, Nucl. Phys. A121 (1968) 224
- 1968CA08 F. Catara, M. Di Toro and O. Stazi, Nucl. Phys. A111 (1968) 577
- 1968CA11 E.B. Carter, Phys. Lett. B27 (1968) 202
- 1968CA1A Cassola and Koshel, Nuovo Cim. B55 (1968) 83
- 1968CE1A Cerny, Ann. Rev. Nucl. Sci. 18 (1968) 27
- 1968CH01 Y.S. Chen, S.T. Emerson, W.R. Jackson, W.D. Simpson and G.C. Phillips, Nucl. Phys. A106 (1968) 1
- 1968CH05 L.F. Chase, Jr., R.E. McDonald, W.W. True and E.K. Warburton, Phys. Rev. 166 (1968) 997
- 1968CH1D I.T. Cheon, Phys. Lett. B26 (1968) 549
- 1968CH1F Cheon, Proc. Phys. Soc. (London) A1 (1968) 350
- 1968CH35 J.S. Chalmers and A.M. Saperstein, Phys. Rev. 168 (1968) 1145; Addendum Phys. Rev. C2 (1970) 2034
- 1968CI1B C. Ciofi Degli Atti, Nucl. Phys. A106 (1968) 215
- 1968CI1C Ciofi degli Atti, Nuovo Cim. 55 (1968) 570
- 1968CO04 R.L.A. Cottrell, J.C. Lisle and J.O. Newton, Nucl. Phys. A109 (1968) 288
- 1968CO14 M.N.H. Comsan, M.A. Farouk, A.A. El-Kamhawy, M.S.M. El-Tahawy and A.N. Lvov, Z. Phys. 212 (1968) 122
- 1968CO1H Cohen and Herling, Bull. Amer. Phys. Soc. 13 (1968) 1388
- 1968CO31 M.N.H. Comsan, M.A. Farouk, A.A. El-Kamhawy, M.S.M. El-Tahawy and A.N. Lvov, Atomkernenergie 13 (1968) 415
- 1968DA1G O.D. Dalkarov, Phys. Lett. B26 (1968) 610
- 1968DA1J Daniel, Rev. Mod. Phys. 40 (1968) 659
- 1968DA1K Daehnick, Park and Lewis, Bull. Amer. Phys. Soc. 13 (1968) 1462
- 1968DA20 V.V. Davydov, A.A. Ogloblin, S.B. Sakuta and V.I. Chuev, Yad. Fiz. 7 (1968) 758; Sov. J. Nucl. Phys. 7 (1968) 463
- 1968DE1F de Shalit, Proc. Int. Conf. Nucl. Struct., Tokyo, Japan, 1967; Suppl. J. Phys. Soc. Jpn. 24 (1968) 453
- 1968DE1G P.A. Deutchman and I.E. McCarthy, Nucl. Phys. A112 (1968) 399

- 1968DE25 S.V. Dementii, N.G. Afanasev, I.M. Arkatov, V.G. Vlasenko, V.A. Goldshtein and E.L. Kuplennikov, *Yad. Fiz.* 8 (1968) 429; *Sov. J. Nucl. Phys.* 8 (1969) 248
- 1968DI1B Di Napoli et al., *Nuovo Cim.* B55 (1968) 95
- 1968DO08 T.W. Donnelly, J.D. Walecka, I. Sick and E.B. Hughes, *Phys. Rev. Lett.* 21 (1968) 1196
- 1968DR01 T.E. Drake, E.L. Tomusiak and H.S. Caplan, *Nucl. Phys.* A118 (1968) 138
- 1968DR1B R. Dreizler, P. Federman, B. Giraud and E. Osnes, *Nucl. Phys.* A113 (1968) 145
- 1968DU01 Y. Dupont and M. Chabre, *Phys. Lett.* B26 (1968) 362
- 1968DU1C Duorah and Duorah, *Indian J. Pure Appl. Phys.* 6 (1968) 263
- 1968ED1A Edge, Darden, Lankford and Orr, *Bull. Amer. Phys. Soc.* 13 (1968) 237
- 1968ED1B S. Edwards and G.E. Assousa, *Nucl. Phys.* A107 (1968) 170
- 1968ER1A Ericson, *Proc. Symp. on Use of Nimrod, 1968; RHEL/R166* (1968) 103
- 1968FA1A J.C. Faivre, H. Krivine and A.M. Papiou, *Nucl. Phys.* A108 (1968) 508
- 1968FA1B Faessler, Sauer and Stingl, *Z. Phys.* 212 (1968) 1
- 1968FO06 H.T. Fortune, T.J. Gray, W. Trost and N.R. Fletcher, *Phys. Rev.* 173 (1968) 1002
- 1968FO1A Fowler, *Neutron Cross Sections Tech., NBS Special Publ.* 299 (1968) 1
- 1968FO1C Forster et al., *Bull. Amer. Phys. Soc.* 13 (1968) 606
- 1968FR07 E. Friedland and H. Verleger, *Z. Phys.* 211 (1968) 373
- 1968FR12 D.E. Frederick, *Nucl. Phys.* A119 (1968) 347
- 1968FR14 D.E. Frederick and A.D. Sherick, *Phys. Rev.* 176 (1968) 1177
- 1968FR1E Friar, *Thesis, Stanford Univ.* (1968); *Phys. Abs.* 25566 (1969)
- 1968FU1A J.R. Fulco and D.Y. Wong, *Phys. Rev.* 172 (1968) 1062
- 1968FU1B Fujii, Morita and Ohtsubo, *Suppl. Prog. Theor. Phys.* (1968) 303
- 1968GA13 M. Gaillard, R. Bouche, L. Feuvrais, P. Gaillard, A. Guichard, M. Gusakow, J.L. Leonhardt and J.-R. Pizzi, *Nucl. Phys.* A119 (1968) 161
- 1968GA1C Gaillard, *Univ. Lyon, Rept. No. Lycen* 6828 (1968)
- 1968GA1D Garcia, *An. Real Soc. Espan. Fis. Quim.* 64 (1968) 51
- 1968GE04 B. Geoffrion, N. Marty, M. Morlet, B. Tatischeff and A. Willis, *Nucl. Phys.* A116 (1968) 209
- 1968GI03 A. Giorni, D. Engelhardt, J.F. Cavaignac, J.P. Longequeue and R. Bouchez, *J. Phys. (Paris)* 29 (1968) 4
- 1968GL1A Glauber, *Proc. Symp. on Use of Nimrod, 1968, RHEL/R166* (1968) 41, 60
- 1968GO01 P. Goldhammer, J.R. Hill and J. Nachamkin, *Nucl. Phys.* A106 (1968) 62

- 1968GO17 S. Gorodetzky, F.A. Beck, R. Bertini, J. Chevallier and A. Knipper, Nucl. Phys. A118 (1968) 545
- 1968GO18 S. Gorodetzky, F.A. Beck, R. Bertini and A. Knipper, Nucl. Phys. A118 (1968) 556
- 1968GO1J Goldemberg, Proc. Int. Conf. Nucl. Struct., Tokyo, Jpn. (1967); Suppl. J. Phys. Soc. Jpn. 24 (1968) 379
- 1968GO1L N.F. Golovanova, N.S. Zelenskaya and N. El Nagar, Nucl. Phys. A113 (1968) 1
- 1968GU11 I. Guiasu and F. Stancu, Nuovo Cim. A58 (1968) 503
- 1968GU1C M.R. Gunye, Nucl. Phys. A118 (1968) 174
- 1968HA11 U. Harms, Z. Naturforsch. A23 (1968) 453
- 1968HA1D G. Hauser, R. Lohken, H. Rebel, G. Schatz, W. Schweimer and J. Specht, Phys. Lett. B27 (1968) 220
- 1968HE1B Hebach and Henneberg, Z. Phys. 216 (1968) 204
- 1968HE1C G.R. Henry, Phys. Rev. 176 (1968) 1126
- 1968HI09 F. Hinterberger, G. Mairle, U. Schmidt-Rohr, G.J. Wagner and P. Turek, Nucl. Phys. A115 (1968) 570
- 1968HI1B F. Hinterberger, G. Mairle, U. Schmidt-Rohr, G.J. Wagner and P. Turek, Nucl. Phys. A111 (1968) 265
- 1968HI1C Hirooka et al., Prog. Theor. Phys. 40 (1968) 808
- 1968HO1B F.D. Holder and J.M. Eisenberg, Nucl. Phys. A106 (1968) 261
- 1968HO1C Hodgson, Proc. Symp. on Direct Reactions with ^3He , IPCR, Japan, Sept. 1967 (1968) 41
- 1968HU1A R.L. Hutson, S. Hayakawa, M. Chabre, J.J. Kraushaar, B.W. Ridley and E.T. Boschitz, Phys. Lett. B27 (1968) 153
- 1968IM1A B. Imanishi, Phys. Lett. B27 (1968) 267
- 1968IR1A J.M. Irvine, Nucl. Phys. A120 (1968) 576
- 1968JA08 R. Jambunathan and R.K. Hobbie, Phys. Rev. 172 (1968) 1065
- 1968JA1E D.F. Jackson and B.K. Jain, Phys. Lett. B27 (1968) 147
- 1968JO08 S.A.E. Johansson and L. Nilsson, Ark. Fys. 35 (1968) 403
- 1968KA1D N.N. Kaushal, E.J. Winhold, P.F. Yergin, H.A. Medicus and R.H. Augustson, Phys. Rev. 175 (1968) 1330
- 1968KE10 F.J. Kelly and H. Uberall, Phys. Rev. 175 (1968) 1235
- 1968KE1D F.J. Kelly and H. Uberall, Nucl. Phys. A118 (1968) 302
- 1968KL07 S.S. Klein, A. Meijer and O.J. Poppema, Nucl. Phys. A121 (1968) 422
- 1968KN1A Knoth et al., Helv. Phys. Acta 41 (1968) 1278

1968KO1A Koshel, Norris, Adams and Westin, Bull. Amer. Phys. Soc. 13 (1968) 883
 1968KO1B V.M. Kolybasov, Phys. Lett. B27 (1968) 3
 1968KO1C Kopaleishvili, Machabeli, Gogsadze and Krupennikova, Yad. Fiz. 7 (1968) 292
 1968KO1E Komarov, Kosarev and Savchenko, Joint Inst. Nucl. Res., Lab. Nucl. Problems, USSR, Rept. No. P1 4227 (1968)
 1968KO26 T. Koga and T. Takemiya, Suppl. Prog. Theor. Phys. (Kyoto) (1968) 137
 1968KR02 J.J. Kroepfl and C.P. Browne, Nucl. Phys. A108 (1968) 289
 1968LA1B H.A. Lamme and E. Boeker, Nucl. Phys. A111 (1968) 492
 1968LA1C Laugier, Cadeua, Mouilhayrat and Marquez, J. Phys. 29 (1968) 829
 1968LE1D Lee and McManuc, Bull. Amer. Phys. Soc. 13 (1968) 99
 1968LE1F I.I. Levintov and K.A. Ter-Martirosyan, Phys. Lett. B27 (1968) 69
 1968LE1G Leonhardt, Univ. Lyon. Rept. No. Lycen 6811 (1968)
 1968LE24 R.L. Lehman, Nucl. Instrum. Meth. 60 (1968) 253
 1968LI1B R. Lipperheide and A.K. Schmidt, Nucl. Phys. A112 (1968) 65
 1968LI1C Li and Mark, Can. J. Phys. 46 (1968) 2645
 1968LY1A Lyovshin, Ukrayin Fiz. Zh. (USSSR) 13 (1968) 975
 1968MA19 J.L. Matthews, W. Bertozzi, S. Kowalski, C.P. Sargent and W. Turchinetz, Nucl. Phys. A112 (1968) 654
 1968MA1J Maher et al., Bull. Amer. Phys. Soc. 13 (1968) 118
 1968MA1K Mangelson et al., Bull. Amer. Phys. Soc. 13 (1968) 1388
 1968MA1M Malecki and Picchi, Nuovo Cim. A58 (1968) 145
 1968MA1N Malecki and Picchi, LNF 68/48 (1968)
 1968MA32 G. Manuzio, G. Ricco, M. Sanzone and L. Ferrero, Phys. Rev. Lett. 21 (1968) 1266
 1968MA46 K. Matsuda, N. Nakanishi, S. Takeda and T. Wada, J. Phys. Soc. Jpn. 25 (1968) 1207
 1968ME1E Meyer, Audebert, Elbaz and Lafoucriere, Compt. Rend. B266 (1968) 969
 1968MI05 P.F. Mizera and J.B. Gerhart, Phys. Rev. 170 (1968) 839
 1968NE1B Neumann, Bull. Amer. Phys. Soc. 13 (1968) 100
 1968NE1C Nemirovskii, Sov. J. Nucl. Phys. 6 (1968) 29
 1968NO1A M.E. Nordberg, K.F. Kinsey and R.L. Burman, Phys. Rev. 165 (1968) 1096
 1968NO1C J.V. Noble, Phys. Rev. 173 (1968) 1034
 1968OK06 Y. Okuma, J. Phys. Soc. Jpn. 25 (1968) 1
 1968OL01 J.W. Olness and E.K. Warburton, Phys. Rev. 166 (1968) 1004

- 1968PA05 J.A. Panontin, L.L. Schwartz, A.F. Stehney, E.P. Steinberg and L. Winsberg, Phys. Rev. 169 (1968) 851
- 1968PA12 A.W. Parker, J.S. Allen, R.L. Yerke and V.G. Stotland, Phys. Rev. 174 (1968) 1093
- 1968PA1F J.Y. Park, Nucl. Phys. A111 (1968) 433
- 1968PA1H Parthasaradhi, Current Sci. (India) 37 (1968) 101; Phys. Abs. 11266 (1969)
- 1968PE1A R.W. Peelle, T.A. Love, N.W. Hill and R.T. Santoro, Phys. Rev. 167 (1968) 981
- 1968PI1A Pipiraite and Shugurov, Lietuvos Fizikos Rinkinys 8 (1968) 775
- 1968PR01 G.A. Proca and D.B. Isabelle, Nucl. Phys. A109 (1968) 177
- 1968RA1B Raphael and Rosen, Bull. Amer. Phys. Soc. 13 (1968) 719
- 1968RA1C Rahman, Khan and Sen Gupta, Nuoco Cim. B54 (1968) 260
- 1968RA1D Rao and Parthasaradhi, Proc. Phys. Soc. (London) 1 (1968) 493
- 1968RA21 J.A. Rawlins, C. Glavina, S.H. Ku and Y.M. Shin, Nucl. Phys. A122 (1968) 128
- 1968RH1A M. Rho and A. Sherwood, Phys. Lett. B28 (1968) 102
- 1968RI06 G. Ricco, H.S. Caplan, R.M. Hutcheon and R. Malvano, Nucl. Phys. A114 (1968) 685
- 1968RI16 F. Riess, P. Paul, J.B. Thomas and S.S. Hanna, Phys. Rev. 176 (1968) 1140
- 1968RI1J Richter, Parish and Fox, Bull. Amer. Phys. Soc. 13 (1968) 84
- 1968RO1F A. Rotsstein and A. Van Ginneken, Phys. Rev. Lett. 21 (1968) 223
- 1968RO1G Rohl and Stocker, Z. Phys. 212 (1968) 477
- 1968SC1B Schevchenko, Proc. Int. Conf. Nucl. Struct., Tokyo, Japan, 1967; Suppl. J. Phys. Soc. Jpn. 24 (1968) 397
- 1968SC1C Schneider and Daehnick, Bull. Amer. Phys. Soc. 13 (1968) 1388
- 1968SH11 P.N. Shrivastava, F. Boreli and B.B. Kinsey, Phys. Rev. 169 (1968) 842
- 1968SH1D Shanta, Nucl. Phys. and Solid State Phys. Symp. (Powai, India, 1968); Phys. Abs. 39093 (1970)
- 1968SH1E Shanta and Shastry, Nucl. Phys. and Solid State Phys. Symp. (Powai, India, 1968); Phys. Abs. 39091 (1970)
- 1968SI1A R.R. Silbar, Nucl. Phys. A118 (1968) 389
- 1968ST12 R.A. Stryk and J.M. Blair, Phys. Rev. 169 (1968) 767
- 1968ST1G Stroot, Proc. Symp. on Use of Nimrod, 1968; RHEL/R166 (1968) 81
- 1968ST20 P. Strehl and Th.H. Schucan, Phys. Lett. B27 (1968) 641
- 1968SU05 K. Sugimoto, K. Nakai, K. Matuda and T. Minamisono, J. Phys. Soc. Jpn. 25 (1968) 1258

1968TA08 H. Taketani, J. Muto, H. Yamaguchi and J. Kokame, Phys. Lett. B27 (1968) 625
 1968TA10 G.G. Taran, Yad. Fiz. 7 (1968) 478; Sov. J. Nucl. Phys. 7 (1968) 301
 1968TA1C Tanner, Proc. Symp. on Use of Nimrod, 1968, RHEL/R166 (1968) 91
 1968TA1D B. Tatischeff, Phys. Lett. B27 (1968) 345
 1968TA1E B. Tatischeff and A. Willis, Nucl. Phys. A115 (1968) 593
 1968TA1G Takada, Suppl. Prog. Theor. Phys. (1968) 222
 1968TE03 J.W. Tepel, M. Cosack, R. Felst and B. Zeitnitz, Nucl. Phys. A113 (1968) 332
 1968TE04 S. Tesch, F. Baldeweg, V. Bredel, H. Guratzsch, R. Klabes and G. Stiller, Nucl. Phys. A117 (1968) 66
 1968TI1B C.T. Tindle, Nucl. Phys. A110 (1968) 193
 1968TK1A Tkebuchava and Chilashvili, Joint Inst. Nucl. Res., Lab. Theor. Phys. USSR Rept. No. P4 3717 (1968)
 1968TO1D L.D. Tolsma and B.J. Verhaar, Phys. Lett. B27 (1968) 192
 1968TO1E Tomas et al., Bull. Amer. Phys. Soc. 13 (1968) 1423
 1968UB1A Uberall and Kelly, Bull. Amer. Phys. Soc. 13 (1968) 608
 1968VA12 V. Valkovic, C. Joseph, A. Niiler and G.C. Phillips, Nucl. Phys. A116 (1968) 497
 1968VA1D S. Varma, Nucl. Phys. A106 (1968) 233
 1968VA1E van der Zwan, Can. J. Phys. 46 (1968) 1527
 1968VA1F Vaisenberg, Kolganova and Rabin, Sov. J. Nucl. Phys. 7 (1968) 324
 1968VE06 V.V. Verbinski, F.G. Perey, J.K. Dickens and W.R. Burrus, Phys. Rev. 170 (1968) 916
 1968VE11 A.N. Vereshchagin, I.N. Korostova, L.S. Sokolov, V.V. Tokarevskii and I.P. Chernov, Izv. Akad. Nauk SSSR Ser. Fiz. 32 (1968) 623; Bull. Acad. Sci. USSR Phys. Ser. 32 (1969) 573
 1968VE1C A.N. Vereshchagin et al, Izv. Akad. Nauk SSSR Ser. Fiz. 32 (1968) 1956
 1968VO1A W. Von Oertzen, H.H. Gutbrod, M. Muller, U. Voos and R. Bock, Phys. Lett. B26 (1968) 291
 1968WA1D A. Watt, Phys. Lett. B27 (1968) 190
 1968WA1E S.I. Warshaw, A.J. Buffa, J.B. Barendgoltz and M.K. Brussel, Nucl. Phys. A121 (1968) 350
 1968WE12 J.C. Wells, Jr., R.L. Williams, Jr., L. Pfeiffer and L. Madansky, Phys. Lett. B27 (1968) 448
 1968WE15 H.R. Weller, N.R. Roberson and D.R. Tilley, Nucl. Phys. A122 (1968) 529
 1968WE1C Weller, Thesis, Duke Univ. (1968) ; Phys. Abs. 6693 (1970)

- 1968WI1B Wilkinson, Proc. Int. Conf. Nucl. Struct., Tokyo, Japan, 1967; Suppl. J. Phys. Soc. Jpn. 24 (1968) 469
- 1968WI1C Winkler, Patterson and Zaidins, Bull. Amer. Phys. Soc. 13 (1968) 1465
- 1968WI1D T.R. Witten, M. Blecher and K. Gotow, Phys. Rev. 174 (1968) 1166
- 1968WU01 C.-P. Wu, F.W.K. Firk and T.W. Phillips, Phys. Rev. Lett. 20 (1968) 1182
- 1968YA02 T. Yanabu, S. Yamashita, K. Hosono, S. Matsuki, T. Tanabe, K. Takimoto, Y. Okuma, K. Ogino, S. Okumura and R. Ishiwari, J. Phys. Soc. Jpn. 24 (1968) 667
- 1968ZE1A Zelenskaya, El-Nager and Yarba, Sov. J. Nucl. Phys. 7 (1968) 322
- 1968ZE1B Zelenskaya et al., Sov. J. Nucl. Phys. 6 (1968) 47
- 1968ZU1A Zupancic, Proc. Symp. on Use of Nimrod, 1968; RHEL/R166 (1968) 67
- 1969AB05 Y. Abgrall, G. Baron, E. Caurier and G. Monsonogo, Nucl. Phys. A131 (1969) 609
- 1969AB1B A.Y. Abul-Magd, Nucl. Phys. A129 (1969) 610
- 1969AG03 D. Agassi, V. Gillet and A. Lumbroso, Nucl. Phys. A130 (1969) 129
- 1969AG06 J. Aguilar, C.F. Pineda, J. Catala, J.L. Ferrero and A. Garcia, An. Fis. 65 (1969) 201
- 1969AG1A A.O. Aganyants, Yu.D. Bayukov, V.N. Deza, S.V. Donskov, V.B. Fedorov, N.A. Ivanova, V.D. Khovansky, V.M. Kolybasov, G.A. Leksin, V.L. Stolin et al., Nucl. Phys. B11 (1969) 79
- 1969AL1C Alder and Vaucher, Helv. Phys. Acta 42 (1969) 564
- 1969AN10 Y.P. Antufev, V.L. Agranovich, V.B. Ganenko, V.S. Kuzmenko, I.I. Miroshnichenko, P.V. Sorokin and V.M. Sanin, Yad. Fiz. 9 (1969) 921; Sov. J. Nucl. Phys. 9 (1969) 538
- 1969AN1E I. Angeli, J. Csikai and I. Hunyadi, Phys. Lett. B29 (1969) 36
- 1969AN1F Antufyev et al., Ukr. Fiz. Zh. 14 (1969) 499
- 1969AR08 K.P. Artemov, V.Z. Goldberg and V.P. Rudakov, Yad. Fiz. 9 (1969) 1173; Sov. J. Nucl. Phys. 9 (1969) 686
- 1969AR10 K.P. Artemov, V.Z. Goldberg and V.P. Rudakov, Yad. Fiz. 9 (1969) 266; Sov. J. Nucl. Phys. 9 (1969) 157
- 1969AR13 A.G. Artukh, G.F. Gridnev, V.L. Mikheev and V.V. Volkov, Nucl. Phys. A137 (1969) 348
- 1969BA06 G.C. Ball and J. Cerny, Phys. Rev. 177 (1969) 1466
- 1969BA17 K. Bahr, T. Becker, R. Jahr and W.R. Kuhlmann, Nucl. Phys. A129 (1969) 388
- 1969BA1J Balashov, Bochum Conf. STI/PUB/232 IAEA (1969) 59
- 1969BA1L Batusov et al., Yad. Fiz. 10 (1969) 354
- 1969BA1P Bacon et al., Acta Cryst. A25 (1969) 391
- 1969BA1Q Banin, Kosmach and Ostroumov, Sov. J. Nucl. Phys. 8 (1969) 399

- 1969BA1R J. Bar-Touv and A. Goswami, Phys. Lett. B28 (1969) 391
- 1969BA35 G. Baciu, D. Catana, C. Deberth, C. Ilescu and B. Carstoiu, Z. Phys. 227 (1969) 336
- 1969BE1K Becker, Bull. Amer. Phys. Soc. 14 (1969) 34
- 1969BE1L Berthot, Bertin, Girardeau-Montaut and Isabelle, Contrib., Montreal (1969) 138
- 1969BE21 H.A. Bentz, Z. Naturforsch. A24 (1969) 858
- 1969BE92 N. Bezic, D. Brajnik, D. Jamnik and G. Kernel, Nucl. Phys. A128 (1969) 426
- 1969BL1D Blin-Stoyle, Isospin in Nucl. Phys., Ed. D.H. Wilkinson (North-Holland, 1969) 115
- 1969BR19 I. Brissaud, M.K. Brussel, M. Sowinski and B. Tatischeff, Phys. Lett. B30 (1969) 324
- 1969BR1D Bromly, Proc. Enrico Fermi School of Phys., Course XL, Lake Como 1967 (Academic Press, 1969) 242
- 1969BR1G Bromley, Proc. Int. Conf., Montreal (1969) 147
- 1969BR1H Brink, Bochum Conf. STI/PUB/232 IAEA (1969) 147
- 1969BU1D Bucurescu, Rev. Roum. Phys. 14 (1969) 1011
- 1969BY1A Bysotzkii and Bysotzkaya, Izv. Akad. Nauk SSSR Ser. Fiz. 33 (1969) 1354
- 1969CA1A R.R. Carlson and H.W. Wyborny, Phys. Rev. 178 (1969) 1529
- 1969CA1B F. Calligaris, C. Cernigoi, I. Gabrielli and F. Pellegrini, Nucl. Phys. A126 (1969) 209
- 1969CA1C Caplan, Gupta, Tomusiak and Yang, Contrib., Montreal (1969) 134
- 1969CA22 P.H. Cannington and J.M. Dixon, Aust. J. Phys. 22 (1969) 679
- 1969CH01 B.T. Chertok and W.T.K. Johnson, Phys. Rev. Lett. 22 (1969) 67
- 1969CH19 D.L. Cheshire and S.E. Sobottka, Phys. Lett. B30 (1969) 244
- 1969CH1A B.T. Chertok, Phys. Rev. 187 (1969) 1340
- 1969CH1C D.T. Chivers, E.M. Rimmer, B.W. Allardyce, R.C. Witcomb, J.J. Domingo and N.W. Tanner, Nucl. Phys. A126 (1969) 129
- 1969CH1F H.H. Chen, Phys. Rev. 185 (1969) 2007
- 1969CI1A C. Ciofi Degli Atti, Nucl. Phys. A129 (1969) 350
- 1969CO02 H. Cords, G.U. Din and B.A. Robson, Nucl. Phys. A127 (1969) 95
- 1969CO06 B.L. Cohen, E.C. May, T.M. O'Keefe and C.L. Fink, Phys. Rev. 179 (1969) 962
- 1969CO1D Comfort, Fortune, Morrison and Zeidman, Bull. Amer. Phys. Soc. 14 (1969) 507
- 1969CU08 J.R. Curry, W.R. Coker and P.J. Riley, Phys. Rev. 185 (1969) 1416
- 1969CU10 H.-H. Cuno, G. Clausnitzer and R. Fleischmann, Nucl. Phys. A139 (1969) 657
- 1969DA1D C.N. Davids, H. Laumer and S.M. Austin, Phys. Rev. Lett. 22 (1969) 1388
- 1969DE12 F.P. Denisov, A. Duisebaev and P.A. Cerenkov, Yad. Fiz. 9 (1969) 3; Sov. J. Nucl. Phys. 9 (1969) 1

- 1969DE14 T. de Forest, Jr., Nucl. Phys. A132 (1969) 305
- 1969DE1H Debenham, Griffith, Irshad and Roman, Contrib., Montreal (1969) 274
- 1969DE20 S.V. Dementii, N.G. Afanasev, I.M. Arkatov, V.G. Vlasenko, V.A. Goldshtein and E.L. Kuplennikov, Yad. Fiz. 9 (1969) 241; Sov. J. Nucl. 9 (1969) 142
- 1969DE34 H.G. de Carvalho, V. di Napoli, D. Margadonna, F. Salvetti and K. Tesch, Nucl. Phys. A126 (1969) 505
- 1969DI08 G. Dietze and K.D. Stahl, Z. Phys. 228 (1969) 172
- 1969DI18 V. di Napoli, Nucl. Instrum. Meth. 69 (1969) 155
- 1969DI1C Dieterle et al., Bull. Amer. Phys. Soc. 14 (1969) 50
- 1969DO02 V.K. Dolinov, Y.V. Melikov, A.F. Tulinov and O.V. Bormot, Nucl. Phys. A129 (1969) 577
- 1969DO03 V.K. Dolinov, D.V. Meboniya and A.F. Tulinov, Nucl. Phys. A129 (1969) 597
- 1969DO1D T.W. Donnelly and G.E. Walker, Phys. Rev. Lett. 22 (1969) 1121
- 1969DR05 D. Drechsel and H. Uberall, Phys. Rev. 181 (1969) 1383
- 1969DU1B C.L. Dunford, H. Fenech and J.T. Reynolds, Phys. Rev. 177 (1969) 1395
- 1969ED01 R.D. Edge, D.H. Tompkins and J.W. Glenn, Phys. Rev. 183 (1969) 849
- 1969EP01 M. Epstein, H.D. Holmgren, M. Jain, H.G. Pugh, P.G. Roos, N.S. Wall, C.D. Goodman and C.A. Ludemann, Phys. Rev. 178 (1969) 1698
- 1969ER1A Erdas, Mosconi, Pompei and Quarati, Nuovo Cim. B64 (1969) 406
- 1969ET01 K. Etoh, T. Murata, N. Kawai, R. Chiba and S. Takayanagi, J. Phys. Soc. Jpn. 26 (1969) 1335, and Private Communication (1969)
- 1969FO10 H.T. Fortune and C.M. Vincent, Phys. Rev. 185 (1969) 1401
- 1969FO1C Fortune, Dehnhard, Siemssen and Zeidman, Bull. Amer. Phys. Soc. 14 (1969) 487
- 1969FU07 C.B. Fulmer, J.B. Ball, A. Scott and M.L. Whiten, Phys. Rev. 181 (1969) 1565
- 1969FU11 G.H. Fuller and V.W. Cohen, Nucl. Data Tables A5 (1969) 433
- 1969FU1F Fujii, Prog. Theor. Phys. 42 (1969) 416
- 1969GA11 P. Gaillard, R. Bouche, L. Feuvrais, M. Gaillard, A. Guichard, M. Gusakow, J.L. Leonhardt and J.R. Pizzi, Nucl. Phys. A131 (1969) 353
- 1969GA16 A. Gallmann, F. Haas, B. Heusch and M. Toulemonde, Rev. Phys. Appl. 4 (1969) 216
- 1969GA18 J. Galin, B. Gatty, M. Lefort, J. Peter, X. Tarrago and R. Basile, Phys. Rev. 182 (1969) 1267
- 1969GA1G Garvey, Ann. Rev. Nucl. Sci. 19 (1969) 433
- 1969GA1J T.A. Gabriel and R.G. Alsmiller, Phys. Rev. 182 (1969) 1035

- 1969GL07 Y.A. Glukhov, B.G. Novatskii, A.A. Ogloblin, S.B. Sakuta and D.N. Stepanov, *Izv. Akad. Nauk SSSR Ser. Fiz.* 33 (1969) 601; *Bull. Acad. Sci. USSR Phys. Ser.* 33 (1970) 554
- 1969GO13 G. Goulard, *Phys. Lett.* B30 (1969) 216
- 1969GO14 V. Gomes Porto, N. Ueta, R.A. Douglas, O. Sala, D. Wilmore, B.A. Robson and P.E. Hodgson, *Nucl. Phys.* A136 (1969) 385
- 1969GO1B Gorodetzky, Rudolf, Scheibling and Chevallier, *Contrib., Montreal* (1969) 302
- 1969GO1C Golovanova and Zelenskaya, *Sov. J. Nucl. Phys.* 8 (1969) 158
- 1969GO1D N.G. Goncharova and N.P. Yudin, *Phys. Lett.* B29 (1969) 272
- 1969GR1A Grenier, *Cargese Lecture in Phys., Vol. 3*, Ed. M. Jean (Gordon & Breach, 1969) 535
- 1969GR30 G.A. Grin, B. Vaucher, J.C. Alder and C. Joseph, *Helv. Phys. Acta* 42 (1969) 990
- 1969GU02 H. Guratzsch, G. Hofmann, H. Muller and G. Stiller, *Nucl. Phys.* A129 (1969) 405
- 1969GU03 M.R. Gunye, J. Law and R.K. Bhaduri, *Nucl. Phys.* A132 (1969) 225
- 1969GU05 I.S. Gulkarov, N.G. Afanasev, A.A. Khomich, V.D. Afanasev, V.M. Khvastunov, G.A. Savitskii and N.G. Shevchenko, *Yad. Fiz.* 9 (1969) 1138; *Sov. J. Nucl. Phys.* 9 (1969) 666
- 1969GU1E M.R. Gunye, *Nucl. Phys.* A128 (1969) 457
- 1969GU1G Guan, *J. Singapore Nat. Acad. Sci.* 1 (1969) 91; *Phys. Abs.* 73928 (1970)
- 1969HA07 R.M. Haybron, *Nucl. Phys.* A124 (1969) 662
- 1969HA14 G. Hauser, R. Lohken, H. Rebel, G. Schatz, G.W. Schweimer and J. Specht, *Nucl. Phys.* A128 (1969) 81
- 1969HA1F Hanna, *Isospin in Nucl. Phys.*, Ed. D.H. Wilkinson (North-Holland, 1969) 591
- 1969HA1G Hanna, *Proc. Int. Conf., Montreal* (1969) 443
- 1969HE06 H.-D. Helb, H. Voit, G. Ischenko and W. Reichardt, *Phys. Rev. Lett.* 23 (1969) 176
- 1969HE08 G.H. Herling, L. Cohen and J.D. Silverstein, *Phys. Rev.* 178 (1969) 1551
- 1969HE1E P.W. Hewson, *Nucl. Phys.* A133 (1969) 659
- 1969HE1F Henley and Halpern, *Comments Nucl. Part. Phys.* 3 (1969) 155
- 1969HE1G Hebach, Henneberg and Kummel, *Bochum Conf. STI/PUB/232 IAEA* (1969) 280
- 1969HO13 K. Hofmann, W. Mausberg, M. Raabe, E. Rossle and M. Tauber, *Z. Phys.* 221 (1969) 417
- 1969HO1G Hopkins and Drake, *Nucl. Sci. Eng.* 36 (1969) 275
- 1969HO1J Horowitz, *Thesis, McGill Univ., Montreal* (1969); *Phys. Abs.* 39029 (1970)
- 1969HO1K Holmgren, *Bochum Conf. STI/PUB/232 IAEA* (1969) 17
- 1969HO1M T.H. Ho and A.B. Volkov, *Phys. Lett.* B30 (1969) 303

- 1969HO34 Q. Ho-Kim, *Nuovo Cim.* B60 (1969) 71
- 1969HU1B Hutson, Thesis, Univ. of Colorado (1969); *Phys. Abs.* 6892 (1969)
- 1969HU1C Hutzelmeyer, Kramer and Seligman, Bochum Conf. STI/PUB/232 IAEA (1969) 327
- 1969IK1A Ikeda, Bochum Conf. STI/PUB/232 IAEA (1969) 277
- 1969IM1A B. Imanishi, *Nucl. Phys.* A125 (1969) 33
- 1969IR1A Irvine and Pucknell, *Contrib., Montreal* (1969) 200
- 1969IS01 G. Ischenko, H. Voit, E. Blatt, H.-D. Helb and E. Krubasik, *Nucl. Phys.* A123 (1969) 497
- 1969JA05 A.N. James, P.T. Andrews, P. Butler, N. Cohen and B.G. Lowe, *Nucl. Phys.* A133 (1969) 89
- 1969JA1D B.K. Jain, *Nucl. Phys.* A129 (1969) 145
- 1969JA1F James, *Proc. Int. Conf., Montreal* (1969) 515
- 1969JO23 J. Joseph, R. Nahabetian, E. El Baz and J. Lafoucriere, *Compt. Rend.* B268 (1969) 1039
- 1969JU1A Jungerman et al., *Bull. Amer. Phys. Soc.* 14 (1969) 488
- 1969KA15 O. Karban, J. Lowe, P.D. Greaves and V. Hnizdo, *Nucl. Phys.* A133 (1969) 255; Erratum *Nucl. Phys.* A141 (1970) 675
- 1969KA1G T. Kammuri and H. Yoshida, *Nucl. Phys.* A129 (1969) 625
- 1969KA1H Kaushal, *Lett. Nuovo Cim.* 2 (1969) 236
- 1969KE02 G. Kernel and W.M. Mason, *Nucl. Phys.* A123 (1969) 205
- 1969KE1B Kerman, *Cargese Lect. in Phys., Ed. M. Jean, Vol. 3* (Gordon Breach, 1969) 395
- 1969KE1C Kenefick, Donovan, Youngblood and Kozub, *Bull. Amer. Phys. Soc.* 14 (1969) 1227
- 1969KI02 H. Kitazawa and N. Yamamuro, *J. Phys. Soc. Jpn.* 26 (1969) 600
- 1969KI1C Kim et al., *Bull. Amer. Phys. Soc.* 14 (1969) 1167
- 1969KL09 H.O. Klages and H. Scholermann, *Z. Phys.* 227 (1969) 344
- 1969KL1C Kluge, *Z. Naturforsch.* A24 (1969) 1289
- 1969KO07 W.A. Kolasinski, J. Eenmaa, F.H. Schmidt, H. Sherif and J.R. Tesmer, *Phys. Rev.* 180 (1969) 1006
- 1969KO13 J.J. Kolata and A. Galonsky, *Phys. Rev.* 182 (1969) 1073
- 1969KO1B Kouloumdjian, Thesis, Univ. of Lyon (1969); *Phys. Abs.* 63851 (1970)
- 1969KO1F V.M. Kolybasov and N.Ya. Smorodinskaya, *Phys. Lett.* B30 (1969) 11
- 1969KO1G Komarov, Kosarev and Savchenko, *Joint Inst. Nucl. Res., Lab. Nucl. Problems, USSR, Rept. No. P1 4373* (1969)

1969KO1H T. Kohmura, Phys. Rev. 187 (1969) 1233
 1969KO1J V.M. Kolybasov and N.Ya. Smorodinskaya, Nucl. Phys. A136 (1969) 165
 1969KO1K Kopaleishvili and Machabeli, Bochum Conf. STI/PUB/232 IAEA (1969) 261
 1969KR03 E. Krubasik, H. Voit, E. Blatt, H.-D. Helb and G. Ischenko, Z. Phys. 219 (1969) 185
 1969KU1B Kurtz, Braun and Cuer, Bochum Conf. STI/PUB/232 IAEA (1969) 257
 1969KU1C Yu.A. Kudeyarov, I.V. Kurdyumov, V.G. Neudatchin and Yu.F. Smirnov, Nucl. Phys. A126 (1969) 36
 1969LA1A C.M. Lamba, N. Sarma and N.S. Thampi, Nucl. Phys. A122 (1969) 390
 1969LA1B Laugier, France, Comm. A L'energie Atomique, Rept. CEA 3670 (1969)
 1969LA26 H.A. Lamme and E. Boeker, Nucl. Phys. A136 (1969) 609; Erratum Nucl. Phys. A149 (1970) 684
 1969LE03 L. Lesniak and H. Wolek, Nucl. Phys. A125 (1969) 665
 1969LE21 C.C.H. Leung and S.C. Park, Phys. Rev. 187 (1969) 1239
 1969LI1D T.K. Lim, Nucl. Phys. A129 (1969) 259
 1969LO01 J.M. Lombaard, E. Friedland and H. Verleger, Z. Phys. 219 (1969) 124
 1969LO06 M.A.K. Lodhi, Phys. Rev. 182 (1969) 1061
 1969MA1C Massue et al., Bochum Conf. STI/PUB/232 IAEA (1969) 258
 1969MA1G Madsen, Nucl. Isospin, Proc. 1969 Asilomar Conf. (Academic Press, 1969) 149
 1969MA22 M. Marangoni and A.M. Saruis, Nucl. Phys. A132 (1969) 649
 1969MA23 G. Manuzio, G. Ricco, M. Sanzone and L. Ferrero, Nucl. Phys. A133 (1969) 225
 1969MA39 S.C. Mathur, P.S. Buchanan and I.L. Morgan, Phys. Rev. 186 (1969) 1038
 1969MC13 I.E. McCarthy and A.W. Thomas, Nucl. Phys. A135 (1969) 463
 1969MC1C McGrath, Nucl. Isospin Proc. 1969 Ailomar Conf. (Academic Press, 1969) 29
 1969MI15 P.D. Miller, J.L. Duggan, M.M. Duncan, R.L. Dangle, W.R. Coker and J. Lin, Nucl. Phys. A136 (1969) 229
 1969MI1B G. Michaud and E.W. Vogt, Phys. Lett. B30 (1969) 85
 1969MO10 F.P. Mooring, J.E. Monahan and R.E. Segel, Phys. Rev. 178 (1969) 1612
 1969MO1E L. Moyer and D.S. Koltun, Phys. Rev. 182 (1969) 999
 1969MO1F Morita, Hirooka and Soga, Contrib., Montreal (1969) 227
 1969MO1G E.J. Moniz, Phys. Rev. 184 (1969) 1154
 1969MO1H R. Moreh, D. Salzmann and Y. Wand, Phys. Lett. B30 (1969) 536
 1969NA04 K.S. Nam and G.M. Osetinskii, Yad. Fiz. 9 (1969) 487; Sov. J. Nucl. Phys. 9 (1969) 279

1969NA1C Nahabetian, Joseph, Elbaz and Lafoucriere, Compt. Rend. B268 (1969) 1109
 1969NA1E Nash, Nuovo Cim. B61 (1969) 261
 1969NE1A Neumann, Bull. Amer. Phys. Soc. 14 (1969) 1224
 1969NO01 S. Notarrigo, F. Porto, A. Rubbino and S. Sambataro, Nucl. Phys. A125 (1969) 28
 1969OL03 V.S. Olkhovskii, L.S. Sokolov and A.K. Zaichenko, Yad. Fiz. 9 (1969) 190; Sov. J. Nucl. Phys. 9 (1969) 114
 1969OR01 H. Orihara, T. Nakagawa, H. Ueno, T. Tohei, T. Yamaya, Y. Nakagome, M. Baba and S. Morita, Nucl. Phys. A139 (1969) 226
 1969OV01 J.C. Overley, P.D. Parker and D.A. Bromley, Nucl. Instrum. Meth. 68 (1969) 61
 1969OW01 D.G. Owen and B.M. Spicer, Phys. Lett. B30 (1969) 242
 1969OZ1A Oziewicz and Pikulski, Yad. Fiz. 9 (1969) 1046
 1969PE1C Perey and Kinney, ORNL 4441 (1969)
 1969PE1E F. Petrovich, H. McManus, V.A. Madsen and J. Atkinson, Phys. Rev. Lett. 22 (1969) 895
 1969PH1B Phillips, Bochum Conf. STI/PUB/232 IAEA (1969) 73
 1969PI02 J. Pigeon, J. Barguil and E. El Baz, Nucl. Phys. A130 (1969) 49
 1969PI1B Pizzi et al., Bochum Conf. STI/PUB/232 IAEA (1969) 205
 1969QU01 J.L. Quebert and L. Marquez, Nucl. Phys. A126 (1969) 646
 1969RA1B M. Rahman, N.C. Dutta Banik and H.M. Sen Gupta, Nucl. Phys. A125 (1969) 449
 1969RO1F Roturier, Ann. Phys. 4 (1969) 289
 1969RO1G I. Rotter, Nucl. Phys. A135 (1969) 378
 1969RO26 D.J. Rowe and S.S.M. Wong, Phys. Lett. B30 (1969) 147
 1969RU04 F.R. Ruehl, Jr., Nucl. Phys. A136 (1969) 241
 1969SA1A Sauer, Proc. Enrico Fermi School of Phys., Course XL, Lake Como, 1967 (Academic Press, 1969) 717
 1969SA1B Sauerland, Bochum Conf. STI/PUB/232 IAEA (1969) 329
 1969SH1A Sharon, Bull. Amer. Phys. Soc. 14 (1969) 35
 1969SI12 J.D. Silverstein and G.H. Herling, Phys. Rev. 181 (1969) 1512
 1969SM1A Smirnov, Bochum Conf. STI/PUB/232 IAEA (1969) 153
 1969SN02 F.D. Snyder and M.A. Waggoner, Phys. Rev. 186 (1969) 999
 1969SO02 B. Sorensen, Phys. Lett. B28 (1969) 633
 1969SO08 B. Sorensen, Nucl. Phys. A134 (1969) 1
 1969SO1E Sorensen, Nucl. Isospin, Proc. 1969 Asilomar Conf. (Academic Press, 1969) 239

- 1969ST1E Strachan and Watt, Proc. Phys. Soc. (London) 2 (1969) 547
- 1969SU03 O. Sundberg and G. Tibell, Ark. Fys. 39 (1969) 397
- 1969SV1A Svenne, Proc. Enrico Fermi School of Phys., Course XL, Lake Como, 1967 (Academic Press, 1969) 760
- 1969TA05 M.C. Taylor and G.C. Phillips, Nucl. Phys. A126 (1969) 615
- 1969TA09 M. Tauber, K. Hofmann, W. Mausberg and E. Rossle, Z. Phys. 227 (1969) 71
- 1969TA1C Tanaka, Bochum Conf. STI/PUB/232 IAEA (1969) 137
- 1969TA1D Tamura, Ann. Rev. Nucl. Sci. 19 (1969) 99
- 1969TA1F Tamagaki, Prog. Theor. Phys. 42 (1969) 748
- 1969TE1B Tesch, Zentralin. Kernf. Ross. Dresden, Rept. No. Zfk 190 (1969)
- 1969TH01 M.J. Throop, Phys. Rev. 179 (1969) 1011
- 1969TH1B Thompson and Parker, Contrib., Montreal (1969) 154
- 1969TI02 G. Tibell, Phys. Lett. B28 (1969) 638
- 1969TI04 Y.I. Titov, E.V. Stepula, R.V. Akhmerov, S.A. Byvalin, N.F. Severin, E.M. Smelov and L.D. Yaroshevskii, Yad. Fiz. 9 (1969) 1326; Sov. J. Nucl. Phys. 9 (1969) 772
- 1969TO01 Y. Torizuka, M. Oyamada, K. Nakahara, K. Sugiyama, Y. Kojima, T. Terasawa, K. Itoh, A. Yamaguchi and M. Kimura, Phys. Rev. Lett. 22 (1969) 544
- 1969TO10 Y. Torizuka, A. Yamaguchi, K. Nakahara, M. Oyamada, T. Terasawa, K. Itoh, Y. Kojima and M. Kimura, Phys. Rev. 188 (1969) 1745
- 1969TR1A Truran and Kozlovsky, Astrophys. J. 158 (1969) 1021
- 1969UB01 H. Uberall, Acta Phys. Aust. 30 (1969) 89
- 1969VA10 G.J. Vanpraet and P. Kossanyi, Z. Phys. 222 (1969) 455
- 1969VA1C S. Varma and P. Goldhammer, Nucl. Phys. A125 (1969) 193
- 1969VA37 V.A. Vartanyan, M.A. Zhusupov and R.A. Eramzhyan, Izv. Akad. Nauk SSR Ser. Fiz. 33 (1969) 2087; Bull. Acad. Sci. USSR Phys. Ser. 33 (1970) 1900
- 1969VE09 A.N. Vereshchagin, I.N. Simonov, K.O. Terenetskii, V.V. Tokarevskii and I.P. Chernov, Izv. Akad. Nauk SSSR Ser. Fiz. 33 (1969) 2064; Bull. Acad. Sci. USSR Phys. Ser. 33 (1970) 1880
- 1969VI02 D. Vinciguerra and T. Stovall, Nucl. Phys. A132 (1969) 410
- 1969VI1C P. Vilain, G. Wilquet, J. Sacton, D.M. Harmsen, D.H. Davis, J.H. Wickens and W. Gajewski, Nucl. Phys. B13 (1969) 451
- 1969VO07 W. Von Oertzen, H.H. Gutbrod, U.C. Voos and R. Bock, Nucl. Phys. A133 (1969) 101
- 1969VO10 U.C. Voos, W. von Oertzen and R. Bock, Nucl. Phys. A135 (1969) 207

- 1969VO1E Vogt, Proc. Int. Conf., Montreal (1969) 5
- 1969VY1A Vysotskii and Vysotskaya, Sov. J. Nucl. Phys. 9 (1969) 689
- 1969WA06 W. Wadia, Z. Phys. 224 (1969) 425
- 1969WA11 B.A. Watson, P.O. Singh and R.E. Segel, Phys. Rev. 182 (1969) 977
- 1969WA1E Watt, Proc. Phys. Soc. (London) 2 (1969) 559
- 1969WE05 H.J. Weber, Phys. Rev. Lett. 23 (1969) 178
- 1969WE1G Wells. Thesis, Johns Hopkins Univ. (1969); Phys. Abs. 46122 (1970)
- 1969WO05 S.S.M. Wong and D.J. Rowe, Phys. Lett. B30 (1969) 150
- 1969WU1A Wu and Wilets, Ann. Rev. Nucl. Sci. 19 (1969) 527
- 1969YA1A Yamashita, Abe, Hiura and Tanaka, Bochum Conf. STI/PUB/232 IAEA (1969) 281
- 1969ZI1A Zill, Z. Naturforsch. A24 (1969) 1287
- 1969ZU02 R.W. Zurmuhle and C.M. Fou, Nucl. Phys. A129 (1969) 502
- 1970AB1A Abdullaeva et al., Dokl. Akad. Nauk Uz SSR (1970) 17; Phys. Abs. 46299 (1972)
- 1970AG08 J. Aguilar, C.F. Pineda, C.R. Bauza, J.L. Ferrero, A. Garcia and F. Senent, An. Fis. 66 (1970) 279
- 1970AH02 J. Ahrens, H. Borchert, K.-H. Czock, D. Mehlig and B. Ziegler, Phys. Lett. B31 (1970) 570
- 1970AH1B Ahmed, Coppola and Knitter, 2nd Int. Conf. on Nucl. Data for Reactors, Helsinki (1970)
- 1970AJ04 F. Ajzenberg-Selove, Nucl. Phys. A152 (1970) 1
- 1970AL08 J.C. Alder and B. Vaucher, Nucl. Phys. A147 (1970) 657
- 1970AL26 M. Allab, M. Amiel, A. Amokrane, H. Beaumevielle, A. Henni and M. Lambert, J. Phys. 31 (1970) 919
- 1970AM1A Amos, Galonsky and Jolly, Bull. Amer. Phys. Soc. 15 (1970) 1692
- 1970AN1C P. Antony-Spies, P.P. Delsanto, E. Spamer, A. Goldman and O. Titze, Phys. Lett. B31 (1970) 632
- 1970AN1D Anni and Taffara, Rivista Nuovo Cim. 2 (1970) 1
- 1970AN1F Angeli, Csikai and Hunyadi, Acta Phys. Acad. Sci. Hung. 28 (1970) 629
- 1970AN1G Andersen et al., Proc. 3rd Int. Conf. on High-Energy and Nucl. Struct., New York, 1969 (Plenum, 1970) 56; Phys. Abs. 43564 (1971)
- 1970AR05 K.P. Artemov, Y.A. Glukhov, V.Z. Goldberg, V.V. Davydov, I.P. Petrov and V.P. Rudakov, Yad. Fiz. 11 (1970) 43; Sov. J. Nucl. Phys. 11 (1970) 23
- 1970AR21 A. Arima, V. Gillet and J. Ginocchio, Phys. Rev. Lett. 25 (1970) 1043
- 1970BA1E Backenstoss, Ann. Rev. Nucl. Sci. 20 (1970) 467

- 1970BA1F Barashenkov and Toneev, Uspekhi Fiz. Nauk 100 (1970) 425
- 1970BA1M Bahcall and Fowler, Astrophys. J. 161 (1970) 119
- 1970BA1P Barenholtz, Thesis, Univ. Illinois (1970); Phys. Abs. 43633 (1971)
- 1970BA1Q Barashenkov and Abdinov, Acta Phys. Pol. B1 (1970) 65
- 1970BA1T Bachelier et al., Proc. 3rd Int. Conf. on High-Energy Phys. and Nucl. Struct., New York, 1969 (Plenum, 1970) 318
- 1970BA44 Y.A. Batusov, B.Z. Zalikhonov, V.M. Sidorov, D. Tuvdendorzh and V.A. Yarba, Yad. Fiz. 11 (1970) 736; Sov. J. Nucl. Phys. 11 (1970) 413
- 1970BA49 P.H. Barker, A. Huber, H. Knoth, U. Matter, A. Gobbi and P. Marmier, Nucl. Phys. A155 (1970) 401
- 1970BA58 J. Bang and S. Wollesen, Phys. Lett. B33 (1970) 395
- 1970BE1F Bennett, Thesis, Washington State Univ. (1970)
- 1970BE1J H.W. Bertini, Phys. Rev. C1 (1970) 423
- 1970BE1L Beiner and Huguenin, Helv. Phys. Acta 43 (1970) 421
- 1970BE26 R.L. Becker, Phys. Lett. B32 (1970) 263
- 1970BI10 J.A. Bistirlich, K.M. Crowe, A.S. Parsons, P. Skarek and P. Truoel, Phys. Rev. Lett. 25 (1970) 689
- 1970BI1A Binon et al., Nucl. Phys. B17 (1970) 168
- 1970BJ1A Bjornenak, Finjord, Osland and Reitan, Phys. Norv. (Norway) 4 (1970) 252
- 1970BL03 A.G. Blair, C. Glashausser, R. de Swiniarski, J. Goudergues, R. Lombard, B. Mayer, J. Thirion and P. Vaganov, Phys. Rev. C1 (1970) 444
- 1970BL09 J.L. Black, W.J. Caelli and R.B. Watson, Phys. Rev. Lett. 25 (1970) 877
- 1970BL1E Blair, in Nucl. Reactions Induced by Heavy Ions, Heidelberg, 1969 (North-Holland, 1970) 1
- 1970BO1J Bouten, in Theory of Nucl. Struct., Trieste 1969, IAEA STI/PUB/249 (1970) 361
- 1970BO1M Bohm et al., Nucl. Phys. B24 (1970) 248
- 1970BO33 M. Bouten, M.-C. Bouten, H. Depuydt and L. Schotsmans, Nucl. Phys. A158 (1970) 217
- 1970BO34 W. Bohne, J. Bommer, H. Fuchs, K. Grabisch, M. Hagen, H. Homeyer, U. Janetzki, H. Lettau, H. Morgenstern, G. Roschert et al., Nucl. Phys. A157 (1970) 593
- 1970BO39 W. Bohne, M. Hagen, H. Homeyer, K.H. Maier, H. Lettau, H. Morgenstern and J. Scheer, Phys. Rev. C2 (1970) 2072
- 1970BR1C Brix, Private Communication (1970)
- 1970BR1E Brix, Private Communication (1970)

- 1970BR1G Bromley, Nucl. Reactions Induced by Heavy Ions, Heidelberg, 1969 (North-Holland, 1970) 27
- 1970BR1J Brassard, Thesis, Yale Univ. (1970); Phys. Abs. 75467 (1971)
- 1970BR1K Brandenberger, Grandy and Obst, Bull. Amer. Phys. Soc. 15 (1970) 567
- 1970BR35 D.M. Brink, H. Friedrich, A. Weiguny and C.W. Wong, Phys. Lett. B33 (1970) 143
- 1970BU15 W. Busse, B. Efken, D. Hilscher, J.A. Scheer and W. Wenning, Nucl. Phys. A152 (1970) 354
- 1970BU1B Budyashov et al., Zh. Eksp. Teor. Fiz. 58 (1970) 1211
- 1970BU1C Burdet and Perrin, Univ. Lyon Rept. No. Lycen 7036 (1970)
- 1970BU1G Burq, Hadinger, Kouloumojian and Meyer, Univ. Lyon, Rept. No. Lycen 7021 (1970)
- 1970CA12 W.D. Callender and C.P. Browne, Phys. Rev. C2 (1970) 1
- 1970CA13 J. Carcabal, J. Phys. 31 (1970) 151
- 1970CA1G Campbell and Ober, Bull. Amer. Phys. Soc. 15 (1970) 126
- 1970CA1H F. Cannata, R. Leonardi and M.R. Clot, Phys. Lett. B32 (1970) 6
- 1970CA1J Cannata, Lett. Nuovo Cim. 4 (1970) 75
- 1970CH1C Chung, Huber and Danos, Z. Phys. 240 (1970) 195
- 1970CH1E Chant and Mangelson, Nucl. Phys. A140 (1970) 81
- 1970CH1F Cheshire and Sobottka, Nucl. Phys. A146 (1970) 129
- 1970CH1G Chang, Bull. Amer. Phys. Soc. 15 (1970) 1653
- 1970CH1H B.T. Chertok, W.T. Johnson and D. Sarkar, Phys. Rev. C2 (1970) 2028
- 1970CH1J Chemtob and Lumbroso, Proc. 3rd Int. Conf. on High-Energy Phys. and Nucl. Struct., New York, 1969 (Plenum, 1970) 86; Phys. Abs. 43561 (1971)
- 1970CI1B C. Ciofi Atti and N.M. Kabachnik, Phys. Rev. C1 (1970) 809
- 1970CI1C Cinoro, Theory of Nucl. Struct., Trieste, 1969, IAEA STI/PUB/249 (1970) 241
- 1970CL01 A.S. Clough, C.J. Batty, B.E. Bonner and L.E. Williams, Nucl. Phys. A143 (1970) 385
- 1970CL10 N.M. Clarke, E.J. Burge, D.A. Smith and J.C. Dore, Nucl. Phys. A157 (1970) 145
- 1970CL1E Clarkson, Gutbrod, Brentano and Bock, Nucl. Reactions Induced by Heavy Ions, Heidelberg, 1969 (North-Holland, 1970) 110
- 1970CO03 P.M. Cockburn, L.J.B. Goldfarb, I.S. Grant and H.E. Reed, Nucl. Phys. A141 (1970) 532
- 1970CO04 L. Cohen and G.H. Herling, Nucl. Phys. A141 (1970) 595
- 1970CO09 P.M. Cockburn, W.J. Stark and R.W. Krone, Phys. Rev. C1 (1970) 1757

- 1970CO12 J.A. Cookson and J.G. Locke, Nucl. Phys. A146 (1970) 417
- 1970CO1H Cohen and Kurath, Nucl. Phys. A141 (1970) 145
- 1970CZ1A Czyz, in Thoery of Nucl. Struct., Trieste 1969, IAEA STI/PUB/249 (1970) 797
- 1970DA13 M. Danos and B.M. Spicer, Z. Phys. 237 (1970) 320
- 1970DA17 C. Dale and G.L. Strobel, Nucl. Phys. A156 (1970) 600
- 1970DE04 S.V. Dementii, N.G. Afanasev, I.M. Arkatov, V.G. Vlasenko, V.A. Goldshtein and E.L. Kuplennikov, Yad. Fiz. 11 (1970) 19; Sov. J. Nucl. Phys. 11 (1970) 10
- 1970DE12 C. Detraz, H.H. Duhm and H. Hafner, Nucl. Phys. A147 (1970) 488
- 1970DE14 G. Deconninck and J.-P. Meulders, Phys. Rev. C1 (1970) 1326
- 1970DE1F Delalex, Univ. Lyon Rept. No. Lycen 7047 (1970)
- 1970DE35 R. Der, G. Otto, K.-D. Schmidt and K. Hehl, Acta Phys. Acad. Sci. Hung. 28 (1970) 17
- 1970DE45 N. de Takacsy and S. Das Gupta, Phys. Lett. B33 (1970) 556
- 1970DO04 J.J. Domingo, B.W. Allardyce, C.H.Q. Ingram, S. Rohlin, N.W. Tanner, J. Rohlin, E.M. Rimmer, G. Jones and J.P. Girardeau-Montaut, Phys. Lett. B32 (1970) 309
- 1970DO1A Donnelly and Walker, Ann. Phys. 60 (1970) 209
- 1970DO1F T.W. Donnelly, Phys. Rev. C1 (1970) 833
- 1970DO1G Donnelly, Rowe and Wong, Bull. Amer. Phys. Soc. 15 (1970) 817
- 1970DO1H Donnelly, Nucl. Phys. A150 (1970) 393
- 1970DR07 R.M. Dreizler, F.R. Krejs and A. Klein, Nucl. Phys. A155 (1970) 33
- 1970DR1B Drake, Hopkins, Young and Conde, Nucl. Sci. Eng. 40 (1970) 294
- 1970EF01 V. Efimov, Phys. Lett. B33 (1970) 563
- 1970EH1A Ehlers, Thesis, Washington State Univ. (1970); Phys. Abs. 60791 (1971)
- 1970EI05 W. Eichelberger, R.D. Plieninger and E. Velten, Nucl. Phys. A149 (1970) 441
- 1970EI06 J. Eichler and A. Faessler, Nucl. Phys. A157 (1970) 166
- 1970EL01 M. El-Nadi and O. Zohni, Nucl. Phys. A142 (1970) 87
- 1970EL16 M. El-Nadi, O. Zohni and H.M. Hussein, Ann. Phys. (Leipzig) 25 (1970) 1
- 1970EL1E Elsaesser and Eisenberg, Nucl. Phys. A144 (1970) 441
- 1970EN1A Ender, Thesis, New Maxico State Univ. (1970).; Phys. Abs. 6651 (1970)
- 1970EP1A C.D. Epp and T.A. Griffy, Phys. Rev. C1 (1970) 1633
- 1970ER1A Ericson and Locher, Nucl. Phys. A148 (1970) 1
- 1970FE07 J.L. Ferrero, A. Garcia, F. Senent, J. Aguilar, C. Fernandez Pineda and C. Ruiz Bauza, An. Fis. 66 (1970) 141

- 1970FE09 C. Fernandez Pineda, J. de la Rubia and C. Ruiz Bauza, *An. Fis.* 66 (1970) 367
- 1970FI07 D. Fick, R. Kankowsky, K. Kilian and E. Salzborn, *Phys. Rev. Lett.* 24 (1970) 1503
- 1970FI1D Firk, *Ann. Rev. Nucl. Sci.* 20 (1970) 39
- 1970FL1B Flinn, *Bull. Amer. Phys. Soc.* 15 (1970) 193
- 1970FO1C Fominyh, *At. Energ.* 28 (1970) 159
- 1970FR06 B. Frois, L. Marquez, J.L. Quebert, J.N. Scheurer, J.P. Laugier, G. Gruber, E. Heinicke and K. Meier-Ewert, *Nucl. Phys. A153* (1970) 277
- 1970FR1C Frahn, *Theor. of Nucl. Struct., Trieste, 1969, IAEA STI/PUB/249* (1970) 297
- 1970FR1E J.L. Friar, *Phys. Rev. C1* (1970) 40
- 1970GA09 A. Gallman, F. Haas, N. Balaux, B. Heusch and M. Toulemonde, *Can. J. Phys.* 48 (1970) 1595
- 1970GE1A Geiger and van der Zwan, *Int. J. Appl. Radiation Isotopes* 21 (1970) 193; *Phys. Abs.* 42588 (1970)
- 1970GI04 M. Girod, Nguyen Van Sen, J.P. Longequeue and Tsan Ung Chan, *J. Phys. (Paris)* 31 (1970) 125
- 1970GI05 P. Gil, B. Frois, G. Gruber, E. Heinicke, L. Marquez, N. Paviot and J.-N. Scheurer, *Compt. Rend. Acad. Sci. B270* (1970) 977
- 1970GI11 B. Giraud and P.U. Sauer, *Nucl. Phys. A154* (1970) 587
- 1970GI1C Giorni, *Nucl. Phys. A144* (1970) 146
- 1970GO11 D.R. Goosman and R.W. Kavanagh, *Phys. Rev. C1* (1970) 1939
- 1970GO12 B. Gottschalk and S.L. Kannenberg, *Phys. Rev. C2* (1970) 24
- 1970GO1B Goldfarb, *Nucl. Reactions Induced by Heavy Ions, Heidelberg, 1969 (North-Holland, 1970)* 115
- 1970GO1F Gotow, *Proc. 3rd Int. Conf. on high-Energy Phys. and Nucl. Struct., New York, 1969 (Plenum, 1970)* 374; *Phys. Abs.* 43628 (1971)
- 1970GO1J Goulard, *Nucl. Phys. A140* (1970) 225
- 1970GO28 Y.M. Goryachev, V.P. Kanavets, I.I. Levintov, B.V. Morozov, N.A. Nikiforov and A.S. Starostin, *Yad. Fiz.* 11 (1970) 629; *Sov. J. Nucl. Phys.* 11 (1970) 353
- 1970GO33 G. Goulard, *Can. J. Phys.* 48 (1970) 2341
- 1970GO49 G. Goulard, *J. Phys. (Paris)* 31 (1970) 941
- 1970GR27 S.I. Grishanova and N.N. Titarenko, *Phys. Lett. B32* (1970) 565
- 1970GU01 H. Guratzsch, J. Slotta and G. Stiller, *Nucl. Phys. A140* (1970) 129
- 1970GU11 I. Guiasu, M. Iosifescu, H. Scutaru and M. Cristu, *Lett. Nuovo Cim.* 3 (1970) 279
- 1970GU15 R. Guardiola, *Lett. Nuovo Cim.* 4 (1970) 1005

1970HA15 T.D. Hayward and F.H. Schmidt, Phys. Rev. C1 (1970) 923
1970HA1F Hayward, NBS Monograph 118 (1970)
1970HA1J Hammerstein and Petrovich, Bull. Amer. Phys. Soc. 15 (1970) 502
1970HI09 H. Hilscher, W.-D. Krebs, G. Sepp and V. Soergel, Nucl. Phys. A158 (1970) 584
1970HI10 H. Hilscher, W.-D. Krebs, G. Sepp and V. Soergel, Nucl. Phys. A158 (1970) 593
1970HI11 H. Hilscher, W.-D. Krebs, G. Sepp and V. Soergel, Nucl. Phys. A158 (1970) 602
1970HI1C Hiro-Oka, Prog. Theor. Phys. 43 (1970) 689
1970HI1F Hiramatsu et al., Univ. Tokyo, Inst. Nucl. Study, Rept. No. INS J 122 (1970)
1970HO03 Y.S. Horowitz and R.E. Bell, Can. J. Phys. 48 (1970) 201
1970HO1J T.H. Ho and A.B. Volkov, Phys. Lett. B31 (1970) 259
1970HU1F Hutzelmeyer and Hackenbroich, Z. Phys. 232 (1970) 356
1970HY01 G. Hylten, Nucl. Phys. A158 (1970) 225
1970JA02 W. Jaus and G. Rasche, Nucl. Phys. A143 (1970) 202
1970JA08 D.F. Jackson and S. Murugesu, Nucl. Phys. A149 (1970) 261
1970JA1B Jacmart et al., Nucl. Reactions Induced by Heavy ions, Heidelberg, 1969 (North-Holland, 1970) 128
1970JA1E Jackson and Weller, Bull. Amer. Phys. Soc. 15 (1970) 163
1970JA1J Janouch and Mach, Nucl. Phys. A158 (1970) 193
1970JA1K Jarlskog, Ark. Fys. 40 (1970) 509
1970JA23 B.K. Jain and B. Banerjee, Nuovo Cim. A69 (1970) 419
1970JO18 W.B. Jones and J.M. Eisenberg, Nucl. Phys. A154 (1970) 49
1970JU1C Jury, Hewitt and McNeill, Bull. Amer. Phys. Soc. 14 (1969) 488
1970KA1D Kadenskii, Kalechits and Furman, Yad. Fiz. 11 (1970) 1237
1970KA1H Kaushal and Waghmare, Nucl. Phys. A144 (1970) 449
1970KA1J R.S. Kaushal and Y.R. Waghmare, Phys. Lett. B31 (1970) 637
1970KA1K Kadenskii et al., Sov. J. Nucl. Phys. 10 (1970) 422
1970KA30 I. Kakkar and Y.R. Waghmare, Phys. Rev. C2 (1970) 1191
1970KA37 K. Kayser, W. Collin, P. Filss, S. Guldbakke, G. Nolte, H. Reich, J.O. Trier and W. Witschel, Z. Phys. 239 (1970) 447
1970KE1B Kenefick, Mroz and Watson, Bull. Amer. Phys. Soc. 15 (1970) 1695
1970KH01 S.B. Khadkikar and M.R. Gunye, Nucl. Phys. A144 (1970) 289
1970KO01 V.V. Komarov and H.A. Salman, Phys. Lett. B31 (1970) 52

- 1970KO04 H.S. Kohler, Nucl. Phys. A144 (1970) 407
- 1970KO15 S. Kobayashi, S. Motonaga, Y. Chiba, K. Katori, A. Stricker, T. Fujisawa and T. Wada, J. Phys. Soc. Jpn. 29 (1970) 1
- 1970KO1K Komarov et al., Izv. Akad. Nauk SSSR Ser. Fiz. 34 (1970) 84
- 1970KO1L T. Kohmura, Phys. Rev. C1 (1970) 1945
- 1970KO23 V.M. Kolybasov and T.A. Lomonosova, Yad. Fiz. 11 (1970) 578; Sov. J. Nucl. Phys. 11 (1970) 325
- 1970KO26 T.I. Kopaleishvili and I.Z. Machabeli, Yad. Fiz. 12 (1970) 525; Sov. J. Nucl. Phys. 12 (1970) 286
- 1970KO27 V.V. Komarov and H. Salman, Izv. Akad. Nauk SSSR Ser. Fiz. 34 (1970) 1689; Bull. Acad. Sci. USSR Phys. Ser. 34 (1971) 1500
- 1970KR09 N.N. Krasnov, P.P. Dmitriev, Z.P. Dmitrieva, I.O. Konstantinov and G.A. Molin, At. Energ. 28 (1970) 258; Sov. At. Energy 28 (1970) 335
- 1970KR1D S.J. Krieger, Phys. Rev. C1 (1970) 76
- 1970KR1E F.R. Kroll and N.S. Wall, Phys. Rev. C1 (1970) 138
- 1970KR1F Krell and Barmo, Nucl. Phys. B20 (1970) 461
- 1970KU1C E. Kujawski, Phys. Rev. C1 (1970) 1651
- 1970LA21 R.O. Lane, C.E. Nelson, J.L. Adams, J.E. Monahan, A.J. Elwyn, F.P. Mooring and A. Langsdorf, Jr., Phys. Rev. C2 (1970) 2097
- 1970LI02 J.W. Lightbody, Jr. and S. Penner, Phys. Rev. Lett. 24 (1970) 274
- 1970LI18 J.W. Lightbody, Jr., Phys. Lett. B33 (1970) 129
- 1970LI19 A.E. Litherland, G.T. Ewan and S.T. Lam, Can. J. Phys. 48 (1970) 2320
- 1970LI1E Liebenauer, Silverstein, Kibler and Koral, Bull. Amer. Phys. Soc. 15 (1970) 521
- 1970LI1P Lightbody, Thesis, Univ. Maryland (1970)
- 1970LI24 T.K. Lim, Nucl. Phys. A158 (1970) 385
- 1970LO1C M.A. Lodhi, Phys. Rev. C1 (1970) 365
- 1970MA04 E.Z. Magzumov and V.G. Neudatchin, Phys. Lett. B31 (1970) 106
- 1970MA18 J.F. Marshall, M.E. Nordberg, Jr. and R.L. Burman, Phys. Rev. C1 (1970) 1685
- 1970MA1J Maerker and Muckenthaler, Bull. Amer. Phys. Soc. 15 (1970) 1328
- 1970MA38 E.Z. Magzumov, V.G. Neudachin and M.S. Belkin, Yad. Fiz. 11 (1970) 589; Sov. J. Nucl. Phys. 11 (1970) 331
- 1970MC1D McDonald, Uberall and Numrich, Nucl. Phys. A147 (1970) 541
- 1970MC1T McMahan, Thesis, Rice Univ. (1970); Phys. Abs. 54824 (1971)
- 1970MC25 C.A. McMahan and I.M. Duck, Nucl. Phys. A157 (1970) 417

- 1970ME17 H.A. Medicus, E.M. Bowey, D.B. Gayther, B.H. Patrick and E.J. Winhold, Nucl. Phys. A156 (1970) 257
- 1970ME30 S. Messelt, Phys. Norv. 4 (1970) 191
- 1970MI12 B. Mithra and R. Laverriere, Nucl. Phys. A155 (1970) 535
- 1970MI1D G. Michaud, L. Scherk and E. Vogt, Phys. Rev. C1 (1970) 864A
- 1970MI1G Miller, Morrison and Westley, Bull. Amer. Phys. Soc. 15 (1970) 1315
- 1970MI1H Miller, Thesis SAL 15 (1970)
- 1970MO06 J.F. Morgan and R.K. Hobbie, Phys. Rev. C1 (1970) 155
- 1970MO22 J.F. Morgan and D.C. Weisser, Nucl. Phys. A151 (1970) 561
- 1970MO35 U. Mosel, T.D. Thomas and P. Riesenfeldt, Phys. Lett. B33 (1970) 565
- 1970MU1D M.G. Mustafa and F.B. Malik, Phys. Rev. C1 (1970) 753
- 1970NA02 K. Nagatani, D.P. Boyd, P.F. Donovan, E. Beardsworth and P.A. Assimakopoulos, Phys. Rev. Lett. 24 (1970) 675
- 1970NA1F Nagorcka, Symons, Zuk and Patterson, Rept. ANU-P/515, Aust. Nat. Univ. (1970); Phys. Abs. 78588 (1971)
- 1970NE1A Nettles, Hensley, Barnes and Goodman, Private Communication (1970)
- 1970NE1F Neudatchin and Wildermuth, Proc. Int. Conf. Nucl. Reactions Induced by Heavy Ions, Heidelberg, 1969 (North-Holland, 1970) p. 327
- 1970NO1A J.V. Noble, Phys. Lett. B31 (1970) 253
- 1970OG1A Ogloblin, Proc. Int. Conf. Nucl. Reactions Induced by Heavy Ions, Heidelberg, 1969 (North-Holland, 1970) 231
- 1970OH1B Ohnishi, Prog. Theor. Phys. 43 (1970) 1480
- 1970OH1C Ohmura, Imanishi, Ichimura and Kawai, Prog. Theor. Phys. 44 (1970) 1242
- 1970OL1B Olsen, Thesis, Univ. Minnesota (1970); Phys. Abs. 47335 (1971)
- 1970ON1B Onley, Nucl. Phys. A149 (1970) 197
- 1970PA10 N. Paviot, M. Berrada, B. Frois, L. Marquez, J. Quebert and N. Scheurer, J. Phys. (Paris) 31 (1970) 35
- 1970PA1H Pasichny, Acad. Sci. Ukrainian, SSR, Inst. Theor. Phys., Preprint ITF 70 (1970) 42
- 1970PE18 A.K. Petrauskas and L.Y. Sabalyauskas, Yad. Fiz. 12 (1970) 492; Sov. J. Nucl. Phys. 12 (1970) 269
- 1970PI1D Pizzi, Thesis, Univ. Lyon, France (1970); Phys. Abs. 59004 (1970)
- 1970PO03 D.L. Powell, G.M. Crawley, B.V.N. Rao and B.A. Robson, Nucl. Phys. A147 (1970) 65

- 1970PO1E Porter, Coles and Wyld, Rept. AWRE 045/70, Aldermaston (1970); Phys. Abs. 845 (1971)
- 1970PR12 K. Pruess and W. Greiner, Phys. Lett. B33 (1970) 197
- 1970PR1H Pratt, Nuovo Cim. A68 (1970) 477
- 1970RA39 K.S. Rao, V. Devanathan and G.N.S. Prasad, Nucl. Phys. A159 (1970) 97
- 1970RE09 F.D. Reisman, P.I. Connors and J.B. Marion, Nucl. Phys. A153 (1970) 244
- 1970RE1F Reisman, Thesis, Univ. Maryland (1970); Phys. Abs. 47255 (1971)
- 1970RE1G Reid, Thesis, Univ. Maryland (1970); Phys. Abs. 71854 (1971)
- 1970RO20 D.J. Rowe and S.S.M. Wong, Nucl. Phys. A153 (1970) 561
- 1970RU1A Ruehl, Thesis, Univ. California, Los Angeles (1970)
- 1970RY1A Rybachenko, Sadovoi and Chulkov, Sov. J. Nucl. Phys. 10 (1970) 658
- 1970SA06 H.S. Sandhu, Nucl. Phys. A146 (1970) 163
- 1970SA1B Sarkar and Chertok, Bull. Amer. Phys. Soc. 15 (1970) 500
- 1970SA1K Sandler, Thesis, Rice Univ. (1970); Phys. Abs. 51265 (1971)
- 1970SC01 K. Schafer, Nucl. Phys. A140 (1970) 9
- 1970SC02 D.K. Scott, P.M. Portner, J.M. Nelson, A.C. Shotter, A.J. Mitchell, N.S. Chant, D.G. Montague and K. Ramavataram, Nucl. Phys. A141 (1970) 497
- 1970SC1G F. Schmittroth, W. Tobocman and A.A. Golestaneh, Phys. Rev. C1 (1970) 377
- 1970SC1P Schmidt, Lett. Nuovo Cim. 4 (1970) 454
- 1970SC23 G. Scheklinski, U. Strohbush and B. Goel, Nucl. Phys. A153 (1970) 97
- 1970SC29 W. Scobel and M. Bormann, Z. Naturf. A25 (1970) 1406
- 1970SH01 H. Sherif and J.S. Blair, Nucl. Phys. A140 (1970) 33
- 1970SH14 R. Shanta and R.K. Satpathy, Phys. Rev. C2 (1970) 1279
- 1970SH1C Sherwood and Goswami, Bull. Amer. Phys. Soc. 15 (1970) 527
- 1970SI01 W.D. Simpson, J.L. Friedes, H. Palevsky, R.J. Sutter, G.W. Bennett, B. Gottschalk, G. Igo, R.L. Stearns, N.S. Wall, D.M. Corley et al., Nucl. Phys. A140 (1970) 201
- 1970SI08 I. Sick and J.S. McCarthy, Nucl. Phys. A150 (1970) 631
- 1970SP01 J. Specht, H. Rebel, G. Schatz, G.W. Schweimer, G. Hauser and R. Lohken, Nucl. Phys. A143 (1970) 373
- 1970SP1C Sparrow and Gerace, Nucl. Phys. A145 (1970) 289
- 1970ST04 H.J. Strubbe and D.K. Callebaut, Nucl. Phys. A143 (1970) 537
- 1970ST10 P. Strehl, Z. Phys. 234 (1970) 416
- 1970ST19 A.P. Stamp, Phys. Lett. B33 (1970) 257

- 1970ST21 M.M. Sternheim and E.H. Auerbach, Phys. Rev. Lett. 25 (1970) 1500
- 1970SU04 K. Sugimoto, A. Mizobuchi, K. Matuda and T. Minamisono, Phys. Lett. B31 (1970) 520
- 1970SU1B Sukhoruchkin, Sov. J. Nucl. Phys. 10 (1970) 144
- 1970SV1B Svenne, Theory of Nucl. Struct. - Trieste 1969, IAEA STI/PUB/249 (1970) 413
- 1970TA12 B. Tatischeff and I. Brissaud, Nucl. Phys. A155 (1970) 89
- 1970TA1F Taran, Sov. J. Nucl. Phys. 10 (1970) 119
- 1970TA1J Talmi, Theory of Nucl. Struct. - Trieste 1969, IAEA STI/PUB/249 (1970) 455
- 1970TH01 M.N. Thompson, R.J.J. Stewart and J.E.M. Thompson, Phys. Lett. B31 (1970) 211
- 1970TH1F Theus et al., Bull. Amer. Phys. Soc. 15 (1970) 1695
- 1970TI03 Y.I. Titov, E.V. Stepula, N.G. Afanasev, R.V. Akhmerov, S.A. Byvalin, N.F. Severin, E.M. Smelov and L.D. Yaroshevskii, Yad. Fiz. 11 (1970) 260; Sov. J. Nucl. Phys. 11 (1970) 145
- 1970TO09 S.G. Tonapetyan, O.G. Konovalov, A.I. Derebchinskii, A.A. Zybalov, V.M. Khvorostyan, N.V. Goncharov and V.A. Goldshtein, Pisma Zh. Eksp. Teor. Fiz. 11 (1970) 165; JETP Lett. 11 (1970) 101
- 1970TO13 Y. Torizuka, A. Yamaguchi, T. Terasawa, Y. Kojima, K. Nakahara, M. Oyamada, K.Itoh, A. Nakada, S. Mitsunobu and M. Kimura, Phys. Rev. Lett. 25 (1970) 874
- 1970TU01 D.R. Tuerpe, W.H. Bassichis and A.K. Kerman, Nucl. Phys. A142 (1970) 49
- 1970VA07 Y.P. Varshni and S. Bose, Nucl. Phys. A144 (1970) 645
- 1970VA18 A.O. Vaisenberg, N.V. Rabin and V.F. Kuzichev, Yad. Fiz. 11 (1970) 48; Sov. J. Nucl. Phys. 11 (1970) 26
- 1970VA1K J.F. Valley, J. Lang, R. Muller and P. Marmier, Helv. Phys. Acta 43 (1970) 438
- 1970VA23 L. van der Zwan and K.W. Geiger, Nucl. Phys. A152 (1970) 481
- 1970VE06 A.N. Vereshchagin, I.N. Korostova and I.P. Chernov, Izv. Vys. Ucheb. Zav. Fiz. 8 (1970) 105; Sov. Phys. J. 13 (1973) 1071
- 1970VO02 W. Von Oertzen, M. Liu, C. Caverzasio, J.C. Jacmart, F. Pougheon, M. Riou, J.C. Roynette and C. Stephan, Nucl. Phys. A143 (1970) 34
- 1970VO09 P. Vogt and D. Kamke, Nucl. Phys. A151 (1970) 1
- 1970VO1D von Oertzen, Nucl. Phys. A148 (1970) 529
- 1970VY01 A.V. Vysotskaya and N.G. Afanasev, Yad. Fiz. 11 (1970) 942; Sov. J. Nucl. Phys. 11 (1970) 523
- 1970WE1B Weller, Bull. Amer. Phys. Soc. 15 (1970) 162
- 1970WE1J L.C. Welch, Thesis, Univ. Southern California (1970); Phys. Abs. 60774 (1971)

- 1970WI17 R.L. Williams, Jr., L. Pfeiffer, J.C. Wells, Jr. and L. Madansky, Phys. Rev. C2 (1970) 1219
- 1970WI1B Williams et al., Bull. Amer. Phys. Soc. 15 (1970) 62
- 1970WI1L Williams, Thesis, Johns Hopkins Univ. (1970); Phys. Abs. 60727 (1971)
- 1970WI21 C. Wilkin, Lett. Nuovo Cim. 4 (1970) 491
- 1970WO12 C.Y. Wong, Phys. Lett. B32 (1970) 668
- 1970WO1E Wong, Thesis, Univ. Saskatchewan (1970); Phys. Abs. 57598 (1971)
- 1970YA11 S. Yamaji and S. Yoshida, Prog. Theor. Phys. 44 (1970) 125
- 1970YU02 T. Yukawa and S. Yoshida, Phys. Lett. B33 (1970) 334
- 1970ZI04 W. Zickendraht, Z. Phys. 238 (1970) 343
- 1971AB07 Y. Abe, J. Hiura and H. Tanaka, Prog. Theor. Phys. 46 (1971) 352
- 1971AB1B Abgrall and Caurier, Suppl. J. Phys. 32 (1971) C6-63
- 1971ADZZ J.M. Adams, A. Adams and J.M. Calvert, AERE-R-6473 (1971)
- 1971AG01 N.M. Agababyan, Y.A. Batusov, S.A. Bunyatov, I.F. Golovanova, P. Cuer, J.-P. Mas-sue, V.M. Sidorov, K.M. Chernev and V.A. Yarba, Yad. Fiz. 13 (1971) 283; Sov. J. Nucl. Phys. 13 (1971) 157
- 1971AH03 I. Ahmad, Phys. Lett. B36 (1971) 301
- 1971AJ02 F. Ajzenberg-Selove, Nucl. Phys. A166 (1971) 1
- 1971AJ1B Ajzenberg-Selove, Garrett and Middleton, Bull. Amer. Phys. Soc. 16 (1971) 600
- 1971AM1A Amato et al., Bull. Amer. Phys. Soc. 16 (1971) 511
- 1971AN04 Y.P. Antufev, V.L. Agranovich, V.B. Ganenko, V.S. Kuzmenko, I.I. Miroshnichenko and P.V. Sorokin, Yad. Fiz. 13 (1971) 473; Sov. J. Nucl. Phys. 13 (1971) 265
- 1971AN08 G. Andersson, B. Forkman and B. Friberg, Nucl. Phys. A171 (1971) 529
- 1971AN1F Antuf'ev et al., Sov. J. Nucl. Phys. 12 (1971) 627
- 1971AR02 A.G. Artukh, V.V. Avdeichikov, J. Ero, G.F. Gridnev, V.L. Mikheev, V.V. Volkov and J. Wilczynski, Nucl. Phys. A160 (1971) 511
- 1971AR1L Artemov et al., Sov. J. Nucl. Phys. 12 (1971) 606
- 1971AR1R A. Arima and I. Hamamoto, Ann. Rev. Nucl. Sci. 21 (1971) 55
- 1971AR41 J.I. Arribas, J. Casanova and J. Nalda, An. Fis. 67 (1971) 323
- 1971AU16 S.M. Austin, G.M. Trentelman and E. Kashy, Astro. J. 163 (1971) L79
- 1971AZ1A Azhgrei et al., Sov. J. Nucl. Phys. 13 (1971) 3
- 1971BA16 V.V. Balashov and V.I. Markov, Nucl. Phys. A163 (1971) 465

- 1971BA1A Barnes, *Advances in Nucl. Phys.*, Eds. Baranger and Vogt, Vol. 4 (Plenum Press, 1971) p. 133
- 1971BA2W Baciú, *Studii Cercetari Fiz. (Roumania)* 23 (1971) 773
- 1971BA2Y Baus-Baghdikian, *U. Libre Bruxelles, Bull. No. 45* (1971)
- 1971BA64 N. Baron, R.F. Leonard and W.M. Stewart, *Phys. Rev. C4* (1971) 1159
- 1971BA68 P.H. Barker, P.M. Cockburn, A. Huber, H. Knoth, U. Matter, H.-P. Seiler and P. Marmier, *Ann. Phys. (New York)* 66 (1971) 705
- 1971BA85 H. Bando, S. Nagata and Y. Yamamoto, *Prog. Theor. Phys.* 45 (1971) 1515
- 1971BA97 G. Baur and K. Alder, *Helv. Phys. Acta* 44 (1971) 703
- 1971BE25 H.A. Bentz, *Z. Phys.* 243 (1971) 138
- 1971BE2B Beck and Kleber, *Z. Phys.* 246 (1971) 383
- 1971BE51 J.C. Bergstrom, H. Crannell, F.J. Kline, J.T. O'Brien, J.W. Lightbody, Jr. and S.P. Fivozinsky, *Phys. Rev. C4* (1971) 1514
- 1971BE60 Z. Berant, M.B. Goldberg, G. Goldring, S.S. Hanna, H.M. Loebenstein, I. Plesser, M. Popp, J.S. Sokolowski, P.N. Tandon and Y. Wolfson, *Nucl. Phys. A178* (1971) 155
- 1971BI01 J. Birkholz, *Phys. Lett. B34* (1971) 1
- 1971BI1K Binon et al., *Nucl. Phys. B33* (1971) 42
- 1971BL06 J. Blomqvist, *Phys. Lett. B35* (1971) 375
- 1971BL1E Blair and Sherif, *Polarization, Madison, 1970* (Univ. Wisconsin Press, 1971) p. 692
- 1971BO07 P. Boschung, J.T. Lindow and E.F. Shrader, *Nucl. Phys. A161* (1971) 593
- 1971BO1F Bolsterli, LA-DC 12417 (1971)
- 1971BO1M Borie and Drechsel, *Nucl. Phys. A167* (1971) 369
- 1971BO1U Bohlen et al., *Suppl. J. Phys.* 32 (1971) C6-141
- 1971BO20 J. Borysowicz, *Phys. Lett. B35* (1971) 113
- 1971BO26 K. Boehle, V. Meyer and H.H. Muller, *Helv. Phys. Acta* 44 (1971) 367
- 1971BO29 M. Bouten, M.C. Bouten, H. Depuydt and L. Schotsmans, *Phys. Lett. B35* (1971) 464
- 1971BO52 H.G. Bohlen and W. von Oertzen, *Phys. Lett. B37* (1971) 451
- 1971BR1G Bronson and Kenefick, *Bull. Amer. Phys. Soc.* 16 (1971) 1163
- 1971BU02 V.E. Bunakov, K.A. Gridnev and L.V. Krasnov, *Phys. Lett. B34* (1971) 27
- 1971BU1K Burymov et al., *Izv. Akad. Nauk SSSR Ser. Fiz.* 35 (1971) 159
- 1971BU26 A. Bussiere, J. Mougey, P.X. Ho, M. Priou and I. Sick, *Lett. Nuovo Cim.* 2 (1971) 1149

- 1971CA01 P.J. Castleberry, L. Coulson, R.C. Minehart and K.O.H. Ziock, Phys. Lett. B34 (1971) 57
- 1971CA1J Castleberry, Thesis, Univ. Virginia (1971); Phys. Abs. 46293 (1972)
- 1971CH01 J.S. Chalmers, Phys. Rev. C3 (1971) 968
- 1971CH1P Chuev et al., Suppl. J. Phys. 32 (1971) C6-161
- 1971CI03 C. Ciofi degli Atti and R. Guardiola, Phys. Lett. B36 (1971) 287
- 1971CI1A Ciofi degli Atti, Lett. Nuovo Cim. 1 (1971) 590
- 1971CU01 T.H. Curtis, H.F. Lutz, D.W. Heikkinen and W. Bartolini, Nucl. Phys. A165 (1971) 19
- 1971CU1B Cuzzocrea, Perillo and Notarrigo, Nuovo Cim. A4 (1971) 251
- 1971DA13 S. Das Gupta, J.C. Hocquenghem and B. Giraud, Nucl. Phys. A168 (1971) 625
- 1971DA1J Davidov et al., Proc. Int. Conf. on Heavy Ion Phys., Dubna (1971) 484
- 1971DA30 A. Dar and Z. Kirzon, Phys. Lett. B37 (1971) 166
- 1971DA33 V.V. Davydov, B.G. Novatskii, A.A. Ogloblin, S.B. Sakuta, D.N. Stepanov and V.I. Chuev, Izv. Akad. Nauk SSSR Ser. Fiz. 35 (1971) 2399; Bull. Acad. Sci. USSR Phys. Ser. 35 (1972) 2176
- 1971DE1T Dennis, AD 710353; Phys. Abs. 51213 (1971)
- 1971DE31 J.P. Dedonder, Nucl. Phys. A174 (1971) 251
- 1971DE37 C. Detraz, C.D. Zafiratos, C.E. Moss and C.S. Zaidins, Nucl. Phys. A177 (1971) 258
- 1971DI1F di Napoli et al., Nucl. Instrum. Meth. 93 (1971) 77
- 1971DO1F Dogotar, Khok and Eramzhian, Proc. Int. Conf. on Heavy Ion Phys., Dubna (1971) p. 218
- 1971DO1K Dolenc, Antolkovic, Fizika (Yugoslavia) 4 (1971) 37.
- 1971DR02 O. Dragun, G.G. Dussel, E. Maqueda and R.P.J. Perazzo, Nucl. Phys. A167 (1971) 529
- 1971DU06 S. Dutta and E.L. Tomusiak, Phys. Lett. B35 (1971) 554
- 1971DU09 G. Duhamel, L. Marcus, H. Langevin-Joliot, J.P. Didelez, P. Narboni and C. Stephan, Nucl. Phys. A174 (1971) 485
- 1971DU13 E.I. Dubovoi, Izv. Akad. Nauk SSSR Ser. Fiz. 35 (1971) 199; Bull. Acad. Sci. USSR Phys. Ser. 35 (1972) 180
- 1971ED02 G.W. Edwards and E. Rost, Phys. Rev. Lett. 26 (1971) 785; Erratum Phys. Rev. Lett. 26 (1971) 1354
- 1971EG02 K.S. Egian, G.L. Bocek and V.M. Kulibaba, Izv. Akad. Nauk Arm. SSSR Ser. Fiz. 6 (1971) 351; Phys. Abs. 35009 (1972)

- 1971EG03 K.S. Egiyan, G.L. Bochek, V.I. Kulibaba and I.A. Grishaev, *Izv. Akad. Nauk Arm. SSSR Ser. Fiz.* 6 (1971) 161; *Phys. Abs.* 82091 (1972)
- 1971EN03 J.B.A. England, R.G. Harris, L.H. Watson and D.H. Worledge, *Nucl. Phys.* A165 (1971) 277
- 1971EP03 M.B. Epstein, J.R. Quinn, S.N. Bunker, J.W. Verba and J.R. Richardson, *Nucl. Phys.* A169 (1971) 337
- 1971FA09 J. Favier, T. Bressani, G. Charpak, L. Massonnet, W.E. Meyerhof and C. Zupancic, *Nucl. Phys.* A169 (1971) 540
- 1971FA11 A. Faessler, K.W. Schmid and A. Plastino, *Nucl. Phys.* A174 (1971) 26
- 1971FE1C Fetscher et al., *Polarization*, Madison, 1970 (Univ. Wisconsin Press, 1971) p. 665
- 1971FE1F Fernandez, Ruiz and Bauza, *An. Fisica* 67 (1971) 387
- 1971FO08 H.T. Fortune, G.C. Morrison and R.H. Siemssen, *Phys. Rev.* C3 (1971) 2133
- 1971FO1A D.G. Foster and D.W. Glasgow, *Phys. Rev.* C3 (1971) 576, 604
- 1971FR06 H. Friedrich and A. Weiguny, *Phys. Lett.* B35 (1971) 105
- 1971FR13 J.L. Friar, *Nucl. Phys.* A173 (1971) 248
- 1971FR15 H. Friedrich, L. Satpathy and A. Weiguny, *Phys. Lett.* B36 (1971) 189
- 1971FR1L Friar, *Bull. Amer. Phys. Soc.* 16 (1971) 1416
- 1971GA1J Gaillard, *Conf. on Certain Microscopic Aspects of Nucl. Reactions*, La Toursinei, 1971 (Vieleurbanne, France: *Inst. Nucl. Phys.* 1971); *Phys. Abs.* 43589 (1971)
- 1971GA1N Gadeken, *Thesis*, Iowa Univ. (1971); *Phys. Abs.* 63925 (1972)
- 1971GA1P Gastebois, *Suppl. J. Phys.* 32 (1971) C6-57
- 1971GA21 L.L. Gadeken and E. Norbeck, *Phys. Rev. Lett.* 27 (1971) 952
- 1971GA42 B.S. Galakhmatova, Z.F. Kalacheva, M.R. Omar, E.A. Romanovskii, T.I. Spasskaya, M.A. Sultan and Y.V. Rogachev, *Vestn. Mosk. Univ. Fiz. Astron. (USSR)* 12 (1971) 637; *Phys. Abs.* 28033 (1972)
- 1971GI1D Gieraltowski, *Thesis*, Iowa State Univ. (1971); *Phys. Abs.* 67147 (1972)
- 1971GO1D Goncharova and Yudin, *Sov. J. Nucl. Phys.* 12 (1971) 392
- 1971GO1R Gorodetzky, Rudolf, Scheibling and Chevallier, *Suppl. J. Phys.* 32 (1971) C6-197
- 1971GO20 G. Goulard, *Lett. Nuovo Cim.* 2 (1971) 397
- 1971GR16 R.C. Grimm, I.E. McCarthy and R.G. Storer, *Nucl. Phys.* A166 (1971) 330
- 1971GR1L Grin' and Kochetov, *Sov. J. Nucl. Phys.* 12 (1971) 634
- 1971GR1V Grin and Leinson, *Suppl. J. Phys.* 32 (1971) C6-205
- 1971GR1X Grishaev et al., *Ukr. Fiz. Zh. (USSR)* 16 (1971) 1550; *Phys. Abs.* 14974 (1972)

- 1971GR23 S.I. Grishanova and N.N. Titarenko, *Yad. Fiz.* 13 (1971) 712; *Sov. J. Nucl. Phys.* 13 (1971) 404
- 1971GR2C Grin and Kochetov, *Suppl. J. Phys.* 32 (1971) C6-203
- 1971GR49 Y.T. Grin and L.B. Leinson, *Phys. Lett.* B37 (1971) 253
- 1971GU07 H.H. Gutbrod, H. Yoshida and R. Bock, *Nucl. Phys.* A165 (1971) 240
- 1971GU10 I.S. Gulkarov, *Yad. Fiz.* 13 (1971) 321; *Sov. J. Nucl. Phys.* 13 (1971) 178
- 1971GU11 V.N. Gurev, *Yad. Fiz.* 13 (1971) 326; *Sov. J. Nucl. Phys.* 13 (1971) 181
- 1971GU13 R. Guy and J.M. Eisenberg, *Can. J. Phys.* 49 (1971) 1879
- 1971GU1B Gulkarov, *Sov. J. Nucl. Phys.* 12 (1971) 376
- 1971GU1H Guardiola, *Nuovo Cim.* A3 (1971) 747
- 1971GU23 P. Guazzoni, I. Iori, S. Micheletti, N. Molho, M. Pignanelli and G. Semenescu, *Phys. Rev.* C4 (1971) 1092
- 1971HA31 R.M. Haybron, *Phys. Rev.* C4 (1971) 338
- 1971HA61 A.M. Hanna, R.J. Griffiths, N.M. Clarke and G.T.A. Squier, *Phys. Lett.* B37 (1971) 361
- 1971HIZF F. Hibou, Thesis, Univ. Louis Pasteur, Strasbourg (1971)
- 1971HO19 B.R. Holstein, *Phys. Rev.* C4 (1971) 740; Erratum *Phys. Rev.* C9 (1974) 437
- 1971HO1J H.H. Howard, LA 4765 (1971)
- 1971HO26 H.H. Howard, R.H. Stokes and B.H. Erkkila, *Phys. Rev. Lett.* 27 (1971) 1086
- 1971IN05 A. Ingemarsson and G. Tibell, *Phys. Scr.* 4 (1971) 235
- 1971IN1A Ingram, Tanner, Domingo and Rohlin, *Nucl. Phys.* B31 (1971) 331
- 1971IR1C Irish, Buchnea and McConnell, *Nucl. Instrum. Meth.* 96 (1971) 125
- 1971JA11 D.F. Jackson, *Phys. Lett.* B35 (1971) 99
- 1971JA16 D.F. Jackson, *Nucl. Phys.* A173 (1971) 225
- 1971JO1E Jones et al., *Phys. Can.* 27 (1971) 59
- 1971KA04 S. Kahana and D. Kurath, *Phys. Rev.* C3 (1971) 543
- 1971KA14 I. Kakkar and Y.R. Waghmare, *Can. J. Phys.* 49 (1971) 1874
- 1971KA1E Kadmenskii, Kalechits and Khlebostrov, *Sov. J. Nucl. Phys.* 12 (1971) 165
- 1971KA70 N.N. Kaushal, E.J. Winhold, R.H. Augustson, P.F. Yergin and H.A. Medicus, *Nucl. Energy* 25 (1971) 91
- 1971KH06 S.B. Khadkikar, *Phys. Lett.* B36 (1971) 451
- 1971KI04 C.W. Kim, *Phys. Lett.* B34 (1971) 383
- 1971KI11 C.W. Kim and T. Fulton, *Phys. Rev.* C4 (1971) 390

- 1971KN05 H. Knoth, P.H. Barker, A. Huber, U. Matter, P.M. Cockburn and P. Marmier, Nucl. Phys. A172 (1971) 25
- 1971KO11 I. Kohno, S. Nakajima, T. Tonuma and M. Odera, J. Phys. Soc. Jpn. 30 (1971) 910
- 1971KO22 D. Kong-A-Siou and A. Giorni, Nucl. Phys. A174 (1971) 312
- 1971KO30 T. Kohmura, Prog. Theor. Phys. 46 (1971) 167
- 1971KO42 E.V. Korbetskii, V.M. Neptyuev and L.S. Sokolov, Izv. Akad. Nauk SSSR Ser. Fiz. 35 (1971) 183; Bull. Acad. Sci. USSR Phys. Ser. 35 (1972) 165
- 1971KO43 E.V. Korbetskii, O.F. Nemets and L.S. Sokolov, Izv. Akad. Nauk SSSR Ser. Fiz. 35 (1971) 187; Bull. Acad. Sci. USSR Phys. Ser. 35 (1972) 169
- 1971KU1G Kukulin, Czech. J. Phys. B21 (1971) 923
- 1971LA16 G. Landaud, J. Yonnet, S. Kullander, F. Lemeilleur, P.U. Renberg, B. Fagerstrom, A. Johansson and G. Tibell, Nucl. Phys. A173 (1971) 337
- 1971LA1J W.L. Lakin, T.J. Braunstein, J. Cox, B.D. Dieterle, M.L. Perl, W.T. Toner, T.F. Zipf, and H.C. Bryant, Phys. Rev. Lett. 26 (1971) 34
- 1971LA1P Larson, Thesis, Auburn Univ. (1971); Phys. Abs. 63902 (1972)
- 1971LA21 A. Laverne and G. Do Dang, Nucl. Phys. A177 (1971) 665
- 1971LA25 L.M. Lazarev, Izv. Akad. Nauk SSSR Ser. Fiz. 35 (1971) 207; Bull. Acad. Sci. USSR Phys. Ser. 35 (1972) 188
- 1971LE01 H. Lesniak and L. Lesniak, Nucl. Phys. B25 (1971) 525
- 1971LE14 H.K. Lee and H. McManus, Nucl. Phys. A167 (1971) 257
- 1971LE1Q Lee, Thesis, Univ. Virginia (1971); Phys. Abs. 46300 (1972)
- 1971LI11 M. Liu, W. von Oertzen, J.C. Jacmart, F. Pougheon, M. Riou, J.C. Roynette and C. Stephan, Nucl. Phys. A165 (1971) 118
- 1971LI1F H.J. Lipkin, Phys. Lett. B34 (1971) 202
- 1971LI1H H.J. Lipkin, Phys. Rev. Lett. 27 (1971) 432
- 1971LI1K Liebenauer, Thesis, Case Western Reserve Univ. (1970); Phys. Abs. 51266 (1971)
- 1971LO05 J. Lowe, Nucl. Phys. A162 (1971) 438
- 1971LO1H M.J. Longo, L.W. Jones, D.D. O'Brien and J.C. Vandervelde, M.B. Davis, B.G. Gibbard and M.N. Kreisler, Phys. Lett. B36 (1971) 560
- 1971MA1C Macek et al., Bull. Amer. Phys. Soc. 16 (1971) 512
- 1971MA1P Massue, Sakamoto, Batusov and Cuer, Nucl. Phys. B29 (1971) 515
- 1971MA1T Massue et al., Conf. on Certain Microscopic Aspects of Nucl. Interactions, La Touraine, 1971 (Vieurbanne, France: Inst. Nucl. Phys. 1971); Phys. Abs. 43630 (1971)

1971MA29 J.P. Maillet, C. Schmit and J.P. Dedonder, *Lett. Nuovo Cim.* 1 (1971) 191
 1971MA2A Massue, *FRNC TH* 110 (1971)
 1971MC04 R.L. McGrath, D.L. Hendrie, E.A. McClatchie, B.G. Harvey and J. Cerny, *Phys. Lett.* B34 (1971) 289
 1971MC15 G.M. McAllen, W.T. Pinkston and G.R. Satchler, *Part. Nucl.* 1 (1971) 412
 1971MC1G I.E. McCarthy, D. Pal, R.G. Storer and A.W. Thomas, *Aust. J. Phys.* 24 (1971) 661
 1971MC1J McVoy, *Suppl. J. Phys.* 32 (1971) C6-119
 1971MC1K McDaniel, Thesis, Univ. Georgia (1971): *Phys. Abs.* 70448 (1972).
 1971ME1B Mehlig et al., *Z. Phys.* 241 (1971) 166
 1971MI04 H.G. Miller, W. Buss and J.A. Rawlins, *Nucl. Phys.* A163 (1971) 637
 1971MI06 T. Minamisono, K. Matuda, A. Mizobuchi and K. Sugimoto, *J. Phys. Soc. Jpn.* 30 (1971) 311
 1971MI07 O. Mikoshiba, T. Terasawa and M. Tanifuji, *Nucl. Phys.* A168 (1971) 417
 1971MI1H Milyanich, Tomash, Furich and Valkovich, *Izv. Akad. Nauk SSSR Ser. Fiz.* 35 (1971) 739
 1971MO06 E.J. Moniz, I. Sick, R.R. Whitney, J.R. Ficenece, R.D. Kephart and W.P. Trower, *Phys. Rev. Lett.* 26 (1971) 445
 1971MO14 J.E. Monahan, H.T. Fortune, C.M. Vincent and R.E. Segel, *Phys. Rev.* C3 (1971) 2192
 1971MO18 A. Mori, *Lett. Nuovo Cim.* 1 (1971) 703
 1971MO1Q Morita et al., *Suppl. Prog. Theor. Phys.* 48 (1971) 41
 1971MO29 J.W. Morris, Jr. and H.J. Weber, *Phys. Rev. Lett.* 27 (1971) 1299
 1971MU11 K.M. Murray and M.E. Toms, *Lett. Nuovo Cim.* 1 (1971) 571
 1971MU18 G.S. Mutchler, D. Rendic, D.E. Velkley, W.E. Sweeney, Jr. and G.C. Phillips, *Nucl. Phys.* A172 (1971) 469
 1971MU1H Mullensiefen, *Nucl. Phys.* B28 (1971) 368
 1971MU20 N.C. Mukhopadhyay and M.H. Macfarlane, *Phys. Rev. Lett.* 27 (1971) 1823; Erratum *Phys. Rev. Lett.* 28 (1972) 1545
 1971NA14 A. Nakada, Y. Torizuka and Y. Horikawa, *Phys. Rev. Lett.* 27 (1971) 745; Erratum *Phys. Rev. Lett.* 27 (1971) 1102
 1971NE1B Nettles, Barnes, Hensley and Goodman, *Bull. Amer. Phys. Soc.* 16 (1971) 489
 1971NE1E Nettles, Thesis, C.I.T. (1971); *Phys. Abs.* 78443 (1971)
 1971NG01 Nguyen Van Giai, D. Vautherin, M. Veneroni and D.M. Brink, *Phys. Lett.* B35 (1971) 135
 1971NO02 J.L. Norton and P. Goldhammer, *Nucl. Phys.* A165 (1971) 33

1971NO03 J.V. Noble and H.T. Coelho, Phys. Rev. C3 (1971) 1840
 1971NY03 K. Nyberg-Ponnert, B. Jonsson and I. Bergqvist, Phys. Scr. 4 (1971) 165
 1971OR02 J. Orloff and W.W. Daehnick, Phys. Rev. C3 (1971) 430
 1971OS02 A. Osman, Phys. Lett. B34 (1971) 478
 1971OS04 A. Osman, Phys. Rev. C4 (1971) 302
 1971OS05 A. Osman, Phys. Lett. B37 (1971) 135
 1971OT02 V.A. Otte, W. von Witsch, J. Sandler, D. Rendic and G.C. Phillips, Phys. Rev. C4 (1971) 322
 1971PA1H Palevsky, Acta Phys. Pol. B2 (1971) 79
 1971PA1K Patterson, Thesis, Univ. Washington (1971); Phys. Abs. 70464 (1972)
 1971PA42 A.A. Pasichnyi and V.K. Tartakovskii, Ukr. Fiz. Zh. (USSR) 16 (1971) 177; Ukr. Phys. J. 16 (1975) 207; Phys. Abs. 27590 (1971)
 1971PE1D Perrinjaquet and Huguenin, Helv. Phys. Acta 44 (1971) 609
 1971PI1D Picketty and Procureur, Nucl. Phys. B26 (1971) 390
 1971PL01 M.E. Plett and S.E. Sobottka, Phys. Rev. C3 (1971) 1003
 1971PL1F Plett, Thesis, Univ. Virginia (1971); Phys. Abs. 46240 (1972)
 1971PR09 R. Prasad and D.C. Sarkar, Nuovo Cim. A3 (1971) 467
 1971PU01 G.D. Putt, Nucl. Phys. A161 (1971) 547
 1971RA26 G.M. Raisbeck and F. Yiou, Phys. Rev. Lett. 27 (1971) 875
 1971RA36 R.B. Raphael and M. Rosen, Part. Nucl. 2 (1971) 29
 1971RE03 G.M. Reynolds, D.E. Rundquist and R.M. Poichar, Phys. Rev. C3 (1971) 442
 1971RE12 A. Reitan, Nucl. Phys. B29 (1971) 525
 1971RE1D Rendic, Miljanic and Phillips, Bull. Amer. Phys. Soc. 16 (1971) 1153
 1971RI1D Ripka, Supp. J. Phys. 32 (1971) C6-261
 1971RI1F Riesenfeldt and Thomas, Bull. Amer. Phys. Soc. 16 (1971) 645
 1971RI1G Riesenfeldt, Shaw and Thomas, Bull. Amer. Phys. Soc. 16 (1971) 646
 1971RO03 D.J. Rowe, N. Ullah, S.S.M. Wong, J.C. Parikh and B. Castel, Phys. Rev. C3 (1971) 73
 1971RO14 C. Rogers and C. Wilkin, Lett. Nuovo Cim. 1 (1971) 575
 1971RO1L Rost, Bull. Amer. Phys. Soc. 16 (1971) 1176
 1971RU04 A.A. Rush, E.J. Burge and D.A. Smith, Nucl. Phys. A166 (1971) 378
 1971RU14 F.R. Ruehl, Jr., Indian J. Phys. 45 (1971) 149
 1971RY1A Rybachenko and Sadovoi, Sov. J. Nucl. Phys. 12 (1971) 384

- 1971SA1A Satpathy, Friedrich and Weiguny, *Suppl. J. Phys.* 32 (1971) C6-269
- 1971SA1H Salzborn and Clausnitzer, *Polarization Phenomena in Nucl. Reactions*, Madison, 1970; Eds. H.H. Barschall and W. Haenerli (Univ. Wisconsin Press, 1971) p. 703
- 1971SE02 R. Seki, *Phys. Rev. C*3 (1971) 454
- 1971SE03 J.B. Seaborn and B.S. Cooper, *Nucl. Phys.* A166 (1971) 221
- 1971SH09 Y.M. Shin, C.F. Wong and H.S. Caplan, *Nucl. Phys.* A166 (1971) 162
- 1971SH18 R. Shanta and B.K. Jain, *Nucl. Phys.* A175 (1971) 417
- 1971SH1E Shay, Long, Peschel and Bromley, *Bull. Amer. Phys. Soc.* 16 (1971) 133
- 1971SH26 V.S. Shirley, *Proc. Int. Conf. Hyperfine Interactions Detected by Nucl. Radiation*, Israel, 1970 (London, Gordon & Breach, 1971) 1255
- 1971SI11 B.C. Sinha and V.R.W. Edwards, *Phys. Lett.* B35 (1971) 391
- 1971SI1C Sitenko, Pasichnyi and Tartakovskii, *Sov. J. Nucl. Phys.* 12 (1971) 663
- 1971SI1F Singh et al., *Suppl. J. Phys.* 32 (1971) C6-279
- 1971SI24 M.H. Simbel and A.Y. Abul-Magd, *Nucl. Phys.* A177 (1971) 322
- 1971SI36 A.G. Sitenko, I.S. Dotsenko and A.D. Foursat, *Ukr. Fiz. Zh. (USSR)* 16 (1971) 1676; *Phys. Abs.* 82087 (1972)
- 1971SI37 A.G. Sitenko, A.D. Foursat and I.S. Dotsenko, *Ukr. Fiz. Zh. (USSR)* 16 (1971) 881; *Phys. Abs.* 57600 (1971)
- 1971SK02 S. Skupsky, *Nucl. Phys.* A178 (1971) 289
- 1971SK03 S. Skupsky, *Phys. Lett.* B36 (1971) 271
- 1971SN1A Snover, Paul and Kuan, *Bull. Amer. Phys. Soc.* 16 (1971) 1153
- 1971SO11 P.C. Sood and P.C. Joshi, *Prog. Theor. Phys.* 45 (1971) 1697
- 1971SP01 D. Spaargaren and C.C. Jonker, *Nucl. Phys.* A161 (1971) 354
- 1971SP08 J. Specht, G.W. Schweimer, H. Rebel, G. Schatz, R. Lohken and G. Hauser, *Nucl. Phys.* A171 (1971) 65
- 1971SP11 J. Specht, *Lett. Nuovo Cim.* 2 (1971) 126
- 1971ST10 K.C. Stanfield, C.R. Canizares, W.L. Faissler and F.M. Pipkin, *Phys. Rev. C*3 (1971) 1448
- 1971ST1H Stanojevic et al., *Fizika (Yugoslavia)* 4 (1971) 56
- 1971ST22 H. Stocker, A.A. Rollefson and C.P. Browne, *Phys. Rev. C*4 (1971) 1028
- 1971TA13 N. Takigawa and A. Arima, *Nucl. Phys.* A168 (1971) 593
- 1971TA30 O. Tanimura, *Prog. Theor. Phys.* 46 (1971) 1738
- 1971TE10 I.B. Teplov, *Izv. Akad. Nauk SSSR Ser. Fiz.* 35 (1971) 154; *Bull. Acad. Sci. USSR Phys. Ser.* 35 (1972) 140

- 1971TH05 S.O. Thompson, L. Husain and S. Katcoff, Phys. Rev. C3 (1971) 1538
- 1971TH15 R.S. Thomason, L.A. Schaller, G. Spalek and R.L. Walter, Nucl. Phys. A176 (1971) 535
- 1971TH1F Thompson and Parker, Bull. Amer. Phys. Soc. 16 (1971) 35
- 1971TI03 Y.I. Titov, E.V. Stepula, N.G. Afanasev, R.V. Akhmerov, S.A. Byvalin, N.F. Severin and E.M. Smelov, Yad. Fiz. 13 (1971) 1149; Sov. J. Nucl. Phys. 13 (1969) 660
- 1971VI05 J.L. Visschers and R. Van Wageningen, Phys. Lett. B34 (1971) 455
- 1971VO01 W. Von Oertzen, G. Bohlen, B. Gebauer, E.E. Habib and N. Marquardt, Phys. Lett. B34 (1971) 51
- 1971VO1E A.B. Volkov, Phys. Lett. B35 (1971) 299
- 1971WA27 D.F. Ward-Smith, Aust. J. Phys. 24 (1971) 453
- 1971WE05 L.C. Welch, C.C. Chang, H.H. Forster, C.C. Kim and D.W. Devins, Lett. Nuovo Cim. 1 (1971) 25
- 1971WI15 U. Wille, D.H.E. Gross and R. Lipperheide, Phys. Rev. C4 (1971) 1070
- 1971WI16 M.A.D. Wilson and L. Schechter, Phys. Rev. C4 (1971) 1103
- 1971WI18 D.H. Wilkinson, Phys. Rev. Lett. 27 (1971) 1018
- 1971WI1C Wilkinson, Nucl. Phys. A178 (1971) 65
- 1971WI1J Wieland et al., Bull. Amer. Phys. Soc. 16 (1971) 100
- 1971WI1N Winhold, Bowey, Patrick and Reid, Bull. Amer. Phys. Soc. 16 (1971) 1417
- 1971WO10 R.L. Wolke, R.A. Sorbo, M.A. Volkar, S. Gangadharan and E.V. Mason, Jr., Phys. Rev. Lett. 27 (1971) 1449
- 1971WO1E S.E. Woosley, W.D. Arnett, and D.D. Clayton, Phys. Rev. Lett. 27 (1971) 213; Erratum Phys. Rev. Lett. 27 (1971) 700
- 1971WY01 H.W. Wyborny and R.R. Carlson, Phys. Rev. C3 (1971) 2185
- 1971YA03 A. Yamaguchi, T. Terasawa, K. Nakahara and Y. Torizuka, Phys. Rev. C3 (1971) 1750
- 1971YA13 I. Yamane, Mem. Fac. Sci. Kyoto Univ. Ser. Phys. Astrophys. Geophys. Chem. Jpn. 33 (1971) 281; Phys. Abs. 63679 (1971)
- 1971YO1E Young and Redish, Bull. Amer. Phys. Soc. 16 (1971) 1394
- 1971ZO01 J. Zofka and G. Ripka, Phys. Lett. B34 (1971) 10
- 1971ZO03 J. Zofka and G. Ripka, Nucl. Phys. A168 (1971) 65
- 1972AB11 O.A. Abdinov and V.S. Barashenkov, Acta Phys. Pol. B3 (1972) 295
- 1972AB12 Y. Abgrall, B. Morand and E. Caurier, Nucl. Phys. A192 (1972) 372
- 1972AB19 Y. Abe and N. Takigawa, Prog. Theor. Phys. Suppl. 52 (1972) 228
- 1972AB1C Abgrall and Caurier, Private Communication (1972)

- 1972AB1G Abul-Magd and Guardiola, *Nuovo Cim.* A8 (1972) 108
- 1972AB1H Abramian et al., *Yad. Fiz.* 16 (1972) 739
- 1972AH1A Ahmad, Gardner and Spear, 4th Ains Nucl. Phys. Conf., Sydney, 1972, Sutherland, Australia, *Aust. Inst. Nucl. Sci. Engng.* (1972) 76
- 1972AH1B Ahrens et al., in Sendai (1972) 213
- 1972AI01 I.J.R. Aitchison and D. Krupa, *Nucl. Phys.* A182 (1972) 449
- 1972AJ02 F. Ajzenberg-Selove, *Nucl. Phys.* A190 (1972) 1
- 1972AK02 I.A. Akhiezer and B.I. Barts, *Yad. Fiz.* 15 (1972) 251; *Sov. J. Nucl. Phys.* 15 (1972) 143
- 1972AK10 Y. Akaishi, H. Bando and S. Nagata, *Prog. Theor. Phys. Suppl.* 52 (1972) 339
- 1972AL03 D.E. Alburger and D.H. Wilkinson, *Phys. Rev.* C5 (1972) 384
- 1972AL1M G.D. Alkhazov, G.M. Amalsky, S.L. Belostotsky, A.A. Vorobyov, O.A. Domchenkov, Yu.V. Dotsenko and V.E. Starodubsky, *Phys. Lett.* B42 (1972) 121
- 1972AL31 D.E. Alburger, *Phys. Rev.* C6 (1972) 1167
- 1972AL45 B.W. Allardyce, C.J. Batty, D.J. Baugh, E. Friedman, G. Heymann, J.L. Weil, M.E. Cage, G.J. Pyle, G.T.A. Squier, A.S. Clough et al., *Phys. Lett.* B41 (1972) 577
- 1972AM1C Amaldi, in *Few Particle Problems*, UCLA, 1972 (North-Holland, 1972) 839
- 1972AN03 P. Antony-Spies, *Nucl. Phys.* A188 (1972) 641
- 1972AN05 R.K. Anderson, M.R. Wilson and P. Goldhammer, *Phys. Rev.* C6 (1972) 136
- 1972AN09 Y.P. Antufev, V.L. Agranovich, V.B. Ganenko, V.S. Kuzmenko, I.I. Miroshnichenko, P.V. Sorokin and S.V. Shalatskii, *Yad. Fiz.* 15 (1972) 643; *Sov. J. Nucl. Phys.* 15 (1972) 357
- 1972AN19 G. Andersson, I. Blomqvist, B. Forkman, G.G. Jonsson, A. Jarund, I. Kroon, K. Lindgren, B. Schroder and K. Tesch, *Nucl. Phys.* A197 (1972) 44
- 1972AN1L Antufev et al., *Sov. J. Nucl. Phys.* 14 (1972) 502
- 1972AN1M Antufev et al., *Ukr. Fiz. Zh.* 17 (1972) 928; *Phys. Abs.* 55979 (1972)
- 1972AR04 L. Armstrong Jr. and C.W. Kim, *Phys. Rev.* C5 (1972) 672
- 1972AR11 A. Arima, G. Scharff-Goldhaber and K.W. McVoy, *Phys. Lett.* B40 (1972) 7
- 1972AR13 X. Artru and G.B. Yodh, *Phys. Lett.* B40 (1972) 43
- 1972AR31 N. Arena, G. Calvi, S. Cavallaro, R. Potenza, M. Sandoli and R. De Leo, *Lett. Nuovo Cim.* 5 (1972) 879
- 1972AS03 G.E. Assousa, C.E. Ahlfeld, R.A. LaSalle, W.I. Van Rij, H.A. Van Rinsvelt, W.J. Thompson and N.P. Heydenburg, *Nucl. Phys.* A182 (1972) 193
- 1972AU1A Austin, MSUCL-49 (1972)

- 1972AV04 G.V. Avakov, E.I. Dolinsky and V.V. Turovtsev, Nucl. Phys. A196 (1972) 529
- 1972AV1D Avishai, Few Particle Problems, UCLA, 1972 (North-Holland, 1972) 940
- 1972AZ03 L.S. Azhgirei, Z. Cisek, Z.V. Krumstein, Y.P. Merekov, Z. Moroz, Ngo Quang Zui, V.I. Petrukhin, A.I. Ronzhin, G.A. Shelkov and O.D. Dalkarov, Nucl. Phys. A195 (1972) 581
- 1972BA09 W.A. Bardeen and E.W. Torigoe, Phys. Lett. B38 (1972) 135
- 1972BA13 C.J. Batty and E. Friedman, Nucl. Phys. A179 (1972) 701
- 1972BA1X Batusov et al., Sov. J. Nucl. Phys. 14 (1972) 673
- 1972BA2E Balashov, J. Phys. 33 (1972) C5-127
- 1972BA52 G. Bassani, N. Saunier, B.M. Traore, J. Raynal, A. Foti and G. Pappalardo, Nucl. Phys. A189 (1972) 353
- 1972BA59 M.K. Basu, Phys. Rev. C6 (1972) 476
- 1972BA73 G. Baur and M.A. Sharaf, Phys. Lett. B41 (1972) 113
- 1972BE05 R.A.I. Bell, I.G. Graham and J.V. Thompson, Nucl. Phys. A179 (1972) 408
- 1972BE15 E.M. Bernstein, J.J. Ramirez, R.E. Shamu, Pui-Wah Cheng and M. Soga, Phys. Rev. Lett. 28 (1972) 923
- 1972BE1T Bedjidian, Univ. Claude Bernard De Lyon, Rept. No. LYCEN 7239 (1972)
- 1972BE1U Berthot and Isabelle, Sendai (1972) 507
- 1972BE1X Becker, Braley, Ford and Patterson, ORNL TM 3951 (1972)
- 1972BE29 M. Bedjidian, M. Chevallier, J.Y. Grossiord, A. Guichard, M. Gusakov, J.R. Pizzi and C. Ruhla, Nucl. Phys. A189 (1972) 403
- 1972BE34 H.W. Bertini, Phys. Rev. C6 (1972) 631
- 1972BE36 M.E. Best, Can. J. Phys. 50 (1972) 1609
- 1972BE54 J.E. Beam and V. Valkovic, Phys. Lett. B41 (1972) 13
- 1972BE98 G.F. Bertsch, Part. Nucl. 4 (1972) 237
- 1972BI09 J.A. Bistirlich, K.M. Crowe, A.S.L. Parsons, P. Skarek and P. Truol, Phys. Rev. C5 (1972) 1867
- 1972BI11 J. Birkholz, Nucl. Phys. A189 (1972) 385
- 1972BI1E Biro, Sudar and Csikai, Conf. Nucl. Struct. Study with Neutrons, Budapest, 1972 (Budapest, Central Res. Inst. Phys., 1972) 130; Phys. Abs. 67257 (1972)
- 1972BL10 F.J. Bloore and E. Middleton, Nucl. Phys. A190 (1972) 565
- 1972BL17 S.L. Blatt, K.J. Moon and D. Kohler, Phys. Rev. C6 (1972) 1536
- 1972BO01 A. Bottino and G. Ciocchetti, Nucl. Phys. A178 (1972) 593

- 1972BO03 G.C. Bonazzola, T. Bressani, E. Chiavassa, L. Naldi and G. Venturello, *Lett. Nuovo Cim.* 3 (1972) 99
- 1972BO17 V.V. Boikov, B.V. Velberg, I.I. Loshchakov and V.I. Ostroumov, *Yad. Fiz.* 15 (1972) 425; *Sov. J. Nucl. Phys.* 15 (1972) 239
- 1972BO21 R. Bock and H. Yoshida, *Nucl. Phys.* A189 (1972) 177
- 1972BO38 M. Bouten and M.C. Bouten, *Nucl. Phys.* A193 (1972) 49
- 1972BO68 H.G. Bohlen, M. Feil, A. Gamp, B. Kohlmeyer, N. Marquardt and W. Von Oertzen, *Phys. Lett.* B41 (1972) 425
- 1972BR1G Braley, Ford, Becker and Patterson, NASA TN D 6834 (1972)
- 1972BR26 C. Brassard, H.D. Shay, J.P. Coffin, W. Scholz and D.A. Bromley, *Phys. Rev.* C6 (1972) 53
- 1972BR27 W.J. Braithwaite, J.E. Bussoletti, F.E. Cecil and G.T. Garvey, *Phys. Rev. Lett.* 29 (1972) 376
- 1972BR30 I. Brissaud, Y. Le Bornec, B. Tatischeff, L. Bimbot, M.K. Brussel and G. Duhamel, *Nucl. Phys.* A191 (1972) 145
- 1972BU09 G.F. Burdzik and G. Heymann, *Nucl. Phys.* A185 (1972) 509
- 1972BU1J Burlow and Forkman, LUNP 7208 (1972)
- 1972BU1P Budyashov et al., *JETP (Sov. Phys.)* 35 (1972) 13
- 1972CA08 F. Cannata and R. Leonard, *Phys. Rev.* C5 (1972) 1189
- 1972CA1H Calarco et al., *Bull. Amer. Phys. Soc.* 17 (1972) 931
- 1972CA1N Caughlan and Fowler, *Nature Phys. Sci.* 238 (1972) 23
- 1972CE1A Cerny, *At. Masses & Fund. Constants*, Teddington, 1971 (Plenum Press 1972) 26
- 1972CH1E Charles, Dost, Fernandez and Gastebois, *Communication, Proc. Aix-en-Provence Conf.*, Vol. 2 (1972) 40
- 1972CH1H Chua et al., *Bull. Amer. Phys. Soc.* 17 (1972) 529
- 1972CH1L Chatterjee and Deutchman, *Nucl. Phys. Solid State Phys.*, Symp. Ab., Bombay, 1972 (Bombay, India, Bhabha Atomic Res. Centre, 1972) ; *Phys. Abs.* 35032 (1972)
- 1972CH35 Y. Chanut, J.N. Scheurer, R. Ballini, J.L. Quebert, Y. Flamant and C. Perrin, *Nucl. Phys.* A194 (1972) 523
- 1972CL1A Clayton, *Encyclopedia of the Twentieth Century* (1972)
- 1972CO11 D.M. Corley, N.S. Wall, H. Palevsky, J.L. Friedes, R.J. Sutter, G.W. Bennett, W.D. Simpson, G.C. Phillips, G.W. Igo and R.L. Stearns, *Nucl. Phys.* A184 (1972) 437
- 1972CO23 J.R. Comfort, W.J. Braithwaite, J.R. Duray, H.T. Fortune, W.J. Courtney and H.G. Bingham, *Phys. Lett.* B40 (1972) 456

- 1972DA32 V.K. Daruga and E.S. Matusevich, *At. Energ.* 33 (1972) 757; *Sov. At. Energy* 33 (1973) 868
- 1972DE03 N. de Takacsy, *Nucl. Phys.* A178 (1972) 469
- 1972DE07 J.P. Dedonder, *Nucl. Phys.* A180 (1972) 472
- 1972DE10 R. Del Fabbro, G. Matone and M. Roccella, *Lett. Nuovo Cim.* 3 (1972) 206
- 1972DE13 R. de Swiniarski and J. Oms, *Compt. Rend.* B274 (1972) 506
- 1972DE31 R. De Leo, G. D'Erasmus, F. Ferrero and A. Pantaleo, *Lett. Nuovo Cim.* 4 (1972) 87
- 1972DE50 V. Devanathan, R. Parthasarathy and P.R. Subramanian, *Ann. Phys. (New York)* 73 (1972) 291
- 1972DM01 T.A. Dmitrieva and I.B. Teplov, *Yad. Fiz.* 15 (1972) 478; *Sov. J. Nucl. Phys.* 15 (1972) 266
- 1972DR03 L. Drigo, C. Manduchi, G. Moschini, M.T.R. Manduchi, G. Tornielli and G. Zannoni, *Nucl. Phys.* A181 (1972) 177
- 1972DZ06 P.O. Dzhamalov, E.I. Dolinskii and A.M. Mukhamedzhanov, *Yad. Fiz.* 15 (1972) 258; *Sov. J. Nucl. Phys.* 15 (1972) 147
- 1972DZ10 K. Dzhanobilov, V.V. Komarov, S. El Tahavi Morsi, H.R. Saad and I.V. Sizov, *JINR-P15-6771* (972)
- 1972ED01 G. Eder, G. Winkler and P. Hille, *Z. Phys.* 253 (1972) 335
- 1972EE1A Eenmaa, Thesis, Univ. Washington (1972); *Phys. Abs.* 70477 (1972)
- 1972EL09 A.A. El-Kamhavi, G.S. Gurevich, N.V. Orlova, A.V. Spasskii, I.B. Teplov and D.A. Shalabaev, *Yad. Fiz.* 15 (1972) 429; *Sov. J. Nucl. Phys.* 15 (1972) 241
- 1972EL1E El Baz et al., *Few Particle Problems*, UCLA, 1972 (North-Holland, 1972) 30
- 1972EM02 B. Eman, D. Tadic, F. Krmpotic and L. Szybisz, *Phys. Rev.* C6 (1972) 1
- 1972EN05 C.A. Engelbrecht and H.A. Weidenmuller, *Nucl. Phys.* A184 (1972) 385
- 1972ER02 M. Ericson and M. Krell, *Phys. Lett.* B38 (1972) 359
- 1972ER1A Ericson and Rho, *Phys. Rept.* 50 (1972) 57
- 1972EY01 Y. Eyal, I. Dostrovsky and Z. Fraenkel, *Nucl. Phys.* A180 (1972) 545
- 1972FA03 G. Faldt, *Phys. Rev.* C5 (1972) 400
- 1972FA07 M.A. Fawzi, *Z. Phys.* 250 (1972) 120
- 1972FA14 G. Faldt and H. Pilkuhn, *Phys. Lett.* B40 (1972) 613
- 1972FI11 H.-J. Fink, W. Scheid and W. Greiner, *Nucl. Phys.* A188 (1972) 259
- 1972FI1E Fick, *MPI H-1972-V17* (1972)
- 1972FO1G Ford, Braley, Becker and Patterson, *Bull. Amer. Phys. Soc.* 17 (1972) 506
- 1972FR06 J.L. Friar and M. Rosen, *Phys. Lett.* B39 (1972) 615

- 1972FR09 V. Franco, Phys. Rev. C6 (1972) 748
- 1972FR1B Friedrich, Husken and Weiguny, Communications, Proc. Aix-En-Provence Conf. 2 (1972) 85
- 1972FU1C Funsten, Kossler and Stronach, Bull. Amer. Phys. Soc. 17 (1972) 464
- 1972FU22 Y. Futami and T. Kohmura, Prog. Theor. Phys. 48 (1972) 1563
- 1972GA13 W. Galati, J.D. Brandenberger and J.L. Weil, Phys. Rev. C5 (1972) 1508
- 1972GA1E Garrett, Symp. on Two-Nucleon Transfer and Pairing Excitations, Argonne (1972) 232; (CONF-720309)
- 1972GA1L Gal, Soper and Dalitz, Ann. Phys. 72 (1972) 445
- 1972GA32 L.L. Gadeken and E. Norbeck, Phys. Rev. C6 (1972) 1172
- 1972GE11 R.W. Gellie, K.H. Lokan, N.K. Sherman, R.G. Johnson and J.I. Lodge, Can. J. Phys. 50 (1972) 1689
- 1972GE1G Gemmeke, Baumgartner, Richter and Lassen, Few Particle Problems, UCLA, 1972 (North Holland, 1972) 715
- 1972GI04 W.R. Gibbs, Phys. Rev. C5 (1972) 755
- 1972GL01 H.F. Glavish, S.S. Hanna, R. Avida, R.N. Boyd, C.C. Chang and E. Diener, Phys. Rev. Lett. 28 (1972) 766
- 1972GO1D Goncharov et al., Sov. J. Nucl. Phys. 14 (1972) 516
- 1972GO1G Gobbi et al., Bull. Amer. Phys. Soc. 17 (1972) 896
- 1972GO1L Goncharov et al., Sov. J. Nucl. Phys. 14 (1972) 18
- 1972GO1M Goncharov et al., Sov. J. Nucl. Phys. 14 (1972) 377
- 1972GO1N Goulard and Turcotte, Few Particle Problems, UCLA, 1972 (North-Holland, 1972) 964
- 1972GR1G Grin and Leinson, Sov. J. Nucl. Phys. 14 (1972) 55
- 1972GR1K Grin and Leinson, Sov. J. Nucl. Phys. 14 (1972) 300
- 1972GR1M Grishaev et al., Sov. J. Nucl. Phys. 14 (1972) 20
- 1972GR1N Grishin, Kopy and Podgdretskii, Sov. J. Nucl. Phys. 14 (1972) 335
- 1972GR42 F. Grummer and A. Faessler, Z. Phys. 255 (1972) 112
- 1972GU25 I.S. Gulkarov, Yad. Fiz. 16 (1972) 689; Sov. J. Nucl. Phys. 16 (1973) 386
- 1972HA1R Hanna, 1970 4th Symp. Struct. of Low-Medium Mass Nuclei (Univ. Press of Kansas, 1972) 30
- 1972HA1Y Hanna, Sendai (1972) 453
- 1972HA57 H.H. Hackenbroich and T.H. Seligman, Phys. Lett. B41 (1972) 102
- 1972HA63 S.S. Hanna, M. Hass, Z. Shkedi and Y.S. Horowitz, Nucl. Phys. A195 (1972) 91

- 1972HE1E Hermans, Oberski and Verhaar, Ned. Tijdschr. Natuurk. (Netherland) 38 (1972) 172; Phys. Abs. 49832 (1972)
- 1972HO56 H. Horiuchi, K. Ikeda and Y. Suzuki, Suppl. Prog. Theor. Phys. 52 (1972) 89
- 1972HU04 J. Hudomalj, B. Antolkovic, K. Schafer and V. Valkovic, Nucl. Phys. A186 (1972) 200
- 1972HU12 E.V. Hungerford, G.S. Mutchler, G.C. Phillips, M.L. Scott, J.C. Allred, L.Y. Lee, B.W. Mayes and C. Goodman, Nucl. Phys. A197 (1972) 515
- 1972HU1A W.T. Huang, C.A. Levinson and M.K. Banerjee, Phys. Rev. C5 (1972) 651
- 1972HU1F Huguenin and Liu, Helv. Phys. Acta 45 (1972) 923
- 1972IK01 M. Ikeda, Phys. Rev. C6 (1972) 1608
- 1972IK1A Ikeda, Marumori, Tamagaki and Tanaka, Suppl. Prog. Theor. Phys. 52 (1972) 1
- 1972IS1A Ishkhanov, Kapitonov, Piskarev and Shevchenko, Sov. J. Nucl. Phys. 14 (1972) 142
- 1972JA07 O.N. Jarvis, C. Whitehead and M. Shah, Nucl. Phys. A184 (1972) 615
- 1972JA10 J.A. Jansen, R.T. Peerdeman and C. de Vries, Nucl. Phys. A188 (1972) 337
- 1972JA14 J. Janecke, Phys. Rev. C6 (1972) 467
- 1972JA18 J. Janiszewski and I.E. McCarthy, Nucl. Phys. A192 (1972) 85
- 1972JA1C Janiszewski and McCarthy, Nucl. Phys. A181 (1972) 97
- 1972JA1H B. K. Jain, Nucl. Phys. A187 (1972) 513
- 1972JO11 R.C. Johnson and D.C. Martin, Nucl. Phys. A192 (1972) 496; Erratum Nucl. Phys. A211 (1973) 617
- 1972JU1A Juric et al., Nucl. Phys. B47 (1972) 36
- 1972KA33 N.M. Kabachnik and I.P. Sagina, Phys. Lett. B41 (1972) 31
- 1972KE02 P.W. Keaton, Jr., D.D. Armstrong, L.R. Veesser, H.T. Fortune and N.R. Roberson, Nucl. Phys. A179 (1972) 561
- 1972KE06 F.J. Kelly and H. Uberall, Phys. Rev. C5 (1972) 1432
- 1972KE18 L.G. Keller and R.G. Kerr, Nucl. Phys. A194 (1972) 1
- 1972KE1F Keating and Wills, Bull. Amer. Phys. Soc. 17 (1972) 509
- 1972KI19 C.Y. Kim, Can. J. Phys. 50 (1972) 2674
- 1972KO01 D.S. Koltun, Phys. Rev. Lett. 28 (1972) 182
- 1972KO1A Kocharov, Izv. Akad. Nauk SSSR Ser. Fiz. 36 (1972) 2052
- 1972KO1H Kolybasov and Tsepov, Sov. J. Nucl. Phys. 14 (1972) 418
- 1972KO1J Komarov, Few Particle Problems, UCLA, 1972 (North-Holland, 1972) 551

- 1972KO31 T.I. Kopaleishvili, I.Z. Machabeli and M.S. Chachkhunashvili, *Yad. Fiz.* 15 (1972) 1137; *Sov. J. Nucl. Phys.* 15 (1972) 629
- 1972KR11 S.J. Krieger and S.A. Moszkowski, *Phys. Rev. C* 5 (1972) 1990
- 1972KR1D Krieger, 1970 4th Symp. on the Struct. of Low-Medium Mass Nuclei (Univ. Press of Kansas, 1972) 146
- 1972KU19 B.I. Kuznetsov, P.E. Ovsyannikova and I.P. Chernov, *Yad. Fiz.* 15 (1972) 673; *Sov. J. Nucl. Phys.* 15 (1972) 377
- 1972KU27 G. Kuhl and U. Kneissl, *Nucl. Phys. A* 195 (1972) 559
- 1972LA01 W.-C. Lam, K. Gotow, B. Macdonald, W.P. Trower and D.K. Anderson, *Phys. Rev. Lett.* 28 (1972) 108
- 1972LA10 D.A. Larson, R.T. Carruth and J.D. French, *Nucl. Instrum. Meth.* 100 (1972) 325
- 1972LA1F Lane, COO-1717-3 (1972)
- 1972LA24 J.M. Laget, *Nucl. Phys. A* 194 (1972) 81
- 1972LE03 D.M. Lee, R.C. Minehart, S.E. Sobottka and K.O.H. Ziock, *Nucl. Phys. A* 182 (1972) 20
- 1972LE1L Lee and Cusson, *Ann. Phys.* 72 (1972) 353
- 1972LE40 D.M. Lee, R.C. Minehart, S.E. Sobottka and K.O.H. Ziock, *Nucl. Phys. A* 197 (1972) 106
- 1972LE45 H.C. Lee, *Phys. Lett. B* 41 (1972) 421
- 1972LI29 I. Linck and L. Kraus, *Compt. Rend. B* 275 (1972) 669
- 1972LO1F Loshchakov, Ostroumov and Sadilin, *Sov. J. Nucl. Phys.* 14 (1972) 379
- 1972LO1J Longuemare and Piketty, *Phys. Lett.* 388 (1972) 125
- 1972MA1H Macek, *Bull. Amer. Phys. Soc.* 17 (1972) 33
- 1972MA1P Malmin, TID 26290 (1972)
- 1972MA1U MacLean, Nagorcka, Symons and Treacy, 4th Ainsel Nucl. Phys. Conf., Sydney, 1972 (Sutherland, Australia, Aust. Inst. Nucl. Sci. Engng. 1972) 25
- 1972MA21 C. Maples and J. Cerny, *Phys. Lett. B* 38 (1972) 504
- 1972MA29 R.E. Malmin, R.H. Siemssen, D.A. Sink and P.P. Singh, *Phys. Rev. Lett.* 28 (1972) 1590
- 1972MA32 R. Mach, *Phys. Lett. B* 40 (1972) 46
- 1972MA36 J.V. Maher, K.A. Erb, G.H. Wedberg, J.L. Ricci and R.W. Miller, *Phys. Rev. Lett.* 29 (1972) 291
- 1972MA47 V.A. Matusевич, V.A. Solovev and I.P. Chernov, *Yad. Fiz.* 15 (1972) 670; *Sov. J. Nucl. Phys.* 15 (1972) 375

1972MA62 A.M. MacLeod and G.R. Milne, J. Phys. (London) A5 (1972) 1252
 1972MA74 H. Matsuzaki, Prog. Theor. Phys. 48 (1972) 1534
 1972MC01 W.S. McEver, T.B. Clegg, J.M. Joyce and E.J. Ludwig, Nucl. Phys. A178 (1972) 529
 1972MC20 F.D. McDaniel, M.W. McDonald, M.F. Steuer and R.M. Wood, Phys. Rev. C6 (1972) 1181
 1972ME06 M.M. Meier and R.L. Walter, Nucl. Phys. A182 (1972) 468
 1972MI05 B. Mithra and R. Laverriere, Nucl. Phys. A184 (1972) 330
 1972MI15 G.H. Miller, M. Eckhause, F.R. Kane, P. Martin and R.E. Welsh, Phys. Lett. B41 (1972) 50
 1972MI1H G.J. Michaud and E.W. Vogt, Phys. Rev. C5 (1972) 350
 1972MI1J Miljanic, Valkovic, Rendic and Phillips, Bull. Amer. Phys. Soc. 17 (1972) 586
 1972MI1K Miyachi et al., J. Phys. Soc. Jpn. 33 (1972) 577
 1972MO1E Morrison, J. Phys. 33 (1972) C5-111
 1972MO41 J.M. Moss, C. Brassard, R. Vyse and J. Gosset, Phys. Rev. C6 (1972) 1698
 1972MO45 A. Mori and T. Terasawa, Prog. Theor. Phys. 48 (1972) 826
 1972MS01 E.D. Mshelia, R.F. Barrett and W. Greiner, Phys. Rev. Lett. 28 (1972) 847
 1972NA05 P.T. Nang, Nucl. Phys. A185 (1972) 413
 1972NI13 T. Nishiyama and H. Ohtsubo, Prog. Theor. Phys. 48 (1972) 188, 1766
 1972OB01 A.W. Obst, T.B. Grandy and J.L. Weil, Phys. Rev. C5 (1972) 738
 1972OC01 J.S. O'Connell, T.W. Donnelly and J.D. Walecka, Phys. Rev. C6 (1972) 719
 1972OE01 H. Oeschler, H. Schroter, H. Fuchs, L. Baum, G. Gaul, H. Ludecke, R. Santo and R. Stock, Phys. Rev. Lett. 28 (1972) 694
 1972PA32 A.A. Pasichnyi, Ukr. Fiz. Zh. 17 (1972) 1139
 1972PE04 L.W. Person and P. Benioff, Nucl. Phys. A187 (1972) 401
 1972PI11 S. Pittel and N. Austern, Phys. Rev. Lett. 29 (1972) 1403
 1972PI1A Pisano, Cobern and Parker, Bull. Amer. Phys. Soc. 17 (1972) 914
 1972PN1A Pniewski, Few Particle Problems, UCLA, 1972 (North-Holland, 1972) 145
 1972PO07 J.E. Poling, E. Norbeck and R.R. Carlson, Phys. Rev. C5 (1972) 1819
 1972RA18 S. Radhakant, Nucl. Phys. A188 (1972) 353
 1972RA1E Radvanyi, J. Phys. 33 (1972) C5-141
 1972RA20 S. Radhakant, Phys. Lett. B40 (1972) 70
 1972RE03 N.E. Reid, G.J. Stephenson and Jr., M.K. Banerjee, Phys. Rev. C5 (1972) 287

- 1972RE06 P.U. Renberg, D.F. Measday, M. Pepin, P. Schwaller, B. Favier and C. Richard-Serre, Nucl. Phys. A183 (1972) 81
- 1972RE1K Reidemeister, Communications, Proc. of Aix-En-Provence Conf., Vol. 2 (1972) 49
- 1972RI03 A.S. Rinat, Phys. Lett. B38 (1972) 281
- 1972RI19 L.D. Rickertsen, Phys. Lett. B41 (1972) 473
- 1972RI1C Rihan and Zohni, Communications, Proc. Aix-En-Provence Conf. Vol. 2 (1972) 67
- 1972RO1L Robson, Comments Nucl. Part. Phys. 5 (1972) 16
- 1972RU13 R.P. Rusev, Compt. Rend. Acad. Bulg. Sci. (Bulgaria) 25 (1972) 463; Phys. Abs. 70373 (1972)
- 1972SA10 W.W. Sapp, Jr., M. Eckhause, G.H. Miller and R.E. Welsh, Phys. Rev. C5 (1972) 690
- 1972SA1B Satpathy, Schmid and Faessler, Communications, Proc. of Aix-Ev-Provence Conf. 2 (1972) 87
- 1972SC03 U.C. Schlotthauer-Voos, H.G. Bohlen, W. von Oertzen and R. Bock, Nucl. Phys. A180 (1972) 385
- 1972SC18 M.L. Scott, G.S. Mutchler, C.R. Fletcher, E.V. Hungerford, L.V. Coulson, G.C. Phillips, B.W. Mayes, L.Y. Lee, J.C. Allred and C. Goodman, Phys. Rev. Lett. 28 (1972) 1209
- 1972SC1Q Scott et al., Atomic Masses and Fundamental Constants, Teddington, 1971 (Plenum Press, 1972) 54
- 1972SC40 C. Schmit, Nucl. Phys. A197 (1972) 449
- 1972SE13 R. Seki, Nuovo Cim. A9 (1972) 235
- 1972SE1F Seki, Bull. Amer. Phys. Soc. 17 (1972) 917
- 1972SE1J Seaman, Keller, Laumer and Weaver, Bull. Amer. Phys. Soc. 17 (1972) 921
- 1972SH10 M.A. Sharaf and M.I. Waly, Phys. Lett. B40 (1972) 67
- 1972SH1J Sherman, Hendrie and Zisman, Bull. Amer. Phys. Soc. 17 (1972) 930
- 1972SI19 A.G. Sitenko and A.D. Foursat, Ukr. Fiz. Zh. (USSR) 17 (1972) 110; Phys. Abs. 21426 (1972)
- 1972SI24 R.R. Silbar and M.M. Sternheim, Phys. Rev. C6 (1972) 764
- 1972SK08 D.M. Skopik, et al., Nucl. Phys. A197 (1972) 185.
- 1972SO03 P.M. Sood and S.K. Tuli, Nucl. Phys. A187 (1972) 153
- 1972SP1C E. Spamer, K. Gravemeyer, C.W. de Jager, L. Dieperink, Proc. Int. Conf. on Nucl. Structure Studies Using Electron Scattering and Photoreactions, Sendai, Japan, 12-15 September 1972, p. 419
- 1972ST02 F. Stancu and J.P. Jeukenne, Nucl. Phys. A179 (1972) 714

- 1972ST09 R. Stokstad, D. Shapira, L. Chua, P. Parker, M.W. Sachs, R. Wieland and D.A. Bromley, Phys. Rev. Lett. 28 (1972) 1523
- 1972ST1C Steshenko and Filippov, Sov. J. Nucl. Phys. 14 (1972) 403
- 1972ST1H Stroot, Bull. Amer. Phys. Soc. 17 (1972) 435
- 1972ST1J Stamp, 4th Ainsel Nucl. Phys. Conf., Sydney, 1972 (Sutherland, Australia, Aust. Inst. Nucl. Sci. Engng. 1972) 43
- 1972ST29 G.L. Strobel, Phys. Rev. Lett. 29 (1972) 1406
- 1972ST35 V.E. Starodubsky and O.A. Domchenkov, Phys. Lett. B42 (1972) 319
- 1972SU01 T. Suzuki and C. Hinojara, Lett. Nuovo Cim. 3 (1972) 449
- 1972SU04 Y. Suzuki, H. Horiuchi and K. Ikeda, Prog. Theor. Phys. 47 (1972) 1517
- 1972SU08 M. Suffert, W. Feldman and S.S. Hanna, Part. Nucl. 4 (1972) 175
- 1972SW1A Swannack, Thesis, Carnegie-Mellon Univ. (1972); Phys. Abs. 70461 (1972)
- 1972TA04 M.C. Taylor, V. Valkovic and G.C. Phillips, Nucl. Phys. A182 (1972) 558
- 1972TE01 J.R. Tesmer and F.H. Schmidt, Phys. Rev. C5 (1972) 864
- 1972TH13 C. Thibault and R. Klapisch, Phys. Rev. C6 (1972) 1509
- 1972TH14 G. Thornton, T. Joy and J.M. Calvert, Nucl. Phys. A198 (1972) 397
- 1972TH1C Thompson, Thesis, Yale Univ. (1972)
- 1972THZF H. Theissen, Springer Tracts in Modern Phys., Ed. Hohler, Vol. 65 (Berlin, Germany-Springer Verlag, 1972) 1
- 1972TO22 S.G. Tonapetyan, N.V. Goncharov, A.I. Derebchinskii, O.G. Konovalov and V.M. Khvorostyan, Zh. Eksp. Teor. Fiz. 63 (1972) 1955; JETP (Sov. Phys.) 36 (1973) 1033
- 1972TR07 P.A. Treado, J.M. Lambert, V.E. Alessi and R.J. Kane, Nucl. Phys. A198 (1972) 21
- 1972TU01 R.J. Turner and A.D. Jackson, Nucl. Phys. A192 (1972) 200
- 1972TU1B Tuskiya and Chilashvili, Sov. J. Nucl. Phys. 14 (1972) 645
- 1972UB01 H. Uberall, B.A. Lamers, J.B. Langworthy and F.J. Kelly, Phys. Rev. C6 (1972) 1911
- 1972UL1A Ulrich and Scalo, OAP-303 (1972)
- 1972VA10 J.F. Valley, J. Lang, R. Muller and P. Marmier, Nucl. Phys. A184 (1972) 577
- 1972VA1K Van der Velde et al., Nucl. Phys. B45 (1972) 1
- 1972VA32 R.E. van de Vyver, H. Ferdinande, G. Knuyt, R. Carchon and J. Devos, Nucl. Phys. A198 (1972) 144
- 1972VA36 J.F.A. Van Hienen and P.W.M. Glaudemans, Phys. Lett. B42 (1972) 301
- 1972VE01 W.S. Verwoerd, Nucl. Phys. A178 (1972) 479
- 1972VL1A Vlasenko et al., Ukr. Fiz. Zh. (USSR) 17 (1972) 1440; Phys. Abs. 76834 (1972)

- 1972VO01 W. von Witsch, M. Ivanovich, D. Rendic, V. Valkovic, G.C. Phillips and K. Schafer, Nucl. Phys. A180 (1972) 402
- 1972VO02 H. Voit, G. Ischenko, F. Siller and H.-D. Helb, Nucl. Phys. A179 (1972) 23
- 1972VO06 A.A. Vorobyov, D.M. Seliverstov, V.T. Grachev, I.A. Kondurov, A.M. Nikitin, N.N. Smirnov and Y.K. Zalite, Phys. Lett. B40 (1972) 102
- 1972WA07 G.E. Walker and R.H. Stokes, Part. Nucl. 3 (1972) 1
- 1972WA18 E.K. Warburton, H.M. Kuan, D.E. Alburger, P. Paul and K.A. Snover, Phys. Rev. C6 (1972) 375
- 1972WA1F Waheed, Juric and Adamovic, Fizika (Yugoslavia) 4 (1972) 87; Phys. Abs. 38622 (1972)
- 1972WA31 J.W. Watson, Nucl. Phys. A198 (1972) 129
- 1972WE08 K.A. Weber, K. Meier-Ewert, H. Schmidt-Bocking and K. Bethge, Nucl. Phys. A186 (1972) 145
- 1972WE14 W. Weise, Nucl. Phys. A193 (1972) 625
- 1972WE1G Weise, Communications, Proc. Aix-En-Provence Conf., Vol. 2 (1972) 126
- 1972WI08 R.L. Williams, Jr., R.C. Haskell and L. Madansky, Phys. Rev. C5 (1972) 1435
- 1972WI16 U. Wille and R. Lipperheide, Nucl. Phys. A189 (1972) 113; Erratum Nucl. Phys. A211 (1973) 619
- 1972WI1C Wilkinson, Few Particle Problems, UCLA, 1972 (North-Holland, 1972) 191
- 1972WI24 H. Willmes, J.R. Richardson, I. Slaus and J.W. Verba, Part. Nucl. 4 (1972) 192
- 1972WI26 K. Wienhard, G. Clausnitzer and G. Hartmann, Z. Phys. 256 (1972) 457
- 1972WI28 D.H. Wilkinson, Proc. Roy. Soc. Edinburgh A70 (1972) 307
- 1972YA1B Yamashita et al., Few Particle Problems, UCLA, 1972 (North-Holland, 1972) 1006
- 1972YO02 F.C. Young and A.R. Knudson, Nucl. Phys. A184 (1972) 563
- 1972YO1C Youssef, Bull. Amer. Phys. Soc. 17 (1972) 917
- 1972ZI03 W. Zickendraht, Z. Phys. 251 (1972) 365
- 1972ZI05 W. Zickendraht, Z. Phys. 253 (1972) 350
- 1973AB07 U. Abbondanno, F. Demanins, M. Lagonegro and G. Nardelli, Lett. Nuovo Cim. 8 (1973) 259
- 1973AB1A Abe, Hiura and Tanaka, Prog. Theor. Phys. 49 (1973) 800
- 1973AB1G Abe, in Munich 1 (1973) 115
- 1973AH1A Ahrens et al., in Asilomar (1973) 23
- 1973AL09 B.W. Allardyce, C.J. Batty, D.J. Baugh, E. Friedman, G. Heymann, M.E. Cage, G.J. Pyle, G.T.A. Squier, A.S. Clough, D.F. Jackson et al., Nucl. Phys. A209 (1973) 1

- 1973AL14 Y. Alexander and A.S. Rinat, Phys. Lett. B45 (1973) 190
- 1973AL1A Allardyce et al., Rept. RL-73-038, Rutherford High Energy Lab. (1973); Phys. Abs. 74609 (1973)
- 1973AL1E Alster et al., in Contrib., Uppsala (1973) 172
- 1973AL1G Almond, in Asilomar (1973) 1123
- 1973AN05 K. Ananthanarayanan, M. Best and S. Das Gupta, Phys. Rev. C7 (1973) 1760
- 1973AN18 P.S. Ananien, I.V. Glavanakov, V.I. Kryshkin, V.N. Stibunov, A.G. Sterligov and Y.P. Usov, Lett. Nuovo Cim. 8 (1973) 651
- 1973AN1J Anami et al., Asilomar (1973) Paper 5C9
- 1973AN1K Antonov and Inopin, Sov. J. Nucl. Phys. 16 (1973) 38
- 1973AN1M Antonov and Inopin, Sov. J. Nucl. Phys. 16 (1973) 182
- 1973AN22 N. Anyas-Weiss, J.A. Becker, T.A. Belote, J.C. Cornell, P.S. Fisher, P.N. Hudson, A. Menchaca-Rocha, A.D. Panagiotou and D.K. Scott, Phys. Lett. B47 (1973) 442
- 1973AR1B Arthur, Thesis LA 5230 T (1973)
- 1973AR1C Arima, in Munich (1973) 184
- 1973AR1E Arnett, Ann. Rev. Astron. Astrophys. 11 (1973) 73
- 1973AR1H Arnett, in Explosive Nucleosynthesis (Univ. Texas Press, 1973) p. 236
- 1973AS1A G. Ascoli, T.J. Chapin, R. Cutler, L.E. Holloway, L.J. Koester, U.E. Kruse, L.J. Nodulman, T. Roberts, J. Tortora, B. Weinstein et al., Phys. Rev. Lett. 31 (1973) 795
- 1973AU05 J.P. Auger and R.J. Lombard, Phys. Lett. B45 (1973) 115
- 1973AU1B Audouze, Truran and Zimmerman, OAP-315 (1973)
- 1973AU1C Audouze, in Explosive Nucleosynthesis (Univ. Texas Press, 1973) p. 47
- 1973AU1D Audouze and Fricke, Astrophys. J. 186 (1973) 239
- 1973AV1C Y. Avishai, Phys. Lett. B47 (1973) 222
- 1973AZ1A Azaryan, Mamidzhanyan, Martirosov and Suleimanov, Sov. J. Nucl. Phys. 16 (1973) 678
- 1973BA05 R.F. Barrett, L.C. Biedenharn, M. Danos, P.P. Delsanto, W. Greiner and H.G. Wahsweiler, Rev. Mod. Phys. 45 (1973) 44
- 1973BA1E Batty, Squier and Turner, Nucl. Phys. B67 (1973) 492
- 1973BA1Y Bamberger et al., Nucl. Phys. B60 (1973) 1
- 1973BA2G Baer and Crowe, in Asilomar (1973) 583
- 1973BA2K Baur and Gelbke, Nucl. Phys. A204 (1973) 138
- 1973BA2M Balashov, Kabachnik and Titarenko, Sov. J. Nucl. Phys. 16 (1973) 622

- 1973BA34 G.C. Ball, G.J. Costa, W.G. Davies, J.S. Forster, J.C. Hardy and A.B. McDonald, Phys. Rev. Lett. 31 (1973) 395
- 1973BA68 Y.A. Batusov, S.A. Bunyatov, L. Vizireva, G.R. Gulkanyan, F. Mirsalikhova and V.M. Sidorov, Yad. Fiz. 18 (1973) 962; Sov. J. Nucl. Phys. 18 (1974) 496
- 1973BA71 V.V. Balashov, S.I. Grishanova, N.M. Kabachnik, V.M. Kulikov and N.N. Titarenko, Nucl. Phys. A216 (1973) 574
- 1973BA73 C.A. Barnes and D.B. Nichols, Nucl. Phys. A217 (1973) 125
- 1973BE1L Behrman, das Gupta and De Takacsy, in Munich 1 (1973) 114
- 1973BE1W Beck and Birkholz, Asilomar (1973) Paper 2B7
- 1973BE1X Belluscio et al., Asilomar (1973) Paper 5C7
- 1973BE29 R. Bertini, R. Beurtey, F. Brochard, G. Bruge, H. Catz, A. Chaumeaux, J.M. Durand, J.C. Faivre, J.M. Fontaine, D. Garreta et al., Phys. Lett. B45 (1973) 119
- 1973BE2B Bellotti, Cavalli and Matteuzzi, Nuovo Cim. A18 (1973) 75
- 1973BE2C Beiner, Nucl. Phys. B53 (1973) 349
- 1973BE2D Bellotti, Bonetti, Cavali and Matteuzzi, Nuovo Cim. A14 (1973) 567
- 1973BE2F Berman et al., UCRL 74746 (1973)
- 1973BE38 J. Bernabeu and F. Cannata, Phys. Lett. B45 (1973) 445
- 1973BE47 J. Beiner and J.F. Germond, Phys. Lett. B46 (1973) 289
- 1973BE51 J. Bernabeu and F. Cannata, Nucl. Phys. A215 (1973) 411
- 1973BI12 L. Bimbot, B. Tatischeff, I. Brissaud, Y. Le Bornec, N. Frascaria and A. Willis, Nucl. Phys. A210 (1973) 397
- 1973BI1A Bishop, in Munich 2 (1973) 460
- 1973BI1J Bindal et al., Bull. Amer. Phys. Soc. 18 (1973) 600
- 1973BI1K Birkholz, Asilomar (1973) Paper 5A15
- 1973BO06 J.P. Bondorf, Nucl. Phys. A202 (1973) 30
- 1973BO07 M. Bouten, P. van Leuven, M.V. Mihailovic and M. Rosina, Nucl. Phys. A202 (1973) 127
- 1973BO09 A. Bottino and G. Ciocchetti, Phys. Lett. B43 (1973) 170
- 1973BO1D Boikov, Vel'berg, Loshchakov and Ostroumov, Sov. J. Nucl. Phys. 16 (1973) 497
- 1973BO1Q S. Boffi and A. Molinari, Phys. Rev. C8 (1973) 504
- 1973BO1R Bochsler and Geiss, Solar Phys. 32 (1973) 3
- 1973BO1W Bonazzola et al., in Contrib., Uppsala (1973) 122
- 1973BO1X Bonazzola et al., in Munich 1 (1973) 680

- 1973BO26 M. Bormann, D. Kaack, V. Schroder, W. Scobel and L. Wilde, Z. Phys. 258 (1973) 285
- 1973BO30 J.D. Bowman, A.M. Poskanzer, R.G. Korteling and G.W. Butler, Phys. Rev. Lett. 31 (1973) 614
- 1973BO31 M. Bouten and M.-C. Bouten, Z. Phys. 261 (1973) 169
- 1973BR1C Bromley, in Munich 2 (1973) 22
- 1973BR1J Brennen and Werntz, Bull. Amer. Phys. Soc. 18 (1973) 1409
- 1973BR1K W.J. Braithwaite and J.G. Cramer, Phys. Rev. Lett. 31 (1973) 401
- 1973BR1L Brissaud et al., in Munich 1 (1973) 667
- 1973BR24 G. Breuer and D. Muller, Z. Phys. 264 (1973) 201
- 1973BU12 W.M. Bugg, G.T. Condo, E.L. Hart, H.O. Cohn and R.D. McCulloch, Phys. Rev. Lett. 31 (1973) 475
- 1973BU1B J.E. Butt and D.T. King, Phys. Rev. C8 (1973) 359
- 1973BU1G Burdzik, Goloberg and Smith, Bull. Amer. Phys. Soc. 18 (1973) 1426
- 1973BU1H Bugg et al., Nucl. Phys. B64 (1973) 29
- 1973CA16 E. Caurier, B. Bourotte-Bilwes and Y. Abgrall, Phys. Lett. B44 (1973) 411
- 1973CA17 J.B. Cammarata and M.K. Banerjee, Phys. Rev. Lett. 31 (1973) 610
- 1973CA1B Cameron, Explosive Nucleosynthesis (Univ. Texas Press, 1973) p. 3
- 1973CA1J F. Cannata and J. Ros, Phys. Lett. B43 (1973) 467
- 1973CA1L Carlsen and Hansteen, Phys. Norvegica 7 (1973) 99
- 1973CE1C Cecil, Chestnut and Wiesen-Rothschild, Bull. Amer. Phys. Soc. 18 (1973) 68
- 1973CH16 B.T. Chertok, C. Sheffield, J.W. Lightbody, Jr., S. Penner and D. Blum, Phys. Rev. C8 (1973) 23
- 1973CH1L Chua et al., in Munich 1 (1973) 345
- 1973CH1M D. Chattarji and P. Ghosh, Phys. Rev. C8 (1973) 2115
- 1973CH1N Charles et al., in Munich 1 (1973) 539
- 1973CI1A Ciofi degli Atti, in Nucl. Many-Body Prob., Vol. 2, 1972 (Ed. Compositori, Bologna, 1973) 365
- 1973CL09 C.F. Clement, Nucl. Phys. A213 (1973) 469
- 1973CL1E Clayton and Woosley, in Munich 2 (1973) 718
- 1973CL1J A.S. Clough, G.K. Turner, B.W. Allardyce, C.J. Batty, D.J. Baugh, J.D. McDonald, R.A.J. Riddle, L.H. Watson, M.E. Cage, G.J. Pyle et al., Phys. Lett. B43 (1973) 476
- 1973CO13 H.T. Coelho, Phys. Rev. C7 (1973) 2340

1973CO15 H.T. Coelho, Phys. Rev. C8 (1973) 93
 1973CO18 M.N.H. Comsan, Atomkernenergie 21 (1973) 41
 1973CO1B Colgate, Explosive Nucleosynthesis (Univ. Texas Press, 1973) p. 248
 1973CO1J Couch and Arnett, in Explosive Nucleosynthesis (Univ. Texas Press, 1973) p. 179
 1973CO1N Costa, in Asilomar (1973) 1319
 1973CO1X Cooper, Bull. Amer. Phys. Soc. 18 (1973) 1428
 1973DA1G Das, Gupta and Biswas, Nucl. Phys. B66 (1973) 482
 1973DA1L Day, Lambert and Sneden, Astrophys. J. 185 (1973) 213
 1973DE07 R.M. DeVries, Phys. Rev. Lett. 30 (1973) 666; Erratum Phys. Rev. Lett. 30 (1973) 940
 1973DE1U R.M. DeVries, Phys. Rev. C8 (1973) 951
 1973DE1W Delic, in Munich 1 (1973) 430
 1973DE1Y Devanathan et al., in Munich 1 (1973) 674
 1973DE21 P.T. Debevec, H.J. Korner and J.P. Schiffer, Phys. Rev. Lett. 31 (1973) 171
 1973DE40 R.M. DeVries, Nucl. Phys. A212 (1973) 207
 1973DE45 R. De Leo, G. D'Erasmus, F. Ferrero and A. Pantaleo, Nucl. Phys. A212 (1973) 253
 1973DE53 T.J. Deal, Nucl. Phys. A217 (1973) 210
 1973DI08 M. Dillig, H.M. Hofmann and M.G. Huber, Phys. Lett. B44 (1973) 484
 1973DI1C Dixon, in Asilomar (1973) 727
 1973DI1G Dillig and Huber, Asilomar (1973) Paper 5C6
 1973DM01 T.A. Dmitrieva, N.S. Zelenskaya, A.A. Elkamhavi and I.B. Teplov, Yad. Fiz. 18 (1973) 1223; Sov. J. Nucl. Phys. 18 (1974) 626
 1973DO02 E.I. Dolinsky, P.O. Dzhamalov and A.M. Mukhamedzhanov, Nucl. Phys. A202 (1973) 97
 1973DO04 T.W. Donnelly, Phys. Lett. B43 (1973) 93
 1973DO10 I.S. Dotsenko and A.D. Fursa, Yad. Fiz. 17 (1973) 783; Sov. J. Nucl. Phys. 17 (1974) 408
 1973DO13 P. Dougan and W. Stiefler, Z. Phys. 265 (1973) 1
 1973DO1F C.B. Dover and R.H. Lemmer, Phys. Rev. C7 (1973) 2312
 1973DO1H Donnelly, in Asilomar (1973) 846
 1973DU1C Dudkin, Eponeshnikov, Krechetov and Tryasuchev, JETP Lett. 18 (1973) 157
 1973DZ1A Dzhibuti, Izv. Akad. Nauk SSSR Ser. Fiz. 37 (1973) 1562
 1973ED1A Edwards, in Contrib., Uppsala (1973) 169

- 1973EI01 J.M. Eisenberg, R. Guy, J.V. Noble and H.J. Weber, Phys. Lett. B43 (1973) 20; Erratum Phys. Lett. B45 (1973) 93
- 1973EL04 E. Elbaz, C. Fayard, G-H. Lamot, J. Meyer, R.S. Nahabetian, J. Pigeon and P. Boschan, Phys. Rev. C7 (1973) 1445
- 1973EL1C Eldyshev, Lukyanov and Pol, Sov. J. Nucl. Phys. 15 (1973) 282
- 1973EM03 H. Emling, R. Nowotny, D. Pelte and G. Schrieder, Nucl. Phys. A211 (1973) 600
- 1973EM1B B. Eman, B. Guberina and D. Tadic, Phys. Rev. C8 (1973) 1301
- 1973EN1E Engfer, in Munich 2 (1973) 438
- 1973ENVA P.M. Endt and C. Van der Leun, Nucl. Phys. A214 (1973) 1; Erratum Nucl. Phys. A248 (1975) 153
- 1973ER10 D.J. Ernst, C.M. Shakin and R.M. Thaler, Phys. Rev. C8 (1973) 440
- 1973ER19 K.N. Ermakov, M.B. Zhalov and V.E. Starodubskii, Yad. Fiz. 18 (1973) 801; Sov. J. Nucl. Phys. 18 (1974) 412
- 1973ER1C D.J. Ernst, C.M. Shakin and R.M. Thaler, Phys. Rev. C7 (1973) 925
- 1973EY1A Eyss, Schier and Schoch, Asilomar (1973) Paper 8C8
- 1973FA06 U. Fasoli, A. Metellini, D. Toniolo and G. Zago, Nucl. Phys. A205 (1973) 305
- 1973FA1N G. Faldt and H. Pilkuhn, Phys. Lett. B46 (1973) 337
- 1973FA1P M.A. Faessler, G. Heinzelmann, K. Kilian, U. Lynen, H. Piekartz, J. Piekartz, B. Pietrzyk, B. Povh, H.G. Ritter, B. Schurlein et al., and CERN-Heidelberg-Warsaw Collaboration, Phys. Lett. B46 (1973) 468
- 1973FE03 M. Feil, W. von Oertzen, H.G. Bohlen, A. Gamp, R.L. Walter and B. Kohlmeyer, Z. Phys. 260 (1973) 271
- 1973FE13 G. Fey, H. Frank, W. Schutz and H. Theissen, Z. Phys. 265 (1973) 401
- 1973FE1G Feshbach, in Munich 2 (1973) 632
- 1973FI07 B. Fink and C. Toepffer, Phys. Lett. B45 (1973) 411
- 1973FI1C Fick, MPI H-1973-V27 (1973)
- 1973FO1F Ford, Braley, Becker and Patterson, in Nucl. Many-Body Problem, Vol. 2, 1972 (Ed. Compositori, Bologna, 1973) 241
- 1973FO1G Fouesat, Tartakovsky and Kozlovsky, Ukr. Fiz. Zh. USSR 18 (1973) 372; Phys. Abs. 32839 (1973)
- 1973FR08 J.L. Friar, Part. Nucl. 5 (1973) 45
- 1973FR09 W. Fritsch, R. Lipperheide and U. Wille, Phys. Lett. B45 (1973) 103
- 1973FU03 T. Fujisawa, S. Yamaji, K. Matsuda, S. Motonaga, F. Yoshida, H. Sakaguchi and K. Masui, J. Phys. Soc. Jpn. 34 (1973) 5

- 1973FU1E R.C. Fuller, Phys. Lett. B43 (1973) 445
- 1973GA14 A. Gamp, W. von Oertzen, H.G. Bohlen, M. Feil, R.L. Walter and N. Marquardt, Z. Phys. 261 (1973) 283
- 1973GA19 S. Gamba, G. Ricco and G. Rottigni, Nucl. Phys. A213 (1973) 383
- 1973GA20 N.D. Gabitzsch, G.S. Mutchler, C.R. Fletcher, E.V. Hungerford, L. Coulson, D. Mann, T. Witten, M. Furic, G.C. Phillips, B. Mayes et al., Phys. Lett. B47 (1973) 234
- 1973GE11 J.F. Germond and J.P. Amiet, Nucl. Phys. A216 (1973) 157
- 1973GE1E Geramb and McGrory, in Munich 1 (1973) 386
- 1973GE1F Geramb et al., in Munich 1 (1973) 641
- 1973GL1C Glavish, in Asilomar (1973) 755
- 1973GO01 A. Gobbi, R. Wieland, L. Chua, D. Shapira and D.A. Bromley, Phys. Rev. C7 (1973) 30
- 1973GO09 D.R. Goosman and R.W. Kavanagh, Phys. Rev. C7 (1973) 1717
- 1973GO18 N.V. Goncharov, A.I. Derebchinskii, O.G. Konovalov, S.G. Tonapetyan and V.M. Khvorostyan, Yad. Fiz. 17 (1973) 242; Sov. J. Nucl. Phys. 17 (1974) 124
- 1973GO35 G. Goulard, Can. J. Phys. 51 (1973) 2233
- 1973GO41 Y.P. Gorin, S.P. Denisov, S.V. Donskov, R.N. Krasnokutskii, A.I. Petrukhin, Y.D. Prokoshkin and D.A. Stoyanova, Yad. Fiz. 18 (1973) 336; Sov. J. Nucl. Phys. 18 (1974) 173
- 1973GO44 N.V. Goncharov, A.I. Derebchinskii, O.G. Konovalov, S.G. Tonapetyan and V.M. Khvorostyan, Zh. Eksp. Teor. Fiz. 64 (1973) 67; JETP (Sov. Phys.) 37 (1973) 38
- 1973GR1F Grishin, Eliseev, Inogamov and Kohli, Yad. Fiz. 17 (1973) 1017
- 1973GR1G Graboske, in Explosive Nucleosynthesis (Univ. Texas Press, 1973) p. 186
- 1973GR1J Groves et al., in Contrib., Uppsala (1973) 58
- 1973GR34 G. Gruber, I.C. Dormehl, K. Meier-Ewert and K. Bethge, Z. Phys. 265 (1973) 411
- 1973GR36 Y.T. Grin and A.B. Kochetov, Yad. Fiz. 18 (1973) 283; Sov. J. Nucl. Phys. 18 (1974) 145
- 1973GU12 H.H. Gutbrod, R. Bock, W. von Oertzen and U.C. Schlotthauer-Voos, Z. Phys. 262 (1973) 377
- 1973GU1D Guardiola and Pascual, in Contrib., Uppsala (1973) 175
- 1973HA05 M. Harvey, Nucl. Phys. A202 (1973) 191
- 1973HA1Q Hanna, in Asilomar (1973) 417
- 1973HA1X Halpern, in Asilomar (1973) 909
- 1973HA1Y Hasinoff, Bull. Amer. Phys. Soc. 18 (1973) 1568

- 1973HA34 G.D. Harp, K. Chen, G. Friedlander, Z. Fraenkel and J.M. Miller, Phys. Rev. C8 (1973) 581
- 1973HA49 P.S. Hauge and S. Maripuu, Phys. Rev. C8 (1973) 1609
- 1973HA57 C.S. Han, D.S. Chuu and D.L. Lin, Nucl. Phys. A212 (1973) 241
- 1973HA77 J.C. Hardy, Nucl. Data Tables A11 (1973) 327
- 1973HE1H Heimlich et al., Asilomar (1973) Paper 8A9S
- 1973HE1J Hermans et al., in Munich 1 (1973) 411
- 1973HE30 A.T. Hess and J.M. Eisenberg, Phys. Lett. B47 (1973) 311
- 1973HI03 S. Hiramatsu, T. Kamae, H. Muramatsu, K. Nakamura, N. Izutsu and Y. Watase, Phys. Lett. B44 (1973) 50
- 1973HO10 C.G. Hoot, D.K. Olsen, R.E. Brown, J.R. Maxwell and A. Scott, Nucl. Phys. A203 (1973) 339
- 1973HO1R Holmgren, Woody, Roos and Cowley, Bull. Amer. Phys. Soc. 18 (1973) 79
- 1973HO43 K.R. Hogstrom, B.W. Mayes, L.Y. Lee, J.C. Allred, C. Goodman, G.S. Mutchler, C.R. Fletcher and G.C. Phillips, Nucl. Phys. A215 (1973) 598
- 1973HOYD M. Hori, S. Ochi, T. Minamisono, A. Mizobuchi and K. Sugimoto, J. Phys. Soc. Jpn. Suppl. 34 (1973) 161, 324
- 1973HS1A Hsieh, Kane, Spence and Carroll, Bull. Amer. Phys. Soc. 10 (1973) 691
- 1973HS1B Hsieh et al., in Contrib., Uppsala (1973) 145
- 1973HU1E Hungerford, Nucl. Instrum. Meth. 111 (1973) 509
- 1973IB1B Iben, in Explosive Nucleosynthesis (Univ. Texas Press, 1973) p. 115
- 1973IK1A Ikeda, Horiuchi and Suzuki, in Munich 1 (1973) 117
- 1973IS1A Ishkhanov and Shevchenko, Sov. J. Part. Nucl. 3 (1973) 446
- 1973JA01 G. Jacob and T.A.J. Maris, Rev. Mod. Phys. 45 (1973) 6
- 1973JA02 C. Jacquot, Y. Sakamoto, M. Jung and L. Girardin, Nucl. Phys. A201 (1973) 247
- 1973JA1K James et al., Bull. Amer. Phys. Soc. 18 (1973) 1428
- 1973JA22 K. Jansen and W. Scheid, Phys. Lett. B47 (1973) 427
- 1973JO1H Joffily, Nucl. Phys. A215 (1973) 301
- 1973JU1C Jury, Hewitt and McNeill, Ailomar (1973) Paper 2B6
- 1973JU2A M. Juric, G. Bohm, J. Klabuhn, U. Krecker, F. Wysotzki, G. Coremans-Bertrand, J. Sacton, G. Wilquet, T. Cantwell, F. Esmael et al., Nucl. Phys. B52 (1973) 1
- 1973KA04 V.V. Karapetyan, V.N. Mileev and N.N. Titarenko, Nucl. Phys. A203 (1973) 561
- 1973KA1D Karapetyan, Korenman and Popov, in Contrib., Uppsala (1973) 154

- 1973KH1A Khadkikar, in Munich 1 (1973) 118
- 1973KI03 L.S. Kisslinger and W.L. Wang, Phys. Rev. Lett. 30 (1973) 1071
- 1973KI05 H.R. Kissener, R.A. Eramzhian and H.U. Jager, Nucl. Phys. A207 (1973) 78
- 1973KI12 H.R. Kissener, A. Aswad, H.U. Jager and R.A. Eramzhian, Nucl. Phys. A215 (1973) 424
- 1973KI1J Kissener, Aswad, Jager and Eramzhian, in Munich 1 (1973) 647
- 1973KI1K King et al., Bull. Amer. Phys. Soc. 18 (1973) 1403
- 1973KL12 F.J. Kline, H. Crannell, J.T. O'Brien, J. McCarthy and R.R. Whitney, Nucl. Phys. A209 (1973) 381
- 1973KL1B Klages and Duhm, in Munich 1 (1973) 478
- 1973KN06 H.D. Knox, J.M. Cox, R.W. Finlay and R.O. Lane, Nucl. Phys. A217 (1973) 611
- 1973KN1C Knupfer and Huner, in Munich 1 (1973) 29
- 1973KO02 T.K. Koh, W.R. Falk, N.E. Davison and J.M. Nelson, Phys. Rev. C7 (1973) 50
- 1973KO11 V.V. Komarov and M. El-Takhavi, Izv. Akad. Nauk SSSR Ser. Fiz. 37 (1973) 122; Bull. Acad. Sci. USSR Phys. Ser. 37 (1973) 107
- 1973KO1D Kovar, in Symp. on Heavy Ion Transfer Reactions, ANL Phys. B1 (1973) 59
- 1973KO1F Kohler and Bethgz, in Munich 1 (1973) 134
- 1973KO1H Kopaleishvili, Sov. J. Part. Nucl. 3 (1973) 512
- 1973KO1M Komarov et al., in Contrib., Uppsala (1973) 179
- 1973KO26 D. Kolb, R.Y. Cusson and M. Harvey, Nucl. Phys. A215 (1973) 1
- 1973KO38 V.V. Komarov and M. El-Takhavi, Izv. Akad. Nauk SSSR Ser. Foz. 37 (1973) 1681; Bull. Acad. Sci. USSR Phys. Ser. 37 (1974) 101
- 1973KU03 D. Kurath, Phys. Rev. C7 (1973) 1390
- 1973KU08 E. Kujawski, Phys. Rev. C8 (1973) 100
- 1973KU18 B.I. Kuznetsov, I.P. Chernov and R.E. Ovsyannikova, Yad. Fiz. 18 (1973) 950; Sov. J. Nucl. Phys. 18 (1974) 490
- 1973KU1D Kubodera, Delorme and Rho, Nucl. Phys. B66 (1973) 253
- 1973KU1G Kurath, in Symp. on Heavy Ion Transfer Reactions, ANL Phys. B1 (1973) 221
- 1973KU1L Kurath and Arima, J. Phys. Soc. Jpn. Suppl. 34 (1973) 529
- 1973KU1N K. Kubodera and C.W. Kim, Phys. Lett. B43 (1973) 275
- 1973LA1M Lamers, Lucas, Nagl and Uberall, Bull. Amer. Phys. Soc. 18 (1973) 675
- 1973LA1N Landau, Phatak and Tabakin, Ann. Phys. 78 (1973) 299
- 1973LA30 R.H. Landau and M. McMillan, Phys. Rev. C8 (1973) 2094

- 1973LA35 K.R. Lassey, M.R.P. Manning and A.B. Volkov, *Can. J. Phys.* 51 (1973) 2522
- 1973LE1E Lee, *J. Phys. Soc. Jpn. Suppl.* 34 (1973) 445
- 1973LE1F Lee, *Bull. Amer. Phys. Soc.* 18 (1973) 20
- 1973LE22 C.W. Lewis, H. Ullrich, H.D. Engelhardt and E.T. Boschitz, *Phys. Lett.* B47 (1973) 339
- 1973LI18 L.C. Liu and P. Huguenin, *Helv. Phys. Acta* 46 (1973) 201
- 1973LO02 J.T. Londergan and K.W. McVoy, *Nucl. Phys.* A201 (1973) 390
- 1973LO1C Lombard, in *Nucl. Many-Body Problem, Vol. 1, 1972* (Ed. Compositori, Bologna, 1973) 475
- 1973LU1A Lucas and Werntz, *Bull. Amer. Phys. Soc.* 18 (1973) 1409
- 1973MA07 A. Malecki and P. Picchi, *Phys. Lett.* B43 (1973) 351
- 1973MA10 R. Mach, *Nucl. Phys.* A205 (1973) 56
- 1973MA11 W. Maguire and C. Werntz, *Nucl. Phys.* A205 (1973) 211
- 1973MA1K Maripuu, in *5th Symp. Struct. Low-Medium Mass Nuclei, Univ. Press of Kentucky* (1973) 63
- 1973MA1N Malmin and Paul, *Bull. Amer. Phys. Soc.* 18 (1973) 134
- 1973MA1T Malik and Mustafa, in *Fifth Symp. Struct. Low-Medium Mass Nuclei* (Univ. Press of Kentucky, 1973) 124
- 1973MA2B Matsuzaki, *Prog. Theor. Phys.* 49 (1973) 1056
- 1973MA48 F. Malaguti and P.E. Hodgson, *Nucl. Phys.* A215 (1973) 243
- 1973MC01 S.J. McCaslin, F.M. Mann and R.W. Kavanagh, *Phys. Rev.* C7 (1973) 489
- 1973MC1J McMahan and Tobocman, *Nucl. Phys.* A202 (1973) 561
- 1973ME1K Merle, *Asilomar* (1973) Paper 8A8
- 1973MI19 V.N. Mileev and T.V. Mishchenko, *Phys. Lett.* B47 (1973) 197
- 1973MI1F Mihailovic, in *Nucl. Many-Body Problem, Vol. 1, 1972* (Ed. Compositori, Bologna, 1973) 605
- 1973MIYZ T. Minamisono, Y. Nojiri, A. Mizobuchi and K. Sugimoto, *J. Phys. Soc. Jpn. Suppl.* 34 (1973) 156, 324
- 1973MO1G Moreira, Wolyneec and Moscati, *Asilomar* (1973) Paper 2B10
- 1973MO1H E.J. Moniz, *Phys. Rev.* C7 (1973) 1750
- 1973MO1J Morovic, Fink and Fink, in *Munich 1* (1973) 363
- 1973MO1L Morris and Weber, *Ann. Phys.* 69 (1973) 34
- 1973MO26 M.A. Moinester, M. Zaider, J. Alster, D. Ashery, S. Cochavi and A.I. Yavin, *Phys. Rev.* C8 (1973) 2039

1973MS01 E.D. Mshelia and R.F. Barrett, Nucl. Phys. A205 (1973) 581
 1973MS02 E.D. Mshelia and R.F. Barrett, Z. Phys. 261 (1973) 313
 1973MU04 N.C. Mukhopadhyay, Phys. Rev. C7 (1973) 1720
 1973MU11 N.C. Mukhopadhyay, Phys. Lett. B45 (1973) 309
 1973MU14 S.F. Mughabghab and D.I. Garber, BNL 325, 3rd Edition, Vol. 1 (1973)
 1973MU1B Mukgopadhyay, Lett. Nuovo Cim. 7 (1973) 460
 1973NA1K Nath, Firk, Holt and Schultz, Asilomar (1973) Paper 2B5
 1973NE19 C.E. Nelson, S.L. Hausladen and R.O. Lane, Nucl. Phys. A217 (1973) 546
 1973NE1F Nelson, Thesis. Ohio Univ. (1973)
 1973NY04 E.M. Nyman, Nucl. Phys. A215 (1973) 397
 1973OE01 H. Oeschler, H. Fuchs and H. Schroter, Nucl. Phys. A202 (1973) 513
 1973OS03 A. Osman, Atomkernenergie 22 (1973) 62
 1973PA1C Parker, Pisano, Cobern and Marks, Nature 241 (1973) 110
 1973PA1J Papineau, in Proc. Europhys. 1972 Plitvice Lakes Conf. (Springer-verlag, 1973) 295
 1973PE05 A.K. Petrauskas, G.P. Kamuntavicius and K.I. Jankauskas, Yad. Fiz. 17 (1973) 519;
 Sov. J. Nucl. Phys. 17 (1974) 266
 1973PE1D Pelte, in Munich 2 (1973) 256
 1973PE1E Pedroni et al., in Contrib., Uppsala (1973) 75
 1973PI06 P. Pianarosa and L. Gauvin, Lett. Nuovo Cim. 8 (1973) 121
 1973PI1B Pisano and Parker, in Munich 1 (1973) 487
 1973PO1D Pougheon and Roussel, in Munich 1 (1973) 459
 1973PR1C Prctor, Lutz and Bartolini, Bull. Amer. Phys. Soc. 18 (1973) 1420
 1973RA1D Ramaty, Borner and Cohen, Astrophys. J. 181 (1973) 891
 1973RA1E Rayet, Nucl. Phys. B57 (1973) 269
 1973RE12 W. Reilly, R. Wieland, A. Gobbi, M.W. Sachs, J. Maher, R.H. Siemssen, D. Mingay
 and D.A. Bromley, Nuovo Cim. A13 (1973) 913
 1973RE13 W. Reilly, R. Wieland, A. Gobbi, M.W. Sachs and D.A. Bromley, Nuovo Cim. A13
 (1973) 897
 1973RI1A G.A. Rinker and L. Wilets, Phys. Rev. D7 (1973) 2629
 1973RO10 E. Rost and P.D. Kunz, Phys. Lett. B43 (1973) 17
 1973RO1Q Rook, in Munich 2 (1973) 798
 1973RO1R Robson, Nucl. Phys. A204 (1973) 523
 1973RO28 R. Roy, J. Birchall, B. Frois and R.J. Slobodrian, Lett. Nuovo Cim. 6 (1973) 374

- 1973ROYN D.J. Rowe, in Asilomar (1973) 717
- 1973RU09 N.Y. Rutkevich, A.P. Klyucharev, M.A. Kuzmichev and A.R. Linetskii, *Izv. Akad. Nauk SSSR Ser. Fiz.* 37 (1973) 1697; *Bull. Acad. Sci. USSR Phys. Ser.* 37 (1974) 114
- 1973SA03 J. Sandler, G.S. Mutchler, W. von Witsch, V.A. Otte, G.C. Phillips and D. Rendic, *Nucl. Phys. A202* (1973) 49
- 1973SA1J Sackmann, Smith and Despain, OAP-324 (1973)
- 1973SA1K Satchler, in *Symp. on Heavy Ion Transfer Reactions*, ANL Phys. B1 (1973) 145
- 1973SA1N Sakaguchi, Matsuoka, Koyama and Takeuchi, in *Munich 1* (1973) 506
- 1973SA1T Satyan and Parikh, in *Munich 1* (1973) 52
- 1973SA1U T. Sanford, S. Childress, G. Dugan, L.M. Lederman and L.E. Price, *Phys. Rev. C8* (1973) 896
- 1973SA30 R. Saayman, P.R. de Kock and J.H. van der Merwe, *Z. Phys.* 265 (1973) 69
- 1973SA38 M. Sawicki, *Nucl. Phys. A215* (1973) 477
- 1973SC1B Scott, in *Munich 2* (1973) 216
- 1973SC1K Scheid, Fink and Muller, in *Proc. Europhys. 1972 Plitvice Lakes Conf.* (Springer-Verlag, 1973) 144
- 1973SC1T J.M. Scalo and R.K. Ulrich, *Astrophys. J.* 183 (1973) 151
- 1973SC24 W.F.W. Schneider, B. Kohlmeyer, F. Puhlhofer and R. Bock, *Phys. Lett. B46* (1973) 195
- 1973SC26 P. Schumacher, N. Ueta, H.H. Duhm, K.-I. Kubo and W.J. Klages, *Nucl. Phys. A212* (1973) 573
- 1973SE1E Seki, in *Contrib., Uppsala* (1973) 69
- 1973SH02 R. Shanta, *Nucl. Phys. A199* (1973) 624
- 1973SH04 T.C. Sharma, J.M. Cameron and G.C. Neilson, *Nucl. Phys. A202* (1973) 59
- 1973SH1E Shebeko and Goncharov, *Yad. Fiz.* 18 (1973) 1034
- 1973SI11 R.N. Singh, N. De Takacsy, S.I. Hayakawa, R.L. Hutson and J.J. Kraushaar, *Nucl. Phys. A205* (1973) 97
- 1973SI13 I. Sick, *Phys. Lett. B44* (1973) 62
- 1973SI1M Singh, Put, Yang and Paans, in *Munich 1* (1973) 337
- 1973SI1N R.R. Silbar and M.M. Sternheim, *Phys. Rev. Lett.* 31 (1973) 941
- 1973SI1P Sick, *Helv. Phys. Acta* 46 (1973) 440
- 1973SI21 M.H. Simbel, *Phys. Rev. C8* (1973) 75
- 1973SI37 A.G. Sitenko and I.S. Dotsenko, *Yad. Fiz.* 17 (1973) 67; *Sov. J. Nucl. Phys.* 17 (1973) 35

- 1973SM03 S.M. Smith, G. Tibell, A.A. Cowley, D.A. Goldberg, H.G. Pugh, W. Reichart and N.S. Wall, Nucl. Phys. A207 (1973) 273
- 1973SM1A Smith, Sackmann and Despain, Explosive Nucleosynthesis (Univ. Texas Press, 1973) p. 168
- 1973SP1A Sprung, in Nucl. Many-Body Problem, Vol. 2, 1972 (Ed. Compositori, Bologna, 1973) 123
- 1973SP1D Spuller et al., in Munich 1 (1973) 509
- 1973SR1B Srivastava and Yadav, Asilomar (1973) Paper 5A7
- 1973ST1A Stokstad, in Proc. Europhys. 1972 Lakes Conf. (Springer-Verlag, 1973) 179
- 1973ST1K Stronach, Kossler and Funsten, Bull. Amer. Phys. Soc. 18 (1973) 691
- 1973ST1N Steele, Crawley and Maripuu, Bull. Amer. Phys. Soc. 18 (1973) 134
- 1973ST1P Steels et al., Suppl. J. Phys. Soc. Jpn. 34 (1973) 350
- 1973SU03 T. Suzuki and C. Hinohara, Nucl. Phys. A204 (1973) 289
- 1973SU07 K.M. Subotic, D.M. Stanojevic, M.R. Aleksic, B.Z. Stepancic and R.V. Popic, Fizika 5 (1973) 103
- 1973SU1B Sugimoto, J. Phys. Soc. Jpn. Suppl. 34 (1973) 197
- 1973SU1E Suffert, in Asilomar (1973) 741
- 1973TA1D Talbot, in Explosive Nucleosynthesis (Univ. Texas Press, 1973) p. 47
- 1973TA1E Talbot, in Explosive Nucleosynthesis (Univ. Texas Press, 1973) p. 34
- 1973TA1F Tartakovskii and Fursaev, Ukr. Fiz. Zh. (USSR) 18 (1973) 1331; Phys. Abs. 67315 (1973)
- 1973TE1B Terenetskii, Izv. Akad. Nauk SSSR Ser. Fiz. 38 (1974) 1698
- 1973TH08 M. Thumm, G. Mertens and G. Mack, Z. Naturf. A28 (1973) 1223
- 1973TH1A Thirion, in Munich 2 (1973) 782
- 1973TH1B Theissen, in Asilomar (1973) 871
- 1973TO14 I.S. Towner, Nucl. Phys. A216 (1973) 589
- 1973TR1B Truran, in Cosmochem., Ed. Cameron (Reidel Pub. Co., 1973) 23
- 1973TR1C Truran, Space Sci. Rev. 15 (1973) 23
- 1973TY1A Tyufyakov, Trykov and Shtan, Atomnaya Energ. 34 (1973) 349
- 1973UB01 H. Uberall, B.A. Lamers, C.W. Lucas and A. Nagl, Phys. Lett. B44 (1973) 324
- 1973UL01 N. Ullah and K.R. Sandhya Devi, Phys. Rev. C8 (1973) 1167
- 1973UL1B Ulrich, in Explosive Nucleosynthesis (Univ. Texas Press, 1973) p. 139
- 1973VA01 D. Vautherin, Phys. Rev. C7 (1973) 296

- 1973VA12 G.A. Vartapetyan, A.S. Danagulyan, N.A. Demekhina and A.G. Khudaverdyan, *Yad. Fiz.* 17 (1973) 685; *Sov. J. Nucl. Phys.* 17 (1973) 356
- 1973VA18 W.T.H. Van Oers and H. Haw, *Phys. Lett.* B45 (1973) 227
- 1973VA1A Vasileva et al., *Sov. J. Nucl. Phys.* 16 (1973) 257
- 1973VA1M Vashakidze and Dzhalaganiya, *Sov. J. Nucl. Phys.* 16 (1973) 519
- 1973VE03 D.E. Velkley, J.D. Brandenberger, D.W. Glasgow, M.T. McEllistrem, J.C. Manthuruthil and C.P. Poirier, *Phys. Rev.* C7 (1973) 1736
- 1973VIIC Vijaya and Kumar, *Nucl. Instrum. Meth.* 111 (1973) 435
- 1973VO04 W. von Oertzen and W. Norenberg, *Nucl. Phys.* A207 (1973) 113
- 1973VO09 H.J. von Eyss and G. Luhrs, *Z. Phys.* 262 (1973) 393
- 1973WA1J Wang and Kisslinger, *Bull. Amer. Phys. Soc.* 18 (1973) 20
- 1973WA1K Wachter, Santoro, Love and Zobel, *Bull. Amer. Phys. Soc.* 18 (1973) 118
- 1973WE03 H. Werle, L. Van der Zwan and K.W. Geiger, *Z. Phys.* 259 (1973) 275
- 1973WE1U W. Weise, *Phys. Lett.* B45 (1973) 219
- 1973WH02 W.R. Wharton, J.G. Cramer, D.H. Wilkinson, J.R. Calarco and K.G. Nair, *Phys. Rev. Lett.* 31 (1973) 54
- 1973WI07 N. Willis, I. Brissaud, Y. Le Bornec, B. Tatischeff and G. Duhamel, *Nucl. Phys.* A204 (1973) 454
- 1973WI09 R. Wieland, A. Gobbi, L. Chua, M.W. Sachs, D. Shapira, R. Stokstad and D.A. Bromley, *Phys. Rev.* C8 (1973) 37
- 1973WI11 D.H. Wilkinson, *Nucl. Phys.* A209 (1973) 470
- 1973WI15 J. Wilczynski, *Phys. Lett.* B47 (1973) 124
- 1973WI1A Wilkin et al., *Nucl. Phys.* B62 (1973) 61
- 1973WO06 G.J. Wozniak, N.A. Jelley and J. Cerny, *Phys. Rev. Lett.* 31 (1973) 607
- 1973YA1A Yazaki, *Prog. Theor. Phys.* 49 (1973) 1205
- 1973YE02 M.V. Yester, A.A. Caretto, Jr., M. Kaplan, P.J. Karol and R.L. Klobuchar, *Phys. Lett.* B45 (1973) 327
- 1973YO04 Y. Yokoo, S. Suzuki and M. Morita, *Prog. Theor. Phys.* 50 (1973) 1894
- 1973ZA06 N.I. Zaika, Y.V. Kibkalo, A.V. Mokhnach, O.F. Nemets, V.S. Semenov, V.P. Tokarev, E.D. Chesnokov and P.L. Shmarin, *Izv. Akad. Nauk SSSR Ser. Fiz.* 37 (1973) 1073; *Bull. Acad. Sci. USSR Phys. Ser.* 37 (1974) 140
- 1973ZE03 N.S. Zelenskaya, A.A. El-Kamhavy and D.A. Shalabaev, *Yad. Fiz.* 17 (1973) 52; *Sov. J. Nucl. Phys.* 17 (1973) 27
- 1973ZI1A Ziock, in *Contrib.*, Uppsala (1973) 157

- 1974AB05 Y. Abgrall, P. Gabinski and J. Labarsouque, Nucl. Phys. A232 (1974) 235
- 1974AD1C S.L. Adler, S. Nussinov and E.A. Paschos, Phys. Rev. D9 (1974) 2125
- 1974AD1D Adelberger, Marrs, Snover and Cooper, Bull. Amer. Phys. Soc. 19 (1974) 452
- 1974AJ01 F. Ajzenberg-Selove and T. Lauritsen, Nucl. Phys. A227 (1974) 1
- 1974AL11 D.E. Alburger and D.R. Goosman, Phys. Rev. C10 (1974) 912
- 1974AL1G Allard et al., Lett. Nuovo Cim. 10 (1974) 841
- 1974AL1H Alexander and Rinta, Ann. Phys. 82 (1974) 301
- 1974AL1J P. Allen, W.A. Mehlhop, P. Bowles, F. Marcelja, O. Piccioni, R.W. Garland, D. Scipione, J.M. Marraffino, S.S. Murty and W. Wheaton, Phys. Rev. D9 (1974) 570
- 1974AM01 J. Amato, R.L. Burman, R. Macek, J. Oostens, W. Schlaer, E. Arthur, S. Sobottka and W.C. Lam, Phys. Rev. C9 (1974) 501
- 1974AM05 K.A. Amos, H.V. Geramb, R. Sprickmann, J. Arvieux, M. Buenerd and G. Perrin, Phys. Lett. B52 (1974) 138
- 1974AN19 B.D. Anderson, M.R. Dwarakanath, J.S. Schweitzer and A.V. Nero, Nucl. Phys. A233 (1974) 286
- 1974AN36 N. Anyas-Weiss, J.C. Cornell, P.S. Fisher, P.N. Hudson, A. Menchaca-Rocha, D.J. Millener, A.D. Panagiotou, D.K. Scott, D. Strottman, D.M. Brink et al., Phys. Rept. 12 (1974) 201
- 1974AR04 A. Arima and S. Yoshida, Nucl. Phys. A219 (1974) 475
- 1974AR1G Arnett, Astrophys. J. 194 (1974) 373
- 1974AR2B Arnett, Astrophys. J. 191 (1974) 727
- 1974AS1D Assimakopoulos, Andritsopoulos, Gangas and Nagatani, Bull. Amer. Phys. Soc. 19 (1974) 431
- 1974AU1E N. Auerbach and A. Gal, Phys. Lett. B48 (1974) 22
- 1974AZ02 S.A. Azimov, M. Azimova, K.R. Igamberdiev, S.L. Lutfullaev, K.A. Rizaev, A.A. Yuldashev and B.S. Yuldashev, Yad. Fiz. 19 (1974) 317; Sov. J. Nucl. Phys. 19 (1974) 156
- 1974BA15 G.C. Ball, J.G. Costa, W.G. Davies, J.S. Forster, J.C. Hardy and A.B. McDonald, Phys. Lett. B49 (1974) 33
- 1974BA1Z Barrett, Rept. Prog. Phys. 37 (1974) 1
- 1974BA2E V.V. Balashov, V.L. Korotkikh and V.N. Mileev, Phys. Lett. B49 (1974) 120
- 1974BA42 D.P. Balamuth, R.W. Zurmuhle and S.L. Tabor, Phys. Rev. C10 (1974) 975
- 1974BA70 G. Baroni, S. Di Liberto, S. Petrera and G. Romano, Nucl. Phys. A231 (1974) 521
- 1974BE12 M. Bernheim, A. Bussiere, A. Gillebert, J. Mougey, Phan Xuan Ho, M. Priou, D. Royer, I. Sick and G.J. Wagner, Phys. Rev. Lett. 32 (1974) 898

- 1974BE1J Becker, Joffily, Beccaria and Baron, Nucl. Phys. A221 (1974) 475
- 1974BE1R Bertojo, Chui and Townes, Science 104 (1974) 619
- 1974BE22 Y.A. Bereznoi and A.P. Soznik, Yad. Fiz. 19 (1974) 813; Sov. J. Nucl. Phys. 19 (1974) 414
- 1974BE2A J. Beiner and J.F. Germond, Phys. Lett. B46 (1974) 289
- 1974BE2B Berman, UCRL 75694 (1974)
- 1974BH1B Bhowmik and Holmgren, Bull. Amer. Phys. Soc. 19 (1974) 1022
- 1974BI04 P.K. Bindal, K. Nagatani, M.J. Schneider and P.D. Bond, Phys. Rev. C9 (1974) 2154
- 1974BI07 J. Birkholz and V. Heil, Nucl. Phys. A225 (1974) 429
- 1974BI1E Bindal et al., in Proc. Conf. Reactions Between Complex Nuclei, Vol. 1 (North-Holland, 1974) 5
- 1974BI1H Bindal and Nagatani, in Proc. Conf. Reactions Between Complex Nuclei, Vol. 1 (North-Holland, 1974) 4
- 1974BO05 J.D. Bowman, A.M. Poskanzer, R.G. Korteling and G.W. Butler, Phys. Rev. C9 (1974) 836
- 1974BO15 W. Bohne, C.K. Gelbke, P. Braun-Munzinger, W. Grochulski, H.L. Harney and H. Oeschler, Nucl. Phys. A222 (1974) 117
- 1974BO18 A. Bottino, G. Ciocchetti and C.W. Kim, Phys. Rev. C9 (1974) 2052
- 1974BO27 G.C. Bonazzola, T. Bressani, E. Chiavassa, G. Dellacasa, A. Fainberg, L. Ferrero, F. Iazzi, W. Mirfakhrai, A. Musso, G. Rinaudo et al., Lett. Nuovo Cim. 10 (1974) 603
- 1974BO2K Bogdanov and Ostroumov, Izv. Akad. Nauk SSSR Ser. Fiz. 38 (1974) 1811
- 1974BO38 I. Bondouk, Z.A. Saleh, F. Machali and D.A. Darwish, Rev. Roum. Phys. 19 (1974) 653
- 1974BO47 G.L. Bocek, I.A. Grishaev, N.L. Emets, N.I. Lapin, G.D. Pugachev and Y.N. Ranyuk, Zh. Eksp. Teor. Fiz. 66 (1974) 16; JETP (Sov. Phys.) 39 (1975) 7
- 1974BR06 I. Brissaud, L. Bimbot, Y. Le Bornec, B. Tatischeff and N. Willis, Phys. Lett. B48 (1974) 319
- 1974BR1J Braithwaite, Obst and King, Bull. Amer. Phys. Soc. 19 (1974) 1003
- 1974BU06 C.E. Busch, T.B. Clegg, S.K. Datta and E.J. Ludwig, Nucl. Phys. A223 (1974) 183
- 1974BU17 M. Buenerd, P. de Saintignon, P. Martin and J.M. Loiseaux, Phys. Rev. Lett. 33 (1974) 1233
- 1974BU1H Bucharest-Budapes-Cracow-Dubna-Hanoi-Moscow-Sofia-Tashkent-Tbilisi-Ulanbato-Warsaw Collaboration, Nucl. Phys. B83 (1974) 365
- 1974CA1G Carruth, Larson, Gangotena and French, Bull. Amer. Phys. Soc. 19 (1974) 700
- 1974CA1H Cantwell et al., Nucl. Phys. A236 (1974) 445

- 1974CA1P Cammarata, Bull. Amer. Phys. Soc. 19 (1974) 577
- 1974CA1Q Carroll et al., Bull. Amer. Phys. Soc. 19 (1974) 1006
- 1974CA1R Cannata and Uberall, Lett. Nuovo Cim. 10 (1974) 645
- 1974CA21 F. Cannata, B.A. Lamers, C.W. Lucas, A. Nagl, H. Uberall, C. Werntz and F.J. Kelly, Can. J. Phys. 52 (1974) 1405
- 1974CA25 F. Cannata, C.W. Lucas, Jr. and C. Werntz, Phys. Rev. C10 (1974) 2093
- 1974CE01 F.E. Cecil, L.W. Fagg, W.L. Bendel and E.C. Jones, Jr., Phys. Rev. C9 (1974) 798
- 1974CE06 J. Cerny, R.B. Weisenmiller, N.A. Jelley, K.H. Wilcox and G.J. Wozniak, Phys. Lett. B53 (1974) 247.
- 1974CE1A Cerny, in Nashville Vol. 2 (1974) 483
- 1974CH03 D. Chamberlin, D. Bodansky, W.W. Jacobs and D.L. Oberg, Phys. Rev. C9 (1974) 69
- 1974CH1Q Chechik, Stocker, Eyal and Fraenkel, in Proc. Conf. Reactions Between Complex Nuclei, Vol. 1 (North-Holland, 1974) p. 6
- 1974CH1X Chuan and Mac, Bull. Amer. Phys. Soc. 19 (1974) 1009
- 1974CH32 D. Chamberlin, D. Bodansky, W.W. Jacobs and D.L. Oberg, Phys. Rev. C10 (1974) 909
- 1974CL04 A.S. Clough, G.K. Turner, B.W. Allardyce, C.J. Batty, D.J. Baugh, W.J. McDonald, R.A.J. Riddle, L.H. Watson, M.E. Cage, G.J. Pyle et al., Nucl. Phys. B76 (1974) 15
- 1974CO09 V. Comparat, R. Frascaria, N. Marty, M. Morlet and A. Willis, Nucl. Phys. A221 (1974) 403
- 1974CO1L Conlan, Nature 247 (1974) 268
- 1974CO1P Correll, Haskell and Madansky, Bull. Amer. Phys. Soc. 19 (1974) 16
- 1974CR03 D.J. Crozier and J.C. Legg, Phys. Rev. Lett. 33 (1974) 782
- 1974CU1A R.T. Cutler, Phys. Rev. D9 (1974) 676
- 1974DA1N Danks, Lambert and Appigny, Astrophys. J. 194 (1974) 745
- 1974DA1P Dayras, Stokstad, Switkowski and Wieland, Bull. Amer. Phys. Soc. 19 (1974) 549
- 1974DA1Q Davids, Pardo and Obst, Bull. Amer. Phys. Soc. 19 (1974) 556
- 1974DE1U Deutsch et al., Bull. Amer. Phys. Soc. 19 (1974) 1006
- 1974DE1V V. Devanathan and P.R. Subramanian, Phys. Lett. B53 (1974) 21
- 1974DE41 A. Deloff and J. Law, Phys. Rev. C10 (1974) 1688
- 1974DE45 A.S. Deineko, Y.G. Mashkarov, R.P. Slabospitskii, I.I. Zalyubovskii, B.S. Bezvershuk and I.Y. Malakhov, Izv. Akad. Nauk SSSR Ser. Fiz. 38 (1974) 1694; Bull. Acad. Sci. USSR Phys. Ser. 38 (1974) 115
- 1974DI17 J.M. Dixon and M.N. Thompson, Aust. J. Phys. 27 (1974) 301

- 1974DO03 E.I. Dolinskii, V.V. Turovtsev and R. Yarmukhamedov, *Yad. Fiz.* 19 (1974) 1003; *Sov. J. Nucl. Phys.* 19 (1975) 514
- 1974DO07 P. Dougan and W. Stiefeler, *Z. Phys.* 269 (1974) 97
- 1974DO08 P. Dougan, B. Forkman, W. Stiefeler and J.L. Matthews, *Z. Phys.* 269 (1974) 105
- 1974DO1C T.W. Donnelly, D. Hitlin, M. Schwartz, J.D. Walecka and S.J. Wiesner, *Phys. Lett.* B49 (1974) 8
- 1974DO1G Dollhopf, Perdrisat, Kitching and Olsen, *Bull. Amer. Phys. Soc.* 19 (1974) 43
- 1974DR1C Drake, Arthur and Silbert, LA-5662-MS (1974)
- 1974DU02 T. Dubler, L. Schellenberg, H. Schneuwly, R. Engfer, J.L. Vuilleumier, H.K. Walter, A. Zehnder and B. Fricke, *Nucl. Phys.* A219 (1974) 29
- 1974DU11 S. Dubnicka and O.V. Dumbrajs, *Nucl. Phys.* A235 (1974) 417
- 1974DZ03 R.I. Dzhibuti and H.M. Sallam, *Yad. Fiz.* 19 (1974) 75; *Sov. J. Nucl. Phys.* 19 (1974) 40
- 1974DZ05 R.I. Dzhibuti and R.Y. Kezerashvili, *Yad. Fiz.* 20 (1974) 340; *Sov. J. Nucl. Phys.* 20 (1975) 181
- 1974DZ06 R.I. Dzhibuti and R.Y. Kezerashvili, *Yad. Fiz.* 20 (1974) 33; *Sov. J. Nucl. Phys.* 20 (1975) 17
- 1974EP02 V.D. Epaneshnikov, V.M. Kuznetsov and O.I. Stukov, *Yad. Fiz.* 19 (1974) 483; *Sov. J. Nucl. Phys.* 19 (1974) 242
- 1974ER1A Erb et al., in *Proc. Conf. Reactions Between Complex Nuclei*, 1 (North-Holland, 1974) 103
- 1974FA1A Faldt, Pikhun and Schlails, *Ann. Phys.* 82 (1974) 326
- 1974FI03 M. Fink, M. Gari and H. Hebach, *Phys. Lett.* B49 (1974) 20
- 1974FI1G Fink, Scheid and Greiner, in *Proc. Conf. Reactions Between Complex Nuclei*, 1 (North-Holland, 1974) 136
- 1974FO22 J.L.C. Ford, Jr., K.S. Toth, G.R. Satchler, D.C. Hensley, L.W. Owen, R.M. DeVries, R.M. Gaedke, P.J. Riley and S.T. Thornton, *Phys. Rev.* C10 (1974) 1429
- 1974FR12 J.L. Friar and M. Rosen, *Ann. Phys.* 87 (1974) 289
- 1974FU11 H. Fuchs, K. Grabisch, D. Hilscher, U. Jahnke, H. Kluge, T. Masterson and H. Morgenstern, *Nucl. Phys.* A234 (1974) 61
- 1974GA08 H. Garcilazo and J.M. Eisenberg, *Nucl. Phys.* A220 (1974) 13
- 1974GA1L Galster, Ischenko, Siller and Voit, in *Proc. Conf. Reactions Between Complex Nucl.*, Vol. 1 (North-Holland, 1974) 37
- 1974GA30 A.S. Gass, O.Y. Goryunov, V.N. Dobrikov, M.G. Makowska-Rzeszutko, O.F. Nemets and A.T. Rudchik, *Izv. Akad. Nauk SSSR Ser. Fiz.* 38 (1974) 873; *Bull. Acad. Sci. USSR Phys. Ser.* 38 (1974) 184

- 1974GI08 Y.R. Gismatullin, I.A. Lantsev, V.I. Ostroumov and A.Y. Smelyanskii, *Yad. Fiz.* 19 (1974) 45; *Sov. J. Nucl. Phys.* 19 (1974) 22
- 1974GI1A Gieraltowski and Williams, *Bull. Amer. Phys. Soc.* 19 (1974) 60
- 1974GO1U Goldberg, *Bull. Amer. Phys. Soc.* 19 (1974) 595
- 1974GO21 G. Goulard and G. Turcotte, *Can. J. Phys.* 52 (1974) 1476
- 1974GO23 D.R. Goosman, D.F. Geesaman, F.E. Cecil, R.L. McGrath and P. Paul, *Phys. Rev. C* 10 (1974) 1525
- 1974GR1R Greenwood, Erskine, Henning and Kovar, *Bull. Amer. Phys. Soc.* 19 (1974) 45
- 1974GU1D Gurbanovich et al., *Ann. Phys.* 87 (1974) 263
- 1974HA14 T. Hasan and J.H. Naqvi, *Nucl. Phys. A* 220 (1974) 114
- 1974HA1G Hanna, *Nukelonika (Poland)* 19 (1974) 655
- 1974HA1N Hanna, Private Communication (1974)
- 1974HA2C Haskell, Correll and Madansky, *Bull. Amer. Phys. Soc.* 19 (1974) 16
- 1974HA61 G.D. Harp, *Phys. Rev. C* 10 (1974) 2387
- 1974HE1F Hess and Eisenberg, *Bull. Amer. Phys. Soc.* 19 (1974) 43
- 1974HE20 F.H. Heimlich, M. Kobberling, J. Moritz, K.H. Schmidt, D. Wegener, D. Zeller, J.K. Bienlein, J. Bleckwenn and H. Dinter, *Nucl. Phys. A* 231 (1974) 509
- 1974HO15 S. Homma, A. Itano, K. Katsuura, K. Maruyama, T. Miyachi, K. Nishikawa, H. Okuno, A. Sasaki, K. Ukai and N. Yamashita, *J. Phys. Soc. Jpn.* 36 (1974) 1499
- 1974HO19 H. Horiuchi, *Prog. Theor. Phys.* 51 (1974) 745
- 1974HO1D Holstein, *Rev. Mod. Phys.* 46 (1974) 789
- 1974HO1E Hollandsworth, Bucher and Youngblood, *Bull. Amer. Phys. Soc.* 19 (1974) 574
- 1974HO1J Ho-Kim and Khanna, *Ann. Phys.* 86 (1974) 233
- 1974HO1Q Horiuchi, *Prog. Theor. Phys.* 51 (1974) 1266
- 1974HO29 M.M. Hoenig and A.S. Rinat, *Phys. Rev. C* 10 (1974) 2102
- 1974HU14 J. Hufner, L. Tauscher and C. Wilkin, *Nucl. Phys. A* 231 (1974) 455
- 1974HU1D J. Hufner, S.Y. Lee and H.A. Weidenmuller, *Phys. Lett.* B49 (1974) 409
- 1974HU1E J. Hufner, S.Y. Lee and H.A. Weidenmuller, *Nucl. Phys. A* 234 (1974) 429
- 1974IA02 F. Iachello and P.P. Singh, *Phys. Lett.* B48 (1974) 81
- 1974IM1B Imanishi, Ohnishi and Tanimura, in *Proc. Conf. Reactions Between Complex, Nucl.*, Vol. 1 (North Holland, 1974) 25, 26
- 1974IM1C Immele and Mukhopadhyay, *Bull. Amer. Phys. Soc.* 19 (1974) 426

- 1974IN02 D. Ingham, R. Eisberg, M. Makino and C. Waddell, Nucl. Instrum. Meth. 114 (1974) 5
- 1974IN04 A. Ingemarsson, Phys. Scr. 9 (1974) 156
- 1974IN05 E.V. Inopin, V.K. Lukyanov and Y.S. Pol, Yad. Fiz. 19 (1974) 987; Sov. J. Nucl. Phys. 19 (1975) 507
- 1974IN06 A. Ingemarsson, Phys. Scr. 10 (1974) 149
- 1974IN07 A. Ingemarsson and G. Tibell, Phys. Scr. 10 (1974) 159
- 1974IR04 J.M. Irvine, G.S. Mani and M. Vallieres, Czech. J. Phys. B24 (1974) 1269
- 1974IT1A Itoh and Anderson, Private Communication (1974)
- 1974JA1F Jackson, Prog. in Phys. 37 (1974) 55
- 1974JA24 W. Jaisli, Helv. Phys. Acta 47 (1974) 189
- 1974JA25 N. Jarmie, J.H. Jett and R.J. Semper, Phys. Rev. C10 (1974) 1748
- 1974JO14 P.L. Jolivette, J.D. Goss, G.L. Marolt, A.A. Rollefson and C.P. Browne, Phys. Rev. C10 (1974) 2449
- 1974JO15 P.L. Jolivette, J.D. Goss, A.A. Rollefson and C.P. Browne, Phys. Rev. C10 (1974) 2629
- 1974JO1J Johnson, Eok and Ellidtt, Bull. Amer. Phys. Soc. 19 (1974) 549
- 1974KA11 S.G. Kadenskii, A.A. Martynov and Y.I. Kharitonov, Yad. Fiz. 19 (1974) 529; Sov. J. Nucl. Phys. 19 (1974) 267
- 1974KA1Q B. Kayser, G.T. Garvey, E. Fischbach and S.P. Rosen, Phys. Lett. B52 (1974) 385
- 1974KA23 Y. Kawazoe, T. Tsukamoto and H. Matsuzaki, Prog. Theor. Phys. 51 (1974) 428
- 1974KA29 U. Karfunkel, J.P.F. Sellschop and M.C. Stemmet, Phys. Rev. C10 (1974) 1596
- 1974KI01 L.S. Kisslinger and F. Tabakin, Phys. Rev. C9 (1974) 188
- 1974KN1C J. Knoll, Nucl. Phys. A223 (1974) 462
- 1974KO07 V.F. Kosmach, A.G. Martirosova and V.I. Ostroumov, Yad. Fiz. 19 (1974) 241; Sov. J. Nucl. Phys. 19 (1974) 117
- 1974KO14 D.S. Koltun and O. Nalcioglu, Phys. Lett. B51 (1974) 19
- 1974KO1M T. Kozlowski and A. Zglinski, Phys. Lett. B50 (1974) 222
- 1974KO1N Kolb, Proc. Conf. Reactions Between Complex Nuclei, Vol. 1 (Norht-Holland, 1974) 30
- 1974KO21 M. Kobberling, J. Moritz, K.H. Schmidt, D. Wegener, D. Zeller, J.K. Bienlein, J. Bleckwenn, H. Dinter and F.H. Heimlich, Nucl. Phys. A231 (1974) 504
- 1974KU02 E. Kujawski and G.A. Miller, Phys. Rev. C9 (1974) 1205
- 1974KU05 D. Kurath and I.S. Towner, Nucl. Phys. A222 (1974) 1

- 1974KU1K B. Kujawski and M. Aitken, Nucl. Phys. A221 (1974) 60
- 1974KU20 E. Kujawski, Nucl. Phys. A236 (1974) 423
- 1974LA12 W-C. Lam, K. Gotow, B. MacDonald and W.P. Trower, Phys. Rev. C10 (1974) 72
- 1974LA1J Lambert, Dearborn and Sneden, Astrophys. J. 193 (1974) 621
- 1974LA1K Lambert and Tomkin, Astrophys. J. 194 (1974) L89
- 1974LA22 R.H. Landau and F. Tabakin, Nucl. Phys. A231 (1974) 445
- 1974LE04 L.B. Leinson, Yad. Fiz. 19 (1974) 283; Sov. J. Nucl. Phys. 19 (1974) 139
- 1974LE1L T.-S.H. Lee and F. Tabakin, Nucl. Phys. A226 (1974) 253
- 1974LE1M Lesniak and Lesniak, Acta Phys. Pol. B5 (1974) 703
- 1974LI08 L.C. Liu, Nucl. Phys. A223 (1974) 523
- 1974LI15 B.J. Lieb and H.O. Funsten, Phys. Rev. C10 (1974) 1753
- 1974LI1H V.G. Lind, H.S. Plendl, H.O. Funsten, W.J. Kossler, B.J. Lieb, W.F. Lankford and A.J. Buffa, Phys. Rev. Lett. 32 (1974) 479
- 1974LI1J Lisowski, Walter, Clegg and Busch, Bull. Amer. Phys. Soc. 19 (1974) 477
- 1974LI1M Ligeon and Guivarc'h, Radiation Effects 22 (1974) 101
- 1974LU06 E.J. Ludwig, C.E. Busch, T.B. Clegg, S.K. Datta and A.C. Watkins, Nucl. Phys. A230 (1974) 271
- 1974MA07 V.A. Madsen, J.D. Anderson and V.R. Brown, Phys. Rev. C9 (1974) 1253
- 1974MA1E Maguin, Nuovo Cim. A19 (1974) 638
- 1974MA1L Malmin, Harris and Paul, Bull. Amer. Phys. Soc. 19 (1974) 46
- 1974MA2C Markham, AUstin and Shahabuddin, Bull. Amer. Phys. Soc. 19 (1974) 1003
- 1974MA37 B.W. Mayes, L.Y. Lee, J.C. Allred, C. Goodman, G.S. Mutchler, E.V. Hungerford, M.L. Scott and G.C. Phillips, Nucl. Phys. A230 (1974) 515
- 1974MC07 R.E. McDonald and T.K. McNab, Phys. Rev. Lett. 32 (1974) 1133
- 1974MC11 R.E. McDonald, J.A. Becker, R.A. Chalmers and D.H. Wilkinson, Phys. Rev. C10 (1974) 333
- 1974MC12 R.E. McDonald and T.K. McNab, Phys. Rev. C10 (1974) 946
- 1974ME08 R.M. Mendez-Moreno, M. Moreno and T.H. Seligman, Nucl. Phys. A221 (1974) 381
- 1974ME24 Y.P. Melnik, V.Y. Gonchar and E.V. Inopin, Ukr. Fiz. Zh. (USSR) 19 (1974) 965; Phys. Abs. 66182 (1974)
- 1974ME29 G. Mertens, M. Thumm and H.V. Geramb, Nucl. Phys. A232 (1974) 472
- 1974MI06 G.A. Miller, Nucl. Phys. A224 (1974) 269
- 1974MI07 G.A. Miller, Nucl. Phys. A233 (1974) 477

- 1974MI11 G.A. Miller and S.C. Phatak, Phys. Lett. B51 (1974) 129
- 1974MI12 G.A. Miller, Phys. Rev. C10 (1974) 1242
- 1974MO1H A. Montwill, P. Moriarty, D.H. Davis, T. Pniewski, T. Sobczak, O. AdamoviImage, U. Krecker, G. Coremans-Bertrand and J. Sacton, Nucl. Phys. A234 (1974) 413
- 1974MO23 C.E. Moss and C.S. Zaidins, Nucl. Phys. A235 (1974) 11
- 1974MU03 G.S. Mutchler, M.L. Scott, C.R. Fletcher, E.V. Hungerford, L.V. Coulson, N.D. Gabitzsch, G.C. Phillips, B.W. Mayes, L.Y. Lee, J.C. Allred et al., Phys. Rev. C9 (1974) 1198
- 1974MU13 N.C. Mukhopadhyay and F. Cannata, Phys. Lett. B51 (1974) 225
- 1974NA1G Nair et al., Bull. Amer. Phys. Soc. 19 (1974) 989
- 1974NE18 V.G. Neudachin, Izv. Akad. Nauk SSSR Ser. Fiz. 38 (1974) 2010; Bull. Acad. Sci. USSR Phys. Ser. 38 (1974) 1
- 1974NI08 T. Nishiyama and H. Ohtsubo, Prog. Theor. Phys. 52 (1974) 952
- 1974NO07 J.A. Nolen, Jr., G. Hamilton, E. Kashy and I.D. Proctor, Nucl. Instrum. Meth. 115 (1974) 189
- 1974OB01 J.T. O'Brien, H. Crannell, F.J. Kline and S. Penner, Phys. Rev. C9 (1974) 1418
- 1974OB1C Obst, Braithwaite and King, Bull. Amer. Phys. Soc. 19 (1974) 1003
- 1974OH01 H. Ohtsubo, T. Nishiyama and M. Kawaguchi, Nucl. Phys. A224 (1974) 164
- 1974OS1A Osman, Part. Nucl. 7 (1974) 29
- 1974PA01 L.J. Parish, R.A. Brown, K.A. Eberhard, A. Richter and W. von Witsch, Phys. Rev. C9 (1974) 876
- 1974PA08 J.Y. Park, W. Scheid and W. Greiner, Phys. Rev. C10 (1974) 967
- 1974PA1E Pardo, Couch and Arnett, Astrophys. J. 191 (1974) 711
- 1974PI01 S. Pittel and N. Austern, Nucl. Phys. A218 (1974) 221
- 1974PI02 M.G. Piepho and G.E. Walker, Phys. Rev. C9 (1974) 1352
- 1974PI05 M. Pignanelli, S. Micheletti, I. Iori, P. Guazzoni, F.G. Resmini and J.L. Escudie, Phys. Rev. C10 (1974) 445
- 1974PI11 C.F. Pineda, M.L. de Toledo and C. Ruiz Bauza, An. Fis. 70 (1974) 30
- 1974PL02 A.V. Plavko, R.M. Lombard, J. Gosset, V.I. Kudryashov and B. Mayer, Izv. Akad. Nauk SSSR Ser. Fiz. 38 (1974) 878; Bull. Acad. Sci. USSR Phys. Ser. 38 (1974) 189
- 1974PO05 A. Possoz, D. Favart, L. Grenacs, J. Lehmann, P. Macq, D. Meda, L. Palffy, J. Julien and C. Samour, Phys. Lett. B50 (1974) 438
- 1974RA1J Raman et al., Bull. Amer. Phys. Soc. 19 (1974) 547

- 1974RA1K Ramn et al., in Proc. Conf. Reactions Between Complex Nuclei, Vol. 1 (North-Holland, 1974) 2
- 1974RE1B E.F. Redish, Nucl. Phys. A235 (1974) 82
- 1974RO04 H.H. Rossner, G. Hinderer, A. Weidinger and K.A. Eberhard, Nucl. Phys. A218 (1974) 606
- 1974RU06 N.Y. Rutkevich, A.P. Klyucharev, G.A. Zachepilo, M.A. Kuzmichev and A.R. Linetskii, Izv. Akad. Nauk SSSR Ser. Fiz. 38 (1974) 1737; Bull. Acad. Sci. USSR Phys. Ser. 38:8 (1974) 150
- 1974SC1F Scalo, OAP-352 (1974)
- 1974SC1K Schurmann, Nucl. Phys. B67 (1974) 425
- 1974SE02 J.B. Seaborn, V. Devanathan and H. Uberall, Nucl. Phys. A219 (1974) 461
- 1974SH01 H.D. Shay, R.E. Peschel, J.M. Long and D.A. Bromley, Phys. Rev. C9 (1974) 76
- 1974SH16 D. Shapira, R.G. Stokstad and D.A. Bromley, Phys. Rev. C10 (1974) 1063
- 1974SI03 I. Sick, Nucl. Phys. A218 (1974) 509
- 1974SI1F Sinha, Bull. Amer. Phys. Soc. 19 (1974) 667
- 1974SI1G Sick et al., Helv. Phys. Acta 47 (1974) 483
- 1974SM04 Yu.F. Smirnov, I.T. Obukhovskiy, Yu.M. Tchuvil'skiy and V.G. Neudatchin, Nucl. Phys. A235 (1974) 289
- 1974SM1A Smirnov et al., JETP Lett. 19 (1974) 285
- 1974SN1B Sneden, Astrophys. J. 189 (1974) 493
- 1974SP06 H. Spinka and H. Winkler, Nucl. Phys. A233 (1974) 456
- 1974ST01 H. Stocker and C.P. Browne, Phys. Rev. C9 (1974) 102
- 1974ST02 V.E. Starodubskiy, Nucl. Phys. A219 (1974) 525
- 1974ST1G G.L. Strobel, Nucl. Phys. A232 (1974) 502
- 1974ST1L Stokstad, in Nashville, 2 (1974) 327
- 1974ST1N Stokstad, Switkowski and Wieland, Bull. Amer. Phys. Soc. 19 (1974) 549
- 1974SU1B Suzuki, Prog. Theor. Phys. 52 (1974) 890
- 1974SW04 Z.E. Switkowski, R.M. Wieland and A. Winther, Phys. Rev. Lett. 33 (1974) 840
- 1974TA18 L. Tauscher and W. Schneider, Z. Phys. 271 (1974) 409
- 1974TA19 K. Takada and S. Tazaki, Prog. Theor. Phys. 52 (1974) 1205
- 1974TH01 C. Thibault and R. Klapisch, Phys. Rev. C9 (1974) 793
- 1974TO1C Tomkin and Lambert, Astrophys. J. 193 (1974) 441

- 1974UL02 H. Ullrich, E.T. Boschitz, H.D. Engelhardt and C.W. Lewis, Phys. Rev. Lett. 33 (1974) 433
- 1974VA15 A. van der Woude, W.J. Ockels, P.J. Pasma and L.W. Put, Phys. Rev. C10 (1974) 952
- 1974VA18 R. Vandenbosch, M.P. Webb and M.S. Zisman, Phys. Rev. Lett. 33 (1974) 842
- 1974VA1N Vallieres, Das and Coelho, Bull. Amer. Phys. Soc. 19 (1974) 991
- 1974VO09 H. Voit, P. Duck, W. Galster, E. Haindl, G. Hartmann, H.-D. Helb, F. Siller and G. Ischenko, Phys. Rev. C10 (1974) 1331
- 1974VO12 T. von Egidy and H.P. Povel, Nucl. Phys. A232 (1974) 511
- 1974WA02 W.L. Wang and R.G. Lipes, Phys. Rev. C9 (1974) 814
- 1974WH05 R.R. Whitney, I. Sick, J.R. Ficenc, R.D. Kephart and W.P. Trower, Phys. Rev. C9 (1974) 2230
- 1974WI05 R. Wieland, R. Stokstad, A. Gobbi, D. Shapira, L. Chua, M.W. Sachs and D.A. Bromley, Phys. Rev. C9 (1974) 1474
- 1974WI12 K. Wienhard, K. Bangert, R. Stock and H. Wolf, Z. Phys. 270 (1974) 93
- 1974WI16 N. Willis, I. Brissaud, L. Bimbot, Y. Le Bornec and B. Tatischeff, Nucl. Phys. A233 (1974) 121
- 1974WI1F Williams and Edmunds, Science Progress 61 (1974) 323
- 1974WI1L Wilkinson, Private Communication (1974)
- 1974WI1P C. Wilkin, Nucl. Phys. A220 (1974) 621
- 1974WI1Q D.H. Wilkinson, Nucl. Phys. A232 (1974) 93
- 1974WO1D G.J. Wozniak, N.A. Jelley and J. Cerny, Nucl. Instrum. Meth. 120 (1974) 29
- 1974YA10 S. Yamaji, T. Fujisawa, H. Kamitsubo, K. Matsuda, S. Motonaga, F. Yoshida, H. Sakaguchi and K. Masui, J. Phys. Soc. Jpn. 37 (1974) 1191
- 1974ZA01 J.G. Zabolitzky, Z. Phys. 267 (1974) 161
- 1974ZH01 M.A. Zhusupov, E.Z. Magzumov and V.I. Markov, Phys. Lett. B48 (1974) 84
- 1974ZH1B Zhurkin et al., Yad. Fiz. 20 (1974) 362
- 1975AN01 B. Antolkovic and Z. Dolenc, Nucl. Phys. A237 (1975) 235
- 1975AN02 B. Antolkovic and J. Hudomalj, Nucl. Phys. A237 (1975) 253
- 1975AR02 E.D. Arthur, W.C. Lam, J. Amato, D. Axen, R.L. Burman, P. Fessenden, R. Macek, J. Oostens, W. Schlaer, S. Sobottka et al., Phys. Rev. C11 (1975) 332
- 1975AU01 G. Audi, C. Detraz, M. Langevin and F. Pougheon, Nucl. Phys. A237 (1975) 300
- 1975BE01 F.D. Becchetti, L.T. Chua, J. Janecke and A.M. Vander Molen, Phys. Rev. Lett. 34 (1975) 225
- 1975CA1W Cassapakis et al., Bull. Amer. Phys. Soc. 20 (1975) 83

- 1975CE1E Cecil and Peterson, Bull. Amer. Phys. Soc. 20 (1975) 85
- 1975CR01 H.J. Crawford, P.B. Price, J. Stevenson and L.W. Wilson, Phys. Rev. Lett. 34 (1975) 329
- 1975FA1H C.Y. Fan, G. Gloeckler and D. Hovestadt, Phys. Rev. Lett. 34 (1975) 495
- 1975GE02 J.F. Germond and C. Wilkin, Nucl. Phys. A237 (1975) 477
- 1975GL1C Glavish, Cheng, Kurjan and Mavis, Bull. Amer. Phys. Soc. 20 (1975) 85
- 1975GR03 P.T. Greenland, J. Phys. (London) G1 (1975) 1
- 1975HE1M Hess and Eisenberg, Bull. Amer. Phys. Soc. 20 (1975) 84
- 1975HO1N Holt, Smith and Whalen, Bull. Amer. Phys. Soc. 20 (1975) 145
- 1975KI01 Z. Kirzon and A. Dar, Nucl. Phys. A237 (1975) 319
- 1975KI1M D. Kielczewska, J. Sacton, T. Cantwell, A. Montwill, P. Moriarty, D.H. Davis, T. Tymieniecka, J. Zakrzewski, M. Juric and U. Krecker, Nucl. Phys. A238 (1975) 437
- 1975KU01 D. Kurath and D.J. Millener, Nucl. Phys. A238 (1975) 269
- 1975LI1K Lind, Tribble and Garvey, Bull. Amer. Phys. Soc. 20 (1975) 85
- 1975MA2J Mak et al., Bull. Amer. Phys. Soc. 20 (1975) 31
- 1975OB1B Obst and Braithwaite, Bull. Amer. Phys. Soc. 20 (1975) 54
- 1975PI1E Piccioni, Bull. Amer. Phys. Soc. 20 (1975) 67
- 1975SH01 P.E. Shanley, Phys. Rev. Lett. 34 (1975) 218
- 1975SU1G P.R. Subramanian and V. Devanathan, Phys. Rev. C11 (1975) 520
- 1975SW1A Switkowski, Wieland, Barnes and Winther, Bull. Amer. Phys. Soc. 20 (1975) 68
- 1975TA1E Tarbell and Rood, Astrophys. J. 199 (1975) 443; Erratum Astrophys. J. 203 (1976) 770
- 1975YA02 Y.-Y. Yam, Phys. Rev. C11 (1975) 73
- 1975ZI1D D. Zieminska and R.H. Dalitz, Nucl. Phys. A238 (1975) 453
- 1976AJ04 F. Ajzenberg-Selove, Nucl. Phys. A268 (1976) 1
- 1977AJ02 F. Ajzenberg-Selove, Nucl. Phys. A281 (1977) 1
- 1978AJ03 F. Ajzenberg-Selove, Nucl. Phys. A300 (1978) 1