

Energy Levels of Light Nuclei $A = 13$

F. Ajzenberg-Selove

University of Pennsylvania, Philadelphia, Pennsylvania 19104-6396

Abstract: An evaluation of $A = 13$ – 15 was published in *Nuclear Physics A152* (1970), p. 1. This version of $A = 13$ differs from the published version in that we have corrected some errors discovered after the article went to press. Figures and introductory tables have been omitted from this manuscript. [Reference](#) key numbers have been changed to the NNDC/TUNL format.

(References closed December 31, 1969)

The original work of Fay Ajzenberg-Selove was supported by the US Department of Energy [DE-AC02-76-ER02785]. Later modification by the TUNL Data Evaluation group was supported by the US Department of Energy, Office of High Energy and Nuclear Physics, under: Contract No. DEFG05-88-ER40441 (North Carolina State University); Contract No. DEFG05-91-ER40619 (Duke University).

Table of Contents for $A = 13$

Below is a list of links for items found within the PDF document. Figures from this evaluation have been scanned in and are available on this website or via the link below.

A. Nuclides: [\$^{13}\text{Be}\$](#) , [\$^{13}\text{B}\$](#) , [\$^{13}\text{C}\$](#) , [\$^{13}\text{N}\$](#) , [\$^{13}\text{O}\$](#)

B. Tables of Recommended Level Energies:

[Table 13.1](#): Energy levels of ^{13}B

[Table 13.4](#): Energy levels of ^{13}C

[Table 13.21](#): Energy levels of ^{13}N

C. [References](#)

D. Figures: [\$^{13}\text{B}\$](#) , [\$^{13}\text{C}\$](#) , [\$^{13}\text{N}\$](#) , [Isobar diagram](#)

E. Erratum to this Publication: [PS](#) or [PDF](#)

^{13}Be

The light nuclei observed, by particle-identification techniques, to be emitted in the 5.5 GeV proton bombardment of uranium do not include ^{13}Be . It is therefore particle unstable (1968PO04). (1966GA25) predict that ^{13}Be is unbound with respect to $^{12}\text{Be} + n$ by 2.70 MeV.

^{13}B

(Figs. 1, 2 and 4)

GENERAL:

See (1960TA1C, 1966MO1E). See also (1969AR13).

1. $^{13}\text{B}(\beta^-)^{13}\text{C}$ $Q_m = 13.437$

The ratio of the half-life of ^{13}B to that of ^{12}B is 0.86 ± 0.02 (1962MA19). Taking $\tau_{1/2}(^{12}\text{B}) = 20.41 \pm 0.06$ msec (see (1968AJ02)), $\tau_{1/2}(^{13}\text{B}) = 17.6 \pm 0.4$ msec (1962MA19). (1968CH28) have observed delayed neutrons decaying with $\tau_{1/2} = 16 \pm 1$ msec. The branching ratios to various ^{13}C states are shown in Table 13.2 (1962MA19, 1969JO21): they indicate $J^\pi = \frac{1}{2}^-$ or $\frac{3}{2}^-$ for $^{13}\text{B}(0)$. See also (1959AJ76).

2. $^7\text{Li}(^7\text{Li}, p)^{13}\text{B}$ $Q_m = 5.964$

Proton groups have been observed to five states of ^{13}B : see Table 13.3 (1959MO12, 1963CA09). Angular distribution measurements have been reported by (1969CA1A) in the range $E(^7\text{Li}) = 2.1$ to 5.8 MeV ($p_0, p_{1+2}, p_{3+4}, p_5, p_7$). The lifetimes of $^{13}\text{B}^*(3.53, 3.71, 4.13)$ are, respectively, > 0.3 , < 0.38 and 0.062 ± 0.050 psec: $E_\gamma = 3536.3 \pm 4.2$ and 4133.4 ± 7.8 keV (1969TH01). See also (1962BE24), (1959AJ76) and ^{14}C .

3. $^{11}\text{B}(t, p)^{13}\text{B}$ $Q_m = -0.233$
 $Q_0 = -0.233 \pm 0.004$ MeV (1960MU07).

At $E_t = 11$ MeV, proton groups are observed to ten states of ^{13}B : see Table 13.3. Angular distributions have been analyzed for seven of the ^{13}B levels (1964MI04). The ground state is formed by $L = 0$ transfer, leading to an unambiguous assignment of $J^\pi = \frac{3}{2}^-$. See also (1960JA17, 1962MA19, 1967BA1E, 1968CH28, 1969BA1Z, 1969JO21).

Table 13.1: Energy levels of ^{13}B

E_x (MeV \pm keV)	$J^\pi; T$	τ or Γ	Decay	Reactions
0	$\frac{3}{2}^-; \frac{3}{2}$	$\tau_{1/2} = 18.6 \pm 0.5$ msec	β^-	1, 2, 3
3.483 ± 5	$(\frac{1}{2}, \frac{3}{2}, \frac{5}{2})^+$	$\tau_m > 0.3$ psec	γ	2, 3
3.535 ± 3	$(\frac{1}{2}, \frac{5}{2}, \frac{7}{2})^-$		γ	2, 3
3.681 ± 5	$(\frac{1}{2}, \frac{3}{2}, \frac{5}{2})^+$	$\tau_m < 0.38$ psec	γ	2, 3
3.712 ± 5	$(\frac{1}{2}, \frac{5}{2}, \frac{7}{2})^-$		γ	2, 3
4.132 ± 6	$(\frac{1}{2}, \frac{5}{2}, \frac{7}{2})^-$	$\tau_m = 0.062 \pm 0.050$ psec	γ	2, 3
4.82 ± 10				2, 3
5.01 ± 10	$(\frac{1}{2}, \frac{3}{2}, \frac{5}{2})^+$	$\Gamma = 15 \pm 5$ keV		2, 3
5.38 ± 10				2, 3
6.17 ± 20				3

 Table 13.2: Beta decay of ^{13}B

Decay to $^{13}\text{C}^*$ (MeV)	J^π	Branch ^a (%)	Branch ^b (%)	$\log ft$
0 ^c	$\frac{1}{2}^-$	93 ± 1.5	92.1 ± 0.8	4.02 ± 0.02 ^b
3.09	$\frac{1}{2}^+$	≤ 0.7		≥ 5.7 ^a
3.68	$\frac{3}{2}^-$	7 ± 1.5	7.6 ± 0.8	4.47 ± 0.05 ^b
3.85	$\frac{5}{2}^+$	≤ 0.7		≥ 5.5 ^a
7.55	$\frac{5}{2}^-$		0.094 ± 0.020 ^d	5.37 ± 0.09 ^b
8.86	$\frac{1}{2}^-$		0.16 ± 0.03 ^d	4.63 ± 0.08 ^b

^a (1962MA19).

^b (1969JO21).

^c $E_{\beta^-}(\text{max}) = 13.4 \pm 0.2$ MeV (1962MA19).

^d See also (1962MA19, 1965PO03, 1968CH28).

Table 13.3: Proton groups from ${}^7\text{Li}({}^7\text{Li}, \text{p}){}^{13}\text{B}$ and ${}^{11}\text{B}(\text{t}, \text{p}){}^{13}\text{B}$

${}^7\text{Li}({}^7\text{Li}, \text{p}){}^{13}\text{B}$	${}^{11}\text{B}(\text{t}, \text{p}){}^{13}\text{B}$		
(1959MO12, 1963CA09)	(1964MI04)		
E_x (MeV \pm keV)	E_x (MeV \pm keV)	L	J^π
0	0	0 ^d	$\frac{3}{2}^-$
3.50 ± 50 ^a	3.483 ± 5	1	$\frac{1}{2}^+, \frac{3}{2}^+, \frac{5}{2}^+$
	3.533 ± 5	2	$\frac{1}{2}^-, \frac{5}{2}^-, \frac{7}{2}^-$
	3.681 ± 5	1	$\frac{1}{2}^+, \frac{3}{2}^+, \frac{5}{2}^+$
3.70 ± 50 ^b	3.712 ± 5	2	$\frac{1}{2}^-, \frac{5}{2}^-, \frac{7}{2}^-$
	4.13 ± 10	2	$\frac{1}{2}^-, \frac{5}{2}^-, \frac{7}{2}^-$
4.16 ± 50 ^c	4.82 ± 10		
	5.01 ± 10	1	$\frac{1}{2}^+, \frac{3}{2}^+, \frac{5}{2}^+$
5.05 ± 80	5.38 ± 10 ^e		
5.5 ± 100	6.17 ± 20		

^a The decay is by γ -emission to ${}^{13}\text{B}(0)$.

^b The decay is primarily by γ -emission to the ground state: the upper limit to the cascade via ${}^{13}\text{B}^*(3.5)$ is 10%.

^c The decay is $75 \pm 10\%$, $25 \pm 10\%$ and $< 10\%$, respectively to ${}^{13}\text{B}^*(0, 3.5, 3.7)$.

^d See also (1960MU07).

^e $\Gamma = 15 \pm 5$ keV.

¹³C
(Figs. 2 and 4)

GENERAL:

Model calculations: (1959BR1E, 1960PH1A, 1960TA1C, 1960ZE1B, 1961BA1G, 1961BA1E, 1961KU17, 1961KU1C, 1961NE1B, 1962EA01, 1963BO1G, 1963MA1E, 1963PE04, 1963SE19, 1963TR02, 1964AM1D, 1964NA1D, 1964ST1B, 1965CO25, 1965MA1T, 1965ME1C, 1965NE1C, 1965WE1D, 1966EL08, 1966GU08, 1966HA18, 1966MA1P, 1966NO1B, 1966RI12, 1966WI1E, 1967BA12, 1967CO32, 1967FA1A, 1967HU1C, 1967KU1E, 1967PO1J, 1967RI1B, 1967WA1C, 1968FI1F, 1968HO1H, 1968RE1G, 1969KU1J, 1969VA1C, 1970KU1K).

Other: (1962BA1K, 1964LI1B, 1965BO1M, 1966HE1C, 1966OL1C, 1968RI1H, 1968TA1C, 1968WI1B, 1969AL1G, 1969AR1G, 1969AU1D, 1969BA2V, 1969CH1C, 1969HA1G, 1969HE1N, 1969MC1C, 1969OC1A).

Ground state: $\mu = +0.702381 \pm 0.000002$ nm (1964LI14). See also (1958LA04, 1963BE36, 1964BE24, 1967CO1D, 1967SH14, 1968PE16, 1968RO1E, 1969FU11, 1969NO1E, 1969VA1C).

1. (a) ⁶ Li(⁷ Li, n) ¹² C	$Q_m = 20.924$	$E_b = 25.871$
(b) ⁶ Li(⁷ Li, p) ¹² B	$Q_m = 8.337$	
(c) ⁶ Li(⁷ Li, 2n) ¹¹ C	$Q_m = 2.204$	
(d) ⁶ Li(⁷ Li, d) ¹¹ B	$Q_m = 7.192$	
(e) ⁶ Li(⁷ Li, t) ¹⁰ B	$Q_m = 1.994$	
(f) ⁶ Li(⁷ Li, α) ⁹ Be	$Q_m = 15.220$	

Differential and total cross sections have been measured for $E(^7\text{Li}) = 3.8$ to 6.0 MeV for the proton groups to ¹²B*(0, 0.95, 1.67, 2.6 + 2.7, 3.4), the deuteron groups to ¹¹B*(0, 2.14, 4.44, 5.02, 6.74 + 6.79, 7.30), the triton groups to ¹⁰B*(0, 0.72, 1.74) and the α group to ⁹Be(0). The dominant reaction appears to be transfer of an α -particle. The total cross sections generally increase smoothly with energy without showing any structure (1967KI03). See also ⁹Be and ¹⁰B in (1966LA04) and ¹¹B and ¹²B in (1968AJ02). The ¹¹C yield has been measured for $E(^6\text{Li}) = 1.2$ to 3.6 MeV by (1961NO05). See also (1957NO17, 1963GA15, 1963HU02, 1963KA1E, 1964GA1E, 1965BE1X).

2. ⁷ Li(⁷ Li, n) ¹³ C	$Q_m = 18.619$
---	----------------

See (1957NO17, 1962BE24).

Table 13.4: Energy levels of ^{13}C ^a

E_x (MeV \pm keV)	$J^\pi; T$	τ_m or Γ (keV)	Decay	Reactions
0	$\frac{1}{2}^-$		—	2, 3, 4, 9, 10, 12, 13, 14, 15, 16, 21, 22, 23, 24, 25, 32, 33, 34, 35, 36, 37, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 60, 61, 62, 63, 64, 65, 66
3.086 ± 3	$\frac{1}{2}^+$	$\tau_m = 1.5 \pm 0.16$ fsec	γ	9, 12, 13, 14, 22, 24, 32, 33, 38, 43, 45, 46, 50, 51, 55, 56, 60, 61, 63
3.68415 ± 0.11	$\frac{3}{2}^-$	1.5 ± 0.15 fsec	γ	3, 9, 12, 13, 14, 22, 24, 26, 32, 33, 35, 37, 38, 40, 42, 45, 46, 50, 51, 52, 53, 55, 56, 60, 61, 63
3.854 ± 1	$\frac{5}{2}^+$	10.8 ± 1 psec	γ	3, 9, 12, 13, 14, 22, 24, 32, 33, 45, 46, 50, 51, 55, 56, 60, 61, 63
6.864 ± 3	$\frac{5}{2}^+$	$\Gamma = 6$ keV	n	9, 14, 22, 24, 27, 32, 42, 45, 55, 56, 60, 61
7.492 ± 10		< 5		9, 14, 22, 24, 32, 46, 51, 55, 56, 61
7.549 ± 9	$\frac{5}{2}^-$	< 5		9, 14, 22, 24, 32, 37, 42, 45, 46, 51, 55, 56, 60, 61
7.677 ± 12	$\frac{3}{2}^+$	72 ± 10	n	9, 14, 22, 24, 27, 32, 38, 46, 56, 61
8.25 ± 80	$\frac{3}{2}^+$	1000 ± 100	n	27, 32
8.858 ± 14	$\frac{1}{2}^-$	161 ± 18	n	22, 24, 27, 37, 38, 42, 45, 55, 56, 60, 61
9.499 ± 4	$(\frac{3}{2}^-)$	≤ 5	n	14, 22, 24, 27, 28, 32, 45, 55, 56, 60, 61
9.899 ± 5	$\frac{3}{2}^-$	28	n	14, 22, 24, 27, 28, 32, 42, 56, 61
10.46		200	n	14, 28
10.753 ± 5	$\frac{7}{2}^-$	≈ 50	n	22, 27, 28, 32, 56
10.809 ± 20		< 30	n	22, 27, 28, 39, 56
11.000 ± 20	$(\frac{1}{2}^+)$	37	n, α	5, 22, 27, 28, 39, 56

Table 13.4: Energy levels of ^{13}C ^a (continued)

E_x (MeV \pm keV)	$J^\pi; T$	τ_m or $\Gamma_{\text{c.m.}}$ (keV)	Decay	Reactions
11.078 \pm 20	$(\frac{1}{2}^-)$	< 4	n, α	5, 14, 22, 27, 28, 42, 56, 60
11.721 \pm 30	$(\frac{3}{2}^-)$	125 \pm 20	γ , n	27, 28, 39, 42, 56
11.97	$(\frac{7}{2}^-)$	\approx 150	n, α	5, 8, 14, 28, 55, 56
12.104 \pm 8	$(> \frac{7}{2})$	125 \pm 30	n, α	5, 14, 22, 27, 28, 56
12.42 \pm 50	$(\frac{1}{2}, \frac{7}{2})^-$	\approx 200	n, α	5, 27, 28, 31, 60
12.81 \pm 100				22
13.3		5000 \pm 1000	γ , n	39
13.41		60	n, α	5, 8, 14
13.55		\approx 500	n, α	5, 27, 28
13.76		\approx 350	n, α	5, 42
14.13		\approx 200	n, α	5, 8
14.39 \pm 100		260	n, α	5
14.63		210	n, α	5, 8
14.95 \pm 50		380	n, α	5
15.1087 \pm 2.5	$\frac{3}{2}^-; \frac{3}{2}$	5.9 \pm 0.9	γ , n, α	4, 5, 22, 42, 45, 52, 60
15.29	$\geq \frac{3}{2}$	450	n, α	5, 27
15.53 \pm 50		220	n, α	5
16.02		210	n, α	5, 14
16.16 \pm 50		230	n, α	5, 14, 27
16.96 \pm 50		330	n, α	5
17.37 \pm 100		190	n, α	5
17.72 \pm 50		170	n, α	5
(17.99)		40	n, α	5
18.30 \pm 50		300	n, α	5
18.504 \pm 25	$T = \frac{3}{2}$			22
18.648 \pm 15	$T = \frac{3}{2}$	\approx 35		22
18.679 \pm 20	$T = \frac{3}{2}$			22
18.76 \pm 30		70	n, α	5
19.123 \pm 10	$T = \frac{3}{2}$	\approx 35	α	22, 42
19.5	$(\frac{1}{2}, \frac{3}{2})^-$	\approx 460	n, d	17, 27, 28
19.90		\approx 600	n, p, d	17, 18

Table 13.4: Energy levels of ^{13}C ^a (continued)

E_x (MeV \pm keV)	$J^\pi; T$	τ_m or $\Gamma_{\text{c.m.}}$ (keV)	Decay	Reactions
20.25		≈ 200	n, d, α	17, 20
20.54 ± 10		116 ± 10	n, p, d, α	5, 17, 18
21.30 ± 15		159 ± 15	n, p, d	17, 18
21.84 ± 20		114 ± 20	n, d	17
22.28		broad	n, p, d	17, 30
23.0 ± 200		≈ 1000	n, d	17, 27
23.5		≈ 3000	γ , p	40
26.9			n, d	17
27.5			n, d	17

^a See also Tables 13.8, 13.17 and 13.18.

$$3. \text{}^7\text{Li}({}^{11}\text{B}, \alpha\text{n}){}^{13}\text{C} \quad Q_m = 9.954$$

The ΔE for the 3.85 and 3.68 MeV transitions is 169.63 ± 0.23 keV (1969TH01). See also (1963HO1E).

$$4. \text{}^9\text{Be}(\alpha, \gamma){}^{13}\text{C} \quad Q_m = 10.651$$

At $E_\alpha = 6.446 \pm 0.004$ MeV, corresponding to the excitation of the first $T = \frac{3}{2}$ state in ^{13}C ($E_x = 15.114 \pm 0.005$ MeV, $\Gamma \leq 7$ keV), $\Gamma_\alpha \Gamma_\gamma / \Gamma \approx 2$ eV for the ground state transition. Capture radiation has also been observed to one of the three states $^{13}\text{C}^*(3.1, 3.7, 3.9)$ (1966MI1K). (1968SN1B) find $E_x = 15.107 \pm 0.003$ MeV, $\Gamma = 6.7 \pm 1.7$ keV. See also (1969MC1C).

$$5. \text{}^9\text{Be}(\alpha, \text{n}){}^{13}\text{C} \quad Q_m = 5.704 \quad E_b = 10.651$$

Resonances for neutron groups to the ground and first excited states of ^{12}C , for γ -rays from $^{12}\text{C}^*(4.4, 12.7, 15.1)$ and resonances in the total neutron cross section are given in Table 13.5 (1959AJ76, 1963SE04, 1965GI02, 1965GR22, 1966MI12, 1968DA05, 1968SN1B). See also ^{12}C in (1968AJ02) and (1959SM98, 1959BR75, 1967FO1B, 1968DA1D, 1968OB1B, 1968VE06). The yield of neutrons to $^{12}\text{C}^*(7.65)$ has been measured for $E_\alpha = 1.7$ to 6.4 MeV (1968OB1B,

1970WE1L) and 6 to 10.1 MeV (1966MI12). Angular distributions of ground-state neutrons suggest two broad resonances in the region $E_\alpha = 3.9$ to 4.6 MeV, probably $J^\pi = \frac{3}{2}^+$ and $\frac{5}{2}^+$ (1957RI38). At the threshold for formation of the $T = \frac{3}{2}$ state at 15.11 MeV, weak interference anomalies are observed in the n_0 and n_1 yields (1966MI1K).

Polarization measurements have been carried out for $E_\alpha = 1.9$ to 4.5 MeV by (1965LI09; n_0, n_1) and for 4.5 to 5.9 MeV by (1966DO1E, 1967DE1U; n_0, n_1). See also (1962GO1J, 1963GO1J, 1965CL1B, 1965TS1A, 1966DA1B, 1966DE1M, 1968ST1R).

$$6. \text{}^9\text{Be}(\alpha, p)\text{}^{12}\text{B} \qquad Q_m = -6.884 \qquad E_b = 10.651$$

See ^{12}B .

$$7. \text{}^9\text{Be}(\alpha, d)\text{}^{11}\text{B} \qquad Q_m = -8.028 \qquad E_b = 10.651$$

See ^{11}B .

$$8. (a) \text{}^9\text{Be}(\alpha, \alpha)\text{}^9\text{Be} \qquad E_b = 10.651$$

$$(b) \text{}^9\text{Be}(\alpha, \alpha'n)\text{}^8\text{Be} \qquad Q_m = -1.665$$

$$(c) \text{}^9\text{Be}(\alpha, n)^4\text{He}^4\text{He}^4\text{He} \qquad Q_m = -1.570$$

A number of excitation functions have been measured for elastically scattered α particles (reaction (a)) for $E_\alpha = 1.7$ to 20 MeV: these show considerable resonance structure with the variations being most prominent below 10 MeV but persisting up to 20 MeV. Angular distributions have been analyzed by the optical model: see (1965TA1C, 1969GO1P). See also ^9Be in (1966LA04) and (1967FU08). For reactions (b) and (c), see (1952AJ38) and ^8Be in (1966LA04). See also (1963IG01).

$$9. (a) \text{}^9\text{Be}(\text{}^6\text{Li}, d)\text{}^{13}\text{C} \qquad Q_m = 9.178$$

$$(b) \text{}^9\text{Be}(\text{}^7\text{Li}, t)\text{}^{13}\text{C} \qquad Q_m = 8.183$$

At $E(^7\text{Li}) = 3.2$ MeV, triton groups are observed to the first eight states of ^{13}C (not all resolved). No triton groups are observed to the previously reported states at 5.51 and 6.10 MeV (1964CA05)[†]. For reaction (a) see reaction 3 (1969TH01). See also (1968OG1A).

[†] Angular distributions for the triton groups to $^{13}\text{C}^*(0, 3.09, 3.68+3.85, 6.86)$ have been measured at $E(^7\text{Li}) = 5.6, 5.8, 6.0, 6.2$ MeV (1969SN02).

Table 13.5: Resonances in ${}^9\text{Be}(\alpha, n){}^{12}\text{C}$

E_α ^a (MeV)	E_α ^b (MeV)	E_α ^c (MeV)	Γ_{cm} (keV)	J^π	${}^{13}\text{C}^*$ ^d (MeV)	Refs.
0.52	0.52		≈ 55 ^e	$(\frac{1}{2}^+)$	11.01	(1956JA28, 1968DA05)
0.60	0.60		< 4 ^e		11.06	(1968DA05)
1.9	1.905	1.92	130	$(\frac{7}{2}^-)$	11.97	(1953TA06, 1954BE08, 1955TA28, 1956BO61, 1956JA28, 1965GI02)
2.24		2.25	280		12.20	(1956BO61, 1965GI02)
2.58	2.6	2.58	≈ 200	$(\frac{1}{2}^-)$	12.44	(1953TA06, 1956BO61, 1956JA28, 1965GI02, 1965GR22)
4.00	3.98	4.00	60		13.41	(1956BO61, 1959GI47, 1963SE04, 1965GI02, 1965GR22)
4.18			570		13.55	(1957RI38, 1965GR22)
4.50	4.47	4.50	≈ 350		13.76	(1956BO61, 1959GI47, 1963SE04, 1965GI02, 1965GR22)
5.0	5.02	5.0	≈ 200		14.13	(1956BO61, 1963SE04, 1965GI02)
5.40 ± 0.10	5.3		260		14.39 ± 0.10	(1963SE04, 1965GR22, 1966MI12)
	5.75	5.75	210		14.63	(1959GI47, 1963SE04, 1965GI02, 1965GR22, 1966MI12)
6.20 ± 0.05			380		14.95 ± 0.05	(1965GR22, 1966MI12)
		(6.7)	broad		(15.29)	(1965GI02)
7.10 ± 0.05	7.00		220		15.53 ± 0.05	(1963SE04, 1965GR22, 1966MI12)
	7.75	7.8	210		16.02	(1959GI47, 1963SE04, 1965GI02, 1965GR22)
7.95 ± 0.05			230		16.16 ± 0.05	(1965GR22, 1966MI12)
9.10 ± 0.05		9.1	330		16.96 ± 0.05	(1965GI02, 1965GR22, 1966MI12)
9.7 ± 0.10	9.70		190		17.37 ± 0.1	(1965GR22, 1966MI12)
10.2 ± 0.05			170		17.72 ± 0.05	(1965GR22, 1966MI12)
(10.60)			40		(17.99)	(1965GR22)
11.05 ± 0.05			300		18.30 ± 0.05	(1965GR22, 1966MI12)
11.70 ± 0.03	11.60		70		18.76 ± 0.03	(1965GR22, 1966MI12)
14.25 ^f			≈ 120		20.52	(1968SN1B)

- ^a Resonances in neutron yield.
- ^b Resonances in n_1 group and for 4.4 MeV γ -rays.
- ^c Resonances in total cross section.
- ^d Not corrected for effects of Coulomb barrier penetration.
- ^e $\omega\gamma = 3.79$ and 0.88 eV, respectively (1968DA05).
- ^f Resonance in yield of 12.7 and 15.1 MeV γ -rays.

$$10. \text{}^9\text{Be}(\text{}^{14}\text{N}, \text{}^{10}\text{B})\text{}^{13}\text{C} \quad Q_m = -0.963$$

See (1965GR1F, 1966EL1D, 1969BR1D).

$$\begin{aligned} 11. \text{(a) } &^{10}\text{B}(\text{t}, \text{p})\text{}^{12}\text{B} & Q_m = 6.343 & E_b = 23.878 \\ &\text{(b) } ^{10}\text{B}(\text{t}, \text{d})\text{}^{11}\text{B} & Q_m = 5.199 & \\ &\text{(c) } ^{10}\text{B}(\text{t}, \alpha)\text{}^9\text{Be} & Q_m = 13.227 & \end{aligned}$$

The p_0 and p_1 yields from reaction (a), the d_0 yield from reaction (b) and the α_0 yield from reaction (c) have been determined for $E_t = 0.8$ to 2.0 MeV. There is no evidence of resonance behavior (1963HO19).

$$\begin{aligned} 12. \text{}^{10}\text{B}(\alpha, \text{p})\text{}^{13}\text{C} & \quad Q_m = 4.063 \\ & \quad Q_0 = 4.0634 \pm 0.0024 \text{ (1967OD01)}. \end{aligned}$$

Proton groups have been observed to the first four states of ^{13}C : see (1959AJ76) and (1962ED01). Angular distributions of ground state protons have been measured at $E_\alpha = 4.9$ to 8.1 MeV (1957VO25), 12.1 to 16.0 MeV (1967IV1B), 22 MeV (1963YA1C), 25.9 MeV (1963TE1A), 27.5 and 33.1 MeV (1961YA02) and at 30.4 MeV (1959HU19). See also (1965NI1B).

A study of γ rays from this reaction and from $^{12}\text{C}(\text{d}, \text{p})\text{}^{13}\text{C}$ shows three lines with $E_\gamma = 0.1695 \pm 0.0004$, 3.844 ± 0.015 and 3.69 ± 0.02 MeV. The lifetime of $^{13}\text{C}^*(3.85)$ is $(9.0_{-1.5}^{+2.5})$ psec (1968RI16). (1968FO1F) find $\tau_m = 10.8 \pm 1$ psec. See also (1959DI46). The 3.69 MeV line shows approximately the maximum possible Doppler shift ($\tau < 0.3$ psec): see also Table 13.16. The 170 keV line is due to the cascade transition between the 3.85 and 3.68 MeV states; the internal conversion coefficient is consistent with E1, although M1 cannot be excluded. The probability of this cascade decay of 3.85 MeV state is 0.24 ± 0.05 (1956MA1Q, 1956MA52). The cascade decay via the 3.09 MeV state has a strength relative to all other decays of $(9.3 \pm 2.0) \times 10^{-3}$. This branching ratio is of the order expected for an E2 transition of single-particle (proton) strength (1960PI09)[‡]. The angular distributions and p- γ correlations for the 3.8 MeV radiation indicate $J^\pi = \frac{5}{2}^+$ for the 3.84 MeV state. If the 170 keV line is due to an E1 transition, the J^π of the 3.68 MeV state is then $\frac{3}{2}^-$ ($J^\pi = \frac{1}{2}^-$, $\frac{3}{2}^-$ follows from $^{12}\text{C}(\text{d}, \text{p})\text{}^{13}\text{C}$); the angular distribution of the 3.68 MeV radiation is consistent with M1 (1954ST20): $\Gamma_\gamma = 0.40$ to 0.75 eV (1960KA13). The 3.68 MeV state also decays via the 3.09 MeV state with a probability of $(6.5 \pm 1.0) \times 10^{-3}$ (1960KA13). See also reaction 31, (1960EL1C), (1969GA01) and ^{14}N .

[‡] The intensity ratio for the transitions $(3.85 \rightarrow 3.68)/(3.85 \rightarrow 0)$ is 0.55 ± 0.03 . The cascade decay via $^{13}\text{C}^*(3.09)$, relative to the g.s. decay, is $(2.5 \pm 0.5) \times 10^{-2}$, $E_\gamma = 3854 \pm 1$ keV (1969LI07).

$$13. \text{}^{10}\text{B}(\text{}^6\text{Li}, \text{}^3\text{He})\text{}^{13}\text{C} \quad Q_m = 8.085$$

The first four states of ^{13}C have been observed at $E(^6\text{Li}) = 4.89$ MeV (1966MC05). See also (1965CA05).

$$14. \text{}^{10}\text{B}(\text{}^7\text{Li}, \alpha)\text{}^{13}\text{C} \quad Q_m = 21.410$$

At $E(^7\text{Li}) = 5.20$ MeV, angular distributions have been measured for the α -particles to $^{13}\text{C}^*(0, 3.1, 3.7 + 3.9, 6.9)$. Alpha groups have also been observed to $^{13}\text{C}^*(7.5 + 7.7, 9.5, 9.9, 10.5, 11.1, 12, 13.5, 16.1)$ (1966MC05). See also (1963MI02, 1963MO1B, 1965CA05).

$$15. \text{(a) } \text{}^{10}\text{B}(\text{}^{14}\text{N}, \text{}^{11}\text{C})\text{}^{13}\text{C} \quad Q_m = 1.143$$

$$\text{(b) } \text{}^{10}\text{B}(\text{}^{19}\text{F}, 4\alpha)\text{}^{13}\text{C} \quad Q_m = -2.257$$

For reaction (a) see (1966CO27); for reaction (b) see (1963HO1E).

$$16. \text{}^{11}\text{B}(\text{d}, \gamma)\text{}^{13}\text{C} \quad Q_m = 18.679$$

See (1961SU17, 1963SU1C, 1966SU05).

$$17. \text{}^{11}\text{B}(\text{d}, \text{n})\text{}^{12}\text{C} \quad Q_m = 13.732 \quad E_b = 18.679$$

The yield of neutrons has been measured for $E_d = 0.2$ to 11 MeV: observed resonant structure is displayed in Table 13.6 (1965AL17). See also (1959AJ76, 1959NE1A, 1965CL02, 1965SI12, 1966HU1H). The yield of 15.1 MeV γ -rays shows 4 resonances for $E_d = 1.5$ to 5.5 MeV: see Table 13.6 (1958KA31, 1964KU09). See also (1963KI02, 1967LE1J). Polarization of neutrons has been studied at $E_d = 1.4$ to 1.9 (1966MA21; n_0, n_1), 2 (1967MI1E, 1969MI20; n_0, n_1, n_2, n_3, n_7), 2.8 (1964CH1F; n_0, n_1), 2.8 to 4.0 (1967ME1L; n_0, n_1), 3.0 (1966BR1E; n_0) and 12.3 MeV (1964SM05; n_0, n_1). See also (1959BR75) and ^{12}C .

$$18. \text{}^{11}\text{B}(\text{d}, \text{p})\text{}^{12}\text{B} \quad Q_m = 1.144 \quad E_b = 18.679$$

Table 13.6: Resonant structure in $^{11}\text{B} + \text{d}$

Resonant structure in yield of (MeV \pm keV)							$\Gamma_{\text{c.m.}}$ (keV)	E_x (MeV)
n_0^{a}	n_1^{a}	n_2^{a}	n_3^{a}	$\gamma_{15.1}^{\text{b}}$	p	α^{d}		
1.45	1.2						≈ 600	19.7
1.6	1.8 ^e					1.5 ^f	≈ 200	19.90
	2.2 ^e			2.180 ± 10		2.2 ^{c,f}	116 ± 10	20.25
				3.080 ± 15		3.0 ^f	159 ± 15	20.54
3.6				3.71 ± 20			114 ± 21	21.30
4.23	4.1	4.1		4.4			broad	21.84
	(5.2)							22.28
								(23.1)
9.6	9.6	9.6	9.6					26.9
10.4		10.4	10.4					27.5

^a (1965AL17, 1967DI01).

^b (1958KA31, 1964KU09).

^c Yield of p_0 , p_1 and p_2 (1964BR1A).

^d Yield of α_0 , α_1 , α_2 , α_3 . (1964DU1C, 1969FR03); $\Gamma_{\text{cm}} \approx 200$ keV.

^e (1965AL17) report a resonance at 1.8 MeV while (1967DI01) report one at 2.2 MeV, in addition to a sharper structure at 1.2 MeV.

^f Resonances in polarization of ^{12}B recoils (1967PF02).

It is reported that the thin-target yield rises smoothly from $E_d = 0.3$ to 3.1 MeV with no evidence of resonances (1949HU41, 1958KA31, 1963RO22, 1965SA15). However, (1964BR1A) reports a strong resonance at $E_d = 2.3$ MeV in the p_0 , p_1 and p_2 yield. Analysis of yield curves of 0.95 and 1.67 MeV γ -rays (1968CH05) also suggest a broad resonance at $E_d \approx 2.1$ MeV. See also (1963SE1F). The polarization of ^{12}B recoils has been studied for $E_d = 0.9$ to 3.2 MeV: resonances in the recoil polarization are observed at $E_d = 1.5$, 2.1 and 3.0 MeV (see Table 13.6) (1967PF02). See also (1963KE06, 1967BE10). See also ^{12}B and (1964TI03, 1967BO17, 1967TI1A).

19. $^{11}\text{B}(\text{d}, \text{d})^{11}\text{B}$

$E_b = 18.679$

See ^{11}B and (1963NE1H).

20. $^{11}\text{B}(\text{d}, \alpha)^9\text{Be}$

$$Q_m = 8.028$$

$$E_b = 18.679$$

The excitation function for α -particles to the ground state increases monotonically for $E_d = 0.39$ to 1.05 MeV (1963RO22, 1965SA15); that for the α -particles to $^9\text{Be}^*(2.43)$ increases monotonically for $E_d = 0.39$ to 0.70 MeV (1965SA15). At $E_d = 1.83$ MeV, a pronounced resonance is observed in the $\alpha_0, \alpha_1, \alpha_2$ and α_3 yields: $\Gamma_{\text{cm}} \approx 200$ keV (1964DU1C, 1969FR03). Some gross structure is observed in these yields for $E_d = 1.0$ to 3.2 MeV (1964BR1A, 1969FR03). See also (1966DR04, 1968CO31, 1969MC1C) and ^9Be in (1966LA04).

21. $^{11}\text{B}(\text{t}, \text{n})^{13}\text{C}$

$$Q_m = 12.422$$

See ^{14}C .22. $^{11}\text{B}(^3\text{He}, \text{p})^{13}\text{C}$

$$Q_m = 13.185$$

$$Q_0 = 13.1854 \pm 0.0040$$
 (1967OD01); see also (1964MA57).

Levels derived from reported proton groups are listed in Table 13.7.

The proton groups thought to correspond to ^{13}C levels at $E_x = 5.51$ and 6.10 MeV (1958MO99) come instead from the proton decay of $^{13}\text{N}^*(9.48, 10.37)$ fed in the reaction $^{11}\text{B}(^3\text{He}, \text{n})^{13}\text{N}$ (1966CH18). See also (1963GA03). At $E(^3\text{He}) = 8$ to 12 MeV, proton groups are observed to the first five $T = \frac{3}{2}$ states of ^{13}C : see Table 13.7 (1965HE1C, 1966HE1F). The angular distribution of the protons to the first $T = \frac{3}{2}$ state at $E_x = 15.106$ MeV is consistent with $J^\pi = \frac{3}{2}^-$ (the known character of $^{13}\text{B}_{\text{g.s.}}$) (1965HE1C). The neutron and γ -widths of $^{13}\text{C}^*(15.10)$ are displayed in Table 13.8 where they are compared with the corresponding quantities for $^{13}\text{N}^*(15.07)$ (1968CO27, 1969AD01). Comparison of the reduced widths for the particle decays to $^{12}\text{C}(0)$ and $^{12}\text{C}^*(4.4)$ show that the form of the isospin impurity in the 15.1 MeV, $T = \frac{3}{2}$ state, depends in T_Z (1969AD01). Preliminary results for the branching ratios for the α -decay to $^9\text{B}(0)$ are $(1.9 \pm 0.5)\%$ for $^{13}\text{C}^*(15.10)$ and $(6.5 \pm 1.5)\%$ for $^{13}\text{C}^*(19.12)$ (1969NE1G). Other angular distributions have been measured at $E(^3\text{He}) = 4.5$ MeV (1957HO61; $p_0, p_1, (p_2 + p_3)$), $8.6, 9.6$ and 10.3 MeV (1963MA24; p_0) and 10 and 12 MeV (1968LI1K, 1969AD1C; $p_0, p_1, p_2, p_4, p_6, p_7, p_{10}, p_{11}$). The parity of $^{13}\text{C}^*(9.90)$ is odd (1969AD1C). See also (1959AL96, 1963CL1A, 1969BA1Z, 1969MC1C).

23. $^{11}\text{B}(\alpha, \text{d})^{13}\text{C}$

$$Q_m = -5.168$$

Differential cross sections of deuterons corresponding to $^{13}\text{C}(0)$ have been measured at $E_\alpha = 23$ and 25 MeV (1967AL16). See also (1968ZE1B).

Table 13.7: Levels of ^{13}C from $^{11}\text{B}(^3\text{He}, \text{p})^{13}\text{C}$

E_x (MeV \pm keV)	$\Gamma_{\text{c.m.}}$ (keV)	Refs.
0		(1955BI26, 1958MO99, 1963GA03)
3.09		(1955BI26, 1958MO99, 1963GA03)
3.68	< 5	(1955BI26, 1958MO99, 1963GA03)
3.86	< 5	(1958MO99, 1963GA03)
6.871 ± 12	< 10	(1959YO25, 1963GA03)
7.500 ± 12	< 5	(1959YO25, 1963GA03)
7.554 ± 12	< 5	(1959YO25, 1963GA03)
7.694 ± 14	75 ± 15	(1959YO25, 1963GA03)
8.869 ± 36	175 ± 50	(1959YO25)
9.509 ± 12	< 10	(1959YO25)
9.896 ± 12	< 10	(1959YO25)
10.9 ± 150		(1957GA01)
11.1 ± 150		(1957GA01)
12.08 ± 100		(1957GA01)
12.81 ± 100		(1957GA01)
$15.106 \pm 10^{\text{a}}$	≤ 5	(1965HE1C)
$18.504 \pm 25^{\text{a}}$		(1966HE1F)
$18.648 \pm 15^{\text{a}}$	$\approx 30 - 40$	(1966HE1F)
$18.679 \pm 20^{\text{a}}$		(1966HE1F)
$19.123 \pm 10^{\text{a}}$	$\approx 30 - 40$	(1966HE1F)

^a It is suggested that these states have $T = \frac{3}{2}$ (1965HE1C, 1966HE1F).

Table 13.8: Parameters of the first $T = \frac{3}{2}$ state in ^{13}C and ^{13}N

	$^{13}\text{C}^*(15.11)$	$^{13}\text{N}^*(15.07)$	Refs.
J^π	$\frac{3}{2}^-$	$\frac{3}{2}^-$	
Γ (keV)	6.2 ± 1.1	1.17 ± 0.21	(1969AD01)
	4.7 ± 1.6	1.13 ± 0.3	(1968CO27)
	6.7 ± 1.7		(1968SN1B)
Γ_{n_0} or Γ_{p_0} (keV) ^a	0.40 ± 0.11	0.24 ± 0.05	(1969AD01)
Γ_{n_1} or Γ_{p_1} (keV) ^b	1.55 ± 0.35	0.14 ± 0.03	(1969AD01)
Γ_{γ_0} (eV)	25 ± 7 ^c	27 ± 5	(1969AD01)
$\Gamma_{\gamma_1}/\Gamma_{\gamma_0}$	0.25 ± 0.10	< 0.20	(1968CO27)
$\Gamma_{\gamma_{2+3}}/\Gamma_{\gamma_0}$	0.79 ± 0.10	0.81 ± 0.12	(1968CO27)

^a Widths for $^{11}\text{B}(^3\text{He}, p)^{13}\text{C}(15.11) \rightarrow n_0 + ^{12}\text{C}$ and $^{11}\text{B}(^3\text{He}, n)^{13}\text{N}(15.07) \rightarrow n_0 + ^{12}\text{C}$.

^b Widths for $^{13}\text{C}(15.11) \rightarrow n_1 + ^{12}\text{C}^*$ and $^{13}\text{N}(15.07) \rightarrow n_1 + ^{12}\text{C}^*$.

^c 22.7 ± 2.6 eV (1969WI22).

24. $^{11}\text{B}(^6\text{Li}, \alpha)^{13}\text{C}$ $Q_m = 17.207$

Angular distributions have been measured at $E(^6\text{Li}) = 4.72$ MeV to the ^{13}C ground state and to $^{13}\text{C}^*(3.1, 3.8$ [u], 6.9, 7.5 [u]) [u = unresolved]. The ^{13}C states at 8.86, 9.50 and 9.90 MeV have also been observed (1966MC05). See also (1963MO1B, 1965CA05).

25. $^{11}\text{B}(^{16}\text{O}, ^{14}\text{N})^{13}\text{C}$ $Q_m = -2.057$

See (1968OK06).

26. $^{12}\text{C}(n, \gamma)^{13}\text{C}$ $Q_m = 4.947$
 $Q_0 = 4.94603 \pm 0.00015$ (1968SP01);
 $Q_0 = 4.94647 \pm 0.00017$ (1967PR10);
 $Q_0 = 4.947 \pm 0.001$ (1965JA09).

The thermal capture cross section is 3.4 ± 0.3 mb (1964ST25), 3.8 ± 0.8 mb (1963MO1C). Reported γ -transitions are listed in Table 13.9. See also (1963MA60, 1964FO1A, 1967FO1B, 1968RO1H).

Table 13.9: Neutron capture γ -rays in ^{13}C

E_γ (MeV \pm keV)	Transition	Intensities ^a				
		(1967TH05)	(1968SP01)	(1953BA18)	(1958GR01)	(1961JA19)
4.9458 \pm 0.6	capt. \rightarrow g.s.		68 \pm 1			
4.94546 \pm 0.17 ^b	capt. \rightarrow g.s.					
4.948 \pm 8 ^c	capt. \rightarrow g.s.			70		
4.950 \pm 15	capt. \rightarrow g.s.				75	
4.946	capt. \rightarrow g.s.	66 \pm 3				69
3.68428 \pm 0.14	3.68 \rightarrow g.s.		32 \pm 1			
3.68394 \pm 0.17 ^b	3.68 \rightarrow g.s.					
3.68 \pm 50	3.68 \rightarrow g.s.			30		
3.68 \pm 20	3.68 \rightarrow g.s.				25	
3.684	3.68 \rightarrow g.s.	34 \pm 2				31
1.26176 \pm 0.07	capt. \rightarrow 3.68		32 \pm 1			
1.26192 \pm 0.06 ^b	capt. \rightarrow 3.68					
1.260 \pm 15	capt. \rightarrow 3.68				25	
1.27	capt. \rightarrow 3.68					30
1.262	capt. \rightarrow 3.68	34 \pm 2				

^a Gamma rays per 100 captures.

^b (1967PR10).

^c $E_\gamma = 4.946 \pm 1$ (1965JA09).

27. $^{12}\text{C}(n, n)^{12}\text{C}$

$$E_b = 4.947$$

The total cross section data up to 164 MeV is summarized in (1964ST25). Table 13.11 lists recent cross section measurements: see also ^{12}C in (1968AJ02), (1964ST25) and (1959HA06, 1966DE1M, 1968HA1V). Angular distributions are summarized in (1963GO1M). See also (1966GA1M, LA67Q). The coherent scattering length (thermal, bound) is 6.656 ± 0.004 fm (1967HO1J, 1967KO1M). See also (1961WI1A, 1963SE13, 1966DA1B, 1969BA1P). An effective range theory analysis ascribes the s-wave scattering to the (bound) 3.09 MeV state: $\theta^2(E_n = 0) = 0.20 \pm 0.02$ (1963SE13).

In the region $E_n = 0$ to 20 MeV a number of resonances have been reported: see Table 13.10 (1960TS02, 1961LA1A, 1961FO07, 1966LI03, 1964HA1G, 1965HA21, 1968BO34, 1968CI1A, 1968DA1F, 1968SC1G, 1969DA13), and (1959AJ76) for a listing of the earlier references.

Polarization measurements have been carried out with E_n up to 24 MeV: see Table 13.12 for recent references and (1959AJ76) for earlier ones. See (1963HA1G, 1966DA1B, 1966RO1B) for a general discussion of $^{12}\text{C} + n$ polarization.

See also (1958HA1A, 1959MA1C, 1959PR65, 1960PE02, 1960SA25, 1963KU1F, 1965AN1A, 1965DE1G, 1965FR1B, 1967CH42, 1967MA1K, 1968EN1A, 1969AN1E, 1969CR1C) and (1959KE1A, 1959WI1C, 1960HO14, 1960MI1B, 1960TO1B, 1962CA1C, 1962KA1D, 1963ED1B, 1963KA27,

Table 13.10: Resonances in $^{12}\text{C}(n, n)^{12}\text{C}$ ^a

E_{res} (MeV \pm keV)	Γ_{cm} (keV)	$^{13}\text{C}^*$ (MeV)	l_n	J^π	θ^2	Refs. ^a
		3.09			0.20 ± 0.02	(1963SE13)
2.077 ± 3	6	6.864	2	$\frac{3}{2}^+$		(1961LA1A, 1963PI03, 1968DA1F)
2.82	≈ 5	7.55				(1968CH1A, 1968SC1G)
2.95	80	7.67	2	$\frac{3}{2}^+$		(1958WI36)
3.58 ± 80	1000 ± 100	8.25	2	$\frac{3}{2}^+$	0.35	(1960TS02, 1961FO07, 1966LI03, 1969GA1U)
4.26 ± 30	185 ± 40	8.88	1	$\frac{1}{2}^-$	0.03	(1960TS02, 1961FO07, 1966LI03, 1969GA1U)
4.935 ± 4	≤ 5 ^e	9.499	1	$(\frac{1}{2}, \frac{3}{2})^-$		(1960TS02, 1961FO07, 1969DA13, 1969GA1U)
5.368 ± 5	28 ^{b,e}	9.899	1	$\frac{3}{2}^-$		(1961FO07, 1968GA1L, 1969DA13, 1969GA1U)
6.294 ± 5	60 ^{b,e}	10.753	3	$\frac{7}{2}^-$		(1961FO07, 1968GA1L, 1969DA13, 1969GA1U)
6.5 ^b		10.9				(1961FO07)
6.559 ^b	37 ^e	11.03	(0)	$(\frac{1}{2}^+)$		(1961FO07 ^c , 1968GA1L, 1969GA1U)
6.7		11.1				(1961FO07)
(7.4)	(250)	(11.8)		$(\geq \frac{5}{2})$		(1961FO07)
7.759 ± 8	(200)	12.104		$(> \frac{7}{2})$		(1961FO07, 1969DA13)
(8.1)	(150)	(12.4)				(1961FO07)
9.3	370	13.5				(1961FO07)
11.1	450	15.2		$(\geq \frac{3}{2})$		(1961FO07)
12.1	230	16.1				(1961FO07)
15.8 ^d	≈ 460	19.5	1	$(\frac{1}{2}, \frac{3}{2})^-$		(1968BO34)
19.6 ± 0.2	≈ 1000	23.0	1	$(\frac{1}{2}, \frac{3}{2})^-$		(1964HA1G, 1965HA21, 1968BO34)

^a See (1959AJ76) for earlier references; see also (1964ST25).

^b See (1961FO07).

^c I am indebted to J.C. davis and H.H. Barschall for sending me this revised value based on a change in the calibration of the analyzing magnet used by (1961FO07).

^d Resonance in elastic scattering: see also Table 13.13.

^e (1968CH1A): see (1969GA1U).

1963LU10, 1963MC1B, 1964CR1B, 1965SL1B, 1966AG1A, 1966JA08, 1966LE1M, 1966LO1M, 1966SE1E, 1967BE1F, 1967PI02, 1967RO1J, 1967SC1H, 1967TA1B, 1968CH35, 1968KO1A, 1968RE1G, 1968TI1B, 1969PU05).

Table 13.11: $^{12}\text{C} + n$ total cross-section measurements ^a

E_n (MeV)	Refs.	E_n (MeV)	Refs.
0.003 – 10 eV	(1960WA07)	3.3 – 5.0	(1960TS02)
0.3 – 400 eV	(1967HO1J)	3.4 – 16	(1961FO07)
1.1 – 6.2 eV	(1969HO1Y)	5.6	(1960BR13)
1.44 eV	(1965RA15)	7.0 – 14.3	(1964MA46)
0.003 – 0.66	(1963SE13)	13.7 – 14.6	(1968HU17)
0.01 – 0.50	(1966MO09)	15 – 120	(1961BO06)
0.15 – 0.2	(1959BI19)	17 – 21	(1964HA1G, 1965HA21)
0.18 – 0.70	(1961WI02)	17.8, 20.6, 25.3, 28.3, 29.1	(1960PE25)
0.2 – 140	(1966LA1M)	88 – 151	(1966ME14)
0.50 – 1.35	(1960HU02)		
0.7 – 4.0	(1968SC1G)		
1.92 – 6.40	(1968CI1A)		
2.61 – 2.83	(1965SO1A)		
3 – 8	(1969DA13)		
3.10 – 15	(1963GL1E)		

^a See (1959AJ76) and (1964ST25) for earlier references.

28. (a) $^{12}\text{C}(n, n')^{12}\text{C}^*$

$$E_b = 4.947$$

(b) $^{12}\text{C}(n, n')^4\text{He}^4\text{He}^4\text{He}$ $Q_m = -7.274$

From threshold to $E_n = 19$ MeV, twelve resonances are observed in the yield of 4.4 MeV γ -rays: see Table 13.13 (1959HA13, 1968BO34). Cross sections have also been measured for various of the elastic transitions for $E_n = 5.5$ to 15.6 MeV by (1959HA06, 1959SI79, 1960BE24, 1963BO15, 1964CL05, 1964PE20, 1964ST30, 1965WI17, 1967BR23, 1968HA1V, 1969MA39). See (1959AJ76) for a listing of the earlier references. See also (1959GA1D, 1968GA1L, 1969GA1U) and ^{12}C .

For reaction (b) see ^{12}C and (1959AJ76).

Table 13.12: $^{12}\text{C}(n, n)^{12}\text{C}$ polarization studies ^a

E_n (MeV)	Neutron groups	Refs.
0.4 – 2.4	n_0	(1962EL01)
0.5 – 2.0	n_0	(1969LA30)
0.8, 1.24	n_0	(1963BE15)
1.06 – 2.24	n_0	(1968AS1C)
2 – 4	n_0	(1959BU95)
2.4, 2.7	n_0	(1964SA05)
2.8	n_0	(1962IY01)
2.8 – 4.7	n_0	(1965WE1C)
3.2	n_0	(1959ST1A)
3.2 – 4.2	n_0	(1969MI04)
3.5	n_0	(1962OT01)
4	n_0	(1964GO1L, 1967GO36)
4.4 – 8.5	n_0	(1965KE07)
14.7	n_0, n_1	(1965BR1E, 1967ZO1A)
15.85	n_0, n_1	(1967MA1L, 1968MA24, 1968ME11)
24	n_0	(1962WO08)

^a See (1959AJ76) for earlier references. See also (1960DU03).

$$29. \ ^{12}\text{C}(n, 2n)^{11}\text{C} \qquad Q_m = -18.720 \qquad E_b = 4.947$$

See (1961BR1A, 1952BR61, 1958AS63, 1969MA39).

$$30. \text{ (a) } ^{12}\text{C}(n, p)^{12}\text{B} \qquad Q_m = -12.588 \qquad E_b = 4.947$$

$$\text{ (b) } ^{12}\text{C}(n, np)^{11}\text{B} \qquad Q_m = -15.957$$

The cross section for reaction (a) has been measured from threshold to $E_n = 22$ MeV (1959KR69, 1968RI02). It exhibits a strong resonance with a peak cross section of 19 mb at $E_x \approx 22$ MeV in ^{13}C and another weaker resonance corresponding to $E_x \approx 20.5$ MeV (1968RI02). See also (1959AL83, 1963LE1D, 1966JE1B).

For reaction (b) see (1962AU1A).

Table 13.13: Resonances in $^{12}\text{C}(n, n'\gamma_{4.4})^{12}\text{C}$ ^a

E_n (MeV)	$\Gamma_{\text{c.m.}}$ (keV)	E_x in ^{13}C (MeV)
4.96	< 80	9.52
5.42	< 80	9.95
5.98	200	10.46
6.35	120	10.79
6.57	< 80	11.01
6.65	< 80	11.08
7.50	260	11.87
7.81	180	12.15
8.14	220	12.46
9.31	500	13.54
15.8	≈ 450	19.5
≈ 19		22.5

^a The first ten resonances are from (1959HA13), the two highest are reported by (1968BO34).

31. $^{12}\text{C}(n, \alpha)^9\text{Be}$

$$Q_m = -5.704$$

$$E_b = 4.947$$

The cross section for the transition to $^9\text{Be}(0)$ shows a broad structure at $E_n \approx 8$ MeV (1963DA12). See also (1963AL10, 1963CH1C, 1966HU1J, 1967KO27, 1969KI02) and ^9Be in (1966LA04).

32. (a) $^{12}\text{C}(d, p)^{13}\text{C}$

$$Q_m = 2.722$$

(b) $^{12}\text{C}(d, np)^{12}\text{C}$

$$Q_m = -2.225$$

$$Q_0 = 2.725 \pm 0.005 \text{ (1961LO1C);}$$

$$Q_0 = 2.7223 \pm 0.00061 \text{ (1967OD01).}$$

Measurements on the proton groups are summarized in Table 13.14. In addition to a number of relatively sharp states, the proton spectrum exhibits a conspicuous broad structure attributed to a ^{13}C level at $E_x = 8.4$ MeV, $\Gamma = 1.1 \pm 0.3$ MeV. [It seems probable that this level is to be identified with the $D_{3/2}$ level of similar width observed in $^{12}\text{C}(n, n)^{12}\text{C}$ at $E_x = 8.25$ MeV: see Table 13.10].

Angular distributions have been studied at many energies, and analyzed by PWBA and DWBA. A listing of the early work is given in (1959AJ76). Recent experiments are listed in Table 13.15. See also (1965GA1A). A DWBA stripping description of the direct reaction interaction part of the

Table 13.14: Levels of ^{13}C from $^{12}\text{C}(\text{d}, \text{p})^{13}\text{C}$

$^{13}\text{C}^*$ (MeV \pm keV)				l_n	J^π	θ_n^2 (%) ^f
(1951ST19, 1951VA1A)	(1954SP01)	(1956DO41, 1961JA23)	(1955MC75)			
0	0		0	1 ^d	$\frac{1}{2}^-$, $\frac{3}{2}^-$	2.6 ^g
3.086 \pm 6	3.090 \pm 10	3.093 \pm 6	3.09 ^a	0 ^d	$\frac{1}{2}^+$	14 ^h
3.686 \pm 11	3.684 \pm 10	[3.681 \pm 3]	3.68 ^a	1 ^d	$\frac{1}{2}^-$, $\frac{3}{2}^-$	0.7
	3.855 \pm 7	[3.851 \pm 3]	3.84 ^a	2 ^d	$\frac{3}{2}^+$, $\frac{5}{2}^+$	4.7
			6.87 ^a	(0, 2) ^e	($\leq \frac{5}{2}^+$)	
			7.470 \pm 20			
			7.533 \pm 20			
			7.641 \pm 20 ^b			
			8.4 \pm 300 ^c			
			9.500 \pm 20			
			9.897 \pm 20			
			10.759 \pm 20			

^a Energies given for identification only.

^b $\Gamma = 70 \pm 15$ keV.

^c $\Gamma = 1.1 \pm 0.3$ MeV.

^d See (1959AJ76) for early references.

^e (1955MC75).

^f PWBA and DWBA analyses: $E_d = 8$ and 12 MeV (1966GL01).

^g 3.7 \pm 0.3 (1961HA19), 3.5 (1964SC12); see also (1966KA05).

^h 15.7 (1964SC12).

reaction almost certainly will require the use of spin dependent potentials. There is pronounced compound nucleus formation even up to $E_d = 11$ MeV (1963EV04, 1967SC29). See also (1969PE09, 1969PE1L) and ^{14}N .

Observed gamma rays are listed in Table 13.16. The cascade decay of the 3.85 MeV state (via $^{13}\text{C}^*(3.68)$) occurs in $37 \pm 4\%$ of the decays; the direct transition occurs in $62 \pm 4\%$ of the events (1966GO15). The mixing ratio for the transition $3.68 \rightarrow 0$ $\chi(\text{E2/M1}) = -(0.096_{-0.021}^{+0.030})$, while the transition $3.85 \rightarrow 0$, $\chi(\text{E3/M2}) = +(0.12 \pm 0.03)$ (1966PO11). Angular correlation measurements at $E_d = 2.8$ to 3.7 MeV show $\Gamma(\text{E2})/\Gamma_\gamma \lesssim 5\%$ for $^{13}\text{C}^*(3.68)$ and $\Gamma(\text{E3})/\Gamma_\gamma \lesssim 2\%$ for $^{13}\text{C}^*(3.85)$ (1962FL06). See also (1966KA05, 1966PR1B, 1967TI1A, 1968GO14). The lifetime of $^{13}\text{C}^*(3.09)$ is < 10 fsec (1968RI16), < 15 fsec (1968AL03) [see also (1967ME02)]; τ_m for $^{13}\text{C}^*(3.68) < 26$ fsec (1968RI16); τ_m for $^{13}\text{C}^*(3.85) = 7.5_{-2}^{+3}$ psec (1962SI08): see also Table 13.17.

A study with polarized deuterons at $E_d = 7$ and 10 MeV is reported by (1968YU01; p_0, p_1). For other polarization measurements see ^{14}N , (1959AJ76) and (1961GO1K). For reaction (b), see (1963PI04, 1968BO02, 1969SA1K).

See also (1958AR1B, 1959LO59, 1960AL35, 1960BA26, 1961GO27, 1961GO28, 1961PU1B, 1961ST10, 1962AL1D, 1962GR10, 1963NE16, 1963NE09, 1963SE1G, 1963VA1E, 1964RI1C, 1965HE1B, 1965ZI1A, 1966BE31, 1966GO1L, 1967WA1C, 1968FO1E) and (1959AM1B, 1959BO1C, 1959HO1D, 1960BE1B, 1960BU1D, 1960LU1B, 1960NE1C, 1961GI04, 1961RO1G, 1962JO1C, 1963GL1C, 1963SM05, 1963TA1A, 1964VA1F, 1964ZA1B, 1965BA1T, 1965ST1E, 1966HO1D, 1966PE1F, 1967LE1F, 1967MO1N, 1968BE1Z, 1968ED1C, 1968EL1G, 1968ST1T).

$$33. \ ^{12}\text{C}(t, d)^{13}\text{C} \quad Q_m = -1.311$$

At $E_t = 12$ MeV, DWBA fits have been made of the angular distributions of the deuterons to $^{13}\text{C}^*(0, 3.09, 3.68, 3.85)$ (1966GL01). See also (1960MU07, 1961BA10, 1969GL1C, 1969LI1D).

$$34. \ ^{12}\text{C}(^3\text{He}, 2p)^{13}\text{C} \quad Q_m = -2.771$$

See (1965DO1H, 1967FO1E, 1967HE1E, 1969ST1L).

$$35. \ ^{12}\text{C}(\alpha, ^3\text{He})^{13}\text{C} \quad Q_m = -15.631$$

At $E_\alpha = 56$ MeV, angular distributions of the ^3He particles to $^{13}\text{C}^*(0, 3.68 + 3.85)$ have been analyzed by DWBA (1968GA1C, 1968LE1G, 1969GA11). A detailed comparison has been made between the angular distributions of the ground state ^3He particles and of tritons from the mirror reaction $^{12}\text{C}(\alpha, t)^{13}\text{N}$ (1969GA11).

Table 13.15: $^{12}\text{C}(\text{d}, \text{p})^{13}\text{C}$ angular distribution studies ^a

E_d (MeV)	Distributions of proton groups	Refs.
0.7 – 1.7	p ₀	(1965WI11)
0.9 – 1.75	p ₀ , p ₁	(1966KL05, 1967PO01)
0.9 – 2.0	p ₀	(1969BO32)
1.2 – 4.5	p ₀	(1966GA09)
1.7, 2.7, 3.1, 4.0	p ₀ , p ₁ , p ₂ , p ₃	(1965FI05)
2.1 – 2.9	p ₁ , p ₂ , p ₃	(1966KA05)
2.1 – 3.1	p ₀	(1959SE1A)
2.8 – 3.7	p ₂ , p ₃	(1966GE03)
4	p ₁	(1960SE13)
4.7 – 13.3	p ₀	(1960ZA04, 1960ZA06)
5.0 – 8.4	p ₀ , p ₁ , p ₂ , p ₃	(1969CO02)
6.6	p ₀ , p ₁	(1962ZH01)
7 – 11	p ₀ , p ₁	(1963EV04)
8, 12	p ₀ , p ₁ , p ₂ , p ₃	(1966GL01)
9.2 – 13.9	p ₀ , p ₁	(1966BA2M, 1968BA2P)
10.2, 12.4, 14.8	p ₀ , p ₁	(1959HA29, 1961HA19)
11, 13	p ₀ , p ₁ , p ₂ , p ₃	(1966SC09)
11.8	p ₀ , p ₁	(1964SC12)
12	p ₀ , p ₂	(1967SC29)
12.1, 13.3	p ₁ , p ₂ , p ₃	(1960ZA04, 1960ZA06)
12.35 – 14.68	p ₀ , p ₂	(1968HO23)
13.3	p ₀	(1966MA2A)
14.6	p ₀ – p ₁₁	(1968HO23)
14.9 – 19.6	p ₀ , p ₁ , p ₂ , p ₃	(1960MO05)
14.5	p ₀ , p ₂ , p ₅	(1968KA1J)
25.9	p ₀ , p ₁	(1963VA23)
27.7	p ₀ , p ₂	(1962SL04)
28	p ₀ , p ₁ , p ₂₊₃	(1968LE1G)
51.5	p ₀	(1969BR1E)

^a See (1959AJ76) for earlier references. See also ^{14}N .

Table 13.16: Gamma radiation from $^{12}\text{C}(\text{d}, \text{p})^{13}\text{C}$ ^a

E_γ ^b (MeV \pm keV)	E_γ ^c (MeV \pm keV)	Refs.
3.86 ± 20	(3.84 ± 30)	(1955BE62)
3.844 ± 15		(1956MA1Q, 1956MA52)
3.863 ± 15		(1961GO29)
0.1695 ± 0.4 ^d		(1956MA1Q, 1956MA52; see also (1960CH12))
0.16925 ± 0.04		(1969AL17)
(3.76 ± 20) ^e	3.74 ± 30	(1955BE62)
(3.69 ± 20) ^e	3.675 ± 15 ^f	(1956MA1Q, 1956MA52)
(3.687 ± 15) ^e		(1961GO29)
(3.097 ± 5) ^e	3.082 ± 7	(1952TH24)
(3.110 ± 12) ^e		(1961GO29)

^a See also $^{10}\text{B}(\alpha, \text{p})^{13}\text{C}$.

^b Uncorrected for Doppler shift.

^c Corrected for Doppler shift.

^d From the proton groups $\Delta E = 170 \pm 3$ keV (1954SP01) and 170 ± 1.5 keV (1956DO41).

^e Doppler shift correction is not required for the 3.86 MeV radiation, but is required for the 3.09 and 3.68 MeV radiation (1952TH24, 1956MA1Q, 1956MA52): see Table 13.17.

^f Value obtained by subtraction: $3.844 - 0.170$ (1956MA1Q, 1956MA52).

 Table 13.17: Summary of results on the total radiation widths of the low-lying levels of $^{13}\text{C}-^{13}\text{N}$ ^a

$^{13}\text{C}^*$ ^b (MeV)	Γ_γ (eV)	Method ^c	Refs.	$^{13}\text{N}^*$ (MeV)	Γ_γ ^d (eV)	Refs.
3.09	0.44 ± 0.05	(γ, γ)	(1968RO02)	2.37	0.45 ± 0.05	(1968RI16)
	> 0.066	DS	(1968RI16)		0.67	see (1959AJ76)
3.68	> 0.025	DS	(1968RI16)	3.51	0.53	(1963YO06)
	0.44 ± 0.04	(γ, γ)	(1969RA20)		0.69	see (1959AJ76)
3.86	$(7.3 \pm 1.6) \times 10^{-5}$	DS	(1968RI16)	3.56	$< 200 \times 10^{-5}$	(1963YO06)
	$(8.8 \pm 3.0) \times 10^{-5}$	DS	(1962SI08)			
	$(4.4 \pm 0.6) \times 10^{-5}$	DS	(1968AL03)			
	$(6.1 \pm 0.7) \times 10^{-5}$	RD	(1968FO1F)			

^a (1968RI16).

^b See also Table 13.18.

^c DS = Doppler shift; RD = recoil distance.

^d Obtained from $^{12}\text{C}(\text{p}, \gamma)^{13}\text{N}$.

36. (a) $^{12}\text{C}(^{11}\text{B}, ^{10}\text{B})^{13}\text{C}$ $Q_m = -6.509$
 (b) $^{12}\text{C}(^{14}\text{N}, ^{13}\text{N})^{13}\text{C}$ $Q_m = -5.606$
 (c) $^{12}\text{C}(^{19}\text{F}, ^{18}\text{F})^{13}\text{C}$ $Q_m = -5.483$

For reaction (a) see (1963SA1E, 1967PO13, 1969BR1D). For reaction (b), see (1965GA1B, 1967BI1F, 1969BR1D, 1969DO07). For reaction (c), see (1968GA1K).

37. $^{13}\text{B}(\beta^-)^{13}\text{C}$ $Q_m = 13.437$

^{13}B decays to $^{13}\text{C}^*(0, 3.68, 7.55, 8.86)$: see ^{13}B and Table 13.2 (1962MA19, 1969JO21).

38. $^{13}\text{C}(\gamma, \gamma)^{13}\text{C}$

By means of nuclear resonant scattering of bremsstrahlung, τ_m of $^{12}\text{C}^*(3.09) = 1.5 \pm 0.2$ fsec (1968RO02), τ_m of $^{12}\text{C}^*(3.68) = 1.5 \pm 0.15$ fsec (1969RA20): see Table 13.17.

39. $^{13}\text{C}(\gamma, n)^{12}\text{C}$ $Q_m = -4.947$

The cross section appears to exhibit structure at $\approx 7.8, 8.9, 10.9$ and 11.6 MeV (1965BE1A), at 13.3 ± 1 ($\Gamma = 5 \pm 1$ MeV) and at ≈ 22 MeV ($\Gamma \approx 7$ MeV) (1957CO57). For analyses of the work done on this reaction, see (1963HA1E, 1965ME1C). See also (1960ED01, 1964GR40) and (1959FU1A, 1960FR1B, 1961BA1G, 1964FR1C, 1964SH1C, 1969AU06, 1969AU1D, 1969OC1A).

40. $^{13}\text{C}(\gamma, p)^{12}\text{B}$ $Q_m = -17.535$

(1964DE12) report structures at $E_\gamma = 18.5, 20.0, 23.5, 26.0$ and 29.0 MeV. The main part of the cross section is in the 23.5 MeV peak which has $\Gamma \approx 3$ MeV. A broad maximum near 25.5 MeV has been reported by (1956CO72, 1957CO57). See also (1965ME1C) and (1962NE14, 1964KO09).

41. $^{13}\text{C}(\gamma, \alpha)^9\text{Be}$ $Q_m = -10.651$

See (1953MI31, 1964GR08).

42. $^{13}\text{C}(e, e')^{13}\text{C}^*$

From a study at $E_e = 250$ MeV, the ratio of the rms radius of the charge distribution for ^{13}C to that of ^{12}C is found to be 0.96 ± 0.01 (1967CR1C). See also (1968RA1B). Inelastic spectra show strong excitation of the negative parity states $^{13}\text{C}^*(3.68, 7.55, 8.86, 11.7, 13.76, 15.1, 19.12)$ (1969CA1C, 1969WI22). Excitation of $^{13}\text{C}^*(3.09, 3.85)$ has also been reported (1969CR1D, 1969WI22). See Table 13.18. See also (1967KA1A, 1969TO05).

Table 13.18: Electromagnetic transitions ^a in ^{13}C from $^{13}\text{C}(e, e')^{13}\text{C}^*$ ^b

E_x (MeV \pm keV)	J^π	Mult.	Γ_{γ_0} (eV)	$\Gamma_{\gamma_0}/\Gamma_W$ (W.u.)
3.69 ± 20	$\frac{3}{2}^-$	E2	$(3.61 \pm 0.39) \times 10^{-3}$	3.52
		M1	0.358 ± 0.045	0.339
6.85 ± 60	$\frac{5}{2}^+$	M2	$(6.9 \pm 3.6) \times 10^{-5}$	0.055
7.54 ± 20	$\frac{5}{2}^-$	E2	0.1150 ± 0.0062	3.15
8.86 ± 20	$\frac{1}{2}^-$	M1	3.36 ± 0.46	0.230
		E0	2.09 ± 0.38^c	
9.90 ± 30	$\frac{3}{2}^-$	E2	$(6.3 \pm 2.1) \times 10^{-3}$	0.045
		M1	0.324 ± 0.050	0.0159
11.07 ± 20	$(\frac{1}{2}^-)$	M1	1.02 ± 0.20	0.0359
		E0	2.62 ± 0.26^c	
		E2	0.256 ± 0.026	1.03
15.11 ± 20	$\frac{3}{2}^-$	E2	0.59 ± 0.11	0.50
		M1	22.7 ± 2.6	0.313

^a See also Tables 13.8 and 13.17.

^b (1969WI22).

^c Monopole matrix element in fm^2 .

43. $^{13}\text{C}(p, p')^{13}\text{C}^*$

Angular distributions of the 3.09 MeV γ -rays are isotropic for E_p up to 5 MeV consistent with the assignment $J = \frac{1}{2}$ (1960BA35). The elastic differential cross section has been studied for $E_p = 1.37$ to 2.38 MeV (1966GE03), 7 MeV (1969GU02), and at $E_p = 32.9$ MeV (1969MA2D). See also (1961RO1G, 1968RI1Q, 1969WA11). The Doppler-shift method leads to lifetime limits of $\tau < 10$ fsec and $\tau < 26$ fsec for $^{13}\text{C}^*(3.09, 3.68)$ (1968RI16): see Table 13.16.

44. $^{13}\text{C}(\text{d}, \text{d})^{13}\text{C}$

Angular distributions of elastically scattered deuterons have been measured at $E_{\text{d}} = 4.7, 5.0$ and 5.3 MeV (1968CO04) and 15 MeV (1965DI1C). See also ^{15}N .

45. $^{13}\text{C}(^3\text{He}, ^3\text{He}')^{13}\text{C}^*$

Angular distributions of elastically scattered ^3He have been studied at $E(^3\text{He}) = 12, 15$ and 18 MeV (1966KE08) and at 40 MeV (1969BA06). Angular distributions at $E(^3\text{He}) = 40$ MeV have also been reported to ^{13}C states at $E_x = 3.09, 3.68, 3.85, 6.87, 7.55 \pm 0.03, 8.86 \pm 0.03$ and 11.84 ± 0.03 MeV. ^3He groups to $^{13}\text{C}^*(9.50 \pm 0.03)$ and (15.11) are also reported, the latter only weakly (1968BA1E, 1969BA06). See also (1967AR17, 1969AR10, 1969ZU02).

46. $^{13}\text{C}(\alpha, \alpha')^{13}\text{C}^*$

Angular distributions of scattered α -particles have been studied at $E_{\alpha} = 33.4$ MeV (1967AR17; $^{13}\text{C}^*(0, 3.68, 7.5)$) and 40.5 MeV (1966HA19; $^{13}\text{C}^*(0, 3.09, 3.68+3.85, 7.5)$). See also (1959FU62, 1968FA1A, 1969BA06).

47. (a) $^{13}\text{C}(^6\text{Li}, ^6\text{Li})^{13}\text{C}$
 (b) $^{13}\text{C}(^7\text{Li}, ^7\text{Li})^{13}\text{C}$

Angular distributions of elastically scattered ^6Li and ^7Li ions have been measured at $E(\text{Li}) = 20$ MeV (1969BE90).

48. (a) $^{13}\text{C}(^{12}\text{C}, ^{12}\text{C})^{13}\text{C}$
 (b) $^{13}\text{C}(^{16}\text{O}, ^{16}\text{O})^{13}\text{C}$

Angular distributions of elastically scattered ^{12}C and ^{16}O ions have been studied for $E = 10$ to 30 MeV (1968GO1H).

49. $^{13}\text{N}(\beta^+)^{13}\text{C}$ $Q_{\text{m}} = 2.221$

See ^{13}N .

$$50. \ ^{14}\text{C}(\text{p}, \text{d})^{13}\text{C} \quad Q_{\text{m}} = -5.952$$

At $E_{\text{p}} = 12$ MeV, the angular distribution of the deuterons to $^{13}\text{C}(0)$ is PWBA-fitted with $l = 1$: $\theta^2 = 0.038$ (1966GL01). At $E_{\text{p}} = 18.5$ MeV, angular distributions have also been obtained for $^{13}\text{C}^*(3.09, 3.68, 3.85)$ (1961LE1A, 1963LE03). See also (1969CU1D).

$$51. \ ^{14}\text{C}(\text{d}, \text{t})^{13}\text{C} \quad Q_{\text{m}} = -1.919$$

At $E_{\text{d}} = 12$ MeV, angular distributions of the tritons to $^{13}\text{C}^*(0, 3.09, 3.68, 3.85)$ have been PWBA fitted: $\theta^2 = 14.5, 0.43$ and 5.76 for the three most energetic triton groups. The group to $^{13}\text{C}^*(3.85)$ does not show a stripping pattern (1966GL01). See also (1958MO97, 1959KU1C).

$$52. \ ^{14}\text{C}(^3\text{He}, \alpha)^{13}\text{C} \quad Q_{\text{m}} = 12.402$$

Angular distributions of the α particles to $^{13}\text{C}(0)$ have been determined at $E(^3\text{He}) = 2, 6, 8, 10$ (1964DU1A) and 44.8 MeV (1966BA13). At the highest energy, the differential cross sections to $^{13}\text{C}^*(3.68)$ and to the $T = \frac{3}{2}$ state at 15.11 MeV have also been measured (1966BA13). See also (1966GO1J).

$$53. \ ^{14}\text{N}(\text{n}, \text{d})^{13}\text{C} \quad Q_{\text{m}} = -5.325$$

Angular distributions of ground state deuterons have been determined at $E_{\text{n}} = 14.1$ to 14.7 MeV (1963ZA01, 1967AN08, 1967FE06, 1968MI02). Excitation of $^{13}\text{C}^*(3.68)$ is also reported (1957CA07, 1963ZA01, 1967FE06). Gamma rays with energies of 3.686 ± 0.003 and 3.853 ± 0.003 MeV are reported by (1969NY1A). See also (1959HA1G, 1963MO04, 1964MO1D).

$$54. \text{ (a) } \ ^{14}\text{N}(\text{p}, 2\text{p})^{13}\text{C} \quad Q_{\text{m}} = -7.550$$

$$\text{ (b) } \ ^{14}\text{N}(\text{e}, \text{ep})^{13}\text{C} \quad Q_{\text{m}} = -7.550$$

At $E_{\text{p}} = 460$ MeV, the summed proton spectrum shows three peaks with binding energies $7.5 \pm 0.5, 15.3 \pm 0.5$ and 19.8 ± 0.6 MeV ($^{13}\text{C}^* = 0, 7.8$ and 12.3 MeV) corresponding to the ejection of $p_{1/2}$ protons in the case of the ground state and $p_{3/2}$ protons in the case of the two excited states. There is also some indication of other structure (1966TY01). See also (1961CL09, 1962MA1L, 1963CL1B, 1965DE1P, 1965DE21, 1966BE1B), and (1962BA1J, 1962BA1A, 1963EL1C, 1965BA21). For reaction (b) see (1969BA1F).

55. $^{14}\text{N}(\text{d}, ^3\text{He})^{13}\text{C}$ $Q_{\text{m}} = -2.056$

At $E_{\text{d}} = 52$ MeV, angular distributions have been measured for the ^3He particles to $^{13}\text{C}^*(0, 3.09, 3.68, 6.87, 7.5, 8.85, 9.51, 11.9 \pm 0.15)$ and analyzed by DWBA: $J^{\pi} = \frac{5}{2}^{-}, \frac{1}{2}^{-}, \frac{3}{2}^{-}$ and $\frac{3}{2}^{-}$, respectively, are assigned to $^{13}\text{C}^*(7.5, 8.85, 9.51, 11.9)$ (1968HI01). See also (1969KA1A, 1969KA1W). As expected, angular distributions of ^3He and of tritons (from $^{14}\text{N}(\text{d}, \text{t})^{13}\text{N}$) to analog states are identically the same: this has been shown for the ground state ^3He and triton groups (1966DE1C, 1968GA13; $E_{\text{d}} = 28.5$ MeV) and for the groups to $^{13}\text{C}^*(8.9 + 9.5)$ and $^{13}\text{N}^*(9.2)$ (1968HI01; $E_{\text{d}} = 52$ MeV). See also (1968BA2J).

56. $^{14}\text{N}(\text{t}, \alpha)^{13}\text{C}$ $Q_{\text{m}} = 12.264$

Observed particle groups at $E_{\text{t}} = 2.6$ MeV are displayed in Table 13.19 (1962SI08). See also (1964SC09) and ^{16}O .

57. $^{14}\text{N}(\text{p}, \text{p}\alpha)^{13}\text{C}$ $Q_{\text{m}} = -7.546$

This sequential reaction has been studied at $E_{\alpha} = 22.9$ MeV (1968KU1C, 1969BA17).

58. (a) $^{14}\text{N}(^{12}\text{C}, ^{13}\text{N})^{13}\text{C}$ $Q_{\text{m}} = -5.606$

(b) $^{14}\text{N}(^{14}\text{N}, ^{15}\text{O})^{13}\text{C}$ $Q_{\text{m}} = -0.257$

For reaction (a) see (1969VO01) and ^{13}N . For reaction (b) see (1966GA04).

59. $^{15}\text{N}(\text{n}, \text{t})^{13}\text{C}$ $Q_{\text{m}} = -9.903$

Not reported.

60. $^{15}\text{N}(\text{p}, ^3\text{He})^{13}\text{C}$ $Q_{\text{m}} = -10.667$

At $E_{\text{p}} = 43.7$ MeV, ^3He groups have been observed to eleven states of ^{13}C : see Table 13.19 (1966CE02, 1968FL03). Angular distributions of the ^3He particles to these states are generally found to be in agreement with DWBA predictions, using intermediate coupling wave functions to obtain the two-nucleon structure factors (1968FL03). Detailed comparisons are made with the

Table 13.19: Energy levels of ^{13}C from $^{14}\text{N}(t, \alpha)^{13}\text{C}$ (1962SI04) and from $^{15}\text{N}(p, ^3\text{He})^{13}\text{C}$ (1968FL03)

E_x in ^{13}C ^a (MeV \pm keV)	$\Gamma_{\text{c.m.}}$ (keV)	E_x in ^{13}C ^b (MeV \pm keV)	J^π
0		0	$\frac{1}{2}^-$
3.09 ^c		3.08 ± 20	$\frac{1}{2}^+$
3.68 ^c		3.68 ^c	$\frac{3}{2}^-$
3.85 ^c			
6.87 ^c		6.87 ^c	$\frac{5}{2}^+$
7.5 ^c		7.55 ± 20	$\frac{5}{2}^-$
7.68 ^c			
8.860 ± 20	145 ± 20	8.86 ± 60	$\frac{1}{2}^-$
9.509 ^d		9.52 ± 30	$(\frac{3}{2}^-)$
9.897 ^d			
10.736 ± 20	< 30		
10.809 ± 20	< 30		
11.000 ± 20	< 30		
11.078 ± 20	< 30	11.09 ± 50	$(\frac{1}{2}^-)$
11.721 ± 30	125 ± 20	11.80 ± 30	$(\frac{3}{2}^-)$
12.131 ± 30	125 ± 30		
		12.40 ± 50	$\frac{7}{2}^-$
		15.103 ± 45 ^e	$\frac{3}{2}^-$

^a From $^{14}\text{N}(t, \alpha)^{13}\text{C}$ (1962SI04).

^b From $^{15}\text{N}(p, ^3\text{He})^{13}\text{C}$ (1968FL03).

^c Observed but E_x not determined.

^d E_x values of other levels given in terms of E_x of these two levels. [See, however, Table 13.4.]

^e (1966CE02).

Table 13.20: ^{13}C states from $^{15}\text{N}(\text{d}, \alpha)^{13}\text{C}$

E_x (MeV \pm keV) (1951MA08)	E_x (MeV \pm keV) (1961JA23)	E_x (MeV \pm keV) ^a (1957WA01)
0	0	0
3.083 ± 5	3.100 ± 20	3.09
3.677 ± 5	3.695 ± 10	3.68
		3.85
		6.87
		7.47, 7.53, 7.64 ^b
		8.80 ± 40
		9.5
		9.9

^a Level energies for identification purposes only except for $^{13}\text{C}^* = 8.80$ MeV.

^b Not resolved.

results of the mirror reaction $^{15}\text{N}(\text{p}, \text{t})^{13}\text{N}$: the (p, t) transitions are generally stronger than expected relative to the mirror (p, ^3He) transitions. This may arise from interference effect terms due to a spin-orbit interaction on the optical potential, or to interference terms between direct-reaction and core-excitation (1968FL02, 1968FL03). See also (1969VA1C).

$$61. \ ^{15}\text{N}(\text{d}, \alpha)^{13}\text{C} \quad Q_m = 7.687$$

$$Q_0 = 7.675 \pm 0.009 \text{ (1961LO10)}.$$

Observed α -particle groups are displayed in Table 13.20 (1951MA08, 1957WA01, 1961JA23). Angular distributions of α -particles have been measured at $E_d = 1.0$ to 1.2 MeV (1966ST16; α_0), 20.9 MeV (1968PR04; α_0, α_1) and 21 MeV (1959FI30; α_0). See also (1961LO02, 1965MA59).

$$62. \ ^{15}\text{N}(\alpha, ^6\text{Li})^{13}\text{C} \quad Q_m = -14.688$$

At $E_\alpha = 42$ MeV, the angular distribution of the ^6Li particles to $^{13}\text{C}(0)$ has been measured (1968MI05).

$$63. \text{}^{16}\text{O}(\text{n}, \alpha)\text{}^{13}\text{C} \quad Q_{\text{m}} = -2.215$$

At $E_{\text{n}} = 14.1$ to 18.8 MeV angular distributions of α -particles have been measured: see (1961CI01, 1966MC14, 1968LE11; α_0), (1967HS04; $\alpha_0, \alpha_1, \alpha_2 + \alpha_3$), (1968MA10; $\alpha_0, \alpha_1 + \alpha_2$), (1968SI06; $\alpha_0, \alpha_1 + \alpha_2 + \alpha_3$). See also (1959AJ76, 1962RO1G, 1963DA12, 1963MO04, 1963SE08, 1964MA1N, 1964MO1D, 1965CH13, 1965FU1E, 1966CI1A, 1966FA1B, 1967FU1K, 1967SI1E).

$$64. \text{}^{17}\text{O}(\text{d}, \text{}^6\text{Li})\text{}^{13}\text{C} \quad Q_{\text{m}} = -4.885$$

See (1966DE09).

$$65. \text{}^{18}\text{O}(\text{d}, \text{}^7\text{Li})\text{}^{13}\text{C} \quad Q_{\text{m}} = -5.678$$

See (1963DR1B, 1967DE03).

$$66. \text{}^{20}\text{Ne}(\text{n}, 2\alpha)\text{}^{13}\text{C} \quad Q_{\text{m}} = -6.944$$

See (1966PE08).

¹³N
(Figs. 3 and 4)

GENERAL:

Model calculations: (1955LA1A, 1957HU1C, 1959BA1D, 1960PH1A, 1960TA1C, 1961KU17, 1961KU1C, 1961NE1B, 1962IN02, 1962TA1E, 1963BA43, 1963BO1G, 1963SE19, 1963TR02, 1964AM1D, 1964BO1K, 1964ST1B, 1965BO1N, 1965MA1T, 1965ME1C, 1965WE1D, 1966EL08, 1966HA18, 1966NO1B, 1967BR1Q, 1967FA1A, 1967HU1C, 1967KU1E, 1967NE1D, 1967PO1J, 1967WA1C, 1968FI1F, 1968GO01, 1968HO1H, 1969VA1C, 1969ZU1B).

Other: (1967AU1B, 1967EP1A, 1968BA2N, 1968BA2F, 1968VO1C, 1969AU1D, 1969AR1G, 1969BL1G, 1969FO1D, 1969HA1G, 1969HE1N, 1969MC1C, 1969VA1C).

Ground state: $J = \frac{1}{2}$ (1961SN01). $\mu = -0.32212 \pm 0.00035$ nm (1964BE24). See also (1961PO09, 1964LI14, 1967CO1D, 1967SH14, 1968RO1E, 1969FU11, 1969NO1E, 1969SU15, 1969VA1C).

1. ¹³N(β^+)¹³C $Q_m = 2.221$

Measured values of the half-life are displayed in Table 13.22. The positron spectrum shows no deviation from the allowed shape: it is concluded that the Fierz coefficient in the Fermi interaction is $< 11\%$ (1957DA08, 1958DA09, 1968DA1J). $\log ft = 3.664$ based on Q_m and $\tau_{1/2} = 9.961$ min. The positron polarization has been studied by (1957BO65, 1957HA27). The results indicate that the positrons are completely polarized and hence that Fermi transitions as well as GT transitions exhibit the maximum effect of parity non-conservation. See also (1959AJ76) and (1965GA1D, 1966MI1F, 1967AM1H, 1969LE1D, 1969SU15).

2. ⁷Li(⁶Li, 2n)¹¹C $Q_m = 2.204$ $E_b = 23.651$

See (1960NO1A).

3. ⁹Be(⁶Li, 2n)¹³N $Q_m = 3.951$

See (1957NO17).

4. ¹⁰B(³He, n)¹²N $Q_m = 1.563$ $E_b = 21.638$

Table 13.21: Energy levels of ^{13}N ^a

E_x (MeV \pm keV)	$J^\pi; T$	$\tau_{1/2}$ or Γ (keV)	Decay	Reactions
0	$\frac{1}{2}^-$	$\tau_{1/2} = 9.961 \pm 0.004$ min	β^+	1, 3, 9, 10, 11, 12, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38
2.3660 ± 1.0	$\frac{1}{2}^+$	$\Gamma = 35 \pm 1$ keV	γ, p	10, 12, 15, 19, 20, 27, 29, 30, 31
3.509 ± 2	$\frac{3}{2}^-$	63 ± 5	γ, p	10, 11, 12, 15, 19, 20, 21, 22, 23, 26, 27, 29, 30, 31, 34, 37
3.547 ± 4	$\frac{5}{2}^+$	47 ± 7	p	10, 15, 19, 20, 21, 22, 23, 27, 29, 37
6.382 ± 10	$\frac{5}{2}^+$	11	p	10, 15, 27, 31, 33, 37
6.898 ± 10	$\frac{3}{2}^+$	115 ± 5	p	15, 31
7.166 ± 8	$\frac{7}{2}^+$	9 ± 0.5	p	15, 27, 31
7.387 ± 6	$\frac{5}{2}^-$	75 ± 5	p	11, 15, 27, 28, 29, 30, 31, 34, 37
7.9	$\frac{3}{2}^+$	≈ 1500	p	15
8.92 ± 30	$\frac{1}{2}^-$	230	p	15, 27, 28, 29, 30, 34
9.52 ± 20	$\frac{3}{2}^-$	30	p	11, 15, 27, 30
10.35 ± 20	$\frac{5}{2}^-$	30	p	11, 15
10.36	$\frac{7}{2}^-$	76	p	15
10.78 ± 40	$\frac{1}{2}^-$			27, 34
1.44			p	15
11.65		80	p	15
11.87 ± 30	$\frac{3}{2}^-$	130	p	11, 15, 27, 29, 30, 34
12.08		140	p	15
13.5		≈ 500	p	15
13.962	$\frac{3}{2}^+; \frac{1}{2}$	140	p, α	15, 18
14.1		≈ 500	(γ), p	12, 15
14.7		≈ 500	p	15
15.066 ± 0.4	$\frac{3}{2}^-; \frac{3}{2}$	1.16 ± 0.2	γ, p, α	11, 12, 15, 18, 27, 34
15.7		≈ 500	p	15
15.976	$\frac{7}{2}^+; \frac{1}{2}$	100	p, α	15, 18, 27
16.0		≈ 500	p	15
16.3		≈ 500	p	15

Table 13.21: Energy levels of ^{13}N (continued)

E_x (MeV \pm keV)	$J^\pi; T$	Γ_{cm} (keV)	Decay	Reactions
17.2		≈ 500	p	15
17.88 \pm 50		≈ 400	p	15
18.233	$\frac{1}{2}^-; \frac{1}{2}$	300	p, α	15, 18
18.419 \pm 5	$\frac{3}{2}^+; \frac{3}{2}$	66 \pm 8	p, α	11, 15, 18
18.5		≈ 500	p	15
18.7		≈ 500	p	15
18.973 \pm 10	$\frac{3}{2}^-$ or $\frac{7}{2}^+; \frac{3}{2}$	23 \pm 5	p, α	11, 15, 18
19.3		≈ 500	p	15
19.83	$\frac{5}{2}^-; \frac{1}{2}$	1000	(γ), p, α	12, 15, 18
19.88	$\frac{3}{2}^+; \frac{1}{2}$	520	(γ), p, α	12, 15, 18
20.9	$(\frac{5}{2})^+$	≈ 1500	p	15
21.69			p	15
21.99			p	15
22.6	$(\frac{5}{2})^-$	≈ 1000	γ , p	12, 15
23.3		400	p, ^3He	5
23.83		350 \pm 50	p, ^3He	5
24.4		≈ 500	p, ^3He	5, 15
(24.8)		100	p, ^3He	5
(25.2)	$(\frac{3}{2})^-$	120	p, ^3He	5, 15
25.7	$\geq \frac{3}{2}$	≈ 1000	p, ^3He	5
26.1	$\geq \frac{7}{2}$	≈ 1000	d, ^3He , α	6, 8
26.87			p	15
27.9		broad	p, ^3He	5
31.9			γ , p	12

^a See also Tables 13.8 and 13.17.

The cross section has been measured for $E(^3\text{He}) = 1$ to 6.3 MeV. There is some evidence of broad structures (1963PE10). See also (1966ZA01) and ^{12}N .

$$5. \text{}^{10}\text{B}(^3\text{He}, \text{p})^{12}\text{C}$$

$$Q_m = 19.695$$

$$E_b = 21.638$$

Table 13.22: The half-life of ^{13}N ^a

$\tau_{1/2}$ (min)	Refs.
9.96 ± 0.03	(1958AR15)
9.96 ± 0.03	(1958DA09)
9.965 ± 0.005	(1960JA12)
9.93 ± 0.05	(1960KI02)
9.96 ± 0.02	(1965EB01)
10.05 ± 0.05	(1965BO42)
9.963 ± 0.009	(1968RI15)
9.961 ± 0.004	weighted mean

^a See also (1955AJ61, 1959AJ76, 1961RA06).

Observed resonances in the yields of proton groups and γ -rays for $E(^3\text{He}) = 1.2$ to 12 MeV are displayed in Table 13.23 (1956SC01, 1964KU09, 1966PA10). For polarization measurements see (1965SI05, 1967SI05) and (1966MI1E). See also ^{12}C .

$$6. \ ^{10}\text{B}(^3\text{He}, \text{d})^{11}\text{C} \qquad Q_{\text{m}} = 3.199 \qquad E_{\text{b}} = 21.638$$

Excitation functions for the ground state group have been measured for $E(^3\text{He}) = 3.5$ to 10 MeV: a resonance reported at $E(^3\text{He}) \approx 5.8$ MeV (1965PA10). See also (1965BR42, 1967HA20). See also ^{11}C .

$$7. \ ^{10}\text{B}(^3\text{He}, \text{t})^{10}\text{C} \qquad Q_{\text{m}} = -3.624 \qquad E_{\text{b}} = 21.638$$

The excitation function for ^{10}C production has been measured from threshold to $E(^3\text{He}) = 10.5$ MeV. σ_{max} (at 10.5 MeV) = 435 ± 87 μb . No detailed structure is observed (1964OS1A). See also (1966MA36).

$$8. \ ^{10}\text{B}(^3\text{He}, \alpha)^9\text{B} \qquad Q_{\text{m}} = 12.140 \qquad E_{\text{b}} = 21.638$$

The excitation function for α -particles to $^9\text{B}(0)$, measured for $E(^3\text{He}) = 2$ to 10 MeV, indicates a strong resonance at $E(^3\text{He}) = 5.8$ MeV ($^{13}\text{N}^* = 26.1$), $\Gamma \approx 1$ MeV. This resonance does not appear in the excitation function for alphas to $^9\text{B}^*(2.3)$ measured over the same energy range.

Table 13.23: Structure in $^{10}\text{B} + ^3\text{He}$

E_{res} (MeV)	Γ (keV)	E_{res} (MeV)	Γ (keV)	E_{res} (MeV)	E_{res} (MeV)	Res. in	E_x in $^{13}\text{N}^*$ (MeV)
(1956SC01)		(1964KU09)		(1966PA10)	(1965PA05)		
2.0 ^{a,b}	500			2.2		$p_0, (p_1)$	23.3
		2.85 ± 50	450 ± 50			$\gamma_{15.1}$	23.83
3.7 ^a	700			3.5 ^a		p_1, p_0	24.5
4.1	120			3.7		p_0	24.8
4.6 ^a	150					$p_0, (p_1)$	25.2
		5.2 ± 100^c	240 ± 80	5.4 ^d		$p_0, \gamma_{15.1}$	25.7
						p_2, p_3	
					5.8 ^f	α_0, d_0	26.1
				8.2 ^e		p_0	27.9

^a See, however, (1964KU09).

^b See also (1967SI05).

^c See, however, (1966BA01).

^d $J \geq \frac{3}{2}$, $\Gamma \approx 1$ MeV (1966PA10).

^e $J \geq \frac{1}{2}$ (1966PA10).

^f $\Gamma \approx 1$ MeV. This resonance is also seen in the d_0 excitation curve (1965PA10).

Minor structure is observed in both excitation functions approximately 2 MeV (1965PA05). See also ^9B and (1968TA1M).

$$9. \ ^{10}\text{B}(\alpha, n)^{13}\text{N} \quad Q_m = 1.060$$

See (1959AJ76) and (1959HE1B, 1960KA13, 1961RO21, 1962ED01, 1965NI1B, 1966ZA01).

$$10. \ ^{10}\text{B}(^6\text{Li}, t)^{13}\text{N} \quad Q_m = 5.845$$

At $E(^6\text{Li}) = 4.9$ MeV, triton groups are observed to $^{13}\text{N}^*(0, 2.4, 3.6 [u], 6.38) [u = \text{unresolved}]$ (1966MC05). See also (1963MO1B, 1965CA05).

$$11. \ ^{11}\text{B}(^3\text{He}, n)^{13}\text{N} \quad Q_m = 10.182$$

Ground state angular distributions have been measured for $E(^3\text{He}) = 2.0$ to 5.3 MeV (1966DI04) and 4.7, 6.1 and 6.5 MeV (1969HO1F). Angular distributions at the latter energies of the neutrons corresponding to $^{13}\text{N}^*(3.51, 7.39, 9.52, 10.36, 11.87)$ indicate, respectively, $L = (0, 2), (2, 4)$,

(0, 2), (2, 4), (0, 2), in agreement with the J^π assignments in Table 13.19 (1969HO1F). Work at $E(^3\text{He}) = 1.2$ to 2.0 MeV has shown tht previously reported states at $E_x = 5.51$ and 6.10 MeV in the $^{11}\text{B}(^3\text{He}, \text{p})^{13}\text{C}$ reaction are instead due to the proton decay to $^{12}\text{C}(0)$ of ^{13}N states at $E_x = 9.52 \pm 0.02$ and 10.35 ± 0.02 MeV (1966CH18).

In a study with $E(^3\text{He}) = 7.0$ to 13.5 MeV, neutron groups have been observed to $T = \frac{3}{2}$ states at $E_x = 15.068 \pm 0.008$ MeV ($\Gamma < 15$ keV), 18.44 ± 0.04 MeV and 18.98 ± 0.02 MeV ($\Gamma = 40 \pm 20$ keV). J^π (determined by DWBA) for $^{13}\text{N}^*(15.07)$ is $\frac{3}{2}^-$ (1969AD02). The proton and γ -decay widths of $^{13}\text{N}^*(15.07)$ are displayed in Table 13.8 where they are compared with the corresponding quantities for $^{13}\text{C}^*(15.11)$ (1968CO27, 1969AD01). Comparison of the reduced widths for the particle decays to $^{12}\text{C}(0)$ and $^{12}\text{C}^*(4.4)$ show that the form of the isospin impurity in the 15.1 MeV, $T = \frac{3}{2}$, states depend on T_Z (1969AD01). See also (1964BR13, 1967TI1B, 1969MC1C).

$$12. \text{ (a) } ^{12}\text{C}(\text{p}, \gamma)^{13}\text{N} \quad Q_m = 1.944$$

$$\text{ (b) } ^{12}\text{C}(\text{p}, \gamma\text{p}')^{12}\text{C}$$

Resonances for capture radiation displayed in Table 13.24. [See also Table 13.17 for a summary of the total radiation widths of low-lying levels of ^{13}C – ^{13}N .] No resonance is observed at $E_p = 1.73$ MeV, corresponding to $^{13}\text{N}^*(3.56)$ (1951SE67, 1963YO06).

No capture radiation is observed for $E_x = 5$ to 10.4 MeV: the upper limits to the (p, γ_0) cross sections are 2 mb/sr at the known (p, p) resonances (1962PA07). At $E_p = 14.2$ MeV, capture radiation from the first $T = \frac{3}{2}$ state at $E_x = 15.07$ MeV is observed. $\Gamma_p\Gamma_\gamma/\Gamma = 5.5 \pm 0.8$ eV for the ground state transition which, combined with $\Gamma_p/\Gamma = 0.20 \pm 0.025$ from (1969AD01), yields $\Gamma_\gamma = 27 \pm 5$ eV. The amplitude ratio of $E2/M1 = -0.095 \pm 0.07$. For the transitions to $^{13}\text{N}^*(2.37)$ and $^{13}\text{N}^*(3.51 + 3.56)$, $\Gamma_\gamma < 4.5$ and 23 ± 5 eV, respectively. The angular distributions of the γ -rays determine $J = \frac{3}{2}$ for $^{13}\text{N}^*(15.07)$ (1968DI04). No clear structure is observed in the ground state capture cross section for $E_p = 14$ to 19.5 MeV (1962WA31). Resonances reported by (1963FI07) in the yields of γ_0 and γ_2 are displayed in Table 13.22. See also (1964TA05).

The capture cross section at low energy is of interest in connection with stellar energy generation: see (1959AJ76) and (1959CA1A, 1964FO1A, 1966BA2P, 1967FO1B).

In the range $E_p = 1.2$ to 2.5 MeV, reaction (b) is observed, involving a γ -transition to the 2.37 MeV state. p-wave resonant capture at $E_p = 1.70$ MeV, with $\Gamma_\gamma = 0.04$ eV, interferes with direct p-wave capture (1954WO09). See also (1959DE28, 1959SU55, 1963CA09, 1964AL1J, 1965FA1E, 1965MA1H, 1966ED1A, 1968TH1K).

$$13. \text{ } ^{12}\text{C}(\text{p}, \text{n})^{12}\text{N} \quad Q_m = -18.131 \quad E_b = 1.944$$

The cross section for this reaction has been measured from threshold to $E_p = 50$ MeV. Resonant structure is observed corresponding to $E_x = 21, 24$ and, possibly, ≈ 27 MeV (1968RI01). See also (1963VA1C, 1966SP09) and ^{12}N .

Table 13.24: Resonances in $^{12}\text{C}(p, \gamma_0)^{13}\text{N}$

E_p (MeV \pm keV)	Γ_{lab} (keV)	$\omega\Gamma_\gamma$ (eV)	$^{13}\text{N}^*$ (MeV)	Res. in yield of	Refs.
0.4568 ± 0.5	39.5 ± 1.0	0.67	2.365	γ_0	(1949FO18, 1951SE67, 1953HU18)
	36.5 ± 2.0				(1968BL1K)
	36.7 ± 1.0	0.45 ± 0.05			(1968RI16)
1.698 ± 5	72 ± 9	1.39	3.510	γ_0	(1949VA1A, 1951SE67)
	67 ± 4	1.06^a			(1963YO06, 1968BL1K)
13 ^b			14	γ_0	(1963FI07)
14.2	(see text)		15.0	$\gamma_0, \gamma_1,$	(1968DI04)
	$T = \frac{3}{2}$ state			$\gamma_2 + \gamma_3$	
20 ^b			20	γ_0	(1963FI07)
24.5			22.6	γ_2	(1963FI07)
32.5 ^b			31.9	γ_0	(1963FI07)

^a $\omega\Gamma_\gamma$ for $^{13}\text{N}^*(3.56) < 0.006$ eV (1963YO06).

^b $T = \frac{1}{2}$ dipole states (1963FI07, 1964TA05).

14. $^{12}\text{C}(p, pn)^{11}\text{C}$

$$Q_m = -18.720$$

$$E_b = 1.944$$

Cross sections have been measured to $E_p = 385$ MeV: see (1962AU1A, 1963CU05, 1964KA31, 1966ME01, 1968AN02) and (1959AJ76). See also (1963VA1C, 1969KO1P).

15. (a) $^{12}\text{C}(p, p)^{12}\text{C}$

$$E_b = 1.944$$

(b) $^{12}\text{C}(p, p')^{12}\text{C}^*$

(c) $^{12}\text{C}(p, 2p)^{11}\text{B}$

$$Q_m = -15.957$$

Yield curves for elastic protons, protons inelastically scattered to $^{12}\text{C}^*(4.4, 7.7, 9.6, 12.7, 15.1)$, and for γ -rays from $^{12}\text{C}^*(12.7)$ and (15.1) have been studied at many energies up to $E_p = 48.5$ MeV: see Table 13.25 for a display of the characteristics of the observed structure.

Total reaction cross section measurements have been made at $E_p = 10 - 19$ MeV (1968DI1D), 16.4 (1965PO07), 16.2 to 28 (1965MA26), 20 and 42 (1964GI05), 24.5 to 46.1 (1967MC1E), 28 (1964MA59), 34 (1959GO90), 45 (1967CA1K), 60 (1969ME08), 61 (1960ME16), 142 (1961TA06), 180 MeV (1961JO17) and 1 GeV (1967IG1A). Non-elastic cross sections have been measured at $E_p = 9.9$ and 10.2 MeV (1962IG1A, 1963WI12) and at 77, 95, 113 and 133 MeV (1962GO02).

Table 13.25: ^{13}N levels from $^{12}\text{C}(p, p)^{12}\text{C}$, $^{12}\text{C}(p, p')^{12}\text{C}^*$ and $^{12}\text{C}(p, \alpha)^9\text{B}$

E_{res} (MeV \pm keV)	$^{13}\text{N}^*$ (MeV)	$\Gamma_{\text{c.m.}}$ (keV)	l_p	J^π	θ_p^2	Refs.
0.461 ± 3	2.370	31	0	$\frac{1}{2}^+$	0.54	(1953JA1B, 1954MI05)
1.686 ± 6	3.502	63	1	$\frac{3}{2}^-$	0.031	(1953JA1B, 1966AR03)
1.734 ± 6	3.547	74	2	$\frac{3}{2}^+$	0.21	(1953JA1B, 1966AR03)
4.808 ± 10	6.382	11	2	$\frac{3}{2}^+$	0.0031	(1956RE39, 1964ME1C, 1967BA1C)
5.370 ± 10	6.898	115 ± 5	2	$\frac{3}{2}^+$	0.13	A
5.65 ± 10	7.16	9 ± 0.5	4	$\frac{3}{2}^+$	0.016	(1960YO01, 1963BA36, 1963BA43, 1963NI05)
5.891	7.379	75 ± 5	3	$\frac{3}{2}^-$	0.069	B
6.5	7.9	≈ 1500	2	$\frac{3}{2}^+$	0.14	C
7.54	8.90	230	1	$\frac{3}{2}^-$	0.02	D
8.17	9.48	30	1	$\frac{3}{2}^-$	0.001	D and (1966SW04)
9.13^a	10.36	30	3	$\frac{3}{2}^-$		E
9.13^a	10.36	76	3	$\frac{3}{2}^-$		E
(10.31)	(11.44)					(1960BO19, 1961MC16)
10.52	11.65	80				(1959BR1J, 1960BO19, 1961AD04, 1961MC16, 1968DI1D)
10.74	11.85	130				(1961AD04)
10.99	12.08	140				(1959BR1J, 1960BO19, 1961AD04, 1961MC16)
12.5	13.5	≈ 500				(1961NA02)
13.035	13.962	140	2	$\frac{3}{2}^+; T = \frac{1}{2}$		(1969LE18)
13.2	14.1	≈ 500				(1961NA02, 1969FA04)
13.8	14.7	≈ 500				(1961NA02, 1964DA03)
14.231 ± 4	15.065	1.16 ± 0.2	1	$\frac{3}{2}^-; T = \frac{3}{2}$		F
14.9	15.7	≈ 500				(1964DA03)
15.220	15.976	100	4	$\frac{7}{2}^+; T = \frac{1}{2}$		(1969LE18)
15.2	16.0	≈ 500				(1961NA02, 1964DA03, 1967KU02)
15.6	16.3	≈ 500				(1964DA03)
16.5	17.2	≈ 500				(1964DA03)
17.27 ± 50	17.88	≈ 400				(1968SN1B)

Table 13.25: ^{13}N levels from $^{12}\text{C}(p, p)^{12}\text{C}$, $^{12}\text{C}(p, p')^{12}\text{C}^*$ and $^{12}\text{C}(p, \alpha)^9\text{B}$ (continued)

E_{res} (MeV \pm keV)	$^{13}\text{N}^*$ (MeV)	$\Gamma_{\text{c.m.}}$ (keV)	l_p	J^π	θ_p^2	Refs.
17.670	18.233	300	1	$\frac{1}{2}^-; \frac{1}{2}$		(1964DA03, 1967KU02, 1969LE18)
17.857 \pm 5	18.419	66 \pm 8	2	$\frac{3}{2}^+; T = \frac{3}{2}$		(1967KU02, 1968SN1B, 1969LE18)
17.9	18.5	\approx 500				(1964DA03)
18.2	18.7	\approx 500				(1964DA03)
18.460 \pm 10	18.973	23 \pm 5	1	$\frac{3}{2}^-$ or $\frac{7}{2}^+; T = \frac{3}{2}$		(1967KU02, 1968SN1B, 1969LE18)
18.8	19.3	\approx 500				(1964DA03)
19.40	19.83	1000	3	$\frac{5}{2}^-; T = \frac{1}{2}$		(1964DA03, 1969LE18)
19.46	19.88	520	2	$\frac{3}{2}^+; T = \frac{1}{2}$		(1963ME04, 1965MA26, 1966LO16, 1967SC11)
20.5	20.9	\approx 1500		$(\frac{5}{2})^+$		
21.41	21.69					(1963DI16, 1964WA11, 1966CR04)
21.73	21.99					(1963DI16, 1964WA11, 1966CR04)
22.4	22.6	\approx 1000		$(\frac{5}{2})^-$		(1963ME04, 1966LO16, 1967SC11)
24.2	24.3	\leq 500				(1963ME04, 1966LO16)
25.5	25.5			$(\frac{3}{2})^-$		(1967SC11)
27.02	26.87					(1963DI16, 1964WA11, 1966CR04)

^a The resonant energies probably do not differ by more than 2 keV (1968BE31).

A: (1956RE39, 1961AD04, 1962SH22, 1963BA36, 1963BA43, 1963NI05, 1964ME1C, 1966BA35, 1967BA1C, 1967DU1A, 1968BE31; see also 1960BO19, 1965BE12).

B: (1956BR27, 1961AD04, 1962SH22, 1963BA36, 1963BA43, 1963NI05, 1964ME1C, 1966BA35, 1966SH10, 1968BE31; see also 1960BO19).

C: (1956SC29, 1960BO19, 1961NA02, 1962SH22, 1964ME1C, 1966BA35).

D: (1961AD04, 1962SH22, 1966BA35; see also 1960BO19, 1961MC16).

E: (1961AD04, 1962SH22, 1966BA35, 1966SW04, 1967SW1A, 1968BE31; see also 1960BO19, 1961MC16, 1961NA02).

F: (1966BR1Z, 1966BR2A, 1967KU02, 1967TE1A, 1968TE1C, 1969LE18).

Table 13.26: Summary ^a of ¹²C(p, p)¹²C polarization measurements

E_p (MeV)	¹² C states	References
1 – 3	g.s.	(1968SL01)
1.2 – 2.4	g.s.	(1965BO1L)
1.5 – 3.0	g.s.	(1967TR08)
1.5 – 5.0	g.s.	(1959PH37)
1.7 – 1.9	g.s.	(1966BA2Q)
2.3 – 4.3	g.s.	(1960EV02)
2.4 – 3.4	g.s.	(1965BE1L)
2.9	g.s.	(1966HS1A)
3.0	g.s.	(1962NE17)
3.8 – 4.8	g.s.	(1962GO26, 1964DR01, 1964DR03, 1964DR04)
4.4 – 10	g.s.	(1968BE31, 1968TE05)
4.5	g.s.	(1964BO18)
4.6 – 5.5	g.s.	(1961GO26)
4.6 – 7.2	g.s.	(1965TE1B)
4.65 – 5.0	g.s.	(1960TO09)
4.7 – 11.3	g.s.	(1965MO15)
5.0 – 10.5	g.s.	(1961EV03)
5.1 – 6.8	g.s.	(1959WA07)
5.4 – 19.7	g.s.	(1962RO14)
6.0	g.s.	(1965BO31)
6.0 – 6.8	g.s.	(1964BE1H, 1964BE20)
6.2	g.s.	(1965CL1D)
6.3	g.s.	(1962MA1N)
6.5	g.s.	(1962BE1E)
6.7	g.s.	(1964BE29)
6.8	g.s.	(1960PA07)
6.9	g.s.	(1969GU02)
8.6	g.s.	(1961RO13)
9.2	g.s.	(1961HO09)
9.4	g.s.	(1960ST09)
10.4 – 19.9	g.s., 4.4	(1969FA04)

Table 13.26: Summary ^a of ¹²C(p, p)¹²C polarization measurements (continued)

E_p (MeV)	¹² C states	References
10.8, 12.7	g.s.	(1963SA1D)
11.7	g.s.	(1961RO05)
12.8 – 13.4	g.s.	(1966ST05)
14.5	g.s., 4.4	(1962RO20, 1962ST11, 1965RO22)
16.5	g.s., 4.4	(1966DA1G)
16.6, 19.3	g.s., 4.4	(1962BO05)
17.7	g.s., 4.4	(1959BR1K)
17.8	g.s., 4.4	(1965BA54)
19.3	9.6	(1962BO05)
19.7	9.6	(1962RO14)
20 – 28	g.s.	(1966LO16)
20.2 – 28.3 ^b	g.s., 4.4	(1966CR04)
21	g.s.	(1966BE1M)
29, 49	g.s., 4.4	(1963CR03, 1966CR14)
32.9	g.s.	(1968GR1K, 1969MA2D)
38	g.s., 4.4	(1963HW01)
40 ^b	g.s., 4.4	(1966BL19, 1967FR20)
43.5	g.s.	(1966CA01)
50	g.s.	(1967FA06)
57	g.s.	(1962YA04)
75, 152	g.s.	(1966RO08)
80	g.s.	(1966MA1Z)
139	g.s.	(1963HE1B)
140	g.s.	(1966JA03, 1966JA08, 1966JA1F)
141	g.s.	(1965PO05)
143		(1964ST16)
145	g.s., 4.4, 9.6, 14, 18.5	(1966EM01)
150	g.s., 4.4, 7.7, 9.6	(1962SA05, 1965TA1F)
155	g.s., 4.4	(1957AL79)
173	g.s., 4.4, 9.6, 15.1	(1957HI98, 1957TY1B)

Table 13.26: Summary ^a of ¹²C(p, p)¹²C polarization measurements (continued)

E_p (MeV)	¹² C states	References
424	g.s.	(1957HE51)
725	g.s.	(1965MC04)
2000, 3600		(1967BA2F)

^a See also (1963AZ01, 1963AZ1C, 1965AZ1A, 1966LE1N).

^b See also (1969KO13).

The (p, 2p) cross section has been determined at $E_p = 120$ to 150 MeV (1962AU1A) and that of the ¹²C(p, p')⁴He⁴He⁴He at 90 MeV (1961GA07). See also (1962WA31, 1966KI1D, 1967BE2D, 1967WA1H).

A summary showing the energies at which polarization measurements have been made is presented as Table 13.26. Reviews of the experimental evidence are given by (1959PH37, 1962RO14, 1966DA1B, 1966RO1R, 1966RO1B). See also (1959AJ76) and (1966KI1D).

The polarization and asymmetry in the elastic scattering of 32.9 MeV protons are equal to within $\approx 1\%$: therefore no violation of time-reversal invariance is observed in that part of the nuclear force which flips the spin of the proton (1968GR1K, 1969MA2D).

The following is a list of recent theoretical papers bearing on these reactions: (1955DE50, 1958BE1B, 1959BA24, 1959KE1A, 1959PU1A, 1959RI1A, 1959WI1C, 1960NI02, 1960SA1E, 1960SA1G, 1961SA1B, 1962MA1M, 1962NO04, 1962NO03, 1962NO1D, 1962RO1F, 1962VO04, 1963BA43, 1963HO1D, 1963LO1A, 1963LU1C, 1963RO1G, 1963SC1C, 1964CR1B, 1964GR1E, 1964IY1A, 1964TA1E, 1964VE1A, 1965BA1M, 1965BE1K, 1965CL1E, 1965FA1E, 1965HA28, 1965PE1F, 1965SA1H, 1966BA2N, 1967BA1C, 1967MC1H, 1967SA1C, 1967TA1B, 1967WO1E, 1968BA1K, 1968CH35, 1968FA1H, 1968KO26, 1968TA1U, 1968TI1B, 1969HA2C, 1969KO1J, 1969PA1H, 1969TA1D).

See also (1959BU97, 1960DE1C, 1961JO18, 1961MC11, 1962PA07, 1963AZ1B, 1963DE35, 1964FI1B, 1965CL1C, 1965GR1N, 1965VA23, 1966HA1F, 1966MA1Y, 1966RE1D, 1967AR1D, 1967VO1C, 1969BR1D, 1969EW01).

For discussion of spallation measurements, see (1965ZO1A, 1967AU1A, 1967GR1K, 1967LI1B, 1968JA1M, 1968JU1B, 1969DA1M, 1969DA1N).

See also ¹²C in (1968AJ02).

16. ¹²C(p, d)¹¹C

$$Q_m = -16.495$$

$$E_b = 1.944$$

The yield has been measured for $E_p = 18$ to 19.8 MeV: no structure is observed (1962WA31). Polarization measurements are reported by (1960CO05, 1967CH15, 1968IN02, 1969IN1C). See also ¹¹C in (1968AJ02) and (1969BO1J, 1969ED02, 1969KO1P).

Table 13.27: $^{12}\text{C}(\text{d}, \text{n})^{13}\text{N}$ angular distribution studies

E_d (MeV)	Distribution of neutron groups	Refs.
0.5 – 0.8	n_0	(1969CH04)
1.5 – 3.0	n_0	(1959EL44, 1963HO1G)
2.7 – 3.2	n_0	(1966GU04)
2.8 – 4.2	n_0	(1966SA05)
3.8 – 4.2	n_0	(1967FU03)
3.8 – 4.2	n_1	(1966SA05)
4.1 – 5.0	n_0, n_1	(1966HO11)
9	n_0, n_1, n_{2+3}	(1957CA02)
11.8	n_0, n_1, n_2, n_3	(1969VE1D)
12, 15, 17	n_0	(1969GA1T) ^a
13	n_0, n_1, n_{2+3}	(1963KO24)

^a Angular distributions of recoils in coincidence with neutrons.

$$17. \ ^{12}\text{C}(\text{p}, \text{t})^{10}\text{C} \quad Q_m = -23.319 \quad E_b = 1.944$$

See (1967CO23, 1967ME23) and ^{10}C in (1966LA04).

$$18. \ ^{12}\text{C}(\text{p}, \alpha)^9\text{Be} \quad Q_m = -7.554 \quad E_b = 1.944$$

Yield curves for α_0 have been measured over the 14.2 MeV resonance, corresponding to the first $T = \frac{3}{2}$ state at $E_x = 15.07$ MeV, and from $E_p = 17$ to 20 MeV. The yield for the α_1 group has been determined for $E_p = 17$ to 21.5 MeV. Parameters of observed resonances are displayed in Table 13.25 (1969LE18). See also (1963VA1C, 1964BA29, 1966BA35, 1966RE1D, 1968TE1C) and ^9B in (1966LA04).

$$19. \ (a) \ ^{12}\text{C}(\text{d}, \text{n})^{13}\text{N} \quad Q_m = -0.281$$

$$(b) \ ^{12}\text{C}(\text{d}, \text{pn})^{12}\text{C} \quad Q_m = -2.225$$

Measurements of angular distributions of neutrons are tabulated in Table 13.27. See also ^{14}N .

In the range $E_d = 2.8$ to 3.7 MeV, a single neutron threshold is observed at $E_d = 3.09 \pm 0.02$ MeV, corresponding to $^{13}\text{N}^* = 2.36 (5) \pm 0.02$ MeV (1955MA76).

At $E_d = 4.7$ to 5.5 MeV, broad proton groups are reported from the sequential decay $^{12}\text{C} + d \rightarrow ^{14}\text{N}^* \rightarrow ^{13}\text{N}^* + n \rightarrow ^{12}\text{C} + n + p$ via $^{13}\text{N}^*(3.51, 3.56)$ (1963PI04). The proximity scattering associated with this process is characterized by a mean lifetime for the intermediate state of 0.7×10^{-20} sec (1965LA08, 1965LA1F, 1966LA18). See also (1968BO02, 1969SA1K).

See also (1959AJ76), (1960MA21, 1961KE1C, 1961LE1E, 1961YA05, 1961YN02, 1963KN04, 1964CA1F, 1965GA1G, 1965JO09, 1965SI13, 1966HO1D, 1967OG1A) and (1961HO1D, 1963SM05, 1963TR1A, 1964SH1C, 1965MA1K, 1966ST1L, 1968HU1G).

$$20. \text{ (a) } ^{12}\text{C}(^3\text{He}, d)^{13}\text{N} \quad Q_m = -3.550$$

$$\text{ (b) } ^{12}\text{C}(^3\text{He}, pd)^{12}\text{C} \quad Q_m = -5.494$$

Angular distributions of deuterons to $^{13}\text{N}(0)$ have been measured at $E(^3\text{He}) = 6.0, 8.8, 9.4$ and 10.1 MeV (1960HI07; d_0), at 13.9 MeV (1960PR12; d_0), at $16, 17$ and 18 MeV (1969FO02; d_0, d_1, d_{2+3}), at 19 MeV (1969FO02; d_4, d_5, d_6, d_7), at 21.6 and 24.7 MeV (1960WE04; d_0, d_1, d_{2+3}), and at 29 MeV (1962GA17; d_0, d_1, d_{2+3}). See also (1952FR1A, 1961YN02, 1966EC1B, 1966HA1Q, 1967HA21, 1967HO14, 1969FO02). For reaction (b) see (1969FO02).

$$21. ^{12}\text{C}(\alpha, t)^{13}\text{N} \quad Q_m = -17.870$$

Angular distributions have been measured at $E_\alpha = 43$ MeV (1967DE1K; t_0), 46 MeV (1969FO1C; $t_2 + t_3$) and at 56 MeV (1968GA1C, 1969GA11; t_0). At $E_\alpha = 56$ MeV a detailed comparison is made with the ^3He distribution from the mirror reaction $^{12}\text{C}(\alpha, ^3\text{He})^{13}\text{C}$ (1969GA11). See also (1961YN02, 1963TR1A, 1964SH1C).

$$22. ^{12}\text{C}(^{10}\text{B}, ^9\text{Be})^{13}\text{N} \quad Q_m = -4.644$$

At $E(^{10}\text{B}) = 105$ MeV, the ground state of ^{13}N and $^{13}\text{N}^*(3.5 \text{ [u]})$ are observed (1965SA07). See also (1963GR1H, 1965GR1F, 1969BR1D).

$$23. ^{12}\text{C}(^{11}\text{B}, ^{10}\text{Be})^{13}\text{N} \quad Q_m = -9.285$$

At $E(^{11}\text{B}) = 116$ MeV, the ground state of ^{13}N and $^{13}\text{N}^*(3.5 \text{ [u]})$ are observed (1965SA07, 1967PO13). See also (1965DA1E, 1965GR1F, 1969BR1D).

$$24. ^{12}\text{C}(^{12}\text{C}, ^{11}\text{B})^{13}\text{N} \quad Q_m = -14.013$$

See (1962CH01, 1969BR1D).

$$25. \text{}^{12}\text{C}(\text{}^{14}\text{N}, \text{}^{13}\text{C})\text{}^{13}\text{N} \quad Q_{\text{m}} = -5.606$$

See (1967BIIF, 1969BR1D, 1969DO07).

$$26. \text{}^{13}\text{C}(\text{p}, \text{n})\text{}^{13}\text{N} \quad Q_{\text{m}} = -3.003$$

$$E_{\text{thresh.}} = 3.2353 \pm 0.0015 \text{ (1961BE13)};$$

$$E_{\text{thresh.}} = 3.2371 \pm 0.0016 \text{ (1961BE13)}; \text{ see (1964BO10)};$$

$$E_{\text{thresh.}} = 3.2354 \pm 0.0024 \text{ (1966BO20)};$$

$$E_{\text{thresh.}} = 3.2357 \pm 0.0007 \text{ (recommended by (1966MA60))}.$$

Angular distributions of ground state neutrons have been measured at $E_{\text{p}} = 3.1$ to 5.3 MeV (1961AL07), 3.39 to 12.86 MeV (1961DA09), 5.0 to 13.3 MeV (1961WO03) and 18.5 MeV (1964AN1B). See also (1962PA07, 1964ST1C, 1965VA23) and (1959BL1B, 1963EL1B, 1964CA1F, 1964SA1D, 1966PA1H).

Two thresholds are observed at $E_{\text{p}} = 3.235$ and 6.965 MeV (± 10 keV), corresponding to $^{13}\text{N}(0)$ and $^{13}\text{N}^*(3.464)$ (1966RI09). The neutron group corresponding to $^{13}\text{N}^*(2.3)$ is very weak compared to the groups to $^{13}\text{N}(0)$ and $^{13}\text{N}^*(3.5)$ at the energies studied (1961DA09). See also (1959AJ76), (1959BO14, 1966UN1A, 1968AT1A, 1968LI1G, 1968RI1Q, 1968WO1D, 1969PA1J) and ^{14}N .

$$27. \text{}^{13}\text{C}(\text{}^3\text{He}, \text{t})\text{}^{13}\text{N} \quad Q_{\text{m}} = -2.239$$

At $E(^3\text{He}) = 39.6$ MeV, angular distributions have been obtained for the tritons corresponding to the ground state of ^{13}N and to the excited states at 2.37 , 3.53 ± 0.03 [u], 6.38 , 7.17 , 7.39 , 8.92 ± 0.04 , 11.85 ± 0.04 and 15.07 MeV. States at $E_{\text{x}} = 9.5$, 10.78 ± 0.04 and 15.98 ± 0.05 MeV were also populated, the first of these weakly. The transitions to $^{13}\text{N}^*(7.39, 8.92, 11.85, 15.07)$ are $L = 2$ [$J^{\pi} = \frac{5}{2}^{-}, \frac{1}{2}^{-}, \frac{3}{2}^{-}, \frac{3}{2}^{-}$, respectively] (1968BA1E, 1969BA06). See also (1966EC1B).

$$28. \text{}^{14}\text{N}(\gamma, \text{n})\text{}^{13}\text{N} \quad Q_{\text{m}} = -10.553$$

See (1963FU06) and ^{14}N .

29. (a) $^{14}\text{N}(\text{p}, \text{d})^{13}\text{N}$ $Q_{\text{m}} = -8.329$
 (b) $^{14}\text{N}(\text{p}, \text{pn})^{13}\text{N}$ $Q_{\text{m}} = -10.553$

Angular distributions have been determined at $E_{\text{p}} = 14$ MeV (1969CU1D; d_0), 18.5 MeV (1961BE12; $\text{d}_0, \text{d}_1, \text{d}_{2+3}$), 30.3 MeV (1967KO08; d_0, d_2 , and the deuterons to $^{13}\text{N}^*(7.38, 8.93, 11.80)$), 45 MeV (1966MA2B; $\text{d}_0, \text{d}_1, \text{d}_{2+3}$, and the deuterons to $^{13}\text{N}^*(7.4 \pm 0.1, 11.8 \pm 0.2)$) and 155.6 MeV (1966BA44; $\text{d}_0, \text{d}_{2+3}$, and the deuterons to $^{13}\text{N}^*(7.4, 9.0, 11.9)$). See also (1964EL1B, 1967OG1A, 1969DO08, 1969TO1A). For reaction (b), see (1962BA1A). See also ^{14}N .

30. $^{14}\text{N}(\text{d}, \text{t})^{13}\text{N}$ $Q_{\text{m}} = -4.296$

Angular distributions of the tritons to $^{13}\text{N}^*(0, 3.51, 7.38, 8.93 + 9.48, 11.8)$ have been obtained at $E_{\text{d}} = 52$ MeV and analyzed by DWBA. The spectroscopic factors for the ^{13}N states [and the mirror states reached in the $^{14}\text{N}(\text{d}, ^3\text{He})^{13}\text{C}$ reaction] are in good agreement with theory and are additional evidence for the J^{π} assignments of $\frac{1}{2}^{-}, \frac{3}{2}^{-}, \frac{5}{2}^{-}, \frac{1}{2}^{-}, \frac{3}{2}^{-}$ and $\frac{3}{2}^{-}$ to these states (1968HI01). Comparisons of (d, t) and (d, ^3He) angular distributions are also reported by (1966DE1C, 1968GA13).

31. (a) $^{14}\text{N}(^3\text{He}, \alpha)^{13}\text{N}$ $Q_{\text{m}} = 10.025$
 (b) $^{14}\text{N}(^3\text{He}, \text{p}\alpha)^{12}\text{C}$ $Q_{\text{m}} = 8.081$
 $Q_0 = 10.015 \pm 0.010$ (1959YO25).

Alpha-particle groups have been observed to the ground state of ^{13}N and to excited states at $2.358 \pm 0.010, 3.471 \pm 0.015$ MeV (1960TA12), 6.38, 6.91, 7.166 ± 0.008 and 7.388 ± 0.008 MeV (1962CL12). See also (1963GA03). Angular distributions have been studied at $E(^3\text{He}) = 4.5, 5.5$ and 7.0 MeV (1967KN1B; $\alpha_0, \alpha_1, \alpha_{2+3}$), 13.9 MeV (1968LU03; $\alpha_0, \alpha_1, \alpha_{2+3}, \alpha_4, \alpha_{6+7}$), 17.4 to 36.6 MeV (1965AR07; $\alpha_0, \alpha_1, \alpha_{2+3}, \alpha_{5+6}$ and the alphas to $^{13}\text{N}^*(11.4)$), 29 MeV (1962SE13; α_0), and at 40–45 MeV (1967BA2G). For reaction (b) see (1967DE1T). See also (1964EL1B, 1965BO1N, 1966BO1U, 1967BE22, 1967OG1A, 1968ZE1B, 1969DO08).

32. $^{14}\text{N}(^{12}\text{C}, ^{13}\text{C})^{13}\text{N}$ $Q_{\text{m}} = -5.606$

As expected from isospin conservation the angular distributions (at $E(^{14}\text{N}) = 78$ MeV) of ^{13}N and ^{13}C are symmetric about 90° (1969VO01).

33. $^{14}\text{N}(^{14}\text{N}, ^{15}\text{N})^{13}\text{N}$ $Q_m = 0.282$

See (1968NA1F, 1969BR1D, 1969KA1G).

34. $^{15}\text{N}(\text{p}, \text{t})^{13}\text{N}$ $Q_m = -12.906$

At $E_p = 43.7$ MeV, angular distributions have been obtained for the tritons corresponding to the ground state of ^{13}N and the excited states at 3.51 ($\frac{3}{2}^-$), 6.38 ± 0.03 ($\frac{5}{2}^+$), 7.38 ($\frac{5}{2}^-$), 8.93 ± 0.05 ($\frac{1}{2}^-$), 10.78 ± 0.06 ($\frac{1}{2}^-$), 11.88 ± 0.04 ($\frac{3}{2}^-$) and 15.07 ($\frac{3}{2}^-$; $T = \frac{3}{2}$) MeV states [J^π values in parentheses, as determined by DWBA analyses using intermediate-coupling wave functions to obtain the two-nucleon structure factors] (1968FL03). Detailed comparisons have been made with the (p, ^3He) reaction to the mirror states in ^{13}C (1968FL02, 1968FL03). See also (1966CE02, 1966CE05) and (1969VA1C).

35. $^{16}\text{O}(\gamma, \text{t})^{13}\text{N}$ $Q_m = -25.032$

See (1965BU1F, 1968BU1D).

36. (a) $^{16}\text{O}(\text{p}, \alpha)^{13}\text{N}$ $Q_m = -5.218$

(b) $^{16}\text{O}(\text{p}, \text{p}\alpha)^{12}\text{C}$ $Q_m = -7.161$

$Q_0 = -5.206 \pm 0.010$ (1960WH03).

Angular distributions of the ground state α -particles have been measured at $E_p = 7.9$ to 10.2 MeV (1964DA02), 13.5 to 18.1 MeV (1961MA15) and 38 MeV (1969GA03, 1967AC01). See also (1962VA1A, 1964CE1D), (1957CH1A, 1961WI1F, 1964HO1D) and ^{17}F . For reaction (b), see (1967CH04).

37. $^{16}\text{O}(^3\text{He}, ^6\text{Li})^{13}\text{N}$ $Q_m = -9.239$

At $E(^3\text{He}) = 65.3$ MeV, ^6Li groups are observed to $^{13}\text{N}^*(0, 3.6 \text{ [u]}, 6.4, 7.4)$ (1966CE02). See also (1969OH1B).

38. $^{18}\text{O}(\text{d}, ^7\text{Li})^{13}\text{N}$ $Q_m = -7.899$

See (1966DA1C).

¹³O
(Fig. 4)

¹³O has been produced in the reaction ¹⁶O(³He, ⁶He)¹³O at $E(^3\text{He}) = 65$ MeV; the mass excess of ¹³O is 23.11 ± 0.07 MeV (1966CE02). ¹³O is then bound with respect to ¹²N+p by 1.54 MeV. A computation using three other members of the $T = \frac{3}{2}$ quartet predicts $M - A(^{13}\text{O}) = 23.10 \pm 0.05$ (1966CE02).

¹³O has also been reported in the ¹⁴N(p, 2n)¹³O reaction initiated by 50 MeV protons: $\tau_{1/2} = 8.7 \pm 0.4$ msec. ¹³O is a delayed proton emitter decaying via ¹³N*(8.92, 9.52) to ¹²C + p. The relative intensities are 100:24; on this scale the intensities of possible transitions to ¹³N*(7.39; $\frac{5}{2}^-$) is < 15 , $\log ft > 5.5$ (1965MC09). On the basis of charge symmetry, and the ¹³B β^- decay, the half-life of ¹³O should be 7.7 ± 0.8 msec and the β^+ branching to ¹³N*(0, 3.51, 7.39, 8.92, 9.52) should be, respectively, $(89 \pm 11)\%$, $(10 \pm 2)\%$, $(0.24 \pm 0.06)\%$, $(0.57 \pm 0.12)\%$ and $< 0.2\%$ (1969JO21).

See also (1960GO1B, 1960ZE03, 1961BA1C, 1963BA63, 1963VL1B, 1964GO1G, 1965JA1C, 1966GO1B, 1966KE16, 1969GA1P).

References

(Closed 31 December 1969)

References are arranged and designated by the year of publication followed by the first two letters of the first-mentioned author's name and then by two additional characters. Most of the references appear in the National Nuclear Data Center files (Nuclear Science References Database) and have NNDC key numbers. Otherwise, TUNL key numbers were assigned with the last two characters of the form 1A, 1B, etc. In response to many requests for more informative citations, we have, when possible, included up to ten authors per paper and added the authors' initials.

- 1949FO18 W.A. Fowler and C.C. Lauritsen, Phys. Rev. 76 (1949) 314
1949HU41 E.L. Hudspeth and C.P. Swann, Phys. Rev. 76 (1949) 1150
1949VA1A Van Patter, Phys. Rev. 76 (1949) 1264
1951MA08 R. Malm and W.W. Buechner, Phys. Rev. 81 (1951) 519
1951SE67 J.D. Seagrave, Phys. Rev. 84 (1951) 1219
1951ST19 E.N. Strait, D.M. Van Patter, W.W. Buechner and A. Sperduto, Phys. Rev. 81 (1951) 747
1951VA1A Van Patter, Buechner and Sperduto, Phys. Rev. 82 (1951) 248
1952AJ38 F. Ajzenberg and T. Lauritsen, Rev. Mod. Phys. 24 (1952) 321
1952BR61 J.E. Brolley, Jr., J.L. Fowler and L.K. Schlacks, Phys. Rev. 88 (1952) 618
1952FR1A Fremlin, Proc. Phys. Soc. (London) A65 (1952) 762
1952TH24 R.G. Thomas and T. Lauritsen, Phys. Rev. 88 (1952) 969
1953BA18 G.A. Bartholomew and B.B. Kinsey, Can. J. Phys. 31 (1953) 49
1953HU18 S.E. Hunt and W.M. Jones, Phys. Rev. 89 (1953) 1283
1953JA1B Jackson and Galonsky, Phys. Rev. 89 (1953) 370
1953MI31 C.H. Millar and A.G.W. Cameron, Can. J. Phys. 31 (1953) 723
1953TA06 F.L. Talbott and N.P. Heydenburg, Phys. Rev. 90 (1953) 186
1954BE08 W.E. Bennett, P.A. Roys and B.J. Toppel, Phys. Rev. 93 (1954) 924, K4
1954MI05 E.A. Milne, Phys. Rev. 93 (1954) 762
1954SP01 A. Sperduto, W.W. Buechner, C.K. Bockelman and C.P. Browne, Phys. Rev. 96 (1954) 1316
1954ST20 A.G. Stanley, Phil. Mag. 45 (1954) 430
1954WO09 H.H. Woodbury, A.V. Tollestrup and R.B. Day, Phys. Rev. 93 (1954) 1311
1955AJ61 F. Ajzenberg and T. Lauritsen, Rev. Mod. Phys. 27 (1955) 77
1955BE62 R.D. Bent, T.W. Bonner and R.F. Sippel, Phys. Rev. 98 (1955) 1237

1955BI26 C.B. Bigham, K.W. Allen and E. Almqvist, Phys. Rev. 99 (1955) 631A
 1955DE50 P.S. de Toledo and S. Watanabe, An. Acad. Brasil. Cienc. 27 (1955) 471
 1955LA1A Lane, Proc. Phys. Soc. (London) A68 (1955) 197
 1955MA76 J.B. Marion, T.W. Bonner and C.F. Cook, Phys. Rev. 100 (1955) 847
 1955MC75 J.N. McGruer, E.K. Warburton and R.S. Bender, Phys. Rev. 100 (1955) 235
 1955TA28 N.W. Tanner, Proc. Phys. Soc. (London) A68 (1955) 1195
 1956BO61 T.W. Bonner, A.A. Kraus, Jr., J.B. Marion and J.P. Schiffer, Phys. Rev. 102 (1956) 1348
 1956BR27 C.P. Browne and J.R. Lamarsh, Phys. Rev. 104 (1956) 1099
 1956CO72 B.C. Cook, A.S. Penfold and V.L. Telegdi, Phys. Rev. 104 (1956) 554
 1956DO41 R.A. Douglas, J.W. Broer, R. Chiba, D.F. Herring and E.A. Silverstein, Phys. Rev. 104 (1956) 1059
 1956JA28 D.B. James, G.A. Jones and D.H. Wilkinson, Phil. Mag. 1 (1956) 949
 1956MA1Q R.J. Mackin, Jr., W.R. Mills, Jr. and J. Thirion, J. Phys. Rad. 17 (1956) 551
 1956MA52 R.J. Mackin, Jr., W.R. Mills, Jr. and J. Thirion, Phys. Rev. 102 (1956) 802
 1956RE39 C.W. Reich, G.C. Phillips and J.L. Russell, Jr., Phys. Rev. 104 (1956) 143
 1956SC01 J.P. Schiffer, T.W. Bonner, R.H. Davis and F.W. Prosser, Jr., Phys. Rev. 104 (1956) 1064
 1956SC29 H. Schneider, Helv. Phys. Acta 29 (1956) 55
 1957AL79 R. Alphonse, A. Johansson and G. Tibell, Nucl. Phys. 3 (1957) 185
 1957BO65 F. Boehm, T.B. Novey, C.A. Barnes and B. Stech, Phys. Rev. 108 (1957) 1497
 1957CA02 J.M. Calvert, A.A. Jaffe and E.E. Maslin, Proc. Phys. Soc. (London) A70 (1957) 78
 1957CA07 R.R. Carlson, Phys. Rev. 107 (1957) 1094
 1957CH1A Chlebowska, Bull. Acad. Polon. Sci. 5 (1957) 883
 1957CO57 B.C. Cook, Phys. Rev. 106 (1957) 300
 1957DA08 H. Daniel and U. Schmidt-Rohr, Z. Naturforsch. A12 (1957) 750
 1957GA01 A. Galonsky, C.D. Moak, R.L. Traughber and C.M. Jones, Bull. Amer. Phys. Soc. 2 (1957) 51, RA1
 1957HA27 S.S. Hanna and R.S. Preston, Phys. Rev. 108 (1957) 160
 1957HE51 E. Heiberg, Phys. Rev. 106 (1957) 1271
 1957HI98 P. Hillman, A. Johansson and H. Tyren, Nucl. Phys. 4 (1957) 648
 1957HO61 H.D. Holmgren, E.A. Wolicki and R.L. Johnston, Bull. Amer. Phys. Soc. 2 (1957) 181, E7

1957HU1C Huper, Z. Naturforsch. A12 (1957) 295
 1957NO17 E. Norbeck, Jr. and C.S. Littlejohn, Phys. Rev. 108 (1957) 754
 1957RI38 J.R. Risser, J.E. Price and C.M. Class, Phys. Rev. 105 (1957) 1288
 1957TY1B Tyren, Hillman and Johansson, Nucl. Phys. 3 (1957) 336
 1957VO25 P. von Hermann and G.F. Pieper, Phys. Rev. 105 (1957) 1556
 1957WA01 E.K. Warburton and J.N. McGruer, Phys. Rev. 105 (1957) 639
 1958AR15 S.E. Arnell, J. Dubois and O. Almen, Nucl. Phys. 6 (1958) 196
 1958AR1B Armbuster, Ann. Phys. (France) 3 (1958) 88
 1958AS63 V.J. Ashby, H.C. Catron, L.L. Newkirk and C.J. Taylor, Phys. Rev. 111 (1958) 616
 1958BE1B Bethe, Ann. Phys. 3 (1958) 190
 1958DA09 H. Daniel and U. Schmidt-Rohr, Nucl. Phys. 7 (1958) 516
 1958GR01 L.V. Groshev, A.M. Demidov, V.N. Lutsenko and V.I. Pelekhov, Atlas of Thermal Neutron Capture Gamma Rays, Atomizdat, Moscow (1958)
 1958HA1A Harding, NYO 8056 (1958)
 1958KA31 R.W. Kavanagh and C.A. Barnes, Phys. Rev. 112 (1958) 503
 1958LA04 G. Laukien, Handbuch Der Physik 38-1; Ed., S. Flugge (1958) 120
 1958MO97 W.E. Moore, J.N. McGruer and A.I. Hamburger, Phys. Rev. Lett. 1 (1958) 29
 1958MO99 C.D. Moak, A. Galonsky, R.L. Traughber and C.M. Jones, Phys. Rev. 110 (1958) 1369
 1958WI36 J.E. Wills, Jr., J.K. Bair, H.O. Cohn and H.B. Willard, Phys. Rev. 109 (1958) 891
 1959AJ76 F. Ajzenberg and T. Lauritsen, Nucl. Phys. 11 (1959) 1
 1959AL83 D.E. Alburger, A. Elwyn, A. Gallmann, J.V. Kane, S. Ofer and R.E. Pixley, Phys. Rev. Lett. 2 (1959) 110
 1959AL96 E. Almqvist, D. A. Bromley, A. J. Ferguson, H. E. Gove and A. E. Litherland, Phys. Rev. 114 (1959) 1040
 1959AM1B Amado, Phys. Rev. Lett. 2 (1959) 399
 1959BA1D Baz, Adv. Phys. 8 (1959) 349
 1959BA24 S.A. Baldin and V.I. Manko, Zh. Eksp. Teor. Fiz. 36 (1959) 1937; Sov. Phys. JETP 9 (1959) 1377
 1959BI19 E.G. Bilpuch, L.W. Weston, C.D. Bowman and H.W. Newson, Bull. Amer. Phys. Soc. 4 (1959) 42, R4
 1959BL1B Bloom, Gelndenning and Moszkowski, Phys. Rev. Lett. 3 (1959) 98
 1959BO14 R.O. Bondelid and C.A. Kennedy, Phys. Rev. 115 (1959) 1601

1959BO1C Bockelman, Nucl. Phys. 13 (1959) 205
 1959BR1E Brink and Kerman, Nucl. Phys. 12 (1959) 314
 1959BR1J Braid and Yntema, Bull. Amer. Phys. Soc. 4 (1959) 17
 1959BR1K Brockman, Congres Int. Phys. Nucl., Dunod, Paris, 1958 (1959) 350
 1959BR75 O.D. Brill and L.V. Sumin, Atomnaya Energ. 7 (1959) 377
 1959BU95 W.P. Bucher, W.B. Beverly, G.C. Cobb and F.L. Hereford, Phys. Rev. 115 (1959) 961
 1959BU97 E.J. Burge, Nucl. Phys. 13 (1959) 511
 1959CA1A Cameron, Bull. Amer. Phys. Soc. 4 (1959) 247
 1959DE28 O.S. Deineko, Ukr. Fiz. Zh. (USSR) 4 (1959) 52
 1959DI46 D.O. Dietzsch, M. Kuchnir, W.R. Phillips and O. Sala, An. Acad. Brasil. Cienc. 31 (1959) 523
 1959EL44 A. Elwyn, J.V. Kane, S. Ofer and D.H. Wilkinson, Phys. Rev. 116 (1959) 1490
 1959FI30 G.E. Fischer and V.K. Fischer, Phys. Rev. 114 (1959) 533
 1959FU1A Fujii, Prog. Theor. Phys. 21 (1959) 511
 1959FU62 H.W. Fulbright, N.O. Lassen and N.O.R. Poulsen, Kgl. Dan. Vid. Selsk. Mat. Fys. Medd. 31, No. 10 (1959)
 1959GA1D Garg and Torki, Congres. Int. Phys. Nucl., Dunod, Paris, 1958 (1959) 419
 1959GI47 J.H. Gibbons and R.L. Macklin, Phys. Rev. 114 (1959) 571
 1959GO90 T.J. Gooding, Nucl. Phys. 12 (1959) 241
 1959HA06 E. Haddad and D.D. Phillips, Bull. Amer. Phys. Soc. 4 (1959) 358, J2
 1959HA13 H.E. Hall and T.W. Bonner, Nucl. Phys. 14 (1959) 295
 1959HA1G Hassler, Zatzick and Eubank, Bull. Amer. Phys. Soc. 4 (1959) 321
 1959HA29 E.W. Hamburger, Thesis, Univ. of Pittsburgh (1959)
 1959HE1B Hess, Ann. Phys. 6 (1959) 115
 1959HO1D Honda and Nagasaki, Proc. Phys. Soc. (London) A74 (1959) 517
 1959HU19 C.E. Hunting and N.S. Wall, Phys. Rev. 115 (1959) 956
 1959KE1A Kerman, McManus and Thaler, Ann. Phys. 8 (1959) 551
 1959KR69 W.E. Kreger and B.D. Kern, Phys. Rev. 113 (1959) 890
 1959KU1C Kurepin and Neudachin, Zh. Eksp. Teor. Fiz. 36 (1959) 1725; Sov. Phys. JETP 9 (1959) 1229
 1959LO59 G. Lopez, F. Alba, M. Mazari and M.E. Ortiz, Rev. Mex. Fisica 8 (1959) 17
 1959MA1C MacGregor, Congr. Int. Phys. Nucl., Dunod, Paris, 1958 (1959) 612
 1959MO12 G.C. Morrison and J.A. Galey, Phys. Rev. 116 (1959) 1583

- 1959NE1A Neilson, Dawson and Johnson, Rev. Sci. Instrum. 30 (1959) 963
- 1959PH37 G.C. Phillips and P.D. Miller, Phys. Rev. 115 (1959) 1268
- 1959PR65 J.T. Prudhomme, P.L. Okhuysen and I.L. Morgan, Bull. Amer. Phys. Soc. 4 (1959) 103, P6
- 1959PU1A Pujara and Gatha, Indian J. Phys. 33 (1959) 243
- 1959RI1A Riley, Nucl. Phys. 13 (1959) 407
- 1959SE1A Sellschop, Phys. Rev. Lett. 3 (1959) 346
- 1959SI79 J.B. Singletary and D.E. Wood, Phys. Rev. 114 (1959) 1595
- 1959SM98 R.V. Smith, R.H. Abramson and L.F. Chase, Jr., Bull. Amer. Phys. Soc. 4 (1959) 286, X3
- 1959ST1A Steuer et al., Cong. Int. Phys. Nucl., Dunod, Paris, 1958 (1959) 545
- 1959SU55 M. Suffert, P.M. Endt and A.M. Hoogenboom, Physica 25 (1959) 659
- 1959WA07 R.E. Warner and W.P. Alford, Phys. Rev. 114 (1959) 1338
- 1959WI1C Wilson, Phys. Rev. 114 (1959) 260
- 1959YO25 T.E. Young, G.C. Phillips, R.R. Spencer and D.A.A.S.N. Rao, Phys. Rev. 116 (1959) 962
- 1960AL35 N.V. Alekseev, K.I. Zherebtsova, V.F. Litvin and Y.A. Nemilov, Zh. Eksp. Teor. Fiz. 39 (1960) 1508; Sov. Phys. JETP 12 (1961) 1049
- 1960BA26 R. Barloutaud, H. Farraggi, L. Rosen and S.M. Shafroth, J. Phys. Rad. 21 (1960) 369
- 1960BA35 J.K. Bair, H.O. Cohn and H.B. Willard, Phys. Rev. 119 (1960) 2026
- 1960BE1B Belyaev, Zakhar'ev and Neudachin, Atomnaya Energiya 9 (1960) 298, Sov. J. At. Energy 9 (1961) 833
- 1960BE24 J. Benveniste, A.C. Mitchell, C.D. Schrader and J.H. Zenger, Nucl. Phys. 19 (1960) 448
- 1960BO19 F.L. Bordell, G.E. Mitchell, P.B. Weiss, J.W. Nelson and R.H. Davis, Bull. Amer. Phys. Soc. 5 (1960) 404, B3
- 1960BR13 J.E. Braley and C.R. Cook, Phys. Rev. 118 (1960) 808
- 1960BU1D Buck and Satchler, Proc. Int. Conf. on Nucl. Struct., Kingston (1960)
- 1960CH12 L.F. Chase, Jr., R.G. Johnson and E.K. Warburton, Phys. Rev. 120 (1960) 2103
- 1960CO05 P.F. Cooper, Jr. and R. Wilson, Nucl. Phys. 15 (1960) 373
- 1960DE1C Dearnaley and Whitehead, Proc. Int. Conf. on Nucl. Struct., Kingston (1960)
- 1960DU03 P.S. Dubbeldam, C.C. Jonker and H.J. Boersma, Nucl. Phys. 15 (1960) 452
- 1960ED01 R.D. Edge, Phys. Rev. 119 (1960) 1643
- 1960EL1C El-Nadi, Phys. Rev. 120 (1960) 1360

1960EV02 J.E. Evans and M.A. Grace, Nucl. Phys. 15 (1960) 646
 1960FR1B Francis, Goldman and Guth, Phys. Rev. 120 (1960) 2175
 1960GO1B Goldansky, Nucl. Phys. 19 (1960) 482
 1960HI07 S. Hinds and R. Middleton, Proc. Phys. Soc. (London) 75 (1960) 745
 1960HO14 P.E. Hodgson, Nucl. Phys. 21 (1960) 21
 1960HU02 C.M. Huddleston, R.O. Lane, L.L. Lee, Jr. and F.P. Mooring, Phys. Rev. 117 (1960) 1055
 1960JA12 J. Janecke, Z. Naturforsch. A15 (1960) 593
 1960JA17 A.A. Jaffe, F. de S. Barros, P.D. Forsyth, J. Muto, I.J. Taylor and S. Ramavataram, Prog. Phys. Soc. 76 (1960) 914
 1960KA13 J.V. Kane, R.E. Pixley and D.H. Wilkinson, Phil. Mag. 5 (1960) 365
 1960KI02 J.D. King, R.N.H. Haslam and R.W. Parsons, Can. J. Phys. 38 (1960) 231
 1960LU1B Lubitz, Bull. Amer. Phys. Soc. 5 (1960) 18
 1960MA21 B.E.F. Macefield and J.H. Towle, Proc. Phys. Soc. (London) 76 (1960) 56
 1960ME16 V. Meyer, R.M. Eisberg and R.F. Carlson, Phys. Rev. 117 (1960) 1334
 1960MI1B Mikhlin and Stavinskii, Atomn. Energ. (USSR) 8 (1960) 141; Sov. J. At. Energy 8 (1961) 127; Reactor Sci. Tech. 16 (1962) 119
 1960MO05 S. Morita, N. Kawai, N. Takano, Y. Goto, R. Hanada, Y. Nakajima, S. Takemoto and Y. Yaegashi, J. Phys. Soc. Jpn. 15 (1960) 550
 1960MU07 J. Muto, F. de S. Barros and A.A. Jaffe, Proc. Phys. Soc. (London) 75 (1960) 929
 1960NE1C Neudachin, Teplov and Tulinov, Sov. Phys. JETP 10 (1960) 387
 1960NI02 K. Nishimura, Phys. Rev. 118 (1960) 1350
 1960NO1A Norbeck, Bull. Amer. Phys. Soc. 5 (1960) 476
 1960PA07 M.V. Pasechnik, N.N. Pucherov, B.F. Orlenko and V.S. Prokopenko, Zh. Eksp. Teor. Fiz. 39 (1960) 915; Sov. Phys. JETP 12 (1961) 634
 1960PE02 F.G.J. Perey and P. Lorrain, Bull. Amer. Phys. Soc. 5 (1960) 18, E6
 1960PE25 J.M. Peterson, A. Bratenahl and J.P. Stoering, Phys. Rev. 120 (1960) 521
 1960PH1A Phillips and Tombrello, Nucl. Phys. 19 (1960) 555
 1960PI09 R.E. Pixley, J.V. Kane and D.H. Wilkinson, Phys. Rev. 120 (1960) 943
 1960PR12 J.R. Priest, D.J. Tendam and E. Bleuler, Phys. Rev. 119 (1960) 1295
 1960SA1E Sakamoto, Prog. Theor. Phys. 23 (1960) 382
 1960SA1G Sakamoto, Prog. Theor. Phys. 23 (1960) 1205
 1960SA25 G.L. Salmon, Nucl. Phys. 21 (1960) 15

- 1960SE13 J.P.F. Sellschop and D.W. Mingay, Proc. Int. Conf. on Nucl. Struct., Kingston (1960) 396
- 1960ST09 A. Strzalkowski, M.S. Bokhari, M.A. Al Jeboori and B. Hird, Proc. Phys. Soc. (London) 75 (1960) 502
- 1960TA12 I.J. Taylor, F.de S. Barros, P.D. Forsyth, A.A. Jaffe and S. Ramavataram, Proc. Phys. Soc. (London) A75 (1960) 772
- 1960TA1C Talmi and Unna, Ann. Rev. Nucl. Sci. 10 (1960) 353
- 1960TO09 T.A. Tombrello, R. Barloutaud and G.C. Phillips, Phys. Rev. 119 (1960) 761
- 1960TO1B Tombrello and Phillips, Nucl. Phys. 20 (1960) 648
- 1960TS02 K. Tsukada and T. Fuse, J. Phys. Soc. Jpn. 15 (1960) 1994
- 1960WA07 R.B. Walton, N.F. Wikner, J.L. Wood and J.R. Beyster, Bull. Amer. Phys. Soc. 5 (1960) 288, WA5
- 1960WE04 H.E. Wegner and W.S. Hall, Phys. Rev. 119 (1960) 1654
- 1960WH03 R.E. White and W.W. Buechner, Phys. Rev. 118 (1960) 1331
- 1960YO01 H. Yoshiki and N. Nikolic, Bull. Amer. Phys. Soc. 5 (1960) 46, MA11
- 1960ZA04 N.I. Zaika, O.F. Nemets and N.A. Tserineo, Izv. Akad. Nauk SSSR Ser. Fiz. 24 (1960) 862; Bull. Acad. Sci. 24 (1960) 865
- 1960ZA06 N.I. Zaika, O.F. Nemets and M.A. Tserineo, Zh. Eksp. Teor. Fiz. 39 (1960) 3; Sov. Phys. JETP 12 (1961) 1
- 1960ZE03 Ya.B. Zeldovich, Zh. Eksp. Teor. Fiz. 38 (1960) 1123; Sov. Phys. JETP 11 (1960) 812
- 1960ZE1B Zeldovich, Zh. Eksp. Teor. Fiz. 38 (1960) 278; Sov. Phys. JETP 11 (1960) 202
- 1961AD04 H.S. Adams, J.D. Fox, N.P. Heydenburg and G.M. Temmer, Phys. Rev. 124 (1961) 1899
- 1961AL07 R.D. Albert, S.D. Bloom and N.K. Glendenning, Phys. Rev. 122 (1961) 862
- 1961BA10 F.De S. Barros, P.D. Forsyth, A.A. Jaffe and I.J. Taylor, Proc. Phys. Soc. (London) 77 (1961) 853
- 1961BA1C Baz, Goldanskii and Zeldovich, Sov. Phys. Uspekhi 3 (1961) 729
- 1961BA1E Balashov, Neudachin and Smirnov, Izv. Akad. Nauk SSSR Ser. Fiz. 25 (1961) 170; Bull. Acad. Sci. USSR Phys. 25 (1961) 165
- 1961BA1G Barker, Nucl. Phys. 28 (1961) 96
- 1961BE12 E.F. Bennett, Phys. Rev. 122 (1961) 595
- 1961BE13 E.H. Beckner, R.L. Bramblett, G.C. Phillips and T.A. Eastwood, Phys. Rev. 123 (1961) 2100
- 1961BO06 P.H. Bowen, J.P. Scanlon, G.H. Stafford, J.J. Thresher and P.E. Hodgson, Nucl. Phys. 22 (1961) 640

- 1961BR1A Brill, Vlasov, Kalinin and Sokolov, Dokl. Akad. Nauk SSSR 136 (1961) 55; Sov. Phys., Dokl. 6 (1961) 24
- 1961CI01 N. Cindro, I. Slaus, P. Tomas and B. Eman, Nucl. Phys. 22 (1961) 96
- 1961CL09 A.B. Clegg, K.J. Foley, G.L. Salmon and R.E. Segel, Proc. Phys. Soc. (London) 78 (1961) 681
- 1961DA09 P. Dagley, W. Haeberli and J.X. Saladin, Nucl. Phys. 24 (1961) 353
- 1961EV03 J.E. Evans, Nucl. Phys. 27 (1961) 41
- 1961FO07 D.B. Fossan, R.L. Walter, W.E. Wilson and H.H. Barschall, Phys. Rev. 123 (1961) 209
- 1961GA07 H. Gauvin, R. Chastel and L. Vigneron, Compt. Rend. 253 (1961) 257
- 1961GI04 W.R. Gibbs and W. Tobocman, Phys. Rev. 124 (1961) 1496
- 1961GO1K Goldfarb, Proc. Rutherford Jub. Int. Conf. (1961) 479
- 1961GO26 S. Gorodetzky, J. Ullman, G. Bergdolt and A. Gallmann, J. Phys. Rad. 22 (1961) 570
- 1961GO27 S. Gorodetzky, A. Gallmann, P. Fintz and G. Bassompierre, J. Phys. Rad. 22 (1961) 573
- 1961GO28 S. Gorodetzky, A. Gallmann, P. Fintz and G. Bassompierre, J. Phys. Rad. 22 (1961) 575
- 1961GO29 S. Gorodetzky, G. Frick and A. Gallmann, J. Phys. Rad. 22 (1961) 578
- 1961HA19 E.W. Hamburger, Phys. Rev. 123 (1961) 619
- 1961HO09 D. Hoare, A.B. Robbins and G.W. Greenlees, Proc. Phys. Soc. (London) 77 (1961) 830
- 1961HO1D Honda and Ui, Prog. Theor. Phys. 25 (1961) 635
- 1961JA19 von L. Jarczyk, J. Lang, R. Muller and W. Wolfli, Helv. Phys. Acta 34 (1961) 483
- 1961JA23 A. Jaidar, G. Lopez, M. Mazari and R. Dominguez, Rev. Mex. Fisica 10 (1961) 247
- 1961JO17 A. Johansson, U. Svanberg and O. Sundberg, Ark. Fys. 19 (1961) 527
- 1961JO18 A. Johansson, U. Svanberg and P.E. Hodgson, Ark. Fys. 19 (1961) 541
- 1961KE1C Keller, Scientia (Chile) 113 (1961) 31
- 1961KU17 D. Kurath and R.D. Lawson, Nucl. Phys. 23 (1961) 5
- 1961KU1C Kurath, Phys. Rev. 124 (1961) 552
- 1961LA1A Lane, Langsdorf, Monahan and Elwyn, Ann. Phys. 12 (1961) 135
- 1961LE1A Legg, Unpublished Thesis, Princeton Univ. (1961)
- 1961LE1E Levintov and Trostin, Zh. Eksp. Teor. Fiz. 40 (1961) 1570; Sov. Phys. JETP 13 (1961) 1102
- 1961LO02 G. Lopez and O. Almen, Bull. Amer. Phys. Soc. 6 (1961) 342, F9

- 1961LO10 G. Lopez and O. Almen, Rev. Mex. Fis. 10 (1961) 239
- 1961LO1C Lopez, Rev. Mex. Fis. 10 (1961) 283
- 1961MA15 D.R. Maxson, Phys. Rev. 123 (1961) 1304
- 1961MC11 V.R. McKenna, A.M. Baxter and G.G. Shute, Aust. J. Phys. 14 (1961) 196
- 1961MC16 V.R. McKenna and G.G. Shute, Aust. J. Phys. 14 (1961) 432
- 1961NA02 Y. Nagahara, J. Phys. Soc. Jpn. 16 (1961) 133
- 1961NE1B Neudachin and Orlin, Zh. Eksp. Teor. Fiz. 41 (1961) 874
- 1961NO05 E. Norbeck, Phys. Rev. 121 (1961) 824
- 1961PO09 M. Posner, J.L. Snider, A.M. Bernstein and D.R. Hamilton, Phys. Rev. Lett. 7 (1961) 173
- 1961PU1B Pullen, Wilkinson and Whitehead, Proc. Rutherford Jub. Int. Conf., Manchester, England; Ed., J.B. Birks (1961) 565
- 1961RA06 L.A. Rayburn, Phys. Rev. 122 (1961) 168
- 1961RO05 L. Rosen, J.E. Brolley, Jr. and L. Stewart, Phys. Rev. 121 (1961) 1423
- 1961RO13 L. Rosen, J.E. Brolley, Jr., M.L. Gursky and L. Stewart, Phys. Rev. 124 (1961) 199
- 1961RO1G Robson, Nucl. Phys. 22 (1961) 34; Nucl. Phys. 22 (1961) 47
- 1961RO21 J.C. Roy and J.J. Hawton, Can. J. Phys. 39 (1961) 1528
- 1961SA1B Sakamoto, Nucl. Phys. 25 (1961) 687
- 1961SN01 J.L. Snider, M. Posner, A.M. Bernstein and D.R. Hamilton, Bull. Amer. Phys. Soc. 6 (1961) 224, A1
- 1961ST10 D.M. Stanojevic, M.K. Jric and B.S. Marsicanin, Bull. Inst. Nucl. Sci., Horis Kidrich, 11 March 1961 (1961) 11
- 1961SU17 M. Suffert, D. Magnac-Valette and J. Yoccoz, J. Phys. Rad. 22 (1961) 565
- 1961TA06 A.E. Taylor and E. Wood, Nucl. Phys. 25 (1961) 642
- 1961WI02 R.M. Wilenzick, G.E. Mitchell, K.K. Seth and H.W. Lewis, Phys. Rev. 121 (1961) 1150
- 1961WI1A Wilkinson, Wollan and Koehler, Ann. Rev. Nucl. Sci. 11 (1961) 303
- 1961WI1F Wildermuth and Carovillano, Nucl. Phys. 28 (1961) 636
- 1961WO03 C. Wong, J.D. Anderson, S.D. Bloom, J.W. McClure and B.D. Walker, Phys. Rev. 123 (1961) 598
- 1961YA02 H. Yamaguchi, J. Phys. Soc. Jpn. 16 (1961) 583
- 1961YA05 B. Yaramis, Phys. Rev. 124 (1961) 836
- 1961YN02 J.L. Yntema, Proc. Rutherford Jub. Int. Conf., Manchester, England; Ed., J.B. Birks (1961) 513

1962AL1D Alburger and Wilkinson, Private Communication (1962)
1962AU1A Austin, Slamon, Clegg, Foley and Newton, Proc. Phys. Soc. (London) 80 (1962) 383
1962BA1A Balashov and Boyarkina, Nucl. Phys. 38 (1962) 629
1962BA1J Balashov and Boyarkina, Izv. Akad. Nauk SSSR Ser. Fiz. 26 (1962) 119
1962BA1K Baird, J. Chem. Phys. 37 (1962) 1879
1962BE1E Bem, Habaneo, Karban and Nemeč, Czech. J. Phys. 12 (1962) 660
1962BE24 E. Berkowitz, S. Bashkin, R.R. Carlson, S.A. Coon and E. Norbeck, Phys. Rev. 128 (1962) 247
1962BO05 E. Boschitz, Nucl. Phys. 30 (1962) 468
1962CA1C Calboreanu and Minzatu, Rev. Phys. Acad. Rep. Pop. Roumaine 7 (1962) 433
1962CH01 C. Chasman and D.A. Bromley, Bull. Amer. Phys. Soc. 7 (1962) 36, JA4
1962CL12 D.D. Clayton, Phys. Rev. 128 (1962) 2254
1962EA01 B.R. Easlea, Phys. Lett. 1 (1962) 163
1962ED01 R.D. Edge, Bull. Amer. Phys. Soc. 7 (1962) 571, F5
1962EL01 A.J. Elwyn and R.O. Lane, Nucl. Phys. 31 (1962) 78
1962FL06 N.R. Fletcher, D.R. Tilley and R.M. Williamson, Nucl. Phys. 38 (1962) 18
1962GA17 A. Garcia, J. Kirk, J.B.A. England and P.E. Hodgson, Nucl. Phys. 38 (1962) 372
1962GO02 R. Goloskie and K. Strauch, Nucl. Phys. 29 (1962) 474
1962GO1J Gorshkov, Ziyabkin and Tsvetkov, Atomn. Energ. (USSR) 13 (1962) 65
1962GO26 S. Gorodetzky, J. Ullman, G. Bergdolt and A. Gallmann, Nucl. Phys. 38 (1962) 177
1962GR10 A.G. Gregory, G.D. Symons and P.B. Treacy, Proc. Phys. Soc. (London) 80 (1962) 315
1962IG1A Igo and Wilkins, Phys. Lett. 2 (1962) 342
1962IN02 D.R. Inglis, Nucl. Phys. 30 (1962) 1
1962IY01 K.V.K. Iyengar and R.A. Peck, Jr., Phys. Rev. 125 (1962) 1000
1962JO1C Johnson, Nucl. Phys. 35 (1962) 654
1962KA1D Kalboryanu and Mynzatu, Rev. Physique (Rumanis) 7 (1962) 433
1962MA19 A. Marques, A.J.P.L. Policarpo and W.R. Phillips, Nucl. Phys. 36 (1962) 45
1962MA1L MacLeod and Reid, AERE-R-4131 (1962)
1962MA1M Maddison, AERE-R-4131 (1962)
1962MA1N Maratalogu, Iliescu and Cenja, Stud. Cercetari Fiz. (Rumania) 8 (1962) 927
1962NE14 B.M.K. Nefkens, Bull. Amer. Phys. Soc. 7 (1962) 550, T6

- 1962NE17 Y.A. Nemilov and L.A. Pobedonostsev, Zh. Eksp. Teor. 43 (1962) 382; Sov. Phys. JETP 16 (1963) 274
- 1962NO03 J.S. Nodvik, C.B. Duke and M.A. Melkanoff, Phys. Rev. 125 (1962) 975
- 1962NO04 M. Nomoto, Phys. Rev. 127 (1962) 1693
- 1962NO1D Nomoto, Nucl. Phys. 30 (1962) 513
- 1962OT01 P.S. Otstavnov and V.I. Popov, Zh. Eksp. Teor. Fiz. 43 (1962) 385; Sov. Phys. JETP 16 (1963) 276
- 1962PA07 A.W. Parker and G.G. Shute, Aust. J. Phys. 15 (1962) 443
- 1962RO14 L. Rosen, P. Darriulat, H. Faraggi and A. Garin, Nucl. Phys. 33 (1962) 458
- 1962RO1F Robson, Nucl. Phys. 30 (1962) 316
- 1962RO1G Robson, Fairweather and McDonald, Bull. Amer. Phys. Soc. 7 (1962) 333
- 1962RO20 L. Rosen and W.T. Leland, Phys. Rev. Lett. 8 (1962) 379
- 1962SA05 G.L. Salmon, A.B. Clegg, K.J. Foley, P.S. Fisher and D.J. Rowe, Proc. Phys. Soc. (London) 79 (1962) 14
- 1962SE13 H.M. Sen Gupta, J. Rotblat, P.E. Hodgson and J.B.A. England, Nucl. Phys. 38 (1962) 361
- 1962SH22 G.G. Shute, D. Robson, V.R. McKenna and A.T. Berztiss, Nucl. Phys. 37 (1962) 535
- 1962SI04 M.G. Silbert, Phys. Rev. 127 (1962) 2113
- 1962SI08 J.J. Simpson, M.A. Clark and A.E. Litherland, Can. J. Phys. 40 (1962) 769
- 1962SL04 R.J. Slobodrian, Phys. Rev. 126 (1962) 1059
- 1962ST11 L. Stewart and L. Rosen, Bull. Amer. Phys. Soc. 7 (1962) 434, BA7
- 1962TA1E Talmi, Nucl. Spectroscopy; Ed., Racah (1962)
- 1962VA1A Vasilyev, Komarcv and Popova, Zh. Skep. Teor. Fiz. 43 (1962) 737; Sov. Phys. JETP 16 (1963) 521
- 1962VO04 E. Vogt, Rev. Mod. Phys. 34 (1962) 723
- 1962WA31 E.K. Warburton and H.O. Funsten, Phys. Rev. 128 (1962) 1810
- 1962WO08 C. Wong, J.D. Anderson, J.W. McClure and B.D. Walker, Phys. Rev. 128 (1962) 2339
- 1962YA04 S. Yamabe, M. Takeda, M. Kondo, S. Kato, T. Yamazaki, N. Takahashi, N. Kawai and R. Chiba, J. Phys. Soc. Jpn. 17 (1962) 729
- 1962ZH01 K.I. Zherebtsova, V.F. Litvin and Y.A. Nemilov, Zh. Eksp. Teor. Fiz. 43 (1962) 8; Sov. Phys. JETP 16 (1963) 5
- 1963AL10 R.A. Al-Kital and R.A. Peck, Jr., Phys. Rev. 130 (1963) 1500
- 1963AZ01 L.S. Azhgirey, Y.P. Kumeikin, M.G. Meshcheryakov, S.B. Nurushev, G.D. Stoletov and D.T. Huang, Nucl. Phys. 43 (1963) 213

- 1963AZ1B Azhgirey et al., Zh. Eksp. Teor. Fiz. 44 (1963) 177; Sov. Phys. JETP 17 (1963) 123
- 1963AZ1C L.S. Azhgirey et al, Dokl. Akad. Nauk 145 (1962) 1249
- 1963BA36 F.C. Barker, G.B. Symons, N.W. Tanner and P.B. Treacy, Nucl. Phys. 45 (1963) 449
- 1963BA43 F.C. Barker, Nucl. Phys. 45 (1963) 467
- 1963BA63 R. Barton, R. McPherson, R.E. Bell, W.R. Frisken, W.T. Link and R.B. Moore, Can. J. Phys. 41 (1963) 2007
- 1963BE15 L.E. Beghian, K. Sugimoto, M.H. Wachter and J. Weber, Nucl. Phys. 42 (1963) 1
- 1963BE36 N. Bessis, H. Lefebvre-Brion and C.M. Moser, Rev. Mod. Phys. 35 (1963) 548
- 1963BO15 R. Bouchez, J. Duclos and P. Perrin, Nucl. Phys. 43 (1963) 628
- 1963BO1G Boyarkina and Rotter, Izv. Akad. Nauk SSSR Ser. Fiz. 27 (1963) 907; Bull. Acad. Sci. USSR 27 (1963) 893
- 1963CA09 R.R. Carlson and E. Norbeck, Phys. Rev. 131 (1963) 1204
- 1963CH1C Chatterjee, Nucl. Phys. 49 (1963) 686
- 1963CL1A Clement, in Padua (1963) 457
- 1963CL1B Clegg, CERN 63-28 (1963)
- 1963CR03 R.M. Craig, J.C. Dore, G.W. Greenlees, J.S. Lilley and P.C. Rowe, Phys. Lett. 3 (1963) 301
- 1963CU05 J.B. Cumming, Nucl. Phys. 49 (1963) 417
- 1963DA12 E.A. Davis, T.W. Bonner, D.W. Worley, Jr. and R. Bass, Nucl. Phys. 48 (1963) 169
- 1963DE35 X. De Bouard, J.G. Fox, B. Geoffrion, N. Marty, C. Rolland and B. Tatischeff, J. Phys. 24 (1963) 1059
- 1963DI16 J.K. Dickens, D.A. Haner and C.N. Waddell, Phys. Rev. 132 (1963) 2159
- 1963DR1B Drisko, Satchler and Dassel, 3rd Conf. on Reactions between Complex Nuclei (1963) 85
- 1963ED1B Edvi-Lewis, Proc. Phys. Soc. (London) 81 (1963) 856
- 1963EL1B El Nadi, Fahmy and Abou-Hadid, Nucl. Phys. 42 (1963) 511
- 1963EL1C Elton, in Padua (1963) 1093
- 1963EV04 J.E. Evans, J.A. Kuehner and E. Almqvist, Phys. Rev. 131 (1963) 1632
- 1963FI07 P.S. Fisher, D.F. Measday, F.A. Nikolaev, A. Kalmykov and A.B. Clegg, Nucl. Phys. 45 (1963) 113
- 1963FU06 H. Fuchs, Z. Phys. 171 (1963) 416
- 1963GA03 A. Gallmann, D.E. Alburger, D.H. Wilkinson and F. Hibou, Phys. Rev. 129 (1963) 1765
- 1963GA15 A. Garin and L. Marquez, J. Phys. 24 (1963) 911

1963GL1C Glendenning, *Ann. Rev. Nucl. Sci.* 13 (1963) 191
 1963GL1E Glasgow and Burge, *Nucl. Phys.* 50 (1963) 327
 1963GO1J Gorshkov and Tsvetkov, *Atomnaya Energ.* 14 (1963) 550
 1963GO1M M.D. Goldberg, V.M. May and J.R. Stehn, *BNL-400*, 2nd Ed., Vol. 1 (1963)
 1963GR1H Greider, 3rd Conf. on Reactions between Complex Nuclei (1963) 148
 1963HA1E Hayward, *Rev. Mod. Phys.* 35 (1963) 324
 1963HA1G Haeberli, in *Fast Neutron Phys.*, Eds., Marion and Fowler (1963) 1379
 1963HE1B Hee and Thorndike, *Phys. Rev.* 132 (1963) 744
 1963HO19 H.D. Holmgren, L.M. Cameron and R.L. Johnston, *Nucl. Phys.* 48 (1963) 1
 1963HO1D Hooton and Ashcroft, *Proc. Phys. Soc. (London)* 81 (1963) 193
 1963HO1E Hortig, Werner and Gentner, 3rd Conf. on Reactions between Complex Nuclei (1963) 178
 1963HO1G Hodgson, *Proc. Phys. Soc. (London)* 81 (1993) 977
 1963HU02 M.N. Huberman, M. Kamegai and G.C. Morrison, *Phys. Rev.* 129 (1963) 791
 1963HW01 C.F. Hwang, G. Clausnitzer, D.H. Nordby, S. Suwa and J.H. Williams, *Phys. Rev.* 131 (1963) 2602
 1963IG01 G. Igo and B.D. Wilkins, *Phys. Rev.* 131 (1963) 1251
 1963KA1E Karadeniz and Lemeille, *J. Phys.* 24 (1963) 915
 1963KA27 V. Kaminsky, Y. Orlov, N. Marchenko and Y. Orevkov, *Nucl. Phys.* 48 (1963) 417
 1963KE06 P.W. Keaton, L. Madansky, G.E. Owen and R. Roberson, *Bull. Amer. Phys. Soc.* 8 (1963) 291, A10
 1963KI02 H.J. Kim and E.F. Shrader, *Phys. Rev.* 129 (1963) 1275
 1963KN04 G.F. Knoll, J.S. King and W.C. Parkinson, *Phys. Rev.* 131 (1963) 331
 1963KO24 N. Kolonko, Z. Lewandowski, M. Makowska-Rzeszutko, H. Niewodniczanski, S. Wiktor and Z. Wrobel, *Acta Phys. Pol.* 23 (1963) 225
 1963KU1F Kukhtevich et al., *Sov. Prog. in Neutron Phys.*, Consult. Bureau (1963) 205
 1963LE03 J.C. Legg, *Phys. Rev.* 129 (1963) 272
 1963LE1D Levkovskii, *Zh. Eksp. Teor. Fiz.* 45 (1963) 305; *Sov. Phys. JETP* 18 (1964) 213
 1963LO1A Loncke, *Phys. Lett.* 4 (1963) 284
 1963LU10 H.F. Lutz, J.B. Mason and M.D. Karvelis, *Nucl. Phys.* 47 (1963) 521
 1963LU1C Lutz and Mason, *Nucl. Phys.* 45 (1963) 657
 1963MA1E Matkhiz, Neudachin and Smirnov, *Izv. Akad. Nauk. SSSR Ser. Fiz.* 27 (1963) 1273
 1963MA24 B.B. Marsh and O.M. Bilaniuk, *Phys. Rev.* 130 (1963) 2373

- 1963MA60 R.L. Macklin, J.H. Gibbons and T. Inada, Phys. Rev. 129 (1963) 2695
- 1963MC1B McCarthy, in Padua (1963) 94
- 1963ME04 D.F. Measday, P.S. Fisher, A. Kalmykov, F.A. Nikolaev and A.B. Clegg, Nucl. Phys. 45 (1963) 98
- 1963MI02 P.D. Miller, G.C. Morrison, N. Gale and G. Dearnaley, Bull. Amer. Phys. Soc. 8 (1963) 292, A16
- 1963MO04 I.L. Morgan, D.O. Nellis, R. Benjamin and J.B. Ashe, Bull. Amer. Phys. Soc. 8 (1963) 120, M6
- 1963MO1B Morrison, Gale, Hussain and Murray, 3rd Conf. on Reactions between Complex Nuclei (1963) 168
- 1963MO1C Motz and Journey, Wash-1044 (1963)
- 1963NE09 O.F. Nemets, M.V. Pasechnik and N.N. Pucherov, Nucl. Phys. 45 (1963) 1
- 1963NE16 O.F. Nemets, M.V. Pasechnik and N.N. Pucherov, Atomn. Energ. (USSR) 14 (1963) 159; Sov. J. At. Energy 14 (1963) 149
- 1963NE1H Nemilov and Pobedonotsev, Zh. Eksp. Teor. Fiz. 45 (1963) 103; Sov. Phys. JETP 18 (1964) 76
- 1963NI05 N. Nikolic, L.J. Lidofsky and T.H. Kruse, Phys. Rev. 132 (1963) 2212
- 1963PE04 D.C. Peaslee, Phys. Rev. 129 (1963) 808; Erratum Phys. Rev. 135 (1964) AB2
- 1963PE10 R.W. Peterson and N.W. Glass, Phys. Rev. 130 (1963) 292
- 1963PI03 G. Pisent and A.M. Saruis, Nuovo Cim. 28 (1963) 600
- 1963PI04 A.E. Pitts, J.D. Bronson, T.A. Belote and G.C. Phillips, Nucl. Phys. 48 (1963) 75
- 1963RO1G Robson and Toutenhoofd, Aust. J. Phys. 16 (1963) 370
- 1963RO22 B.A. Robson and E. Weigold, Nucl. Phys. 46 (1963) 321
- 1963SA1D Sanada et al., in Padua (1963) 657
- 1963SA1E Sachs, Chasman and Bromley, 3rd Conf. on Reactions between Complex Nuclei (1963) 90
- 1963SC1C Schiffer, in Padua (1963) 139
- 1963SE04 J.B. Seaborn, G.E. Mitchell, N.R. Fletcher and R.H. Davis, Phys. Rev. 129 (1963) 2217
- 1963SE08 B. Sen, Nucl. Phys. 41 (1963) 435
- 1963SE13 K.K. Seth, E.G. Bilpuch and H.W. Newson, Nucl. Phys. 47 (1963) 137
- 1963SE19 T. Sebe, Prog. Theor. Phys. 30 (1963) 290
- 1963SE1F Sellschop and Mingay, in Padua (1963) 425
- 1963SE1G Sellschop and Mingay, in Padua (1963) 545

1963SM05 W.R. Smith and E.V. Ivash, Phys. Rev. 131 (1963) 304
 1963SU1C Suffert, Costa and Magnac-Valette, in Padua (1963) 842
 1963TA1A Tanifuji, Nucl. Phys. 40 (1963) 357
 1963TE1A Teplov, in Padua (1963) 1076
 1963TR02 W.W. True, Phys. Rev. 130 (1963) 1530
 1963TR1A Truhlik, Nucl. Phys. 48 (1963) 329
 1963VA1C Valentin, Albouy, Cohen and Gusakow, Phys. Lett. 7 (1963) 163
 1963VA1E van der Zwan, Porterfield and Ritter, Nucl. Instrum. Meth. 24 (1963) 329
 1963VA23 R. Van Dantzig and L.A.C. Koerts, Nucl. Phys. 48 (1963) 177
 1963VL1B Vlasov, Atomn. Energ. (USSR) 14 (1963) 45
 1963WI12 B.D. Wilkins and G. Igo, Phys. Rev. 129 (1963) 2198
 1963YA1C Yamazaki, Knodo and Yamabe, J. Phys. Soc. Jpn. 18 (1963) 620
 1963YO06 F.C. Young, J.C. Armstrong and J.B. Marion, Nucl. Phys. 44 (1963) 486; Erratum
 Nucl. Phys. 49 (1963) 695
 1963ZA01 M.R. Zatzick and D.R. Maxson, Phys. Rev. 129 (1963) 1728
 1964AL1J Allas et al., Phys. Rev. Lett. 13 (1964) 628
 1964AM1D Amit and Latz, Nucl. Phys. 58 (1964) 297
 1964AN1B Anderson, Wong, McClure and Walker, Phys. Rev. 136 (1964) B118
 1964BA29 R.W. Bauer, J.D. Anderson and C. Wong, Nucl. Phys. 56 (1964) 117
 1964BE1H Bem et al., Czech. J. Phys. B14 (1964) 798
 1964BE20 P. Bem, J. Habanec, J. Nemeč, O. Karban and V. Presperin, Phys. Lett. 10 (1964) 114;
 Erratum Phys. Lett. 11 (1964) 360
 1964BE24 A.M. Bernstein, R.A. Haberstroh, D.R. Hamilton, M. Posner and J.L. Snider, Phys.
 Rev. 136 (1964) B27
 1964BE29 P. Bem, J. Habanec, O. Karban, J. Nemeč and V. Presperin, Czech. J. Phys. B14
 (1964) 404
 1964BO10 R.O. Bondelid and E.E.D. Whiting, Phys. Rev. 134 (1964) B591
 1964BO18 I. Boca, M. Cenja, E. Iliescu and N. Martalogu, Nucl. Phys. 55 (1964) 471
 1964BO1K Boyarkina, Izv. Akad. nauk SSSR Ser. Fiz. 28 (1964) 337; Bull. Acad. Sci. USSR 28
 (1964) 255
 1964BR13 H.C. Bryant, J.G. Beery, E.R. Flynn and W.T. Leland, Nucl. Phys. 53 (1964) 97
 1964BR1A Breuer, Z. Phys. 178 (1964) 268
 1964CA05 R.R. Carlson, E. Norbeck and V. Hart, Bull. Amer. Phys. Soc. 9 (1964) 419, DA9

1964CA1F Carter, Bull. Amer. Phys. Soc. 9 (1964) B630
 1964CE1D Cerny and Pehl, Bull. Amer. Phys. Soc. 9 (1964) 679, and Private Communication (1964)
 1964CH1F Christiansen, Sohngen, Busser and Niebergall, 4B(II)/C25, Paris (1964)
 1964CL05 R.L. Clarke and W.G. Cross, Nucl. Phys. 53 (1964) 177
 1964CR1B Cromer and Palmieri, Ann. Phys. 30 (1964) 32
 1964DA02 R.L. Dangle, L.D. Oppliger and G. Hardie, Phys. Rev. 133 (1964) B647
 1964DA03 W.W. Daehnick and R. Sherr, Phys. Rev. 133 (1964) B934
 1964DE12 V.P. Denisov, A.V. Kulikov and L.A. Kulchitskii, Zh. Eksp. Teor. Fiz. 46 (1964) 1488; Sov. Phys. JETP 19 (1964) 1007
 1964DR01 L. Drigo, C. Manduchi, G.C. Nardelli, M.T. Russo-Manduchi and G. Zannoni, Phys. Rev. Lett. 12 (1964) 452
 1964DR03 L. Drigo, C. Manduchi, G.C. Nardelli, M.T. Russo-Manduchi and G. Zannoni, Phys. Rev. 136 (1964) B1662
 1964DR04 L. Drigo, C. Manduchi, G.C. Nardelli, M.T. Russo-Manduchi and G. Zannoni, Nucl. Phys. 60 (1964) 441
 1964DU1A Duggan, Miller, Duncan and Webb, Bull. Amer. Phys. Soc. 9 (1964) 576
 1964DU1C Duggan, Duncan and Webb, Bull. Amer. Phys. Soc. 9 (1964) 574
 1964EL1B El-Nadi and Riad, Nucl. Phys. 50 (1964) 33
 1964FI1B Fisher and Rimmer, 3A(II)/C130, Paris (1964)
 1964FO1A Fowler and Vogl, Lectures in Theor. Phys., Vol. 6 (1964) 379
 1964FR1C Francis, Goldman and Guth, Congres Int. Phys. Nucl., Paris (1964)
 1964GA1E Garin et al., J. Phys. 25 (1964) 768
 1964GI05 R.A. Giles and E.J. Burge, Nucl. Phys. 50 (1964) 327
 1964GO1G Goldsanskii, Dokl. Akad. Nauk SSSR 157 (1964) 321; Sov. Phys. Dokl. 9 (1965) 566
 1964GO1L Gorlov, Lebedeva and Morozov, Dokl. Akad. Nauk SSSR 158 (1964) 574
 1964GR08 L.H. Greenberg, J.P. Roalsvig and R.N.H. Haslam, Can. J. Phys. 42 (1964) 731
 1964GR1E Grancha, Romanovsky, Timushev and Kohasany, Vest. Mosk. Univ. Fiz. Astron. 4 (1964) 87
 1964GR40 L. Green and D.J. Donahue, Phys. Rev. 135 (1964) B701
 1964HA1G Harlow, ORNL 3615 (1964)
 1964HO1D Honda, Kudo, Ui and Horie, Phys. Lett. 10 (1964) 99
 1964IY1A Iyer and Shah, Current Sci. 33 (1964) 643

- 1964KA31 T.M. Kavanagh, J.K.P. Lee and W.T. Link, *Can. J. Phys.* 42 (1964) 1429
- 1964KO09 R. Kosiek, K. Schlupmann, H.W. Siebert and R. Wendling, *Z. Phys.* 179 (1964) 9
- 1964KU09 H.-M. Kuan, P.R. Almond, G.U. Din and T.W. Bonner, *Nucl. Phys.* 60 (1964) 509
- 1964LI14 I. Lindgren, *Perturbed Angular Correlations*; Eds., E. Karlsson, E. Matthias and K. Siegbahn (1964) 379
- 1964LI1B Lindskog, Sundstrom and Sparrman, *Perturbed Angular Correlations*; Eds., E. Karlsson, E. Matthias and K. Siegbahn (1964) 411
- 1964MA1N Massot, El'Baz and Lafoucriere, *Nucl. Phys.* 58 (1964) 273
- 1964MA46 F. Manero, B.H. Armitage, J.M. Freeman and J.H. Montague, *Nucl. Phys.* 59 (1964) 583
- 1964MA57 M. Mazari, A. Jaidar, G. Lopez, A. Tejera, J. Careaga, R. Dominguez and F. Alba, *Proc. 2nd Int. Conf. on Nucl. Masses, Vienna, Austria, 1963*; Ed., W.H. Johnson, Jr. (1964) 305
- 1964MA59 M.Q. Makino, C.N. Waddell and R.M. Eisberg, *Nucl. Phys.* 50 (1964) 145
- 1964ME1C Mertz and Nikolic, *Bull. Amer. Phys. Soc.* 9 (1964) 628
- 1964MI04 R. Middleton and D.J. Pullen, *Nucl. Phys.* 51 (1964) 50
- 1964MO1D Morgan, *Bull. Amer. Phys. Soc.* 9 (1964) 653
- 1964NA1D Nagarajan, *Nucl. Phys.* 52 (1964) 381
- 1964OS1A Osgood, Patterson and Titterton, *Phys. Lett.* 10 (1964) 75
- 1964PE20 J.L. Perkin, *Nucl. Phys.* 60 (1964) 561
- 1964RI1C Ritter and Porterfield, *Bull. Amer. Phys. Soc.* 9 (1964) 67
- 1964SA05 J.R. Sawers, Jr., F.O. Purser, G. Morgan and R.L. Walter, *Bull. Amer. Phys. Soc.* 9 (1964) 445, FC16
- 1964SA1D Satchler, Drisko and Bassel, *Phys. Rev.* 136 (1964) B637
- 1964SC09 R.B. Schwartz, H.D. Holmgren, L.M. Cameron and A.R. Knudson, *Phys. Rev.* 134 (1964) B577
- 1964SC12 U. Schmidt-Rohr, R. Stock and P. Turek, *Nucl. Phys.* 53 (1964) 77
- 1964SH1C Shapiro, *Congres Int. Phys. Nucl., Paris, 1964* (1964) 313
- 1964SM05 V.A. Smotryaev and I.S. Trostin, *Zh. Eksp. Teor. Fiz.* 46 (1964) 1494; *Sov. Phys. JETP* 19 (1964) 1012
- 1964ST16 D.J. Steinberg, J.N. Palmieri and A.M. Cormack, *Nucl. Phys.* 56 (1964) 46
- 1964ST1B Stovall, *Phys. Rev.* 133 (1964) B268
- 1964ST1C Stromberg, Wiedling and Holmqvist, *AE* 139 (1964)

- 1964ST25 J.R. Stehn, M.D. Goldberg, B.N. Magurno and R. Wiener-Chasman, BNL-325, 2nd Ed., Suppl. 2, Vol. 1 (1964)
- 1964ST30 D.T. Stewart and P.W. Martin, Nucl. Phys. 60 (1964) 349
- 1964TA05 N.W. Tanner, G.C. Thomas and E.D. Earle, Nucl. Phys. 52 (1964) 29
- 1964TA1E Tamura and Terasawa, Phys. Lett. 8 (1964) 41
- 1964TI03 R.M. Tisinger, Jr., P.W. Keaton and G.E. Owen, Phys. Rev. 135 (1964) B892
- 1964VA1F Van Dantzig and Tobocman, Phys. Rev. 136 (1964) B1682
- 1964VE1A Venter and Frahn, Ann. Phys. 27 (1964) 385, 401
- 1964WA11 C.N. Waddell, R.K. Cole and D.A. Haner, Bull. Amer. Phys. Soc. 9 (1964) 553, N2
- 1964ZA1B Zaika, Nemets and Tokarevskii, Izv. Akad. Nauk SSSR Ser. Fiz. 28 (1964) 1637
- 1965AL17 P.R. Almond and J.R. Risser, Nucl. Phys. 72 (1965) 436
- 1965AN1A Anufrienko et al., Yad. Fiz. 2 (1965) 826
- 1965AR07 K.P. Artemov, V.Z. Goldberg, B.I. Islamov, V.P. Rudakov and I.N. Serikov, Yad. Fiz. 1 (1965) 1019; Sov. J. Nucl. Phys. 1 (1965) 726
- 1965AZ1A Azhgirei et al., Yad. Fiz. 1 (1965) 122; Sov. J. Phys. 1 (1965) 84
- 1965BA1M Barrett, Hill and Hodgson, Nucl. Phys. 62 (1965) 133
- 1965BA1T Barz, Hehl, Riedel and Slotta, Nucl. Phys. 68 (1965) 231
- 1965BA21 V.V. Balashov, D. Pal and V.N. Fetisov, Phys. Lett. 17 (1965) 290
- 1965BA54 D.J. Baugh, G.W. Greenlees, J.S. Lilley and S. Roman, Nucl. Phys. 65 (1965) 33
- 1965BE12 R.C. Barse, J.C. Legg, G.C. Phillips, A.A. Rollefson and G. Roy, Nucl. Phys. 65 (1965) 545
- 1965BE1A Bertozzi et al., Nucl. Instrum. Meth. 33 (1965) 199
- 1965BE1K Bergdolt, Ann. Phys. 10 (1965) 857
- 1965BE1L Bernstein and Terrell, Bull. Amer. Phys. Soc. 10 (1965) 103
- 1965BE1X Berkowitz, Carlson and Norbeck, Bull. Amer. Phys. Soc. 10 (1965) 627
- 1965BO1L Bondouk, Asfour, Gontchar and Machali, Nucl. Phys. 65 (1965) 490
- 1965BO1M Bodmer and Murphy, Nucl. Phys. 64 (1965) 593
- 1965BO1N Boyarkina and Ciofi Degli Atti, Phys. Lett. 19 (1965) 38
- 1965BO31 I. Boca, M. Borsaru, E. Iliescu and M. Cenja, Rev. Roum. Phys 10 (1965) 581
- 1965BO42 M. Bormann, E. Fretwurst, P. Schehka, G. Wrege, H. Buttner, A. Lindner and H. Meldner, Nucl. Phys. 63 (1965) 438
- 1965BR1E Bradberry and Steuer, Bull. Amer. Phys. Soc. 10 (1965) 261
- 1965BR42 O.D. Brill, Yad. Fiz. 1 (1965) 55; Sov. J. Nucl. Phys. 1 (1965) 37

1965BU1F Buttlar and Goldmann, Z. F. Phys. 187 (1965) 356
1965CA05 R.R. Carlson and R.L. McGrath, Phys. Rev. Lett. 15 (1965) 173
1965CH13 M.L. Chatterjee, Nucl. Phys. 65 (1965) 635
1965CL02 C.M. Class, J.E. Price and J.R. Risser, Nucl. Phys. 71 (1965) 433
1965CL1B Clark and Zolotar, Bull. Amer. Phys. Soc. 10 (1965) 9
1965CL1C Clegg, Barnard and Swint, Bull. Amer. Phys. Soc. 10 (1965) 156
1965CL1D Clegg, Barnard and Swint, Bull. Amer. Phys. Soc. 10 (1965) 526
1965CL1E Clegg, Nucl. Phys. 66 (1965) 185
1965CO25 S. Cohen and D. Kurath, Nucl. Phys. 73 (1965) 1; Erratum Nucl. Phys. 89 (1966) 707
1965DA1E Dar, Phys. Rev. 139 (1965) B1193
1965DE1G Degtyarev, Atomnaya Energiya 19 (1965) 456
1965DE1P Detenbeck, Nucl. Phys. 74 (1965) 199
1965DE21 R.W. Detenbeck, Nucl. Phys. 74 (1965) 184
1965DI1C Dittmer et al., Bull. Amer. Phys. Soc. 10 (1965) 122
1965DO1H Donovan, Rev. Mod. Phys. 37 (1965) 501
1965EB01 T.G. Ebrey and P.R. Gray, Nucl. Phys. 61 (1965) 479
1965FA1E Faessler, Nucl. Phys. 65 (1965) 329
1965FI05 P. Fintz, Ann. Phys. (Paris) 10 (1965) 435
1965FR1B Frasca, Finlay, Koshel and Cassola, Bull. Amer. Phys. Soc. 10 (1965) 1126
1965FU1E Furst-Rauch and Munzer, Acta Phys. Aust. 20 (1965) 300
1965GA1A Garcia, Bolta, Lopez and Senent, An. Real Soc. Espan. Fiz. Quim 61 (1965) 341
1965GA1B Gaedke, Toth and Williams, Phys. Rev. 140 (1965) B296
1965GA1D Gaponov, Yad. Fiz. 2 (1965) 1002
1965GA1G Garber and Shrader, Bull. Amer. Phys. Soc. 10 (1965) 510
1965GI02 J.H. Gibbons and R.L. Macklin, Phys. Rev. 137 (1965) B1508
1965GR1F Greider, Ann. Rev. Nucl. Sci. 15 (1965) 291
1965GR1N Gradsztajn, Yiou, Klapisch and Bernas, Phys. Rev. Lett. 14 (1965) 436
1965GR22 D.E. Groce and B.D. Sowerby, Nature 206 (1965) 494
1965HA21 M.V. Harlow, Jr., R.L. Robinson and B.B. Kinsey, Nucl. Phys. 67 (1965) 249
1965HA28 R.M. Haybron and H. McManus, Phys. Rev. 140 (1965) B638
1965HE1B Henkel, Bull. Amer. Phys. Soc. 10 (1965) 601
1965HE1C Hensley and Barnes, Bull. Amer. Phys. Soc. 10 (1965) 1194

- 1965JA09 H.E. Jackson, A.I. Namenson and G.E. Thomas, Phys. Lett. 17 (1965) 324
- 1965JA1C Janecke, Nucl. Phys. 61 (1965) 383
- 1965JO09 G. Johnson, H. Langevin-Joliot and P. Roussel, J. Phys. (Paris) 26 (1965) 161
- 1965KE07 C.A. Kelsey, S. Kobayashi and A.S. Mahajan, Nucl. Phys. 68 (1965) 413
- 1965LA08 J. Lang, R. Muller, W. Wolfli, R. Bosch and P. Marmier, Phys. Lett. 15 (1965) 248
- 1965LA1F Lang et al, Helv. Phys. Acta 38 (1965) 368
- 1965LI09 G.P. Lietz, S.F. Trevino, A.F. Behof and S.E. Darden, Nucl. Phys. 67 (1965) 193
- 1965MA1H Mahaux, Nucl. Phys. 71 (1965) 241
- 1965MA1K Marion, Nucl. Phys. 68 (1965) 463
- 1965MA1T Mahaux, Nucl. Phys. 67 (1965) 358
- 1965MA26 M.Q. Makino, C.N. Waddell and R.M. Eisberg, Nucl. Phys. 68 (1965) 378
- 1965MA59 N.A. Mansour, H.R. Saad, Z.A. Saleh, E.M. Sayed, I.I. Zaloubovsky and V.I. Gontchar, Nucl. Phys. 65 (1965) 433
- 1965MC04 P.G. McManigal, R.D. Eandi, S.N. Kaplan and B.J. Moyer, Phys. Rev. 137 (1965) B620
- 1965MC09 R. McPherson, R.A. Esterlund, A.M. Poskanzer and P.L. Reeder, Phys. Rev. 140 (1965) B1513
- 1965ME1C Measday, Clegg and Fisher, Nucl. Phys. 61 (1965) 269
- 1965MO15 S.J. Moss and W. Haerberli, Nucl. Phys. 72 (1965) 417
- 1965NE1C Neudatchin and Smirnov, Nucl. Phys. 66 (1965) 25
- 1965NI1B Nilsson, Sawa and Gylden, Ark. Fys. 30 (1965) 505
- 1965PA05 J.R. Patterson, J.M. Poate and E.W. Titterton, Proc. Phys. Soc. (London) 85 (1965) 1085
- 1965PA10 J.R. Patterson, J.M. Poate, E.W. Titterton and B.A. Robson, Proc. Phys. Soc. (London) 86 (1965) 1297
- 1965PE1F Perrain and Vinh Mau, Phys. Lett. 14 (1965) 236
- 1965PO03 A.M. Poskanzer, P.L. Reeder and I. Dostrovsky, Phys. Rev. 138 (1965) B18
- 1965PO05 M. Poulet, A. Michalowicz, Y. Le Guen, K. Kuroda, D. Cronenberger and G. Coignet, J. Phys. (Paris) 26 (1965) 399
- 1965PO07 R.E. Pollock and G. Schrank, Phys. Rev. 140 (1965) B575
- 1965RA15 L.A. Rayburn and E.O. Wollen, Nucl. Phys. 61 (1965) 381
- 1965RO22 L. Rosen, J.G. Beery, A.S. Goldhaber and E.H. Auerbach, Ann. Phys. 34 (1965) 96
- 1965SA07 M.W. Sachs, C. Chasman and D.A. Bromley, Phys. Rev. 139 (1965) B92

1965SA15 D.G. Sargood and G.D. Putt, Aust. J. Phys. 18 (1965) 491
1965SA1H Sawada, Nucl. Phys. 74 (1965) 289
1965SI05 D.G. Simons and R.W. Detenbeck, Phys. Rev. 137 (1965) B1471
1965SI12 R.H. Siemssen, M. Cosack and R. Felst, Nucl. Phys. 69 (1965) 209
1965SI13 R.H. Siemssen, M. Cosack and R. Felst, Nucl. Phys. 69 (1965) 227
1965SL1B Slaggie, Bull. Amer. Phys. Soc. 10 (1965) 497
1965SO1A Sorriaux, Compt. Rend. 260 (1965) 3045
1965ST1E Strobel, Thesis, Univ. of Southern California (1965)
1965TA1C Taylor, Fletcher and Davis, Nucl. Phys. 52 (1965) 318
1965TA1F Tatischeff et al., Phys. Lett. 16 (1965) 282
1965TE1B Terrell et al., Bull. Amer. Phys. Soc. 10 (1965) 103
1965TS1A Tsenter and Silin, Atomnaya Energ. 19 (1965) 48
1965VA23 L. Valentin, Nucl. Phys. 62 (1965) 81
1965WE1C Wenzel and Steuer, Phys. Rev. 137 (1965) 880
1965WE1D Weidenmuller, Nucl. Phys. 69 (1965) 113
1965WI11 J.H. Williamson, Nucl. Phys. 69 (1965) 481
1965WI17 R.M. Wilenzick, K.K. Seth, P.R. Bevington and H.W. Lewis, Nucl. Phys. 62 (1965) 511
1965ZI1A Zimanyi, Magyar Fiz. Folyoirat 13 (1965) 461
1965ZO1A Zobel, Maienschein and Scroggs, ORNL 3506 (1965)
1966AG1A Agee and Rosen, LA-3538-MS (1966)
1966AR03 J.C. Armstrong, M.J. Baggett, W.R. Harris and V.A. Latorre, Phys. Rev. 144 (1966) 823
1966BA01 F.C. Barker, J.R. Patterson, J.M. Poate and E.W. Titterton, Phys. Lett. 21 (1966) 318
1966BA13 G.C. Ball and J. Cerny, Phys. Lett. 21 (1966) 551
1966BA2M Baldweg et al., Proc. Conf. Nucl. Reactions, Jan. 1966, Rossendorf; Ed., J. Schintlmeister, ZFK-122 (1966) 228
1966BA2N Barnard, Duval and Swint, Phys. Lett. 20 (1966) 412
1966BA2P Barnes, 2nd Symp. on the Struct. of Low-Medium Mass Nucl., April 1966 (1966) 242
1966BA2Q Basile, Durand and Tellez, Proc. 2nd Int. Symp. on Polariz. Phenom. of Nucleons, Karlsruhe, 1965 (1966) 487
1966BA35 A.C.L. Barnard, J.B. Swint and T.B. Clegg, Nucl. Phys. 86 (1966) 130

- 1966BA44 D. Bachelier, M. Bernas, I. Brissaud, P. Radvanyi and M. Roy, Nucl. Phys. 88 (1966) 307
- 1966BE1B Berggren and Tyren, Ann. Rev. Nucl. Sci. 16 (1966) 153
- 1966BE1M Bercaw, Boschitz and Vincent, Proc. 2nd Int. Symp. on Polariz. Phenom. of Nucleons, Karlsruhe, 1965 (1966) 334
- 1966BE31 F. Beck, Ann. Phys. 1 (1966) 503
- 1966BL19 L.N. Blumberg, E.E. Gross, A. Van Der Woude, A. Zucker and R.H. Bassel, Phys. Rev. 147 (1966) 812
- 1966BO1U Boyarkina and Chiofi, Yad. Fiz. 3 (1966) 43
- 1966BO20 B.E. Bonner, G. Rickards, D.L. Bernard and G.C. Phillips, Nucl. Phys. 86 (1966) 187
- 1966BR1E Brunning et al., Proc. 2nd Int. Symp. on Polariz. Phenom. of Nucleons, Karlsruhe, 1965 (1966) 146
- 1966BR1Z Bredin, Hansen, Temmer and Van Bree, Bull. Amer. Phys. Soc. 11 (1966) 625, and Private Communication (1966)
- 1966BR2A Bredin, Hansen, Temmer and Van Bree, F.S.U. Isobaric Spin Conf. (1966) 472
- 1966CA01 T.A. Cahill, J.R. Richardson and R.P. Haddock, Phys. Rev. 144 (1966) 932
- 1966CE02 J. Cerny, R.H. Pehl, G. Butler, D.G. Fleming, C. Maples and C. Detraz, Phys. Lett. 20 (1966) 35
- 1966CE05 J. Cerny, C. Detraz and R.H. Pehl, Phys. Rev. 152 (1966) 950
- 1966CH18 P.R. Christensen and C.L. Cocke, Phys. Lett. 22 (1966) 503
- 1966CI1A Cindro, Rev. Mod. Phys. 38 (1966) 391
- 1966CO27 J.G. Couch, J.A. McIntyre and J.C. Hiebert, Phys. Rev. 152 (1966) 883
- 1966CR04 R.M. Craig, J.C. Dore, G.W. Greenlees, J. Lowe and D.L. Watson, Nucl. Phys. 79 (1966) 177
- 1966CR14 R.M. Craig, J.C. Dore, G.W. Greenless, J. Lowe and D.L. Watson, Nucl. Phys. 83 (1966) 493
- 1966DA1B Darden, Proc. 2nd Int. Symp. on Polariz. Phenom. of Nucleons, Karlsruhe, 1965 (1966) 433
- 1966DA1C Daehnick and Denes, Bull. Amer. Phys. Soc. 11 (1966) 30
- 1966DA1G Darriulat, Fowler, De Swiniarski and Thirion, Proc. 2nd Int. Symp. on Polariz. Phenom. of Nucleons, Karlsruhe, 1965 (1966) 342
- 1966DE09 L.J. Denes, W.W. Daehnick and R.M. Drisko, Phys. Rev. 148 (1966) 1097
- 1966DE1C Detraz et al., Phys. Lett. 22 (1966) 638
- 1966DE1M Deconnick and Meulders, Ann. Soc. Sci. Bruxelles 80 (1966) 193

1966DI04 G.U. Din and J.L. Weil, Nucl. Phys. 86 (1966) 509
1966DO1E Donoghue, De Martini, Soltesz and Sukis, Bull. Amer. Phys. Soc. 11 (1966) 12
1966DR04 Y.G. Dragunov, Y.V. Melikov and A.F. Tulinov, Yad. Fiz. 4 (1966) 314; Sov. J. Nucl. Phys. 4 (1967) 225
1966EC1B Eccles, Lutz and Rohn, Bull. Amer. Phys. Soc. 11 (1966) 735
1966ED1A J.A. Edgington and B. Rose, Nucl. Phys. 89 (1966) 523
1966EL08 F. El-Batanoni and A.A. Kresnin, Nucl. Phys. 89 (1966) 577
1966EL1D F. El-Batanoni, M. El-Nadi and G.L. Vysotsky, Nucl. Phys. 82 (1966) 407
1966EM01 J.McL. Emmerson, J.C.W. Madden, C.M.P. Johnson, N. Middlemas, A.B. Clegg and W.S.C. Williams, Nucl. Phys. 77 (1966) 305
1966FA1B Fayard, Lamot, Massot and Lafoucriere, J. Phys. 27 (1966) C1-132
1966GA04 R.M. Gaedke, K.S. Toth and I.R. Williams, Phys. Rev. 141 (1966) 996
1966GA09 A. Gallman, P. Fintz and P.E. Hodgson, Nucl. Phys. 82 (1966) 161
1966GA1M Gallati, Brandenberger, Dutt and Weil, Bull. Amer. Phys. Soc. 11 (1966) 831
1966GA25 G.T. Garvey and I. Kelson, Phys. Rev. Lett. 16 (1966) 197
1966GE03 D.G. Gerke, D.R. Tilley, N.R. Fletcher and R.M. Williamson, Nucl. Phys. 75 (1966) 609
1966GL01 R.N. Glover and A.D.W. Jones, Nucl. Phys. 84 (1966) 673
1966GO15 S. Gorodetzky, R.M. Freeman, A. Gallman and F. Hass, Phys. Rev. 149 (1966) 801
1966GO1B Goldanskii, Ann. Rev. Nucl. Sci. 16 (1966) 1
1966GO1J Gordetzky, Gallmann and Fintz, J. Phys. 27 (1966) C1-91
1966GO1L Gorodetzky et al., J. Phys. 27 (1966) C1-112
1966GU04 T. Gudehus, M. Cosack, R. Felst and H. Wahl, Nucl. Phys. 80 (1966) 577
1966GU08 R.K. Gupta and P.C. Sood, Phys. Rev. 152 (1966) 917
1966HA18 E.C. Halbert, Y.E. Kim and T.T.S. Kuo, Phys. Lett. 20 (1966) 657
1966HA19 B.G. Harvey, J.R. Meriwether, J. Mahoney, A. Bussiere de Nercy and D.J. Horen, Phys. Rev. 146 (1966) 712
1966HA1F Hanna, Proc. 2nd Int. Symp. on Polariz. Phenom. of Nucleons, Karlsruhe, 1965 (1966) 280
1966HA1Q Hahn and Ricci, Bull. Amer. Phys. Soc. 11 (1966) 724
1966HE1C R.C. Herndon and Y.C. Tang, Phys. Rev. 149 (1966) 735
1966HE1F Hensley and Barnes, Bull. Amer. Phys. Soc. 11 (1966) 629

- 1966HO11 C.E. Hollandsworth, F.O. Purser, Jr., J.R. Sawers, Jr. and R.L. Walter, Phys. Rev. 150 (1966) 825
- 1966HO1D Hodgson, Proc. Conf. Nucl. Reactions, Jan. 1966, Rossendorf; Ed., J. Schintlmeister, ZFK-122 (1966) 71
- 1966HS1A Hsu, Yang and Lee, Chin. J. Phys. 4 (1966) 49
- 1966HU1H Huang, Barrows and Gabbard, Bull. Amer. Phys. Soc. 11 (1966) 510
- 1966HU1J A. Huck, G. Walter and A. Coche, J. Phys. 27 (1966) C1-88
- 1966JA03 O.N. Jarvis, B. Rose and J.P. Scanlon, Nucl. Phys. 77 (1966) 161
- 1966JA08 O.N. Jarvis, Nucl. Phys. 79 (1966) 305
- 1966JA1F O.N. Jarvis, B. Rose and A.E. Taylor, Nucl. Phys. 79 (1966) 275
- 1966JE1B Jessen, Bormann, Dreyer and Neuert, Nucl. Data 1 (1966) 103
- 1966KA05 T.S. Katman, N.R. Fletcher, D.R. Tilley and R.M. Williamson, Nucl. Phys. 80 (1966) 449
- 1966KE08 E.M. Kellogg and R.W. Zurmuhle, Phys. Rev. 152 (1966) 890
- 1966KE16 I. Kelson and G.T. Garvey, Phys. Lett. 23 (1966) 689
- 1966KI1D Kim, Milner and McGowan, Nucl. Data 2 (1966) 1
- 1966KL05 A.P. Klyucharev and Y.I. Titov, Izv. Akad. Nauk SSSR Ser. Fiz. 30 (1966) 224; Bull. Acad. Sci. USSR Phys. Ser. 30 (1966) 229
- 1966LA04 T. Lauritsen and F. Ajzenberg-Selove, Nucl. Phys. 78 (1966) 1
- 1966LA18 J. Lang, R. Muller, W. Wolfli, R. Bosch and P. Marmier, Nucl. Phys. 88 (1966) 576
- 1966LA1M Langsford et al., Antwerp 1965 Neutron Conf. (1966) 529
- 1966LE1M Lemmer, Rept. Prog. Phys. 29 (1966) 131
- 1966LE1N Lebre, Univ. of Lyon, Rept. No. Lycen 6610 (1966)
- 1966LI03 D. Lister and A. Sayres, Phys. Rev. 143 (1966) 745
- 1966LO16 J. Lowe and D.L. Watson, Phys. Lett. 23 (1966) 261
- 1966LO1M I. Lovas, Nucl. Phys. 81 (1966) 353
- 1966MA1P MacFarlane, Nucl. Spin-Parity Assignments; Ed., Gove (1966) 411
- 1966MA1Y G.S. Mani, A. Sadeghi and A. Tarrats, J. Phys. 27 (1966) C1-130
- 1966MA1Z Marty et al., Proc. 2nd Int. Symp. on Polariz. Phenom. of Nucleons, Karlsruhe, 1965 (1966) 499
- 1966MA21 G.R. Mason and J.T. Sample, Nucl. Phys. 82 (1966) 635
- 1966MA2A Mao et al., Chin. J. Phys. 22 (1966) 349; Acta Phys. Sinica (China) 22 (1966) 440
- 1966MA2B Mark, Standing and Wu, Bull. Amer. Phys. Soc. 11 (1966) 471

1966MA36 N. Mangelson, F. Ajzenberg-Selove, M. Reed and C.C. Lu, Nucl. Phys. 88 (1966) 137
 1966MA60 J.B. Marion, Rev. Mod. Phys. 38 (1966) 660
 1966MC05 R.L. McGrath, Phys. Rev. 145 (1966) 802
 1966MC14 W.N. McDicken and W. Jack, Nucl. Phys. 88 (1966) 457
 1966ME01 D.F. Measday, Nucl. Phys. 78 (1966) 476
 1966ME14 D.F. Measday and J.N. Palmieri, Nucl. Phys. 85 (1966) 129
 1966MI12 R.G. Miller and R.W. Kavanagh, Nucl. Phys. 88 (1966) 492
 1966MI1E Miller, Proc. 2nd Int. Symp. on Polariz. Phenom. of Nucleons, Karlsruhe, 1965 (1966) 410
 1966MI1F Migdal, Proc. Int. School Enrico Fermi, Course 36; Ed., C. Bloch (1966) 171
 1966MI1K Miller and Kavanagh, Bull. Amer. Phys. Soc. 11 (1966) 315
 1966MO09 F.P. Mooring, J.E. Monahan and C.M. Huddleston, Nucl. Phys. 82 (1966) 16
 1966MO1E S. Mora, Phys. Lett. 20 (1966) 89
 1966NO1B Nomoto, PUC-937-66-194 (1966)
 1966OL1C Olariu, Acad. Repub. Pop. Romine. Inst. de Fiz. Atom. Rept. IS 25 (1966)
 1966PA10 J.R. Patterson, J.M. Poate and E.W. Titterton, Proc. Phys. Soc. (London) 88 (1966) 641
 1966PA1H Park, Bull. Amer. Phys. Soc. 11 (1966) 627
 1966PE08 S. Petralia, G. Di Caporiacco, M. Mando and G. Parrini, Nuovo Cim. B44 (1966) 225
 1966PE1F C.A. Pearson and M. Coz, Nucl. Phys. 82 (1966) 545
 1966PO11 A.R. Poletti, J.W. Olness and E.K. Warburton, Phys. Rev. 151 (1966) 812
 1966PR1B Prusser, 2nd Symp. on the Struct. of Low-Medium Mass Nucl., April 1966 (1966) 38
 1966RE1D H. Reeves, J. Phys. 27 (1966) C1-28
 1966RI09 G. Rickards, B.E. Bonner and G.C. Phillips, Nucl. Phys. 86 (1966) 167
 1966RI12 G. Ripka and L. Zamick, Phys. Lett. 23 (1966) 347
 1966RO08 C. Rolland, B. Geoffrion, N. Marty, M. Morlet, B. Tatischeff and A. Willis, Nucl. Phys. 80 (1966) 625
 1966RO1B Rosen, Proc. 2nd Int. Symp. on Polariz. Phenom. of Nucleons, Karlsruhe, 1965 (1966) 253
 1966RO1R Rosen, Antwerp 1965 Neutron Conf. (1966) 379
 1966SA05 J.R. Sawers, Jr., F.O. Purser, Jr. and R.L. Walter, Phys. Rev. 141 (1966) 825
 1966SC09 J.P. Schiffer, L.L. Lee, Jr., A. Marinov and C. Mayer-Boricke, Phys. Rev. 147 (1966) 829

- 1966SE1E Seth and Tabony, *Ann. Phys.* 40 (1966) 183
- 1966SH10 G.G. Shute and A.M. Baxter, *Nucl. Phys.* 83 (1966) 460
- 1966SP09 D. Spalding, A.R. Thomas, N.W. Reay and E.H. Thorndike, *Phys. Rev.* 150 (1966) 806
- 1966ST05 J.D. Steben and M.K. Brussel, *Phys. Rev.* 146 (1966) 780
- 1966ST16 D.M. Stanojevic and F.M. Boreli, *Bull. Inst. Nucl. Sci. Boris Kidrich (Belgrade)* 17 (1966) 161
- 1966ST1L G.L. Strobel, *Nucl. Phys.* 86 (1966) 535
- 1966SU05 M. Suffert, *Nucl. Phys.* 75 (1966) 226
- 1966SW04 J.B. Swint, A.C.L. Barnard, T.B. Clegg and J.L. Weil, *Nucl. Phys.* 86 (1966) 119
- 1966TY01 H. Tyren, S. Kullander, O. Sundberg, R. Ramachandran, P. Isacson and T. Berggren, *Nucl. Phys.* 79 (1966) 321; Erratum *Nucl. Phys.* A119 (1968) 692
- 1966UN1A Une, Yamaji and Yoshida, *Prog. Theor. Phys.* 35 (1966) 1010
- 1966WI1E D.H. Wilkinson and M.E. Mafethe, *Nucl. Phys.* 85 (1966) 97
- 1966ZA01 C.D. Zafiratos, F. Ajzenberg-Selove and F.S. Dietrich, *Nucl. Phys.* 77 (1966) 81; Erratum *Nucl. Phys.* 89 (1966) 706
- 1967AC01 E. Acerbi, M. Castiglioni, G. Dutto, I. Iori, A. Luccio, S. Micheletti, N. Molho, M. Pignanelli, F. Resmini, G. Strini et al., *Suppl. Nuovo Cim.* 5 (1967) 1252
- 1967AL16 A.U. Aldzhauakhiri, A.V. Spasskii, I.B. Teplov and L.N. Fateeva, *Yad. Fiz.* 6 (1967) 248; *Sov. J. Nucl. Phys.* 6 (1968) 180
- 1967AM1H Amiet, Ebenhoh and Huguenin, *Helv. Phys. Acta* 40 (1967) 283
- 1967AN08 B. Antolkovic, G. Paic, D. Rendic and P. Tomas, *Izv. Akad. Nauk SSSR Ser. Fiz.* 31 (1967) 110; *Bull. Acad. Sci. USSR Phys. Ser.* 31 (1968) 107
- 1967AR17 K.P. Artemov, V.Z. Goldberg, V.P. Rudakov and I.N. Serikov, *Yad. Fiz.* 6 (1967) 13; *Sov. J. Nucl. Phys.* 6 (1968) 9
- 1967AR1D Armstrong, *Nucl. Research with Low Energy Accelerators*, Eds., Marion and Van Patter (1967) 247
- 1967AU1A Audouze, Epherre and Reeves, *High Energy Nucl. Reactions in Astrophys.*, Ed., B.S.P. Shen (1967) 255
- 1967AU1B J. Audouze, M. Epherre and H. Reeves, *Nucl. Phys.* A97 (1967) 144
- 1967BA12 G. Baron and H. Rouhaninejad, *J. Phys. (Paris)* 28 (1967) 142
- 1967BA1C A.C. Barnard, *Phys. Rev.* 155 (1967) 1135
- 1967BA1E Bang, Zelemskaya, Magzumov and Neudachin, *Sov. J. Nucl. Phys.* 4 (1967) 688
- 1967BA2F Bayukov et al., *Yad. Fiz.* 5 (1967) 337

- 1967BA2G Ball and Cerny, Bull. Amer. Phys. Soc. 12 (1967) 1144
- 1967BE10 J.J. Berlijn, P.W. Keaton, Jr., L. Madansky, G.E. Owen, L. Pfeiffer and N.R. Roberson, Phys. Rev. 153 (1967) 1152
- 1967BE1F Beery, Harper, Stovall and Rosen, Los Alamos Sci. Lab. Rept. LA-3788 (1967)
- 1967BE22 V.V. Beloshitsky, Phys. Lett. B24 (1967) 559
- 1967BE2D Bernas, Gradsztajn, Reeves and Schatzman, Ann. Phys. 44 (1967) 426
- 1967BI1F Birnbaum and Bromley, Int. Nucl. Phys. Conf., Gatlinburg, 1966 (1967) 157
- 1967BO17 A.P. Borden and R.C. Ritter, Phys. Rev. 159 (1967) 875
- 1967BR1Q G. Breit, Proc. Nat. Acad. Sci. 67 (1967) 849
- 1967BR23 D.L. Broder, A.G. Dovbenko, V.E. Kolesov, A.I. Lashuk and I.P. Sadokhin, Izv. Akad. Nauk SSSR Ser. Fiz. 31 (1967) 327; Bull. Acad. Sci. USSR Phys. Ser. 31 (1968) 311
- 1967CA1K Carlson et al., Bull. Amer. Phys. Soc. 12 (1967) 483
- 1967CH04 R. Chapman and A.M. Macleod, Nucl. Phys. A94 (1967) 324
- 1967CH15 N.S. Chant, P.S. Fisher and D.K. Scott, Nucl. Phys. A99 (1967) 669
- 1967CH42 A. Chatterjee and A.M. Ghose, Phys. Rev. 161 (1967) 1181
- 1967CO1D Commins, Ann. Rev. Nucl. Sci. 17 (1967) 33
- 1967CO23 S.W. Cosper, H. Brunnader, J. Cerny and R.L. McGrath, Phys. Lett. B25 (1967) 324
- 1967CO32 S. Cohen and D. Kurath, Nucl. Phys. 101 (1967) 1
- 1967CR1C H. Crannell, L.R. Suelzle, F.J. Uhrhane and M.R. Yearian, Nucl. Phys. A103 (1967) 677
- 1967DE03 L.J. Denes and W.W. Daehnick, Phys. Rev. 154 (1967) 928
- 1967DE1K Dehnhard and Siemssen, Bull. Amer. Phys. Soc. 12 (1967) 17
- 1967DE1T Detenbeck and Bhatia, Bull. Amer. Phys. Soc. 12 (1967) 17
- 1967DE1U De Martini, Soltesz and Donoghue, Bull. Amer. Phys. Soc. 12 (1967) 500
- 1967DI01 G.U. Din, M.A. Nagarajan and R. Pollard, Nucl. Phys. A93 (1967) 190
- 1967DU1A J.S. Duval, Jr., A.C.L. Barnard and J.B. Swint, Nucl. Phys. A93 (1967) 164
- 1967EP1A Epherre and Gradsztajn, J. Phys. (Paris) 28 (1967) 745
- 1967FA06 J.A. Fannon, E.J. Burge, D.A. Smith and N.K. Ganguly, Nucl. Phys. A97 (1967) 263
- 1967FA1A W.M. Fairbairn, Nucl. Phys. A90 (1967) 135
- 1967FE06 P. Fessenden and D.R. Maxson, Phys. Rev. 158 (1967) 948
- 1967FO1B Fowler, Caughlan and Zimmerman, Ann. Rev. Astron. Astrophys. 5 (1967) 525
- 1967FO1E Focht, Zurmuhle and Fou, Bull. Amer. Phys. Soc. 12 (1967) 35
- 1967FR20 M.P. Fricke, E.E. Gross, B.J. Morton and A. Zucker, Phys. Rev. 156 (1967) 1207

- 1967FU03 H.W. Fulbright, J.A. Robbins, R. West, D.P. Saylor and J.W. Verba, Nucl. Phys. A94 (1967) 214
- 1967FU08 K. Fukunaga, H. Nakamura and N. Fujiwara, J. Phys. Soc. Jpn. 23 (1967) 911
- 1967FU1K Furst and Munzer, Sitzber. Math. Naturw. Kl. Oster. Akad. Wiss. Abt. 11 174, 187-99 HEFT 7 (1967)
- 1967GO36 G.V. Gorlov, N.S. Lebedeva and V.M. Morozov, Yad. Fiz. 6 (1967) 910; Sov. J. Nucl. Phys. 6 (1968) 663
- 1967GR1K Gradsztajn, High Energy Nucl. Reactions in Astrophys., Ed., B.S.P. Shen (1967) 247
- 1967HA20 R.L. Hahn and E. Ricci, Nucl. Phys. A101 (1967) 353
- 1967HA21 R.L. Hahn, Nucl. Phys. A101 (1967) 545
- 1967HE1E E.M. Henley and C.E. Lacy, Phys. Rev. 160 (1967) 835
- 1967HO14 R.A. Hoffswell, D. Jamnik, T.M. Noweir and A.I. Yavin, Phys. Rev. Lett. 19 (1967) 754
- 1967HO1J Houk and Wilson, Rev. Mod. Phys. 39 (1967) 546; Erratum Rev. Mod. Phys. 40 (1968) 672
- 1967HS04 Y.-C. Hsu, C.-Y. Huang and C.-C. Chang, Nucl. Phys. A104 (1967) 677
- 1967HU1C J. Humblet and G. Lebon, Nucl. Phys. A96 (1967) 593
- 1967IG1A G.J. Igo, J.L. Friedes, H. Palevsky, R. Sutter, G. Bennett, W.D. Simpson, D.M. Corley and R.L. Stearns, Nucl. Phys. B3 (1967) 181
- 1967IV1B Ivascu, Dumitrescu and Semenescu, Rev. Roum. Phys. 12 (1967) 279
- 1967KA1A Kabachnik and Grishanova, Sov. J. Nucl. Phys. 4 (1967) 583
- 1967KI03 K.G. Kibler, Phys. Rev. 155 (1967) 1110
- 1967KN1B Knudson and Young, Bull. Amer. Phys. Soc. 12 (1967) 502
- 1967KO08 R.L. Kozub, L.A. Kull and E. Kashy, Nucl. Phys. A99 (1967) 540
- 1967KO1M Koester, Z. Phys. 198 (1967) 187
- 1967KO27 D. Kopsch and S. Cierjacks, Nucl. Instrum. Meth. 54 (1967) 277
- 1967KU02 H.M. Kuan and S.S. Hanna, Phys. Lett. B24 (1967) 566
- 1967KU1E D. Kurath and R.D. Lawson, Phys. Rev. 161 (1967) 915
- 1967LE1F Lee, Int. Nucl. Phys. Conf., Gatlinburg, 1966 (1967) 31
- 1967LE1J Lee, Olness and Siemssen, Bull. Amer. Phys. Soc. 12 (1967) 1143
- 1967LI1B Lingenfelter and Ramaty, High Energy Nucl. Reactions in Astrophys., Ed., B.S.P. Shen (1967) 99
- 1967MA1K Mathur, Buchanan and Morgan, Bull. Amer. Phys. Soc. 12 (1967) 107
- 1967MA1L Mack and Mertens, Z. Naturforsch. A22 (1967) 1640

1967MC1E McGill et al., Bull. Amer. Phys. Soc. 12 (1967) 1144
 1967MC1H McNeely, Calt 68 (1967) 113
 1967ME02 P. Mennrath, P. Hubert, F. Leccia and J.P. Thibaud, Phys. Lett. B24 (1967) 285
 1967ME1L Meyer, Purser, Morgan and Walter, Bull. Amer. Phys. Soc. 12 (1967) 500
 1967ME23 V.N. Mekhedov, Yad. Fiz. 5 (1967) 34; Sov. J. Nucl. Phys. 5 (1967) 24
 1967MI1E Miller and Biggerstaff, Bull. Amer. Phys. Soc. 12 (1967) 1143
 1967MO1N F.B. Morinigo, Nucl. Phys. A90 (1967) 113
 1967NE1D Nemirovskii, Sov. J. Nucl. Phys. 4 (1967) 334
 1967OD01 F.H. O'Donnell and C.P. Browne, Phys. Rev. 158 (1967) 957
 1967OG1A Ogloblin, Proc. Problem Symp. on Nucl. Phys., Tbilisi, Apr. 1967 (1967) 169
 1967PF02 L. Pfeiffer and L. Madansky, Phys. Rev. 163 (1967) 999
 1967PI02 G. Pisent and A.M. Saruis, Nucl. Phys. A91 (1967) 561
 1967PO01 R.V. Poore, P.E. Shearin, D.R. Tilley and R.M. Williamson, Nucl. Phys. A92 (1967) 97
 1967PO13 J.E. Poth, J.C. Overley and D.A. Bromley, Phys. Rev. 164 (1967) 1295
 1967PO1J A.R. Poletti, E.K. Warburton and D. Kurath, Phys. Rev. 155 (1967) 1096
 1967PR10 W.V. Prestwich, R.E. Cote and G.E. Thomas, Phys. Rev. 161 (1967) 1080
 1967RI1B Ripka, Int. Nucl. Phys. Conf., Gatlinburg, 1966 (1967) 833
 1967RO1J Roeder, Ann. Phys. 43 (1967) 382
 1967SA1C Sannes and Stairs, Can. J. Phys. 45 (1967) 1497
 1967SC11 D.K. Scott, P.S. Fisher and N.S. Chant, Nucl. Phys. A99 (1967) 177
 1967SC1H Schenter, Bull. Amer. Phys. Soc. 12 (1967) 895
 1967SC29 J.P. Schiffer, G.C. Morrison, R.H. Siemssen and B. Zeidman, Phys. Rev. 164 (1967) 1274
 1967SH14 V.S. Shirley, UCRL-17990 (1967)
 1967SI05 D.G. Simons, Phys. Rev. 155 (1967) 1132
 1967SI1E Sick, Huber and Stammach, Helv. Phys. Acta 40 (1967) 808
 1967SW1A J.B. Swint, J.S. Duval, Jr., A.C.L. Barnard and T.B. Clegg, Nucl. Phys. A93 (1967) 177
 1967TA1B B. Tatischeff, Nucl. Phys. A98 (1967) 384
 1967TE1A Temmer and Van Bree, Int. Nucl. Phys. Conf, Gatlinburg, 1966 (1967) 880
 1967TH05 G.E. Thomas, D.E. Blatchley and L.M. Bollinger, Nucl. Instrum. Meth. 56 (1967) 325

- 1967TI1A Tilley, Nucl. Research with Low Energy Accelerators; Eds., Marion and van Patter (1967) 389
- 1967TI1B Timashev, Sov. J. Nucl. Phys. 4 (1967) 192
- 1967TR08 W. Trachslin and L. Brown, Nucl. Phys. A101 (1967) 273
- 1967VO1C Von Brentano, Proc. Prob. Symp. on Nucl. Phys., Tbilisi, April, 1967 (1967) 469
- 1967WA1C Warburton, Nucl. Research with Low Energy Accelerators, Eds., Marion and van Patter (1967) 43
- 1967WA1H J.W. Wachter, W.R. Burrus and W.A. Gibson, Phys. Rev. 161 (1967) 971
- 1967WO1E Wong and Tamura, Bull. Amer. Soc. 12 (1967) 501
- 1967ZO1A Zombeck et al., Bull. Amer. Phys. Soc. 12 (1967) 500
- 1968AJ02 F. Ajzenberg-Selove and T. Lauritsen, Nucl. Phys. A114 (1968) 1
- 1968AL03 K.W. Allen, P.G. Lawson and D.H. Wilkinson, Phys. Lett. B26 (1968) 138
- 1968AN02 P.T. Andrews, P.G. Butler, A. Christy, A.N. James, P. Kirkby, B.G. Lowe and B.W. Renwick, Nucl. Phys. A109 (1968) 689
- 1968AS1C Aspelund, Phys. Norvegica 3 (1968) 43
- 1968AT1A J. Atkinson and V.A. Madsen, Phys. Rev. Lett. 21 (1968) 295
- 1968BA1E Ball, UCRL-18263 (1968)
- 1968BA1K R.H. Bassel and C. Wilkin, Phys. Rev. 174 (1968) 1179
- 1968BA2F J.N. Bahcall, N.A. Bahcall and G. Shaviv, Phys. Rev. Lett. 20 (1968) 1209
- 1968BA2J Bassel and Drisko, Proc. Symp. on Direct Reactions with ^3He , IPCR, Japan, Sept. 1967 (1968) 13
- 1968BA2N Bahcall, Bahcall and Ulrich, Private Communication (1968)
- 1968BA2P Baldweg, Zentralinstitut Kerf. Ross. Bei Dresden, Rept. No. ZFK 140 (1968)
- 1968BE1Z W.K. Bertram and L.J. Tassie, Phys. Rev. 166 (1968) 1029
- 1968BE31 E.M. Bernstein and G.E. Terrell, Phys. Rev. 173 (1968) 937
- 1968BL1K Blatt et al., Bull. Amer. Phys. Soc. 13 (1968) 173
- 1968BO02 W. Bohne, D. Hilscher, H. Homeyer, H. Morgenstern and J.A. Scheer, Nucl. Phys. A106 (1968) 442
- 1968BO34 F. Boreli, B.B. Kinsey and P.N. Shrivastava, Phys. Rev. 174 (1968) 1147
- 1968BU1D Buttlar, Goldman, Huber and Kramer, in Tokyo (1968) 390
- 1968CH05 L.F. Chase, Jr., R.E. McDonald, W.W. True and E.K. Warburton, Phys. Rev. 166 (1968) 997
- 1968CH28 R. Chiba, N. Nakamura, K. Ebisawa, M. Ikeda, N. Kawai and T. Murata, Phys. Lett. B28 (1968) 173

- 1968CH35 J.S. Chalmers and A.M. Saperstein, Phys. Rev. 168 (1968) 1145; Addendum Phys. Rev. C2 (1970) 2034
- 1968CI1A Cierjacks et al., Neutron Cross Sect. Tech., NBS Special Pub. 299 (1968) 743
- 1968CO04 R.L.A. Cottrell, J.C. Lisle and J.O. Newton, Nucl. Phys. A109 (1968) 288
- 1968CO27 C.L. Cocke, J.C. Adloff and P. Chevallier, Phys. Rev. 176 (1968) 1120
- 1968CO31 M.N.H. Comsan, M.A. Farouk, A.A. El-Kamhawy, M.S.M. El-Tahawy and A.N. Lvov, Atomkernenergie 13 (1968) 415
- 1968DA05 C.N. Davids, Nucl. Phys. A110 (1968) 619
- 1968DA1D Davids, Astrophys. J. 151 (1968) 775
- 1968DA1F J.C. Davis and H.H. Barschall, Phys. Lett. B27 (1968) 636
- 1968DA1J Daniel, Rev. Mod. Phys. 40 (1968) 659
- 1968DI04 F.S. Dietrich, M. Suffert, A.V. Nero and S.S. Hanna, Phys. Rev. 168 (1968) 1169
- 1968DI1D Dicello, LA 3842 (1968)
- 1968ED1C S. Edwards, Nucl. Phys. A107 (1968) 523
- 1968EL1G M. El-Nady and M.A. Sharaf, Phys. Lett. B28 (1968) 165
- 1968EN1A J. Engler, K. Horn, J. Konig, F. Monnig, P. Schludecker, H. Schopper, P. Sievers, H. Ullrich and K. Runge, Phys. Lett. B28 (1968) 64
- 1968FA1A J.C. Faivre, H. Krivine and A.M. Papiiau, Nucl. Phys. A108 (1968) 508
- 1968FA1H G. Faucher, Nucl. Phys. B7 (1968) 16
- 1968FI1F Fisher et al., in Tokyo (1968) 138
- 1968FL02 D.G. Fleming, J. Cerny and N.K. Glendenning, Phys. Rev. 165 (1968) 1153
- 1968FL03 D.G. Fleming, J. Cerny, C.C. Maples and N.K. Glendenning, Phys. Rev. 166 (1968) 1012
- 1968FO1E Fortune, Bearnse, Yntema and Ohnuma, Bull. Amer. Phys. Soc. 13 (1968) 699
- 1968FO1F Fossan, Hernson, Paul and Jones, Bull. Amer. Phys. Soc. 13 (1968) 1787
- 1968GA13 M. Gaillard, R. Bouche, L. Feuvrais, P. Gaillard, A. Guichard, M. Gusakow, J.L. Leonhardt and J.-R. Pizzi, Nucl. Phys. A119 (1968) 161
- 1968GA1C Gaillard, Univ. Lyon, Rept. No. Lycen 6828 (1968)
- 1968GA1K Gaedke, Toth and Williams, Bull. Amer. Phys. Soc. 13 (1968) 83
- 1968GA1L Galati, Brandenberger, Obst and Weil, Bull. Amer. Phys. Soc. 13 (1968) 1388
- 1968GO01 P. Goldhammer, J.R. Hill and J. Nachamkin, Nucl. Phys. A106 (1968) 62
- 1968GO14 S. Gorodetzky, F. Beck and A. Knipper, Compt. Rend. B267 (1968) 78
- 1968GO1H A. Gobbi, U. Matter, J.-L. Perrenoud and P. Marmier, Nucl. Phys. A112 (1968) 537

- 1968GR1K E.E. Gross, J.J. Malanify, A. van der Woude and A. Zucker, Phys. Rev. Lett. 21 (1968) 1476
- 1968HA1V Hansen, Anderson, Stelts and Wong, Neutron Cross Sect. Tech., NBS Special Pub. 299 (1968) 225
- 1968HI01 F. Hinterberger, G. Mairle, U. Schmidt-Rohr, P. Turek and G.J. Wagner, Nucl. Phys. A106 (1968) 161
- 1968HO1H Horie and Hsieh, in Tokyo (1968) 51
- 1968HO23 K. Hosono, J. Phys. Soc. Jpn. 25 (1968) 36
- 1968HU17 I. Hunyadi and I. Angeli, Nucl. Phys. A119 (1968) 525
- 1968HU1G R. Huby and Q.K.K. Liu, Nucl. Phys. A122 (1968) 145
- 1968IN02 A. Ingemarsson, A. Johansson and G. Tibell, Phys. Lett. B27 (1968) 439
- 1968JA1M Jacquot et al., Compt. Rend. B266 (1968) 1286
- 1968JU1B Jung et al., Compt. Rend. 266 (1968) 1154
- 1968KA1J Kakigi et al., in Tokyo (1968) 276
- 1968KO1A Koshel, Norris, Adams and Westin, Bull. Amer. Phys. Soc. 13 (1968) 883
- 1968KO26 T. Koga and T. Takemiya, Suppl. Prog. Theor. Phys. (Kyoto) (1968) 137
- 1968KU1C Kuhlmann, BMWF FBK 68 06 (1968)
- 1968LE11 B. Leroux, K. El-Hammami, J. Dalmas, R. Chastel, G. Lamot, C. Fayard and J. Hajj Boutros, Nucl. Phys. A116 (1968) 196
- 1968LE1G Leonhardt, Univ. Lyon. Rept. No. Lycen 6811 (1968)
- 1968LI1G Liu and Ivash, Bull. Amer. Phys. Soc. 13 (1968) 1461
- 1968LI1K Lin et al., Bull. Amer. Phys. Soc. 13 (1968) 1968
- 1968LU03 B.T. Lucas, D.R. Ober and O.E. Johnson, Phys. Rev. 167 (1968) 990
- 1968MA10 D.R. Maxson and R.D. Murphy, Nucl. Phys. A110 (1968) 555
- 1968MA24 G. Mack, Z. Phys. 212 (1968) 365
- 1968ME11 G. Mertens, Z. Phys. 212 (1968) 347
- 1968MI02 D. Miljanic, G. Paic, B. Antolkovic and P. Tomas, Nucl. Phys. A106 (1968) 401
- 1968MI05 P.F. Mizera and J.B. Gerhart, Phys. Rev. 170 (1968) 839
- 1968NA1F Nakamura, in Tokyo (1968) 228
- 1968OB1B Obst, Galati and Weil, Bull. Amer. Phys. Soc. 13 (1968) 1387
- 1968OG1A Ogloblin, Nucl. Struct., Dubna Symp., 1968 (1968) 204
- 1968OK06 Y. Okuma, J. Phys. Soc. Jpn. 25 (1968) 1

- 1968PE16 A.K. Petrauskas and V.V. Vanagas, *Yad. Fiz.* 8 (1968) 463; *Sov. J. Nucl. Phys.* 8 (1969) 270
- 1968PO04 A.M. Poskanzer, G.W. Butler, E.K. Hyde, J. Cerny, D.A. Landis and F.S. Goulding, *Phys. Lett. B27* (1968) 414
- 1968PR04 J.R. Priest and J.S. Vincent, *Phys. Rev.* 167 (1968) 933
- 1968RA1B Raphael and Rosen, *Bull. Amer. Phys. Soc.* 13 (1968) 719
- 1968RE1G J.T. Reynolds, C.J. Slavik, C.R. Lubitz and N.C. Francis, *Phys. Rev.* 176 (1968) 1213
- 1968RI01 E.M. Rimmer and P.S. Fisher, *Nucl. Phys. A108* (1968) 561
- 1968RI02 E.M. Rimmer and P.S. Fisher, *Nucl. Phys. A108* (1968) 567
- 1968RI15 A.I.M. Ritchie, *Nucl. Instrum. Meth. Phys. Res.* 64 (1968) 181
- 1968RI16 F. Riess, P. Paul, J.B. Thomas and S.S. Hanna, *Phys. Rev.* 176 (1968) 1140
- 1968RI1H A. Richter and R.A. Chatwin, *Phys. Lett. B27* (1968) 181
- 1968RI1Q A. Richter and L.J. Parish, *Phys. Rev. Lett.* 21 (1968) 1824
- 1968RO02 S.W. Robinson, C.P. Swann and V.K. Rasmussen, *Phys. Lett. B26* (1968) 298
- 1968RO1E Rohl, *Z. Phys.* 215 (1968) 56
- 1968RO1H Roturier, NP 17794 (1968)
- 1968SC1G Schwartz, Schrack and Heaton, *Neutron Cross Sect. Tech., NBS Special Pub.* 299 (1968) 771
- 1968SI06 I. Sick, E. Baumgartner, P. Huber and T. Stammbach, *Helv. Phys. Acta* 41 (1968) 573
- 1968SL01 R.P. Slabospitskii, G.B. Andreev, I.D. Lopatko, V.I. Borovlev, V.A. Lutsik and A.Y. Taranov, *Yad. Fiz.* 8 (1968) 865; *Sov. J. Nucl. Phys.* 8 (1969) 502
- 1968SN1B Snover, Adelberger and Riess, *Bull. Amer. Phys. Soc.* 13 (1968) 1662, and Private Communication (1968)
- 1968SP01 P. Spilling, H. Gruppelaar, H.F. De vries and A.M.J. Spits, *Nucl. Phys. A113* (1968) 395
- 1968ST1R Stammbach, Taylor, Spaler and Walter, *Bull. Amer. Phys. Soc.* 13 (1968) 1448
- 1968ST1T Stieglitz, COO-1573-40 (1968)
- 1968TA1C Tanner, *Proc. Symp. on Use of Nimrod, 1968, RHEL/R166* (1968) 91
- 1968TA1M Taffara and Vanzani, *Nuovo Cim.* B56 (1968) 166
- 1968TA1U Tamura, *Proc. Int. Conf. Nucl. Struct., Tokyo, Japan, 1967; Suppl. J. Phys. Soc. Jpn.* 24 (1968) 288
- 1968TE05 G.E. Terrell, M.F. Jahns, M.R. Kostoff and E.M. Bernstein, *Phys. Rev.* 173 (1968) 931

- 1968TE1C Temmer, Teitelman, van Bree and Ogata, Proc. Int. Conf. Nucl. Struct., Tokyo, Japan, 1967; Suppl. J. Phys. Soc. Jpn. 24 (1968) 299
- 1968TH1K W.J. Thompson, Phys. Lett. B28 (1968) 324
- 1968TI1B C.T. Tindle, Nucl. Phys. A110 (1968) 193
- 1968VE06 V.V. Verbinski, F.G. Perey, J.K. Dickens and W.R. Burrus, Phys. Rev. 170 (1968) 916
- 1968VO1C Volkov and Wilczynski, in Tokyo (1968) 212
- 1968WI1B Wilkinson, Proc. Int. Conf. Nucl. Struct., Tokyo, Japan, 1967; Suppl. J. Phys. Soc. Jpn. 24 (1968) 469
- 1968WO1D Wong et al., in Tokyo (1968) 249
- 1968YU01 T.J. Yule and W. Haeberli, Nucl. Phys. A117 (1968) 1
- 1968ZE1B Zelenskaya et al., Sov. J. Nucl. Phys. 6 (1968) 47
- 1969AD01 E.G. Adelberger, C.L. Cocke, C.N. Davids and A.B. McDonald, Phys. Rev. Lett. 22 (1969) 352
- 1969AD02 E.G. Adelberger, A.B. McDonald and C.A. Barnes, Nucl. Phys. A124 (1969) 49
- 1969AD1C Adair, ORNL 4339 (1969)
- 1969AL17 D.E. Alburger, E.K. Warburton, A. Gallmann and D.H. Wilkinson, Phys. Rev. 185 (1969) 1242
- 1969AL1G Albert, Wagner, Uberall and Werntz, Bull. Amer. Phys. Soc. 14 (1969) 606
- 1969AN1E I. Angeli, J. Csikai and I. Hunyadi, Phys. Lett. B29 (1969) 36
- 1969AR10 K.P. Artemov, V.Z. Goldberg and V.P. Rudakov, Yad. Fiz. 9 (1969) 266; Sov. J. Nucl. Phys. 9 (1969) 157
- 1969AR13 A.G. Artukh, G.F. Gridnev, V.L. Mikheev and V.V. Volkov, Nucl. Phys. A137 (1969) 348
- 1969AR1G Arima and Yoshida, Nucl. Isospin, Proc. 1969 Asilomar Conf. (1969) 73
- 1969AU06 T. Aurdal, Z. Naturforsch. A24 (1969) 1361
- 1969AU1D Aurdal, Z. Naturforsch. A24 (1969) 461
- 1969BA06 G.C. Ball and J. Cerny, Phys. Rev. 177 (1969) 1466
- 1969BA17 K. Bahr, T. Becker, R. Jahr and W.R. Kuhlmann, Nucl. Phys. A129 (1969) 388
- 1969BA1F V.V. Balashov, N.M. Kabachnik and V.I. Markov, Nucl. Phys. A129 (1969) 369
- 1969BA1P Bacon et al., Acta Cryst. A25 (1969) 391
- 1969BA1Z Barnes, Nucl. Isospin, Proc. 1969 Asilomar Conf. (1969) 179
- 1969BA2V F.H. Bakke and A. Reitan, Nucl. Phys. B10 (1969) 43
- 1969BE90 K. Bethge, C.M. Fou and R.W. Zurmu, Nucl. Phys. A123 (1969) 521

1969BL1G R.J. Blin-Stoyle, Phys. Rev. Lett. 23 (1969) 535
1969BO1J Borisov et al., JETP Lett. (USSR) 9 (1969) 413
1969BO32 I. Borbely, T. Dolinszky, J. Ero and G. Hrehuss, Acta Phys. Acad. Sci. Hung. 26 (1969) 269
1969BR1D Bromly, Proc. Enrico Fermi School of Phys., Course XL, Lake Como 1967 (1969) 242
1969BR1E Bruckmann, Kluge and Schanzler, Z. Phys. 221 (1969) 379
1969CA1A R.R. Carlson and H.W. Wyborny, Phys. Rev. 178 (1969) 1529
1969CA1C Caplan, Gupta, Tomusiak and Yang, Contrib., Montreal (1969) 134
1969CH04 P.W. Chudleigh, C.K. Gowers and E.G. Muirhead, Nucl. Phys. A123 (1969) 114
1969CH1C D.T. Chivers, E.M. Rimmer, B.W. Allardyce, R.C. Witcomb, J.J. Domingo and N.W. Tanner, Nucl. Phys. A126 (1969) 129
1969CO02 H. Cords, G.U. Din and B.A. Robson, Nucl. Phys. A127 (1969) 95
1969CR1C Cramer, Barnett and Cranberg, Bull. Amer. Phys. Soc. 14 (1969) 533
1969CR1D Crannell et al., Bull. Amer. Phys. Soc. 14 (1969) 533
1969CU1D Curtis, Lutz, Bartolini and Heikkinen, Bull. Amer. Phys. Soc. 14 (1969) 508
1969DA13 J.C. Davis and F.T. Noda, Nucl. Phys. A134 (1969) 361
1969DA1M Davids, Austin and Laumer, Bull. Amer. Phys. Soc. 14 (1969) 37
1969DA1N Davids, Laumer and Austin, Bull. Amer. Phys. Soc. 14 (1969) 1209
1969DO07 L.R. Dodd and K.R. Greider, Phys. Rev. 180 (1969) 1187
1969DO08 E.I. Dolinskii and V.V. Turovtsev, Yad. Fiz. 9 (1969) 515; Sov. J. Nucl. Phys. 9 (1969) 295
1969ED02 R.D. Edge and H.H. Knox, Phys. Rev. 184 (1969) 1034
1969EW01 G.T. Ewan, G.I. Andersson, G.A. Bartholomew and A.E. Litherland, Phys. Lett. B29 (1969) 352
1969FA04 J.C. Faivre, D. Garreta, J. Jungerman, A. Papineau, J. Sura and A. Tarrats, Nucl. Phys. A127 (1969) 169
1969FO02 H.T. Fortune, T.J. Gray, W. Trost and N.R. Fletcher, Phys. Rev. 179 (1969) 1033
1969FO1C Fortune, Dehnhard, Siemssen and Zeidman, Bull. Amer. Phys. Soc. 14 (1969) 487
1969FO1D Fowler, Contemp. Phys. 1 (1969) 359
1969FR03 E. Friedland and H. Verleger, Z. Phys. 222 (1969) 138
1969FU11 G.H. Fuller and V.W. Cohen, Nucl. Data Tables A5 (1969) 433
1969GA01 A. Gallmann, F. Hibou and P. Fintz, Nucl. Phys. A123 (1969) 27

- 1969GA03 G. Gambarini, I. Iori, S. Micheletti, N. Molho, M. Pignanelli and G. Tagliaferri, Nucl. Phys. A126 (1969) 562
- 1969GA11 P. Gaillard, R. Bouche, L. Feuvrais, M. Gaillard, A. Guichard, M. Gusakow, J.L. Leonhardt and J.R. Pizzi, Nucl. Phys. A131 (1969) 353
- 1969GA1P Garvey, Nucl. Isospin, Proc. 1969 Asilomar Conf. (1969) 703
- 1969GA1T Gangadharan, May, Volkar and Wolke, Bull. Amer. Phys. Soc. 14 (1969) 37
- 1969GA1U Galati, Thesis, Univ. of Kentucky (1969)
- 1969GL1C R.N. Glover, Phys. Lett. B28 (1969) 551
- 1969GO1P Goss et al., Bull. Amer. Phys. Soc. 14 (1969) 163
- 1969GU02 H. Guratzsch, G. Hofmann, H. Muller and G. Stiller, Nucl. Phys. A129 (1969) 405
- 1969HA1G Hanna, Proc. Int. Conf., Montreal (1969) 443
- 1969HA2C J. Habanec, Phys. Lett. B30 (1969) 402
- 1969HE1N E.M. Henley and C.E. Lacy, Phys. Rev. 184 (1969) 1228
- 1969HO1F Honsaker, McDonald, Neilson and Hsu, Contrib., Montreal (1969) 299
- 1969HO1Y Houk, Bull. Amer. Phys. Soc. 14 (1969) 494
- 1969IN1C Ingemarsson and Sundqvist, Ark. Fys. 39 (1969) 429
- 1969JO21 K.W. Jones, W.R. Harris, M.T. McEllistrem and D.E. Alburger, Phys. Rev. 186 (1969) 978
- 1969KA1A G.Th. Kaschl, G.J. Wagner, G. Mairle, U. Schmidt-Rohr and P. Turek, Phys. Lett. B29 (1969) 167
- 1969KA1G T. Kammuri and H. Yoshida, Nucl. Phys. A129 (1969) 625
- 1969KA1W Kaschl et al., Contrib., Montreal (1969) 262
- 1969KI02 H. Kitazawa and N. Yamamuro, J. Phys. Soc. Jpn. 26 (1969) 600
- 1969KO13 J.J. Kolata and A. Galonsky, Phys. Rev. 182 (1969) 1073
- 1969KO1J V.M. Kolybasov and N.Ya. Smorodinskaya, Nucl. Phys. A136 (1969) 165
- 1969KO1P K. Kolltveit and K. Nagatani, Nucl. Phys. A124 (1969) 287
- 1969KU1J Kumar and Yosi, Bull. Amer. Phys. Soc. 14 (1969) 1168
- 1969LA30 R.O. Lane, R.D. Koshel and J.E. Monahan, Phys. Rev. 188 (1969) 1618
- 1969LE18 M.J. LeVine and P.D. Parker, Phys. Rev. 186 (1969) 1021
- 1969LE1D Leonardi and Rosa-Clot, Lett. Nuovo Cim. 1 (1969) 829
- 1969LI07 A.E. Litherland, T.K. Alexander and A.T. Jeffs, Can. J. Phys. 47 (1969) 1061
- 1969LI1D T.K. Lim, Nucl. Phys. A129 (1969) 259
- 1969MA2D Malanify, Gross, Van Der Woude and Zucker, Bull. Amer. Phys. Soc. 14 (1969) 506

1969MA39 S.C. Mathur, P.S. Buchanan and I.L. Morgan, Phys. Rev. 186 (1969) 1038
1969MC1C McGrath, Nucl. Isospin Proc. 1969 Ailomar Conf. (1969) 29
1969ME08 J.J.H. Menet, E.E. Gross, J.J. Malanify and A. Zucker, Phys. Rev. Lett. 22 (1969) 1128
1969MI04 T.G. Miller and J.A. Biggerstaff, Nucl. Phys. A124 (1969) 637
1969MI20 T.G. Miller and J.A. Biggerstaff, Phys. Rev. 187 (1969) 1266
1969NE1G Nettles and Hensley, Bull. Amer. Phys. Soc. 14 (1969) 1168
1969NO1E Nolen and Schiffer, Ann. Rev. Nucl. Sci. 19 (1969) 471
1969NY1A Nyberg, Jonsson and Bergqvist, Research Inst. Nat. Defence, Stockholm, NP 6902 (1969)
1969OC1A J. O'Connell, Phys. Rev. Lett. 22 (1969) 1314
1969OH1B Oh, Zaidins and Hayakawa, Bull. Amer. Phys. Soc. 14 (1969) 1227
1969PA1H Pascolini, Pisent and Zardi, Lett. Nuovo Cim. 1 (1969) 643
1969PA1J Parish, Richter and Love, Bull. Amer. Phys. Soc. 14 (1969) 1207
1969PE09 C.A. Pearson and J.C. Wilcott, Phys. Rev. 181 (1969) 1477
1969PE1L Pearson, Bang and Pocs, Ann. Phys. 52 (1969) 83
1969PU05 J.E. Purcell, Phys. Rev. 185 (1969) 1279
1969RA20 V.K. Rasmussen and C.P. Swann, Phys. Rev. 183 (1969) 918
1969SA1K Sandler, Otte and Phillips, Bull. Amer. Phys. Soc. 14 (1969) 507
1969SN02 F.D. Snyder and M.A. Waggoner, Phys. Rev. 186 (1969) 999
1969ST1L Stupin, Schwandt and Ristiner, Bull. Amer. Phys. Soc. 14 (1969) 1245
1969SU15 K. Sugimoto, Phys. Rev. 182 (1969) 1051
1969TA1D Tamura, Ann. Rev. Nucl. Sci. 19 (1969) 99
1969TH01 M.J. Throop, Phys. Rev. 179 (1969) 1011
1969TO05 M. Tomaselli, L. Grunbaum, G.A. Beer, H.-G. Clerc and G. Wittwer, Phys. Lett. B29 (1969) 579
1969TO1A I.S. Towner, Nucl. Phys. A126 (1969) 97
1969VA1C S. Varma and P. Goldhammer, Nucl. Phys. A125 (1969) 193
1969VE1D Velkley et al., Bull. Amer. Phys. Soc. 14 (1969) 1200
1969VO01 W. Von Oertzen, J.C. Jacmart, M. Liu, F. Pougheon, J.C. Roynette and M. Riou, Phys. Lett. B28 (1969) 482
1969WA11 B.A. Watson, P.O. Singh and R.E. Segel, Phys. Rev. 182 (1969) 977
1969WI22 G. Wittwer, H.-G. Clerc and G.A. Beer, Phys. Lett. B30 (1969) 634

1969ZU02 R.W. Zurmuhle and C.M. Fou, Nucl. Phys. A129 (1969) 502
1969ZU1B Zuker, Buck and McGrory, Bull. Amer. Phys. Soc. 14 (1969) 35
1970KU1K Kumar and Yost, Bull. Amer. Phys. Soc. 15 (1970) 76
1970WE1L Weil, Grandy and Obst, Bull. Amer. Phys. Soc. 15 (1970) 23
LA67Q Unknown Source

