

Energy Levels of Light Nuclei $A = 16$

F. Ajzenberg-Selove

University of Pennsylvania, Philadelphia, Pennsylvania 19104-6396

Abstract: An evaluation of $A = 16-17$ was published in *Nuclear Physics A166* (1971), p. 1. This version of $A = 16$ differs from the published version in that we have corrected some errors discovered after the article went to press. Figures and introductory tables have been omitted from this manuscript. [Reference](#) key numbers have been changed to the NNDC/TUNL format.

(References closed November 30, 1970)

The original work of Fay Ajzenberg-Selove was supported by the US Department of Energy [DE-AC02-76-ER02785]. Later modification by the TUNL Data Evaluation group was supported by the US Department of Energy, Office of High Energy and Nuclear Physics, under: Contract No. DEFG05-88-ER40441 (North Carolina State University); Contract No. DEFG05-91-ER40619 (Duke University).

Table of Contents for $A = 16$

Below is a list of links for items found within the PDF document. Figures from this evaluation have been scanned in and are available on this website or via the link below.

A. Nuclides: [\$^{16}\text{B}\$](#) , [\$^{16}\text{C}\$](#) , [\$^{16}\text{N}\$](#) , [\$^{16}\text{O}\$](#) , [\$^{16}\text{F}\$](#) , [\$^{16}\text{Ne}\$](#)

B. Tables of Recommended Level Energies:

[Table 16.1](#): Energy levels of ^{16}C

[Table 16.2](#): Energy levels of ^{16}N

[Table 16.9](#): Energy levels of ^{16}O

[Table 16.32](#): Energy levels of ^{16}F

C. [References](#)

D. Figures: [\$^{16}\text{C}\$](#) , [\$^{16}\text{N}\$](#) , [\$^{16}\text{O}\$](#) , [\$^{16}\text{F}\$](#) , [Isobar diagram](#)

E. Erratum to this Publication: [PS](#) or [PDF](#)

¹⁶B
(Fig. 5)

¹⁶B is predicted to be unstable with respect to decay into ¹⁵B+n by 1.0 ± 0.4 MeV (1966GA25).

¹⁶C
(Figs. 1 and 5)

GENERAL:

See (1960ZE03, 1966LE1H, 1969SO08, 1969SO1E, 1970SU1B; theor.) and (1965DO13, 1967AU1B, 1967CA1J, 1968DO1C, 1969AR13).

Mass of ¹⁶C: From the Q -value of the ¹⁴C(t, p)¹⁶C reaction [$Q_0 = -3.014 \pm 0.016$ MeV (1961HI01)] and the (1965MA54) masses for ¹⁴C, t and p, the mass excess of ¹⁶C is 13.695 ± 0.016 MeV.

See (1968CE1A) and (1960GO1B, 1961BA1C).

1. ¹⁶C(β^-)¹⁶N $Q_m = 8.010$

The half-life of ¹⁶C is 0.74 ± 0.03 sec (1961HI01).

2. ¹⁴C(t, p)¹⁶C $Q_m = -3.014$
 $Q_0 = -3.014 \pm 0.016$ (1961HI01).

Proton groups have been observed at $E_t = 12$ MeV to the ground state and to an excited state of ¹⁶C at $E_x = 1.753 \pm 0.012$ MeV. The corresponding angular distributions show $L = 0$ for ¹⁶C(0) and indicate $L = 2$ for ¹⁶C*(1.75): J^π are then 0^+ and (2^+) , respectively (1964MI05).

Table 16.1: Energy levels of ¹⁶C

E_x (MeV \pm keV)	$J^\pi; T$	$\tau_{1/2}$ (sec)	Decay	Reactions
0	$0^+; 2$	0.74 ± 0.03	β^-	1, 2
1.753 ± 12	(2^+)			2

^{16}N
(Figs. 2 and 5)

GENERAL:

Model calculations: (1957EL1B, 1957WI1E, 1959FA1C, 1960RA1A, 1960SH1A, 1960TA1C, 1961BA1F, 1962TA1E, 1964FE02, 1964LE20, 1964ST1B, 1965GI1B, 1966CO1G, 1966CO1H, 1966LE1H, 1966SL1A, 1966TO04, 1967DI1B, 1969BO37, 1969HO1U).

Reactions involving muons and pions: (1963CO1B, 1964AS1A, 1964BA1M, 1964BA1N, 1964CO1C, 1965DE1K, 1965GI1C, 1965JA1E, 1966KI1C, 1966OH1A, 1966WA1K, 1967DE1R, 1967DE1E, 1967RA02, 1967RH1A, 1967RH1B, 1967WA1K, 1969DE1T, 1969GR1E, 1969GR1G, 1969KE12, 1969MY01, 1970RA32).

Other topics: (1964LI1B, 1968AR1F, 1970BA1M).

1. $^{16}\text{N}(\beta^-)^{16}\text{O}$ $Q_m = 10.422$

The half-life of ^{16}N is 7.13 ± 0.02 sec: see Table 16.3. From the character of the beta decay [see Table 16.24] it is concluded that $^{16}\text{N}(0)$ has $J^\pi = 2^-$. See ^{16}O .

2. $^7\text{Li}(^{14}\text{N}, ^5\text{Li})^{16}\text{N}$ $Q_m = 0.407$

See (1958AL1D).

3. (a) $^9\text{Be}(^7\text{Li}, \alpha)^{12}\text{B}$ $Q_m = 10.463$ $E_b = 20.573$
(b) $^9\text{Be}(^7\text{Li}, ^8\text{Li})^8\text{Be}$ $Q_m = 0.367$

The yields of α_0 and α_2 (reaction (a)) have been measured at $E(^7\text{Li}) = 3.3$ MeV and 5.0 to 6.2 MeV (1969SN02). The cross section for reaction (b) rises monotonically for $E(^7\text{Li}) = 1.1$ to 4 MeV (1957NO17, 1959NO40). At 4 MeV, the cross section is 70 mb (1960NO1A). See also (1960GE1B; theor.).

4. (a) $^{10}\text{B}(^7\text{Li}, \text{p})^{16}\text{N}$ $Q_m = 13.985$
(b) $^{11}\text{B}(^6\text{Li}, \text{p})^{16}\text{N}$ $Q_m = 9.782$
(c) $^{11}\text{B}(^7\text{Li}, \text{d})^{16}\text{N}$ $Q_m = 4.754$

At $E(\text{Li}) = 4.7$ to 5.2 MeV, proton and deuteron groups are observed to a number of known states of ^{16}N with $E_x < 9.5$ MeV, including states at $E_x = 7.66, 8.10, 8.36, 8.83$ and 9.47 MeV (± 50 keV). Angular distributions are also reported (1966MC05). See also (1963MO1B).

Table 16.2: Energy levels of ^{16}N

E_x (MeV \pm keV)	$J^\pi; T$	τ or $\Gamma_{\text{c.m.}}$ (keV)	Decay	Reactions
0	$2^-; 1$	$\tau_{1/2} = 7.13 \pm 0.02$ sec	β^-	1, 6, 11, 12, 13, 14, 15, 18, 21, 22, 23, 24, 28, 29, 30
0.1206 ± 0.5	0^-	$\tau_m = 7.58 \pm 0.09$ μsec	γ	4, 11, 13, 18, 24, 28, 30
0.2970 ± 0.7	3^-	95 ± 20 psec	γ	4, 11, 12, 13, 18, 24, 28, 29, 30
0.3973 ± 0.7	1^-	42 ± 10 psec	γ	4, 11, 13, 18, 24, 28, 30
3.355 ± 5	1^+	$\Gamma = 20 \pm 5$ keV	n	4, 11, 13, 15, 18, 27, 28
3.520 ± 5	$0^{(-)}$	$\leq 7 \pm 4$	n	4, 11, 13, 15, 18, 28
3.961 ± 5	$(2, 3)^+$	$\leq 7 \pm 4$	n	4, 11, 12, 13, 15, 18, 28
4.318 ± 5	1^+	20 ± 5	n	4, 11, 13, 15, 18, 28
4.389 ± 6	1^-	68 ± 9	n	4, 11, 13, 15, 28
4.720 ± 7	1^-	260 ± 25		13, 18
4.776 ± 5	2^+	61 ± 5	n	4, 11, 13, 15, 18, 28
4.97 ± 100	2^-	1050 ± 200	n	14
5.049 ± 5	$(1, 2)^-$	20 ± 7	n	11, 13, 15, 18, 28
5.129 ± 7		$\leq 7 \pm 4$	(n)	11, 13, 15, 18, 28
5.150 ± 7		$\leq 7 \pm 4$	(n)	11, 13, 15, 18
5.232 ± 5		$\leq 7 \pm 4$		11, 13, 18, 28
5.306 ± 7	2^-	270 ± 30	n	13, 15, 18
5.523 ± 6		$\leq 7 \pm 4$		4, 13, 18, 28
5.736 ± 6	(5^+)	$\leq 7 \pm 4$	(n)	4, 12, 13, 15, 18, 28
6.005 ± 9	(3^-)	270 ± 30	(n)	13, 15, 28
6.168 ± 6		$\leq 7 \pm 4$		13, 18, 28
6.373 ± 7	2	30 ± 6	n	13, 15, 18, 28
6.426 ± 7	(2^-)	300 ± 30	n	13, 15, 18
6.511 ± 6	2	34 ± 6	n	13, 15, 18
6.613 ± 6		$\leq 7 \pm 4$		13, 18
6.851 ± 6		$\leq 7 \pm 4$	(n)	13, 15, 18
6.98 ± 20	1	22 ± 5	n	13, 15, 28
7.03 ± 10	(0)	28 ± 20	n	15, 18, 28
7.135 ± 6		$\leq 7 \pm 4$		13, 18
7.248 ± 6	3	17 ± 5	n	13, 15, 18
7.575 ± 7	≥ 4	$\leq 7 \pm 4$	n	13, 15, 18
7.639 ± 7	≥ 1	$\leq 7 \pm 4$	n	4, 13, 15, 18, 28

Table 16.2: Energy levels of ^{16}N (continued)

E_x (MeV \pm keV)	$J^\pi; T$	τ or $\Gamma_{\text{c.m.}}$ (keV)	Decay	Reactions
7.678 ± 8		$\leq 7 \pm 4$	n	4, 13, 15, 18
7.857 ± 8	4, 5	100 ± 15	n	13, 15, 18, 28
8.038 ± 9	≥ 2	70 ± 20	n	4, 13, 15, 28
8.183 ± 10		28 ± 8		4, 13, 28
8.282 ± 8		24 ± 8		13, 28
8.365 ± 8		18 ± 8		4, 13, 28
8.49 ± 30		≤ 50		28
8.819 ± 15		≤ 50		4, 28
9.035 ± 15		≤ 50		28
(9.16 ± 30)		≤ 50		28
(9.34 ± 30)		≤ 50		28
9.459 ± 15		≤ 50		4, 28
(9.66 ± 40)		≤ 50		28
9.760 ± 10	$T = 1$	15 ± 8		11, 28
9.813 ± 10	$T = 1$			11
9.928 ± 7	$0^+; 2$	< 12		11, 27, 28
10.055 ± 15		≤ 50		28
(10.17 ± 30)		≤ 50		28
(10.26 ± 30)		≤ 50		28
11.61		220	n, d	7
11.701 ± 7	$1^-, 2^+; 2$	< 12		11
(11.91)		390	n, d	7
12.25		290	n, p, d	7, 9
12.60		180	n, p, d	7, 9
12.88		155	n, p, d	7, 9
(12.97)		175	n, d	7

In reaction (c), the τ_m for $^{14}\text{N}^*(0.30, 0.40)$ are, respectively, > 0.7 and > 0.9 psec. The two transition energies are 297.6 ± 0.9 and 397.8 ± 1.0 keV. The $(0.40 \rightarrow 0.12)$ transition energy is 276.2 ± 0.8 keV (1969TH01). See also (1964HA09).

5. $^{13}\text{C}(\alpha, p)^{16}\text{N}$ $Q_m = -7.425$

Not reported.

Table 16.3: The half-life of ^{16}N

$\tau_{\frac{1}{2}}$ (sec)	Refs. ^a
7.35 ± 0.05	(1947BL1A)
7.38 ± 0.05	(1954MA1B)
7.352 ± 0.009	(1959EL41)
7.31 ± 0.04	(1962MA38)
7.14 ± 0.02	(1964BI02)
7.16 ± 0.04	(1965GR21)
7.10 ± 0.03	(1966SC05)
7.13 ± 0.04	(1970AL21)
7.13 ± 0.02	Weighted mean of last four values

^a See also (1961AL05, 1965CR01).

6. $^{14}\text{C}(\text{d}, \gamma)^{16}\text{N}$ $Q_m = 10.471$

The cross section has been measured for $1.2 < E_d < 2.6$ MeV. It shows some evidence of structure. Assuming compound nucleus formation at $E_d = 2.0$ MeV, and taking $\sigma = 5 \mu\text{b}$, Γ_γ (total) ≈ 20 eV (1964NE09). See also (1959AJ76).

7. $^{14}\text{C}(\text{d}, \text{n})^{15}\text{N}$ $Q_m = 7.984$ $E_b = 10.471$

Observed resonances in the yield of ground state neutrons are displayed in Table 16.4 (1961CH14, 1963IM01). The yield of neutrons to $^{15}\text{N}^*(5.3, 6.32)$ has been measured by (1967LA11) for $2.9 < E_d < 3.1$ MeV. See also (1964NE09) and ^{15}N in (1970AJ04).

8. $^{14}\text{C}(\text{d}, \text{p})^{15}\text{C}$ $Q_m = -1.007$ $E_b = 10.471$

The cross section of the γ -rays to $^{15}\text{C}^*(0.75)$ rises monotonically for $2.7 < E_d < 3.4$ MeV. At $E_d = 3.4$ MeV it is ≈ 75 mb (1962CH14). Observed resonances are shown in Table 16.4 (1956DO37). See also (1959AJ76) and ^{15}C in (1970AJ04).

Table 16.4: Resonances in $^{14}\text{C} + \text{d}$

E_d (MeV)	Resonant for	$\Gamma_{\text{c.m.}}$ (keV)	E_x (MeV)	Refs.
1.30 ^a	n_0	220	11.61	(1961CH14, 1963IM01)
1.65	n_0	390	11.91	(1961CH14)
2.04 ^a	n_0, p	290	12.25	(1956DO37, 1961CH14, 1963IM01)
2.44 ^a	n_0, p	180	12.60	(1956DO37, 1961CH14)
2.75	n_0, p	155	12.88	(1956DO37, 1961CH14, 1963IM01)
2.86	n_0	175	12.97	(1961CH14)
(3.10)	n_0	(175)	(13.18)	(1961CH14)

^a See also (1964NE09).

9. $^{14}\text{C}(\text{d}, \alpha)^{12}\text{B}$ $Q_m = 0.361$ $E_b = 10.471$

See ^{12}B in (1968AJ02).

10. $^{14}\text{C}(\text{t}, \text{n})^{16}\text{N}$ $Q_m = 4.213$

Not reported.

11. $^{14}\text{C}({}^3\text{He}, \text{p})^{16}\text{N}$ $Q_m = 4.977$

Thirteen proton groups have been observed corresponding to states of ^{16}N with $0 < E_x < 5.3$ MeV (1966GA08): see Table 16.5. At $E({}^3\text{He}) = 12$ MeV, four proton groups are observed corresponding to two $T = 1$ states, and to two $T = 2$ states at $E_x = 9.93$ and 11.70 MeV with $J^\pi = 0^+$ and $(1^-, 2^+)$, respectively, corresponding to the first two states of ^{16}C (1968HE03). See also (1969BA1Z). Angular distributions of the protons to $^{16}\text{N}^*(0, 3.36, 3.52, 3.96)$ have been measured at $E({}^3\text{He}) = 1$ to 9 MeV; $^{16}\text{N}(0)$ has odd parity; the three excited states have even parity (1968DA1N, 1970LIIF). See also (1964DU1A, 1964WE1A, 1966DU1B, 1966GO1J).

12. $^{14}\text{C}(\alpha, \text{d})^{16}\text{N}$ $Q_m = -13.376$

At $E_\alpha = 46$ MeV, the angular distributions of five deuteron groups [see Table 16.5] have been determined: J^π of $^{16}\text{N}^*(5.74)$ (the most strongly populated state) is (5^+) (1969LU07).

Table 16.5: Excited states in ^{16}N from $^{14}\text{C}(^3\text{He}, \text{p})^{16}\text{N}$ and $^{14}\text{C}(\alpha, \text{d})^{16}\text{N}$

E_x (MeV \pm keV)			Γ (keV)	$J^\pi; T$
(1966GA08) ^a	(1968HE03) ^a	(1969LU07) ^b		
0.121 \pm 6				
0.298 \pm 6		0.307 \pm 20		
0.396 \pm 7				
3.348 \pm 7				
3.517 \pm 7				
3.958 \pm 7		3.961 \pm 20		
4.313 \pm 9				
4.386 \pm 9				
4.768 \pm 11				
5.052 \pm 9				
5.137 \pm 9				
5.234 \pm 9				
		5.745 \pm 20		(5 ⁺)
		7.599 \pm 30		
	9.760 \pm 10		15 \pm 8	$T = 1$
	9.813 \pm 10			$T = 1$
	9.928 \pm 7		< 12	0 ⁺ ; 2
	11.701 \pm 7		< 12	1 ⁻ , 2 ⁺ ; 2

^a $^{14}\text{C}(^3\text{He}, \text{p})^{16}\text{N}$.

^b $^{14}\text{C}(\alpha, \text{d})^{16}\text{N}$.

13. $^{14}\text{N}(t, p)^{16}\text{N}$

$$Q_m = 4.840$$

$$Q_0 = 4.853 \pm 0.010 \text{ (1966HE10)}.$$

Proton groups observed at $E_t = 2.2$ to 2.6 MeV (1961SI04) and at 12 MeV (1966HE10) are displayed in Table 16.6. Angular distributions are reported at $E_t = 1.8$ MeV (1964SC09; $p_0 \rightarrow p_4$) and at 12 MeV (1966HE10). At the latter energy they have been analyzed by PWBA: see Table 16.6. See also (1961JA14).

Table 16.6: States in ^{16}N from $^{14}\text{N}(t, p)^{16}\text{N}$

(1961SI04)		(1966HE10)		J^π
E_x (MeV \pm keV)	Γ (keV)	E_x (MeV \pm keV)	Γ (keV)	
0		0		2^-
0.121 ± 10		0.120 ± 10		0^-
0.297 ± 10		0.300 ± 10		3^-
0.396 ± 10		0.399 ± 10		1^-
3.340 ± 25	$\leq 25 \pm 17$	3.359 ± 10	15 ± 5	1^+
3.506 ± 25	$\leq 25 \pm 8$	3.519 ± 10	$\leq 7 \pm 4$	(0^-)
3.956 ± 25	$\leq 25 \pm 8$	3.957 ± 10	$\leq 7 \pm 4$	$(1, 2, 3)^+$
4.318 ± 25	$\leq 25 \pm 8$	4.318 ± 10	20 ± 5	1^+
4.392 ± 25	110 ± 31	4.391 ± 10	82 ± 20	
		4.725 ± 10	290 ± 30	1^-
4.773 ± 25	66 ± 7	4.774 ± 10	59 ± 8	$(1, 2, 3)^+$
5.059 ± 25	$\leq 25 \pm 8$	5.053 ± 10	19 ± 6	
		5.130 ± 10	$\leq 7 \pm 4$	
5.141 ± 25	38 ± 12			
		5.150 ± 10	$\leq 7 \pm 4$	
5.230 ± 25	$\leq 20 \pm 8$	5.226 ± 10	$\leq 7 \pm 4$	
		5.305 ± 10	260 ± 30	2^-
5.526 ± 25	$\leq 20 \pm 8$	5.520 ± 10	$\leq 7 \pm 4$	
		5.730 ± 10	$\leq 7 \pm 4$	
		6.009 ± 10	270 ± 30	(3^-)
		6.167 ± 10	$\leq 7 \pm 4$	
		6.371 ± 10	30 ± 6	
		6.422 ± 10	300 ± 30	(2^-)
		6.512 ± 10	34 ± 6	

Table 16.6: States in ^{16}N from $^{14}\text{N}(t, p)^{16}\text{N}$ (continued)

(1961SI04)		(1966HE10)		J^π
E_x (MeV \pm keV)	Γ (keV)	E_x (MeV \pm keV)	Γ (keV)	
		6.613 ± 10	$\leq 7 \pm 4$	
		6.854 ± 10	$\leq 7 \pm 4$	
		7.006 ± 10	22 ± 5	
		7.133 ± 10	$\leq 7 \pm 4$	
		7.250 ± 10	17 ± 5	
		7.573 ± 10	$\leq 7 \pm 4$	
		7.640 ± 10	$\leq 7 \pm 4$	
		7.675 ± 10	$\leq 7 \pm 4$	
		7.876 ± 10	100 ± 15	
		8.043 ± 10	85 ± 15	
		8.183 ± 10	28 ± 8	
		8.280 ± 10	24 ± 8	
		8.361 ± 10	18 ± 8	

14. $^{15}\text{N}(n, \gamma)^{16}\text{N}$ $Q_m = 2.487$

The thermal cross section is $24 \pm 8 \mu\text{b}$ (1958HU18).

15. $^{15}\text{N}(n, n)^{15}\text{N}$ $E_b = 2.487$

The total cross section has been measured for $E_n = 0.4$ to 6.5 MeV: see (1959SC30, 1962SI05, 1964DO09, 1964DO1D, 1964FO07, 1966FO11). See also (1960SI03, 1960SI12). Observed resonances are displayed in Table 16.7. See also (1964ST25). Angular distributions of elastically scattered neutrons have been measured at a number of energies for $E_n = 0.4$ to 5 MeV (1962SI05, 1964DO09, 1964DO1D). See also (1963GO1J). See also (1964LE20, 1965BA1N, 1967EB02, 1967EB03, 1968AG1E, 1968HU1F, 1969AN1K, 1969DO05, 1970PO1B).

16. $^{15}\text{N}(n, p)^{15}\text{C}$ $Q_m = -8.990$ $E_b = 2.487$

Table 16.7: Resonances in $^{15}\text{N}(n, n)^{15}\text{N}$

$E_{\text{res}}^{\text{a}}$ (MeV \pm keV)	Γ_{lab} (keV)	E_x (MeV)	J^π	Refs.
0.93 ± 20	30 ± 10	3.36	1^+	(1964DO09, 1964FO07)
1.11 ± 20	20 ± 10	3.53	(0^+)	(1964FO07)
1.57 ± 20	≤ 10	3.96	(1^-)	(1964FO07)
1.94 ± 20	≤ 15	4.30	(1^+)	(1962SI05, 1964DO09, 1964FO07)
2.04 ± 20	65 ± 10	4.40	1^-	(1962SI05, 1964FO07)
2.45 ± 20	90 ± 15	4.78	$2^+(1^+)$	(1962SI05)
(2.55)	(1200)	(4.88)	(1^-)	(1962SI05)
2.65 ± 100	1100 ± 200	4.97	2^-	(1962SI05)
2.74 ± 30	50 ± 15	5.05	$(1, 2)^-$	(1962SI05)
2.82 ± 30	≤ 40	5.13	$(3^-, 4^-, 5^-)$	(1962SI05)
2.98 ± 30	200 ± 30	5.28	$(2, 3)$	(1956BA1A, 1959SC30, 1962SI05)
(3.48 \pm 25)	(30)	(5.75)	(0)	(1964DO1D, 1966FO11)
3.73 ± 25	broad	5.98	$(1, 2)$	(1966FO11)
(4.00 \pm 25)	(75)	(6.23)	(0)	(1964DO1D, 1966FO11)
4.14 ± 25	50 ± 20	6.37	2	(1964DO1D, 1966FO11)
(4.2 \pm 25)	(broad)	(6.4)	(3)	(1966FO11)
4.27 ± 25	60 ± 20	6.49	2	(1964DO1D, 1966FO11)
(4.62 \pm 25)		(6.81)		(1966FO11)
4.78 ± 25	30 ± 10	6.96	1	(1966FO11)
4.86 ± 25	30 ± 20	7.04	(0)	(1966FO11)
5.05 ± 25	25 ± 10	7.22	3	(1966FO11)
5.42 ± 25	≤ 20	7.56	≥ 4	(1966FO11)
5.50 ± 25	≤ 25	7.64	≥ 1	(1966FO11)
(5.55 \pm 25)		(7.69)		(1966FO11)
5.72 ± 25	150 ± 50	7.85	4, 5	(1966FO11)
5.89 ± 25	40 ± 20	8.00	≥ 2	(1966FO11)
(6.25 \pm 25)		(8.34)		(1966FO11)

^a See also (1964ST25).

At $E_n = 14.8$ MeV, $\sigma = 16 \pm 4$ mb (1966PR1A).

17. $^{15}\text{N}(n, \alpha)^{12}\text{B}$ $Q_m = -7.623$ $E_b = 2.487$

See (1948JE03, 1964GA1A).

18. $^{15}\text{N}(d, p)^{16}\text{N}$ $Q_m = 0.262$
 $Q_0 = 0.270 \pm 0.010$ (1966HE10);
 $Q_0 = 0.267 \pm 0.008$ (1963SP1B).

Levels derived from observed proton groups and γ -rays are listed in Table 16.8 (1957FR56, 1957WA01, 1957WI1B, 1963GI11, 1966HE10). Gamma transitions are shown in the inset of Fig. 2 (1963GI11).

The half-life of $^{16}\text{N}^*(0.12) = 6.7 \pm 0.5$ μsec (1957FR56), 5.43 ± 0.22 μsec (1959ZI18), 7.58 ± 0.09 μsec (1967BE14), together with the stripping results, leads to $J^\pi = 0^-$ for $^{16}\text{N}^*(0.12)$: this is confirmed also by the measured α_K which is consistent with that for an E2 transition (1963GI11). The stripping pattern leads to $J^\pi = 0^-$ or 1^- for $^{16}\text{N}^*(0.40)$. However, since it decays to both $^{16}\text{N}^*(0, 0.12)$ [$J^\pi = 2^-, 0^-$, respectively], $J^\pi = 1^-$ is indicated: see (1956ZI1A, 1957WA01, 1957WI1B). The assignment $J^\pi = 3^-$ for $^{16}\text{N}^*(0.30)$ is strongly favored by the (p- γ) angular correlation (1957FR56).

See also (1961AL05, 1961JA23, 1961LO10, 1961SE01, 1964MA57, 1967CH19, 1968BO1V).

19. $^{15}\text{N}(t, d)^{16}\text{N}$ $Q_m = -3.771$

Not reported.

20. $^{15}\text{N}(\alpha, ^3\text{He})^{16}\text{N}$ $Q_m = -18.091$

Not reported.

21. $^{15}\text{N}(^{11}\text{B}, ^{10}\text{B})^{16}\text{N}$ $Q_m = -8.969$

See (1969BR1D).

22. $^{16}\text{C}(\beta^-)^{16}\text{N}$ $Q_m = 8.010$

See ^{16}C .

Table 16.8: Levels of ^{16}N from $^{15}\text{N}(\text{d}, \text{p})^{16}\text{N}$ and $^{18}\text{O}(\text{d}, \alpha)^{16}\text{N}$

E_x (MeV \pm keV)				$J\pi$ ^c
(1957WA01, 1963GI11) ^a	(1966HE10) ^a	(1966HE10) ^{b,f}	(1970BO08) ^b	
0	0	0		2^-
0.1201 ± 0.5 ^d	0.125 ± 10	0.119 ± 15		0^-
0.2962 ± 1.0 ^d	0.299 ± 10	0.301 ± 15		3^-
0.3973 ± 1.0 ^d	0.398 ± 10	0.400 ± 15		1^-
	3.365 ± 10	3.358 ± 15		(1^+)
(3.53 ± 30)	3.523 ± 10	3.524 ± 15	g	
3.98 ± 20	3.964 ± 10	3.964 ± 15		$(2, 3)^+$
	4.325 ± 10	4.324 ± 15		(1^+)
		4.383 ± 15		
	4.715 ± 10			
4.80 ± 50 ^e	4.780 ± 10	4.787 ± 15	g	
	(4.90 ± 10)			
(5.01 ± 50)				
	5.032 ± 10	5.065 ± 15		
	5.128 ± 10			
		5.139 ± 15		
	5.150 ± 10			
5.25 ± 50 ^e	5.231 ± 10	5.240 ± 15		
	5.310 ± 10			
	5.523 ± 10	5.528 ± 15	g	
	5.739 ± 10	5.740 ± 15	g	
			6.01 ± 15 ^k	
	6.170 ± 10	6.168 ± 15	h	
	(6.28 ± 10)			
	6.376 ± 10		6.37 ± 15 ^k	
	6.431 ± 10			
	6.514 ± 10	6.512 ± 15	h	
	6.609 ± 10	6.620 ± 15	h	
	(6.79 ± 10)			
	6.847 ± 10	6.852 ± 15	h	

Table 16.8: Levels of $^{15}\text{N}(\text{d}, \text{p})^{16}\text{N}$ and $^{18}\text{O}(\text{d}, \alpha)^{16}\text{N}$ (continued)

E_x (MeV \pm keV)				J^π ^c
(1957WA01, 1963GI11) ^a	(1966HE10) ^a	(1966HE10) ^{b,f}	(1970BO08) ^b	
	7.034 \pm 10		7.01 \pm 15 ^k	
	7.135 \pm 10	7.141 \pm 15	h	
	7.250 \pm 10	7.247 \pm 15	h	
	7.577 \pm 10	7.596 \pm 15	h	
	7.638 \pm 10		7.64 \pm 15 ^k	
	7.676 \pm 10	7.683 \pm 15		
	7.840 \pm 10		7.88 \pm 15 ^k	
			8.06 \pm 15 ^k	
			8.18 \pm 15 ^k	
		8.286 \pm 15	h	
		8.374 \pm 15	h	
			8.49 \pm 30 ⁱ	
			8.819 \pm 15 ^j	
			9.035 \pm 15	
			(9.16 \pm 30)	
			(9.34 \pm 30)	
			9.459 \pm 15	
			(9.66 \pm 40)	
			9.794 \pm 15 ^j	
			9.90 \pm 30	
			10.055 \pm 15 ^j	
			(10.17 \pm 30)	
			(10.26 \pm 30)	

^a $^{15}\text{N}(\text{d}, \text{p})^{16}\text{N}$.

^b $^{18}\text{O}(\text{d}, \alpha)^{16}\text{N}$.

^c J^π assignment from angular distribution analyses and gamma decay ([1956ZI1A](#), [1957WA01](#), [1970BO08](#)).

^d From γ -decay studies ([1963GI11](#)). ([1957FR56](#), [1957WI1B](#)) found $E_x = 120 \pm 1, 294 \pm 5$ and 392 ± 3 keV.

^e $\Gamma_{\text{c.m.}} = 230 \pm 40$ and 290 ± 50 keV, respectively ([1957WA01](#)).

^f See also ([1970BO08](#)).

^g Angular distribution reported in $^{18}\text{O}(\text{d}, \alpha)^{16}\text{N}$ at $E_d = 10.0 - 11.2$ MeV but L not determined ([1970BO08](#)).

^h Alpha group seen but E_x not determined.

ⁱ Γ for this level and the ones listed below $\leq 40 - 50$ keV ([1970BO08](#)).

^j These levels appear to be correlated with thresholds for neutron emission to excited states of ^{15}N ([1970BO08](#), [1970BO09](#)).

^k T.I. Bonner, private communication.

23. $^{16}\text{O}(\text{n}, \text{p})^{16}\text{N}$ $Q_m = -9.639$

At $E_n = 14.4$ MeV, the angular distribution of the neutrons to the (unresolved) first four states of ^{16}N has been measured by ([1964PA11](#)). See also ([1959PR73](#), [1961KA06](#), [1963AL18](#), [1964AL22](#), [1964BI02](#), [1965GR21](#), [1966SC05](#), [1966SC1G](#)).

24. $^{16}\text{O}(\text{t}, ^3\text{He})^{16}\text{N}$ $Q_m = -10.403$

At $E_t = 22$ MeV, ^3He groups have been observed to the first four states of ^{16}N : $E_x = 0, 0.121, 0.305$ and 0.395 MeV (± 15 keV) (F. Ajzenberg-Selove and O. Hansen, private communication).

25. $^{17}\text{O}(\text{d}, ^3\text{He})^{16}\text{N}$ $Q_m = -8.288$

Not reported.

26. $^{18}\text{O}(\text{n}, \text{t})^{16}\text{N}$ $Q_m = -13.346$

Not reported.

27. $^{18}\text{O}(\text{p}, ^3\text{He})^{16}\text{N}$ $Q_m = -14.110$

At $E_p = 43.7$ MeV, the angular distribution of the ^3He nuclei corresponding to a state at $E_x = 9.9$ MeV fixes $L = 0$ and therefore $J^\pi = 0^+$ for $^{16}\text{N}^*(9.9)$: it is presumably the $T = 2$ analog of the ground state of ^{16}C . Some lower-lying $T = 1$ states were also observed ([1964CE05](#)). See also ([1969GA1P](#)).

$$28. \text{}^{18}\text{O}(\text{d}, \alpha)^{16}\text{N} \quad Q_m = 4.244$$

$$Q_0 = 4.249 \pm 0.015 \text{ (1966HE10);}$$

$$Q_0 = 4.244 \pm 0.004 \text{ (1967SP09).}$$

Forty-three α -particle groups have been observed at $E_d \leq 12$ MeV, corresponding to states of ^{16}N with $E_x < 10.3$ MeV: see Table [16.8](#) ([1966HE10](#), [1970BO08](#), [1970BO09](#)). $^{16}\text{N}^*(8.82, 9.8, 10.06)$ may be related to nearly bound virtual states of a $2s_{1/2}$ neutron with $^{15}\text{N}^*(6.32, 7.30, 7.57)$ ([1970BO08](#), [1970BO09](#)). τ_m for $^{16}\text{N}^*(0.4) = 42 \pm 10$ psec; $|M|^2$ for the M1 transition to $^{16}\text{N}^*(0.1)$ is 0.0350 W.u. ([1969NI09](#)). See also ([1961LO10](#), [1964AM1A](#), [1964MA57](#)) and ^{20}F in ([1972AJ02](#)).

$$29. \text{}^{18}\text{O}(\text{}^6\text{Li}, \text{}^8\text{Be})^{16}\text{N} \quad Q_m = 2.677$$

$$\tau_m \text{ for } ^{16}\text{N}^*(0.3) = 95 \pm 20 \text{ psec; } |M|^2 = 0.0126 \text{ W.u. (1969NI09).}$$

$$30. \text{}^{19}\text{F}(\text{n}, \alpha)^{16}\text{N} \quad Q_m = -1.524$$

Angular distributions have been reported for $E_n = 4.7$ to 14.4 MeV: see ([1966BH05](#), [1966KN02](#), [1968AN1F](#), [1968RE07](#)). See also ([1959KO60](#), [1960BO1B](#), [1965HA1G](#)), ([1959AJ76](#)) and ^{20}F in ([1972AJ02](#)).

GENERAL: (See also (1959AJ76).)

Shell model: (1957WI1E, 1959BR1E, 1959FE1A, 1959PA1A, 1960TA1E, 1960TA1C, 1961BA1E, 1961TR1B, 1962BA1F, 1962GI02, 1962NA1A, 1962SA1A, 1962TA1E, 1962UL02, 1962VI02, 1963AB1A, 1963BR1B, 1963BU1C, 1963CO12, 1963KU1B, 1964BA1Q, 1964DI1B, 1964EI1A, 1964ER1A, 1964GA1D, 1964GI1B, 1964GI1C, 1964KA1C, 1964LE20, 1964MA1K, 1964MI1E, 1964RI1A, 1964VO1B, 1965BA08, 1965CH1D, 1965EI1A, 1965FA1C, 1965GI1B, 1965KE06, 1965NA1B, 1965SP1B, 1965VO1A, 1965YO1C, 1965ZA1B, 1966AB1C, 1966BA2F, 1966BE1K, 1966BE1L, 1966BH1B, 1966BO10, 1966BO1P, 1966BR04, 1966BR1R, 1966BR1H, 1966CE06, 1966CO1G, 1966CO1H, 1966DA1F, 1966FE05, 1966GU06, 1966HA31, 1966JA1H, 1966KE1C, 1966KR02, 1966LE1L, 1966LE1M, 1966ME1J, 1966RI1F, 1966SE05, 1966SH1G, 1966SO05, 1966ST08, 1966SV1A, 1966WI1E, 1966WO02, 1966YO1B, 1967AM1G, 1967AR02, 1967BA1K, 1967BA31, 1967BA2D, 1967BE02, 1967BE1V, 1967BL1M, 1967BO1G, 1967BR1E, 1967BR1J, 1967EN01, 1967FE01, 1967FE1D, 1967GI1B, 1967KE1G, 1967KI1B, 1967KR1C, 1967LA1L, 1967MO1J, 1967MU02, 1967MU01, 1967PA10, 1967PA05, 1967PH02, 1967PI1B, 1967RI1B, 1967SA1G, 1967SH1H, 1967ST06, 1967ST1L, 1967SV1A, 1967VA1G, 1967WO1D, 1968AG1E, 1968BA1L, 1968BL01, 1968DE13, 1968GO01, 1968GU1C, 1968HA11, 1968HE1H, 1968KL1D, 1968LA1B, 1968MA01, 1968MA2B, 1968MU1E, 1968PA1T, 1968PE1D, 1968RO1G, 1968TA1R, 1968TA1G, 1968VA1L, 1968VA1N, 1968WA04, 1968WO1A, 1968WO1C, 1968YA1E, 1968ZU02, 1969AB05, 1969AB07, 1969AF02, 1969AG03, 1969BA2Q, 1969BU11, 1969DA1H, 1969DA1J, 1969DE1U, 1969EL05, 1969FU05, 1969GU1E, 1969HU1G, 1969JA10, 1969KA1A, 1969KE1B, 1969KL02, 1969LA1G, 1969LO06, 1969MA38, 1969PE06, 1969PE10, 1969PE1J, 1969PU04, 1969RE1C, 1969SA1F, 1969SA1A, 1969SE04, 1969SU1F, 1969SV1A, 1969UL02, 1969UL03, 1970AR21, 1970BE26, 1970DE24, 1970EL1G, 1970GI11, 1970GO26, 1970GU11, 1970KO04, 1970KR1D, 1970MA28, 1970MC1J, 1970ME1G, 1970NE13, 1970ON1A, 1970PE1A, 1970PE1C, 1970SV1A, 1970TA1A, 1970TE1A, 1970UL1A, 1970VA16, 1970WO12).

Collective model: (1961SA1C, 1962BA1H, 1963BR07, 1963DA1C, 1964BO29, 1964BR1H, 1964SC1G, 1965BO1J, 1965BR1J, 1965FU10, 1965KE06, 1965UB1A, 1965VO1A, 1966BR04, 1966BR1R, 1966BR1Q, 1966CE06, 1966HA1K, 1966LE1J, 1966ST08, 1967BR1E, 1967BR1J, 1967CE1A, 1967FE01, 1967GO23, 1967KR1E, 1967MA1H, 1967PA1M, 1968HO1G, 1968PE1D, 1969AB05, 1969AB07, 1969CU07, 1969DA1J, 1969KA05, 1969KL1E, 1969SE1C, 1969UL02, 1970DE24, 1970TU01).

Cluster and α -particle model: (1958DA1A, 1960RO1C, 1960SH1A, 1961HI09, 1962MA1H, 1962SA1A, 1963BU1C, 1963DA1C, 1963MA1D, 1963MA1E, 1964MA1L, 1964MA1G, 1965BE1H, 1965IN1A, 1965KU1E, 1965NE1C, 1965NE1B, 1966BR1W, 1966BR1U, 1966BR1H, 1966KA1A, 1967TA1C, 1968BE1W, 1968FO1D, 1968PI1A, 1969AB1B, 1969BA2E, 1969CH1K, 1969TA1F, 1970BA2B, 1970BR35, 1970MC1D, 1970NO1B, 1970ON1A, 1971NO03).

Astrophysical questions: (1959CA1B, 1966ST1G, 1969BA71).

Giant resonance (See also reactions 48 and 49.): (1960SA1F, 1961BR1B, 1961FA1A, 1961SA1C, 1962BA1E, 1962BA1H, 1963BA1H, 1964BI1E, 1964EI1A, 1964GA1D, 1964LE1B, 1964MI1E, 1964MI1G, 1964VI1A, 1965DA1D, 1965FU1C, 1965NE1C, 1965SP1B, 1965SP1C, 1965UB1A, 1965YO1C, 1966BA2F, 1966BL1D, 1966DI1D, 1966KL04, 1966LE1J, 1966ME1J, 1966RA1D, 1966WA1K, 1967BE02, 1967BE1V, 1967BU05, 1967GI1B, 1967HI1B, 1967ME1G, 1967MU1D, 1967UB1A, 1967YO04, 1967YO1F, 1968BA1J, 1968DA1M, 1968FR1E, 1968GI1F, 1968MA2B, 1969FU05, 1969KE12, 1969KL02, 1969PE06, 1969SA12, 1969SE1C, 1969SH1C, 1969UB01, 1970FR1E).

Electromagnetic transitions: (1959FA1B, 1959FA1C, 1962BE36, 1962BI12, 1962BI19, 1962MO1A, 1963BO1D, 1963MA1E, 1963PE04, 1964BR1H, 1965CH1D, 1965CO25, 1965EI1A, 1965FU10, 1965GR1H, 1965MA1E, 1965RO1L, 1965ST22, 1966BE1J, 1966GR1J, 1966HA31, 1966RO1P, 1967BA2A, 1967BL1M, 1967GO23, 1967KU1E, 1967YO03, 1968CA08, 1968JA10, 1968MU03, 1968YA1E, 1969AB05, 1969DA1J, 1969HA1F, 1969SE1C, 1969WA1C, 1969WI1G, 1970GE12).

Special levels: (1959EG1C, 1960EV1A, 1961BA1F, 1961KA06, 1961TR1B, 1961YO1A, 1962BA1C, 1962BE36, 1962BI12, 1962BI19, 1962IK01, 1962NA1A, 1962VI02, 1963HA05, 1963VI1A, 1964BR1H, 1964CA1D, 1964GA1C, 1964MI16, 1964NA1A, 1964NA1B, 1964SC1G, 1965BO1J, 1965GR1G, 1965HU1C, 1965JO1B, 1965LE1C, 1965NA1B, 1966BA42, 1966BE1L, 1966BO1K, 1966BO1L, 1966CO04, 1966DE18, 1966HA1K, 1966HU13, 1966KA09, 1966LE04, 1966LE1H, 1966ME05, 1966SE05, 1966SO05, 1966TO04, 1966WA1J, 1967AM1G, 1967BO07, 1967DE1Q, 1967KU1J, 1967MA1J, 1968BL01, 1968BO1W, 1968HA06, 1968HA11, 1968JA10, 1968MU03, 1969BU11, 1969GA10, 1969GO1K, 1969HA1G, 1969HA1X, 1969HE12, 1969JA1Q, 1969KR01, 1969PE06, 1969PE10, 1969RO1P, 1969SO1G, 1969ST1J, 1970AR21, 1970DO1J, 1970GA1L, 1970GA1M, 1970ZA01).

Special reactions: (1960IN1B, 1961BA1D, LE63K, 1963SH1B, 1964CH1D, 1964CL1A, 1964ER1A, 1964MC1C, 1965SH11, 1966LE1M, 1967AU1B, 1967CR1F, 1967DE1R, 1967FO1D, 1967GO1A, 1967HI06, 1967PR1D, 1967RI1C, 1968GR1C, 1968WO1B, 1969DA14, 1969MY01, 1969RE1E, 1969TU01, 1970CO1H, 1970RA32).

Muon capture: (1963CO1B, 1964BA1M, 1964BA1N, 1964CO1C, 1964FO1C, 1965DE1K, 1965GI1C, 1965JA1E, 1965UB1A, 1966KI1C, 1966OH1A, 1966WA1K, 1967BA78, 1967BA1Y, 1967BA31, 1967BU1F, 1967DA1D, 1967DE1R, 1967DE1E, 1967FO1C, 1967HI1B, 1967MO1K, 1967RA02, 1967RH1A, 1967RH1B, 1967WA1K, 1968BA2G, 1968FR1E, 1968FU1B, 1968RH1A, 1968WA1L, 1969BU1H, 1969DE1T, 1969GR1E, 1969GR1G, 1969KA1R, 1969VA1A, 1969WU1A, 1970CA1H, 1970CA1J, 1970FR1E, 1970GR1H, 1970PL1A).

Pion capture and reactions: (1966LE1K, 1967DE1R, 1967FO1A, 1967KO1D, 1967ME1F, 1967MI1B, 1967MU1D, 1968BA2G, 1968BA1M, 1968BA48, 1968GU1H, 1968KA1F, 1968KO1C, 1968NO1A, 1968RH1A, 1968TA1C, 1968WI1B, 1968ZU1A, 1969BA1L, 1969BU1C, 1969CH1L, 1969CH1C, 1969ER1C, 1969FU1G, 1969GU1L, 1969KA1V, 1969KE12, 1969KO17, 1969MO1E, 1969MY01, 1969WE05, 1970BA2J, 1970BA44, 1970BE1J, 1970CA1J, 1970CH25, 1970CH1W, 1970EI1C, 1970EL1E, 1970HA46, 1970HO12, 1970KA1J, 1970KO1Q, 1970MA18, 1970TA1C, 1970WE1D).

Other topics: (1959ED1A, 1959GO84, 1960JA1F, 1961RO1D, 1961SW1A, 1962IN1A, 1962LA1D, 1962YU02, 1963BR1D, 1963EV01, 1963HO1E, 1963JO10, 1964BA1L, 1964BR1K, 1964FL1A, 1964LI1B, 1964NA1A, 1964RO1B, 1964VA1D, 1964VO1A, 1964ZU02, 1965HU1D, 1965MA1N, 1965MA36, 1965MA1M, 1965NI1A, 1965RO1K, 1965SI1C, 1966BR1P, 1966ED1B, 1966GI1A, 1966KA09, 1966KO1E, 1966KO1F, 1966MA1U, 1966MI1F, 1966RO1Q, 1966SI1D, 1966SU1D, 1966UL1A, 1966ZH1A, 1967AM1F, 1967BL1N, 1967BR1K, 1967DI1B, 1967EL1E, 1967GR1E, 1967GR1G, 1967HU1B, 1967KA1D, 1967KU13, 1967MA1B, 1967MC09, 1967NI1C, 1967RO1G, 1967RO1H, 1967SC1G, 1967SC16, 1967SH1B, 1968BE1W, 1968CH1F, 1968EL1E, 1968FA1B, 1968GR1J, 1968GU1C, 1968IR1A, 1968IS1A, 1968KO1M, 1968KO1N, 1968LE1F, 1968MC05, 1968MI1E, 1968MO1K, 1968NE1C, 1968PA1U, 1968PA1W, 1968SH08, 1968ST1Q, 1968SU1E, 1968TO1J, 1968WA1K, 1968WI1B, 1969AG03, 1969BA2N, 1969BE1Y, 1969BL1F, 1969FA06, 1969FI1A, 1969GI1B, 1969GR27, 1969GR1H, 1969HA1W, 1969HO1V, 1969IR1A, 1969KA1Q, 1969KH1B, 1969KO1Q, 1969KO14, 1969KO20, 1969LE1L, 1969MC07, 1969ME1H, 1969MI14, 1969NA1E, 1969OS01, 1969PA14, 1969RA21, 1969RU04, 1969SI1D, 1969SO08, 1969ST15, 1970BA2E, 1970BE1Q, 1970BE26, 1970BE1U, 1970BO2A, 1970BR02, 1970DA12, 1970DI1H, 1970DO1J, 1970GM02, 1970KA30, 1970KA1K, 1970KI1F, 1970MC1K, 1970ME1G, 1970MO18, 1970NE09, 1970SC1J, 1970SI02, 1970SP1C, 1970ST1D, 1970SU1B, 1970VO01).

Mass measurement: 15.994 9121 (± 12) amu (1968MA45).

1. ${}^6\text{Li}({}^{14}\text{N}, \alpha){}^{16}\text{O}$ $Q_m = 19.264$

The angular distribution of the α -particles corresponding to ${}^{16}\text{O}(0)$ has been measured at $E({}^{14}\text{N}) = 27.6$ MeV (1964WA1B). See also reaction 37.

2. (a) ${}^{10}\text{B}({}^6\text{Li}, \text{p}){}^{15}\text{N}$	$Q_m = 18.751$	$E_b = 30.877$
(b) ${}^{10}\text{B}({}^6\text{Li}, \text{d}){}^{14}\text{N}$	$Q_m = 10.141$	
(c) ${}^{10}\text{B}({}^6\text{Li}, \text{t}){}^{13}\text{N}$	$Q_m = 5.845$	
(d) ${}^{10}\text{B}({}^6\text{Li}, {}^3\text{He}){}^{13}\text{C}$	$Q_m = 8.085$	
(e) ${}^{10}\text{B}({}^6\text{Li}, \alpha){}^{12}\text{C}$	$Q_m = 23.716$	

At $E({}^6\text{Li}) = 4.9$ MeV, the cross sections for reactions (a) to (e) leading to low-lying states in the residual nuclei are proportional to $(2J_f + 1)$: this is interpreted as indicating that the reactions proceed via a statistical compound nucleus mechanism. For highly excited states, the cross section is higher than would be predicted by a $(2J_f + 1)$ dependence (1966MC05). The yield curves for α_0 and α_1 (reaction (e)) measured at 0° for $E({}^6\text{Li}) = 3.2$ to 13.6 MeV show broad structures. At 90° , for $E({}^6\text{Li}) = 9.7$ to 13.0 MeV no structure is apparent, suggesting that the 0° yield is explainable in terms of Ericson fluctuations (1967SE08). See also (1963MO1B, 1964GA1E, 1967CA1D, 1970GI05).

Table 16.9: Energy Levels of ^{16}O ^a

E_x in ^{16}O (MeV \pm keV)	$J^\pi; T$	$\Gamma_{\text{c.m.}}$ (keV) or τ_m	Decay	Reactions
0	$0^+; 0$	—	stable	1, 3, 5, 11, 12, 13, 14, 15, 16, 17, 18, 24, 25, 26, 27, 28, 35, 36, 37, 38, 39, 43, 44, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81
6.0502 ± 1.0	$0^+; 0$	72 ± 7 psec	π	11, 12, 24, 27, 35, 36, 37, 44, 47, 55, 56, 58, 61, 66, 67, 70, 71, 79, 80
6.13066 ± 0.18	$3^-; 0$	24 ± 2 psec	γ	3, 4, 11, 12, 25, 27, 35, 36, 37, 43, 44, 47, 55, 56, 57, 58, 61, 64, 66, 67, 70, 71, 74, 79, 80
6.9188 ± 0.6	$2^+; 0$	6.8 ± 0.4 fsec	γ	11, 12, 25, 27, 35, 36, 37, 43, 44, 54, 55, 56, 57, 58, 61, 64, 66, 70, 71, 74, 79
7.11867 ± 0.35	$1^-; 0$	10.6 ± 0.9 fsec	γ	9, 11, 12, 25, 27, 35, 36, 37, 43, 44, 47, 54, 56, 57, 58, 61, 64, 66, 67, 70, 71, 74
8.8717 ± 0.5	$2^-; 0$	180 ± 16 fsec	γ	4, 11, 12, 25, 35, 36, 43, 44, 47, 56, 57, 61, 66, 67, 70, 74
9.597 ± 21	$1^-; 0$	$\Gamma = 510 \pm 60$	γ, α	5, 9, 11, 12, 35, 44, 47, 61
9.8469 ± 2.8	$2^+; 0$	1.1	γ, α	5, 9, 11, 12, 25, 35, 36, 43, 44, 47, 55, 57, 61, 70, 74, 79
10.353 ± 4	$4^+; 0$	27 ± 4	γ, α	5, 9, 11, 12, 25, 35, 36, 44, 57, 61, 67, 74
10.952 ± 3	$0^-; 0$	$\tau_m = 8 \pm 5$ fsec	γ	35, 36, 43, 44
11.080 ± 3	$3^+; 0$	57 ± 19 fsec	γ	35, 36, 43, 44, 57, 74
11.096 ± 3	$4^+; 0$	$\Gamma = 0.3 \pm 0.1$	α	9, 11, 12, 25, 35, 36, 43, 44, 57, 74
11.26	$0^+; 0$	2500	α	9, 43, 44
(11.44)	$3^-; 0$	830	α	9
11.521 ± 4	$2^+; 0$	74 ± 4	γ, α	5, 11, 35, 36, 55, 61
11.63	$3^-; 0$	1200	α	9, 11
12.053 ± 3	$0^+; 0$	1.5 ± 0.5	α	9, 11, 35, 36, 55, 57, 61
12.441 ± 4	$1^-; 0$	97 ± 6	γ, p, α	5, 7, 9, 11, 35, 36, 39, 40, 42, 43, 44
12.528 ± 1	$2^-; 0$	≤ 0.5	γ, p, α	11, 35, 36, 39, 40, 42, 43, 44, 55, 57
12.795 ± 5	$0^-; 1$	38 ± 4	γ, p	35, 39, 40, 43, 44

Table 16.9: Energy Levels of ^{16}O ^a (continued)

E_x in ^{16}O (MeV \pm keV)	$J^\pi; T$	$\Gamma_{\text{c.m.}}$ (keV) or τ_m	Decay	Reactions
12.9666 \pm 0.9	$2^-; 1$	2.0 ± 0.2	γ, p, α	35, 39, 40, 42, 43, 44, 55
13.02 \pm 10	2^+	150 ± 11	α	9, 55
13.093 \pm 6	$1^-; 1$	127 ± 8	γ, p, α	5, 7, 9, 11, 34, 35, 39, 40, 42, 44, 55
13.129 \pm 10	$3^-; 0$	128 ± 11	p, α	7, 9, 36, 44
13.14 \pm 100	2^+	≈ 250	γ, p, α	5, 42
13.2582 \pm 2.5	$3^-; 1$	21 ± 1	γ, p, α	5, 7, 9, 11, 35, 40, 42, 43, 44, 67
13.6634 \pm 2.7	$1^+; 0$	64 ± 3	p, α	35, 36, 40, 42, 57
13.869 \pm 10	4^+	85 ± 14	p, α	9, 11, 35, 42, 57
13.9782 \pm 2.4	2^-	22 ± 2	p, α	35, 40, 42, 61
14.00 \pm 50	0^+	170 ± 50	γ	55
14.0	0^+	4800	α	9
14.39 \pm 25 (14.53)	$4^+; 0$	30 ± 30		11, 25, 35, 36 11
14.82 \pm 30	$6^+; 0$	69 ± 30	α	9, 11, 25, 36
14.922 \pm 6	4^+	51 ± 7	p, α	34, 35, 40, 42, 61
15.22 \pm 35	2^-	70 ± 15	p, α	11, 40, 42, 57, 67
15.26 \pm 50	$2^+; (0)$	660 ± 90	γ, p, α	11, 39, 40, 42, 55
15.42 \pm 40	$(1^-, 3^-)$	95 ± 25	p, α	7, 9, 34, 40, 42, 67
15.792 \pm 14	$(T = 0)$	≈ 60		11, 35, 36
16.218 \pm 13	$1^+; 1$	19 ± 6	γ, n, p	35, 39, 40, 41, 48, 55, 57
16.23 \pm 15	$6^+; 0$	125 ± 50	α	9, 11, 12, 34, 35, 36
16.30 \pm 30	$0(-)$	240 ± 30	n, p	41
16.407 \pm 24	2^+	45	γ, n, p, α	5, 6, 7, 9, 55
16.80 \pm 100	(3^+)	≤ 100	γ	55
16.94	2^+	≈ 280	$\alpha, {}^8\text{Be}$	10
17.142 \pm 12	$1^-; 1$	33 ± 5	γ, n, p, α	6, 7, 9, 35, 36, 39, 40, 41, 44, 48, 55, 57
17.17	2^+	200	$\alpha, {}^8\text{Be}$	10, 44
17.30 \pm 15	$1^-; 1$	90 ± 10	γ, n, p, α	6, 9, 39, 40, 41, 48, 55
17.55	(4^+)	165	$(\gamma), n, \alpha$	6, 9, 48
17.63 \pm 15	$\geq 1; 1$	59 ± 10	$(\gamma), n, p, \alpha$	7, 9, 41, 55, 57
17.755 \pm 15	$0^+, 2^+$	≈ 30	$\alpha, {}^8\text{Be}$	10, 35
17.82 \pm 40	4^+	225	$n, \alpha, {}^8\text{Be}$	6, 9, 10, 35
17.86 \pm 15	$\geq 1; 1$	101 ± 10	n, p	41
18.018 \pm 15	$4^+; 0$	14	$(n), p, \alpha, {}^8\text{Be}$	7, 9, 10, 35, 41
18.05 \pm 15	$(4^+); 1$	26 ± 5	γ, n, p, α	6, 9, 35, 39, 41

Table 16.9: Energy Levels of ^{16}O ^a (continued)

E_x in ^{16}O (MeV \pm keV)	$J^\pi; T$	$\Gamma_{\text{c.m.}}$ (keV) or τ_m	Decay	Reactions
18.132 \pm 24		220 \pm 60	n, p, α	6, 41
18.18 \pm 25	2 ⁺	390 \pm 80	n, α	6
18.46 \pm 25		\approx 160	n, p	41
18.6	(1 ⁻ , 5 ⁻)	140	α	9
18.71	0 ⁺ , 2 ⁺	260 \pm 30	n, p, α , ^8Be	10, 41
18.79	(4 ⁺)	220	n, p, α , ^8Be	6, 7, 9, 10
(18.983 \pm 15)		\lesssim 25		35
18.99 \pm 30	1 ⁻ ; 1	300 \pm 100	γ , p	39, 55
19.04 \pm 50	2 ⁻ ; 1	400 \pm 50	γ , α	9, 55
19.06 \pm 60	2 ⁺ ; 1	\approx 120	γ , p	39, 40, 48
19.12	(2 ⁺ , 4 ⁺)	41	(n), α	6, 9
19.24 \pm 25	2 ⁻ ; 1	90 \pm 10	γ , n, p	39, 41
19.25	(5 ⁻)	23	(n), α	6, 9
19.34	6 ⁺	50	α , ^8Be	10
(19.382 \pm 15)	$\pi = +$	\approx 30	α	9, 35
19.48 \pm 30	1 ⁻ ; 1	300 \pm 80	γ , n, p, α	9, 39, 41, 48, 55
19.62		240	n, α	6
19.80 \pm 150			(α)	9, 57
19.90 \pm 25	(2, 3; 1)	120 \pm 40	γ , n, p, α	9, 35, 39, 41
20.087		310	n, α	6
20.3		\approx 1500	p, α	7
(20.348 \pm 15)		\approx 30	γ , n	35, 48
20.36 \pm 70	2 ⁻	500 \pm 100	γ	55
20.39 \pm 25	\geq 2	150 \pm 30	γ , n, p, α	6, 9, 39, 41
20.55 \pm 25	\geq 1	140 \pm 30	n, p, α	9, 41
20.8	(8 ⁺)	\approx 600	γ	11, 12, 39
20.81		< 25	n, α	6
20.89 \pm 25		\approx 250	γ , n, p	39, 41, 48, 49
(21.0)	(7 ⁻)	750	(γ), α	9, 48
21.01 \pm 20	1 ⁻ ; 1	260 \pm 60	γ , n, α	5, 48, 55
21.02 \pm 20		55	(γ), n, α	6, 48
(21.1)	(5 ⁻)	900	α	9
(21.2)	(6 ⁺)	450	n, α	6, 9, 11
21.68		55	γ , n, α	6, 48
21.79		55	γ , n, p, d, α	6, 29, 39, 48
22.04		60	γ , n, d, α	6, 11, 29, 39
22.07		340	n, α	6, 11

Table 16.9: Energy Levels of ^{16}O ^a (continued)

E_x in ^{16}O (MeV \pm keV)	$J^\pi; T$	$\Gamma_{\text{c.m.}}$ (keV) or τ_m	Decay	Reactions
22.13		< 150	γ, n, d, α	6, 11, 28, 29, 33, 48
22.26 \pm 38	$1^-; 1$	≈ 650	γ, n, p, d, α	28, 29, 33, 39, 41, 48, 49, 55
22.52		375	n, d, α	6, 11, 33
22.720 \pm 4	$0^+; T = 2$	15 \pm 6	p, d, α	7, 9, 27, 30, 33, 70
22.75	$1^-; 1$	60	γ, n, d, α	6, 11, 28, 29, 31, 33, 55
23.11		≈ 20	d, α	9, 31, 33
23.15 \pm 34		≈ 500	$\gamma, n, (p), d, \alpha$	9, 33, 48, 49
23.40		< 40	n, d, α	6, 31, 33
23.54		300	n, p, d, α	9, 29, 30, 31, 33
23.75		120	n, α	6
23.89		≈ 25	α	9, 11
23.93		165	n, α	6
(24.05)		≈ 80	$n, ^3\text{He}$	19
24.05 \pm 100		450	$\gamma, n, ^3\text{He}$	18, 48
24.4	($T = 1$)	≈ 250	$\gamma, n, p, d, ^3\text{He}, \alpha$	19, 28, 29, 30, 31, 33, 48, 49, 55
24.522 \pm 11	$2^+; T = 2$	< 50		27, 55, 70
24.74	$T = 1$		(γ), $p, d, ^3\text{He}, \alpha$	22, 30, 31, 33, 39
25.12 \pm 50		650	$\gamma, n, p, d, ^3\text{He}$	18, 29, 30, 48, 49
25.55 \pm 50	($1^-; 1$)	1000	$\gamma, n, p, ^3\text{He}, \alpha$	20, 22, 39, 48, 55
25.94	($T = 1$)	600 \pm 200	$d, ^3\text{He}, \alpha$	22, 31, 33
(26.38 \pm 180)			(γ, n, p)	39, 48, 49
26.7 \pm 250	($1^+; 1$)	600 \pm 200	$^3\text{He}, \alpha$	22, 33, 55
27.32 \pm 92	($2^+; 1$)	≈ 600	(γ, n), $d, ^3\text{He}, \alpha, ^8\text{Be}$	22, 23, 31, 48
27.6 \pm 100	($3^-; 0$)	≈ 500	$p, ^3\text{He}, \alpha$	20, 21, 22
(28.1 \pm 100)	($T = 1$)	600 \pm 200	$d, ^3\text{He}, \alpha$	22, 33
(28.3 \pm 100)	($T = 0$)		$^3\text{He}, \alpha$	22
(28.9 \pm 100)	($T = 1$)	600 \pm 200	$^3\text{He}, \alpha$	22
29.7 \pm 100	($T = 1$)	600 \pm 200	(γ, n), $d, ^3\text{He}, \alpha$	22, 31, 48
(30.4 \pm 100)	($T = 1$)	600 \pm 200	$^3\text{He}, \alpha$	9, 22
31.2 \pm 200	($T = 1$)	600 \pm 200	(γ, n, p), $^3\text{He}, \alpha$	22, 48, 49, 54
(33.0 \pm 300)			(γ, n)	48
44.5	($1^-; 1$)	2000 – 3000	γ	55
49	($1^-; 1$)	2000 – 3000	γ	54, 55

^a See also Tables 16.12, 16.19 and 16.26.

3. $^{10}\text{B}(^{14}\text{N}, ^8\text{Be})^{16}\text{O}$ $Q_m = 14.708$

τ_m for $^{16}\text{O}^*(6.13) = 21_{-7}^{+1}$ psec. The ground state E3 transition has a strength of 62 W.u. (1969NI09).

4. $^{11}\text{B}(^7\text{Li}, 2n)^{16}\text{O}$ $Q_m = 12.169$

τ_m for $^{16}\text{O}^*(8.88) = 0.37 \pm 0.13$ psec. The transition energy for $8.88 \rightarrow 6.13$ is 2740.4 ± 1.0 keV (1969TH01).

5. $^{12}\text{C}(\alpha, \gamma)^{16}\text{O}$ $Q_m = 7.161$

The yield of capture γ -rays has been studied for $E_\alpha < 23.5$ MeV: see Table 16.10. The cross section rises from $(1.1 \pm 0.4) \times 10^{-3} \mu\text{b}$ at $E_\alpha = 1.86$ MeV to $(29 \pm 4) \times 10^{-3} \mu\text{b}$ at $E_\alpha = 3.11$ MeV. At $E_\alpha = 1.6$ MeV, the capture cross section is $< 0.3 \times 10^{-3} \mu\text{b}$ (1970JA09). At higher energies resonances are observed. These are displayed in Table 16.11 (1960ME02, 1964LA16, 1965MI05, 1967SU02). Widths for γ -emission have been measured for several of the corresponding ^{16}O states: see Table 16.12 (1963GO31, 1964LA16, 1966GO18, 1967GO08, 1967SU02). See also (1969BR1L) and (1967GI1C, 1969GI1B; theor.). The asymmetries in the angular distributions in this reaction and in the inverse reaction $^{16}\text{O}(\gamma, \alpha)^{12}\text{C}$ are the same within one standard deviation: there is no evidence for failure of time reversal invariance (1970VO13). The relevance of this reaction to the buildup of elements in stars is discussed by (1967ST1M, 1967WI1B, 1970TO1C, 1970WE1A, 1970WE1F) and in earlier papers listed in (1959AJ76).

6. $^{12}\text{C}(\alpha, n)^{15}\text{O}$ $Q_m = -8.507$ $E_b = 7.161$

Cross section measurements have been made from threshold to $E_\alpha = 24.7$ MeV: see Table 16.10. Observed resonances are displayed in Table 16.11 (1963NE05, 1968BL08, 1970BE1T). See also (1962GO1J, 1963GO1J, 1965AL1J, 1965TS1A) and (1963KE1A; theor.). See also ^{15}O in (1970AJ04).

7. $^{12}\text{C}(\alpha, p)^{15}\text{N}$ $Q_m = -4.965$ $E_b = 7.161$

The yield of protons corresponding to the ground state of ^{15}N has been studied for $E_\alpha = 7.7$ to 23 MeV: see Table 16.10. Observed resonances are displayed in Table 16.11 (1960PR13, 1964AT1A, 1964CA07, 1965MI05, 1968MO1H, 1970BE1T, 1970NE1H). See also (1963KE1A; theor.) and ^{15}N in (1970AJ04).

Table 16.10: Recent $^{12}\text{C} + \alpha$ yield curves ^a

E_α (MeV)	Yield of	Refs.
1.91 – 3.16	$\gamma_{\text{capt.}}$	(1968JA1K, JA69K)
2.60 – 3.25	$\gamma_{\text{capt.}}$	(1968AD1D)
2.8 – 8.3	$\gamma_{\text{capt.}}$	(1964LA16)
6.9 – 8.4	$\gamma_{\text{capt.}}$	(1964MI12, 1965MI05)
8.75 – 23.50	$\gamma_{\text{capt.}}$	(1967SU02)
thresh. – 19	$n(\sigma_t)$	(1963NE05)
thresh. – 22.7	$n(\sigma_t)$	(1968BL08)
13 – 16	n_0	(1970BE1T)
13.7 – 24.7	^{15}O	(1969SP1B)
15 – 19	$n(\sigma_t)$	(1962CA03)
7.7 – 8.4	p_0	(1965MI05)
9.6 – 17.6	p_0	(1964CA07)
12.4 – 16.0	p_0	(1967IV1B)
13 – 16	p_0	(1970BE1T)
13 – 23	p_0	(1968BL08)
15.8 – 19.0	p_0	(1960PR13)
15.9 – 26.3	p_0	(1965TE01)
19 – 23	$p_1 + p_2$	(1968BL08)
19.7 – 22.1	p_0	(1963YA1C)
20 – 23	p_0	(1964AT1A)
2.5 – 4.8	α_0	(1962JO09)
2.8 – 6.6	α_0	(1968CL04)
4 – 13.3	α_0	(1969MA1U)
5.2 – 5.3	α_0	(1966LA09)
6 – 17	$\gamma_{4.4}$	(1964MI08)
6.5 – 6.6	α_0	(1966LA09)
6.6 – 8.5	α_0	(1968MO08)
7.3 – 8.4	$\gamma_{4.4}$	(1964MI12)
7.4 – 10.6	$\gamma_{4.4}$	(1964LA16)
7.7 – 8.3	$\alpha_1, \gamma_{4.4}$	(1965MI05)
8.5 – 10.5	α_0, α_1	(1970OP01)

Table 16.10: Recent $^{12}\text{C} + \alpha$ yield curves ^a (continued)

E_α (MeV)	Yield of	Refs.
9.5 – 19	α_1	(1964MI08)
9.8 – 19.1	α_0	(1964CA07)
10.7 – 11.8	α_0	(1967KR1D)
12.0 – 17.3	α_2	(1970MO22)
12.8 – 26.3	α_0, α_1	(1966IF01)
13.5 – 23.5	α_1	(1963LU08)
13.5 – 30.5	α_0	(1963LU08)
14.4 – 18.8	$\gamma_{4.4}$	(1962CA03)
14.5	α_0, α_1	(1968MO1H)
14.6 – 18.1	α_3	(1970MO22)
15 – 22.7	α_0	(1962JO14)
16.2 – 19.2	α_2	(1964MI08)
17.3 – 23.4	α_0, α_1	(1964JO14)
18.9 – 30.1	α_0, α_1	(1970MO06)
20 – 24	α_0	(1968AG03, 1969AG06)
20.2 – 22.8	α_1	(1964AT1A)
27.0 – 35.5	α_0, α_1	(1961MI03)
11.9 – 19.4	^8Be	(1967CH21)

^a See also (1959AJ76).

$$8. \ ^{12}\text{C}(\alpha, \text{d})^{14}\text{N} \qquad Q_m = -13.575 \qquad E_b = 7.161$$

See ^{14}N in (1970AJ04). See also (1968NO1C; theor.).

$$9. \ ^{12}\text{C}(\alpha, \alpha)^{12}\text{C} \qquad E_b = 7.161$$

The yield of α -particles corresponding to $^{12}\text{C}^*(0, 4.4)$ and of 4.4 MeV γ -rays has been studied at many energies in the range $E_\alpha = 2.5$ to 35.5 MeV: see Table 16.10. Observed resonances are displayed in Table 16.11 (1953HI1A, 1954BI1A, 1955RA1B, 1961MI03, 1962JO09, 1962JO14, 1964CA07, 1964LA16, 1964MI08, 1964MI12, 1965MI05, 1966LA09, 1967LA1J, 1968AG03, 1968CL04, 1968MO08, 1968MO1H, 1969AG06, 1970HA15, 1970NE1H, 1970OP01). See also (1961FE02, 1966BO28).

Table 16.11: Resonances in $^{12}\text{C} + \alpha$

E_α (MeV \pm keV)	$\Gamma_{\text{c.m.}}$ (keV)	Outgoing particles ^a (x)	Γ_x (keV)	$^{16}\text{O}^*$ (MeV)	$J^\pi; T$	Refs.
3.322 \pm 30	550	γ_0	$(2.2 \pm 0.5) \times 10^{-5}$	9.58	1 ⁻	(1953HI1A, 1962JO09, 1964LA16, 1968CL04)
3.575 \pm 10	1.1	α_0	$(5.9 \pm 0.6) \times 10^{-6}$	9.842	2 ⁺	(1953HI1A, 1960ME02, 1962JO09, 1964LA16)
		γ_0				
4.241 \pm 25	195	α_0		10.341	4 ⁺	(1962JO09)
4.260 \pm 15	27 \pm 4	γ_0		10.355		(1964LA16)
5.245 \pm 8	0.3 \pm 0.1	α_0		11.094	4 ⁺	(1966LA09)
5.47	2500	α_0		11.26	0 ⁺	(1954BI1A)
5.71	830	α_0		11.44	3 ⁻	(1968CL04)
5.809 \pm 18	73 \pm 5	γ_0	$(0.66 \pm 0.09) \times 10^{-3}$	11.517		(1960ME02, 1964LA16)
5.96	1200	α_0		11.63	3 ⁻	(1954BI1A)
6.518 \pm 10	1.5 \pm 0.5	α_0		12.048	0 ⁺	(1966LA09)
7.045 \pm 5	99 \pm 7	γ_0	$(7 \pm 1) \times 10^{-3}$	12.443	1 ⁻ ; 0	(1954BI1A, 1964LA16, 1964MI12, 1968MO08)
		p				
		α_0				
		α_1				
		α_0				
7.82 \pm 10	150 \pm 11	α_0	150 \pm 11	13.02	2 ⁺	(1968MO08)
7.915 \pm 10	113 \pm 15	γ_0	8.8×10^{-2}	13.095	1 ⁻ ; 1	(1964LA16, 1964MI12, 1965MI05, 1968MO08)
		p				
		α_0				
		α_1				
		α_0				
7.960 \pm 10	128 \pm 11	p	1	13.129	3 ⁻ ; 0	(1964LA16, 1964MI08, 1965MI05, 1967LA1J, 1968MO08)
		α_0				
		α_1				
		α_0				
		α_1				
7.98 \pm 100	\approx 250	$\gamma_{4.4}$	90 \pm 14			
		γ_0	\approx 20			
		γ_0		13.14	2 ⁺	(1964LA16, 1965MI05)

Table 16.11: Resonances in $^{12}\text{C} + \alpha$ (continued)

E_α (MeV \pm keV)	$\Gamma_{\text{c.m.}}$ (keV)	Outgoing particles ^a (x)	Γ_x (keV)	$^{16}\text{O}^*$ (MeV)	$J^\pi; T$	Refs.
8.130 \pm 15	26 \pm 7	γ_0		13.257	3 ⁻ ; 1	(1964LA16, 1964MI08, 1964MI12, 1965MI05, 1968MO08)
		p	4.5			
		α_0	9 \pm 4			
		α_1	7.5			
		$\gamma_{4.4}$				
8.96	70	$\alpha_0, \gamma_{4.4}$		13.88	4 ⁺	(1964LA16, 1964MI08, 1970OP01)
9.1	4800	α_0		14.0	0 ⁺	(1968CL04)
10.08	400	$\gamma_{4.4}, (\alpha_0)$		14.72		(1964CA07, 1964LA16, 1964MI08)
10.18	40	$\alpha_0, \alpha_1, \gamma_{4.4}$		14.79	6 ⁺	(1964CA07, 1964LA16, 1964MI08, 1970OP01)
10.25	55	p ₀ , α_0		14.85		(1964CA07)
11.02	\approx 100	p ₀ , $\alpha_0, \alpha_1, \gamma_{4.4}$		15.42	(1 ⁻ , 3 ⁻)	(1964CA07, 1964MI08)
(11.08)	280	p ₀ , α_0		15.47		(1964CA07)
11.5	\approx 400	$\alpha_0, \alpha_1, \gamma_{4.4}$		15.8	3 ⁻	(1964CA07, 1964MI08)
12.1	280	α_0		16.2	6 ⁺	(1964CA07)
12.32 \pm 25	45	$\gamma_0, \text{n}, \text{p}_0, \alpha_0, \alpha_1, \gamma_{4.4}$		16.40 ^b	2 ⁺	(1964CA07, 1964MI08, 1967SU02, 1968BL08)
12.5	730	p ₀ , α_0		16.5		(1964CA07)
12.9	400	α_0		16.8	(4 ⁺)	(1964CA07)
13.0	700	α_0		16.9	5 ⁻	(1964CA07)
13.05	\approx 280	^8Be		16.94	2 ⁺	(1967CH21)
13.26	110	n, (p ₀), $\alpha_0, \alpha_1, \gamma_{4.4}$		17.10	(1 ⁻ , 2 ⁺ , 0 ⁺)	(1964CA07, 1964MI08, 1968BL08)
13.35	200	^8Be		17.17	2 ⁺	(1967CH21)
13.50	< 100	n		17.28		(1968BL08)
13.59	150	$\alpha_1, \gamma_{4.4}$		17.35		(1964MI08)
13.86	165	n, α_0		17.55	(4 ⁺)	(1964CA07, 1968BL08)
13.95	110	p ₀ , α_0		17.62		(1964CA07, 1970BE1T)
14.1		^8Be		17.7	0 ⁺ , 2 ⁺	(1967CH21)
14.21	225	n, $\alpha_1, \gamma_{4.4}, ^8\text{Be}$		17.81	4 ⁺	(1964MI08, 1967CH21)

Table 16.11: Resonances in $^{12}\text{C} + \alpha$ (continued)

E_α (MeV \pm keV)	$\Gamma_{\text{c.m.}}$ (keV)	Outgoing particles ^a (x)	Γ_x (keV)	$^{16}\text{O}^*$ (MeV)	$J^\pi; T$	Refs.
14.483 \pm 15	14	$p_0, \alpha_0, \alpha_1, {}^8\text{Be}$		18.018	$4^+; 0$	(1967CH21, 1968MO1H)
14.50	40	$n, \alpha_0, \alpha_1, \gamma_{4.4}$		18.03	(4^+)	(1964CA07, 1964MI08, 1968BL08)
14.59 \pm 40	220 \pm 60	n_0		18.10		(1963NE05, 1968BL08, 1970BE1T)
14.70 \pm 25	390 \pm 80	n		18.18	2^+	(1967SU02)
14.85	280	$p_0, (\alpha_0), \alpha_1, \gamma_{4.4}$		18.29		(1964CA07, 1964MI08)
15.0	510	$\alpha_0, (\alpha_1, \gamma_{4.4})$		18.4	5^-	(1964CA07, 1964MI08)
15.2		${}^8\text{Be}$		18.6	$0^+, 2^+$	(1967CH21)
15.2	140	$\alpha_0, (\alpha_1, \gamma_{4.4})$		18.6	$(1^-, 5^-)$	(1964CA07, 1964MI08)
15.46	55	α_0		18.75	(1^-)	(1964CA07)
15.52	220	$n, p_0, \alpha_0, \alpha_1, {}^8\text{Be}$		18.79	(4^+)	(1964CA07, 1964MI08, 1967CH21, 1968BL08)
15.88	broad	$\alpha_1, \gamma_{4.4}$		19.06		(1964MI08)
15.96	41	$(n), \alpha_0$		19.12	$(2^+, 4^+)$	(1964CA07, 1968BL08)
16.13	23	$(n), \alpha_0$		19.25	(5^-)	(1964CA07, 1968BL08)
16.25	50	${}^8\text{Be}$		19.34	6^+	(1967CH21)
16.30	23	α_0		19.38	$(4^+, 0^+)$	(1964CA07)
16.4	broad	α_1		19.5		(1964MI08)
16.62	240	n		19.62		(1968BL08)
16.73	17	α_0		19.70	even	(1964CA07)
(17.0)	825	α_0		(19.9)	(4^+)	(1964CA07)
17.10	140	α_0, α_1		19.98	$(2^+, 0^+, 1^-)$	(1964CA07, 1964MI08)
17.22	310	n		20.07		(1968BL08)
17.5	≈ 1500	p_0		20.3		(1960PR13)
17.66	< 150	n		20.40		(1968BL08)
(17.75)	110	α_0		(20.47)	(4^+)	(1964CA07)
17.90		α_1		20.58		(1964MI08)
18.21	< 25	n		20.81		(1968BL08)
18.4	750	α_0		21.01	7^-	(1964CA07)

Table 16.11: Resonances in $^{12}\text{C} + \alpha$ (continued)

E_α (MeV \pm keV)	$\Gamma_{\text{c.m.}}$ (keV)	Outgoing particles ^a (x)	Γ_x (keV)	$^{16}\text{O}^*$ (MeV)	$J^\pi; T$	Refs.
18.48	55	n		21.03		(1968BL08)
18.50 \pm 25	240 \pm 80	γ_0		21.0	1 ⁻	(1967SU02)
18.5	900	α_0		21.1	(5 ⁻)	(1962JO14, 1964CA07)
(18.6)	450	n, α_0 , α_1		(21.2)	(6 ⁺)	(1964CA07, 1964MI08, 1968BL08)
19.37	55	n		21.68		(1968BL08)
19.52	55	n		21.79		(1968BL08)
19.85	60	n		22.04		(1968BL08)
19.89	340	n		22.07		(1968BL08)
19.97	< 150	n		22.13		(1968BL08)
20.49	375	n		22.52		(1968BL08)
20.71	60	n		22.68		(1968BL08)
20.760 \pm 5	15 \pm 6	p ₀ , (α_0), α_2		22.721	0 ⁺ ; (T = 2)	(1970NE1H)
(21.2)	680	α_0		(23.1)		(1968AG03, 1969AG06)
21.28	\approx 20	α_0 , α_1		23.11		(1970HA15)
21.67	< 40	n		23.40		(1968BL08)
21.85	300	α_0 , α_1		23.54		(1955RA1B, 1970HA15)
22.14	120	n		23.75		(1968BL08)
22.32	\approx 25	α_0 , α_1		23.89		(1970HA15)
22.37	165	n		23.93		(1968BL08)
30	broad	α_0 , α_1		30		(1961MI03)

^a p₀, α_0 , and α_1 correspond to groups to $^{15}\text{N}(0)$, $^{12}\text{C}(0)$ and $^{12}\text{C}^*(4.4)$; $\gamma_{4.4}$ corresponds to the γ -decay of $^{12}\text{C}^*(4.4)$; γ_0 corresponds to capture γ -rays.

^b $\Gamma_\gamma\Gamma_\alpha/\Gamma = 0.2, 0.7$ and 6 eV, respectively for $^{16}\text{O}^*(16.40, 18.19, 21.04)$ (1967SU02).

Table 16.12: Radiative decays in ^{16}O ^a

E_i (MeV)	$J_i^\pi; T$	E_f (MeV)	$J_f^\pi; T$	Branch (%)	Γ_γ (eV)	Refs. ^c
6.05	$0^+; 0$	0	$0^+; 0$	100	3.66 ± 0.55 ^b	(1968ST31)
6.13	$3^-; 0$	0	$0^+; 0$	100	$(2.3 \pm 1.1) \times 10^{-5}$	(1968ST31)
6.92	$2^+; 0$	0	$0^+; 0$	> 99	$(80 \pm 7) \times 10^{-3}$	(1968EV03)
					$(93 \pm 10) \times 10^{-3}$	(1968ST04, 1968ST31)
					$(100 \pm 15) \times 10^{-3}$	(1967AR1A)
					$(110 \pm 5) \times 10^{-3}$	(1970SW03)
		6.05	$0^+; 0$	$(2.7 \pm 0.7) \times 10^{-2}$		(1965FU05)
				$(2.9 \pm 1.1) \times 10^{-2}$	$(1.6 \pm 0.6) \times 10^{-5}$	(1963GO31)
				$(2.3 \pm 0.5) \times 10^{-2}$	$(1.4 \pm 0.5) \times 10^{-5}$	(1966LO06)
				$(2.9 \pm 0.4) \times 10^{-2}$		(1967LO08)
				$(2.7 \pm 0.3) \times 10^{-2}$		mean
		6.13	$3^-; 0$	$< 4 \times 10^{-2}$	2.7×10^{-5}	(1963GO31)
				$\leq 4 \times 10^{-2}$		(1960PI04)
				$\leq 8 \times 10^{-3}$		(1968WI15)
7.12	$1^-; 0$	0	$0^+; 0$	> 99	$(47 \pm 6) \times 10^{-3}$	(1968EV03)
					$(62 \pm 5) \times 10^{-3}$	(1970SW03)
		6.05	$0^+; 0$	$\leq 3.5 \times 10^{-3}$	$\leq 3.0 \times 10^{-6}$	(1963GO31), B
				$< 6 \times 10^{-4}$		(1967LO08)
		6.13	$3^-; 0$	$(8 \pm 2) \times 10^{-2}$	$(5.3 \pm 2.1) \times 10^{-5}$	(1963GO31)
				$(7.0 \pm 1.4) \times 10^{-2}$		(1968WI15)
8.87 ^d	$2^-; 0$	0	$0^+; 0$	7 ± 2		(1957BE61)
				9 ± 4		(1957MC35)
				7.2 ± 0.8		(1968WI15)
					$(2.41 \pm 0.35) \times 10^{-4}$	(1967PI01)
		6.05	$0^+; 0$	0.112 ± 0.033	$(2.9 \pm 1.0) \times 10^{-6}$	(1963GO31, 1967PI01)
		6.13	$3^-; 0$	74		(1959BR68)
				76.0 ± 3.0		(1968WI15)
					$(1.70^{+0.35}_{-0.50}) \times 10^{-3}$ (E2)	(1967PI01)
					$(8.5^{+4.5}_{-2.5}) \times 10^{-4}$ (M1)	(1967PI01)
		6.92	$2^+; 0$	5		(1959BR68)
				4.2 ± 0.8		(1968WI15)
					$(1.72 \pm 0.25) \times 10^{-4}$	(1967PI01)
		7.12	$1^-; 0$	14		(1959BR68)
				12.6 ± 2.0	^e	(1968WI15)
9.60	$1^-; 0$	0	$0^+; 0$	≈ 100	$(22 \pm 5) \times 10^{-3}$	(1964LA16)

Table 16.12: Radiative decays in ^{16}O ^a (continued)

E_i (MeV)	$J_i^\pi; T$	E_f (MeV)	$J_f^\pi; T$	Branch (%)	Γ_γ (eV)	Refs. ^c
9.85	2 ⁺ ; 0	6.05	0 ⁺ ; 0	4.3 ± 1.4	(18 ± 4) × 10 ⁻³	A
		6.13	3 ⁻ ; 0	≤ 5	(1.2 ± 0.4) × 10 ⁻³	(1969BR1L), B
		0	0 ⁺ ; 0	61 ± 4	< 0.6 × 10 ⁻³ ≤ 1.4 × 10 ⁻³ (10 ± 4) × 10 ⁻³	A (1969BR1L), B (1968ST04, 1968ST31), B (1967GO08) (1960ME02) (1964LA16)
10.35	4 ⁺ ; 0	6.05	0 ⁺ ; 0	18 ± 4	(6.1 ± 0.5) × 10 ⁻³	'best' value
		6.92	2 ⁺ ; 0	21 ± 4	(1.89 ± 0.42) × 10 ⁻³	(1967GO08), B
		7.12	1 ⁻ ; 0	≤ 4.2	(2.2 ± 0.4) × 10 ⁻³	(1969BR1L), B
		6.13	3 ⁻ ; 0		< 1.0 × 10 ⁻³	B (1963GO31)
		6.92	2 ⁺ ; 0	≈ 100	(4.0 ± 0.8) × 10 ⁻² (4.6 ± 0.6) × 10 ⁻²	(1963GO31), B (1964LA16)
10.95	0 ⁻ ; 0	0	0 ⁺ ; 0	< 5		(1957BE61)
		6.05	0 ⁺ ; 0	< 1		(1957BE61)
		6.13	3 ⁻ ; 0	< 6		(1957BE61)
		6.92	2 ⁺ ; 0	< 20		(1957BE61)
		7.12 ^f	1 ⁻ ; 0	> 99		(1959BR68)
		8.87	2 ⁻ ; 0	< 40		(1957BE61)
11.08	3 ⁺ ; 0	0	0 ⁺ ; 0	< 1		(1959BR68)
		6.13	3 ⁻ ; 0	40		(1959BR68)
		6.92	2 ⁺ ; 0	44		(1959BR68)
		8.87	2 ⁻ ; 0	16		(1959BR68)
		9.85	2 ⁺ ; 0	6		(BE69W)
11.52	2 ⁺ ; 0	0	0 ⁺ ; 0	91.7	0.66 ± 0.09	(1964LA16), B
					0.55 ± 0.07	(1968ST04, 1968ST31)
12.44	1 ⁻ ; 0				0.52 ± 0.13	(1967AR1A)
					0.9 ± 0.2	(1960ME02)
		6.05	0 ⁺ ; 0	4.2 ± 0.7	(3.0 ± 0.7) × 10 ⁻²	(HO66C), B
		6.92	2 ⁺ ; 0	4.0 ± 1.0	(29 ± 7) × 10 ⁻³	(1969BR1L), B
		7.12	1 ⁻ ; 0	≤ 0.8		B
		0	0 ⁺ ; 0	≈ 100	12.8	(1960HE02), B
					7 ± 1	(1964LA16)

Table 16.12: Radiative decays in ^{16}O ^a (continued)

E_i (MeV)	$J_i^\pi; T$	E_f (MeV)	$J_f^\pi; T$	Branch (%)	Γ_γ (eV)	Refs. ^c
12.53 ^g	$2^-; 0$	6.05	$0^+; 0$	1.2 ± 0.4	$(87 \pm 29) \times 10^{-3}$	B
		0	$0^+; 0$		$(21 \pm 6) \times 10^{-3}$	(1968ST31)
		6.13	$3^-; 0$	60 ± 5.7	2.1 ± 0.2	(1968GO07), B
		6.92	$2^+; 0$	≤ 9.7	≤ 0.34	(1968GO07), B
		7.12	$1^-; 0$	15 ± 2.9	0.51 ± 0.10	(1968GO07), B
12.80	$0^-; 1$	8.87	$2^-; 0$	25 ± 2.9	0.86 ± 0.10	(1968GO07), B
		6.13	$3^-; 0$		≤ 0.1	(1968GO07)
		6.92	$2^+; 0$		≤ 0.1	(1968GO07)
		7.12	$1^-; 0$	≈ 100	2.5 ± 0.2	(1968GO07), B
		8.87	$2^-; 0$		≤ 0.06	(1968GO07)
12.97	$2^-; 1$	9.60	$1^-; 0$		$\leq 2 \times 10^{-4}$	(1969BR1L)
		0	$0^+; 0$		$(78 \pm 16) \times 10^{-3}$	(1968ST31)
					$(72 \pm 15) \times 10^{-3}$	B
		6.13	$3^-; 0$	63 ± 5.5	2.3 ± 0.2	(1968GO07), B
		6.92	$2^+; 0$	≤ 2.7	≤ 0.1	(1968GO07), B
13.09	$1^-; 1$	7.12	$1^-; 0$	12 ± 2.7	0.44 ± 0.10	(1968GO07), B
		8.87	$2^-; 0$	25 ± 2.7	0.90 ± 0.10	(1968GO07), B
		9.60	$1^-; 0$		$\leq 7.2 \times 10^{-3}$	(1969BR1L)
		0	$0^+; 0$	≈ 100		(1968WI15)
					88	(1960HE02)
13.25	$3^-; 1$				31 ± 8	(1966VA02, 1968ST31)
					44 ± 7	B, C
		6.05	$0^+; 0$	0.58 ± 0.12		(1968WI15)
				0.8 ± 0.2		(1963GO22)
					0.7 ± 0.2	(1963GO31)
		6.13	$3^-; 0$		≤ 0.2	(1966GO1H)
		6.92	$2^+; 0$		≤ 2.0	(1966GO1H)
		7.12	$1^-; 0$	3.1 ± 0.8	1.4 ± 0.4	(1969BR1L), B
					≤ 1.0	(1966GO1H)
		8.87	$2^-; 0$		≤ 0.1	(1966GO1H)
16.22	$1^+; 1$	9.60	$1^-; 0$		$\leq 2 \times 10^{-2}$	(1969BR1L)
		6.13	$3^-; 0$	> 85	9.2 ± 1.5	(1968GO07)
		6.92	$2^+; 0$		< 0.5	(1968GO07)
		7.12	$1^-; 0$		< 1.4	(1968GO07)
		8.87	$2^-; 0$		≤ 0.3	(1968GO07)
16.22	$0^+; 0$		86.2	5.1 ± 0.8	(1970ST06)	

Table 16.12: Radiative decays in ^{16}O ^a (continued)

E_i (MeV)	$J_i^\pi; T$	E_f (MeV)	$J_f^\pi; T$	Branch (%)	Γ_γ (eV)	Refs. ^c
17.14	$1^-; 1$	6.05	$0^+; 0$	13.8 ± 4.3		(1963GO22), B
17.30	$1^-; 1$	6.05	$0^+; 0$	13.8 ± 4.3		(1963GO22), B
		6.05	$0^+; 0$	≤ 1.3		(1963GO22)

A: J. Lowe, O. Karban and P.M. Rolph, private communication.

B: I am indebted to Dr. P. Chevallier for pointing out errors and omissions in this table.

C: D. Disdier, Thesis, Strasbourg, 1968.

^a See also Tables 16.19, 16.21, and 16.26.

^b Monopole matrix element in fm^2 .

^c See also (1962GO07, 1962GO15, 1963GO22, 1967GI07).

^d $\Gamma_{\text{total}} = 34 \times 10^{-4}$ eV (1967PI01). See also (1957WA1B).

^e See also (1967PI01).

^f 4.3×10^{-2} W.u. (BE69W).

^g $\Gamma \leq 0.5$ keV (P. Chevallier, private communication; preliminary results).

In a study of the yield of α_0 and α_1 for $E_\alpha = 18.9$ to 30.1 MeV, (1970MO06) find that the cross section for the α_1 group is in general greater than that for the α_0 group [see also (1964MI08)]. Recent phase-shift analyses are reported by (1968CA11, 1969CL08, 1970MO06). The inclusion of the bound level of $^{16}\text{O}^*$ at 7.12 MeV produces an improved fit to the low-energy p-wave phase shift data and leads to θ_α^2 for $^{16}\text{O}^*(7.12) = 0.71_{-0.18}^{+0.37}$ (1969CL08). The energy dependence of the α_1 - $\gamma_{4.4}$ angular correlation has been studied for $E_\alpha = 18$ to 24 MeV by (1968KL07).

Astrophysical considerations are discussed by (1970MO22).

The non-elastic cross section at $E_\alpha = 40$ MeV has been measured by (1963IG01, 1963WI1D). Polarization measurements have been made at $E_\alpha = 22.5$ MeV by (1964EI01) and at $E_\alpha = 22.75$ MeV by (1970HA15). At the higher energy the cross section is free of resonance structure (1970HA15). Spallation studies are reported by (1968JA1J, 1968JU1A, 1969JU03, 1970BA48, 1970JA1Q, 1970JU1B, 1970RA30, 1970SC1F).

See also (1963DA1D, 1969BR1D), (1965BE16, 1966CE1E, 1967GR1F, 1968SH1G, 1969PI02; theor.), ^{12}C in (1968AJ02) and (1959AJ76).

$$10. \ ^{12}\text{C}(\alpha, \ ^8\text{Be})^8\text{Be}$$

$$Q_m = -7.464$$

$$E_b = 7.161$$

The yield of ^8Be shows a number of resonances for $E_\alpha = 11.85$ to 19.4 MeV, some of which are attributed to rotational states of ^{16}O : see Table 16.11. J^π assignments were made from angular distribution studies (1967CH21). Levels seen in this reaction are attributed by (1967AB02, 1967AB04) to a rotational band generated by an axially symmetric 8p-8h state.

11. $^{12}\text{C}(^6\text{Li}, \text{d})^{16}\text{O}$

$$Q_m = 5.689$$

At $E(^6\text{Li}) = 20$ and 29 MeV and at $E(^{12}\text{C}) = 18$ to 24 MeV, deuteron groups are observed to many of the states with $E_x \leq 16.2$ MeV (1967LO01, 1968ME10, 1970CO26). The spectrum at $E(^6\text{Li}) = 20$ MeV is dominated by the groups corresponding to $^{16}\text{O}^*(10.34, 14.8, 16.2)$ with $J^\pi = 4^+, 6^+$ and 6^+ , respectively (1967BE24, 1968ME10, 1970CO26). In addition, the excitation of a state at $E_x \approx 20.8$ MeV ($\Gamma \approx 600$ keV) is reported by (1970CO26): it may be the 8^+ member of the first even parity rotational band in ^{16}O , which is believed to have a predominantly 4p-4h character (1970CO26). See also (1969GO19). Measured angular distributions are listed in Table 16.13. (1967LO01) have analyzed their data to obtain θ_α^2 for all ^{16}O states with $E_x < 10.4$ MeV. See also (1960SH01, 1963OL1A, 1967CA1D, 1967DZ01, 1968OG1A, 1969CO1D, 1969GI1B, 1970OG1A), (1968RO1D, 1970DO07; theor.) and ^{18}F in (1972AJ02).

12. $^{12}\text{C}(^7\text{Li}, \text{t})^{16}\text{O}$

$$Q_m = 4.694$$

At $E(^7\text{Li}) = 15$ to 31.5 MeV, triton groups are observed to many of the states with $E_x \leq 16.2$ MeV (1969GI1B, 1969GO19, 1970CO26, 1970PU01). As in $^{12}\text{C}(^6\text{Li}, \text{d})^{16}\text{O}$, the spectra are dominated by groups corresponding to the 4^+ and 6^+ states at $^{16}\text{O}^*(10.34, 14.8, 16.2)$ and by $^{16}\text{O}^*(20.8)$. Table 16.13 lists the measured angular distributions. From these distributions and the weak excitation of $^{16}\text{O}^*(8.87)$ it is concluded that the reaction proceeds predominantly by a direct α -transfer (1970PU01). See also (1963OL1A, 1967CH34, 1967OG1A, 1968DA20, 1968OG1A, 1970OG1A), (1969DA14, 1970DO07, 1970DU1E; theor.) and ^{19}F in (1972AJ02).

13. (a) $^{12}\text{C}(^{10}\text{B}, ^6\text{Li})^{16}\text{O}$

$$Q_m = 2.700$$

(b) $^{12}\text{C}(^{11}\text{B}, ^7\text{Li})^{16}\text{O}$

$$Q_m = -1.503$$

(c) $^{12}\text{C}(^{12}\text{C}, 2\alpha)^{16}\text{O}$

$$Q_m = -0.113$$

For reaction (a), see (1970JA1B, 1970VO1F). For reaction (b), see (1970JA1B). For reaction (c), see (1959AL1H, 1968JA1F, 1970JA1B) and ^{20}Ne in (1972AJ02).

14. $^{12}\text{C}(^{14}\text{N}, ^{10}\text{B})^{16}\text{O}$

$$Q_m = -4.452$$

See (1967BI1F, 1969BR1D).

15. (a) $^{12}\text{C}(^{16}\text{O}, ^{12}\text{C})^{16}\text{O}$

(b) $^{12}\text{C}(^{18}\text{O}, ^{14}\text{C})^{16}\text{O}$

$$Q_m = 0.934$$

Table 16.13: Angular distribution studies of $^{12}\text{C}(^6\text{Li}, \text{d})^{16}\text{O}$ and $^{12}\text{C}(^7\text{Li}, \text{t})^{16}\text{O}$

(a)

$E(^6\text{Li})$ (MeV)	Distribution of deuteron groups	Refs.
3.0	d_0	(1963BA08)
3.4 – 4.0	d_0	(1962BL13)
4.5 – 5.5	$\text{d}_0, \text{d}_{1+2}, \text{d}_3, \text{d}_4$	(1966HE05)
5.6 – 6.6	$\text{d}_0, \text{d}_{1+2}$	(1970JO09)
9 – 14	$\text{d}_0, \text{d}_{1+2}, \text{d}_{3+4}, \text{d}_5$	(1970JO09)
18 – 24 ^a	$\text{d}_0, \text{d}_1, \text{d}_2, \text{d}_3, \text{d}_4, \text{d}_5, \text{d}_6, \text{d}_7, \text{d}_8$	(1967LO01)
18	$\text{d}_1, \text{d}_3, \text{d}_8$	(1970BE31)
20	$\text{d}_0, \text{d}_{1+2}, \text{d}_3, \text{d}_4, \text{d}_7, \text{d}_8, \text{d}_{11+12}$	(1968ME10)
25.8	$\text{d}_0, \text{d}_{1+2}, \text{d}_{3+4}, \text{d}_8$, and d to $^{16}\text{O}^*(16.2)$	(1969GO19)
29	d to $^{16}\text{O}^*(16.2, 20.8)$	(1970CO26)

(b)

$E(^7\text{Li})$ (MeV)	Distribution of triton groups	Refs.
3.2 – 3.6	t_0	(1967MO23)
4 – 14	t_0	(1970CA1N)
15, 21.1, 24	$\text{t}_0 \rightarrow \text{t}_8$	(1970PU01)
17	$\text{t}_1, \text{t}_3, \text{t}_8$	(1970BE31)
21.2, 24	t to $^{16}\text{O}^*(11.10)$	(1970PU01)
28.2, 30.3	$\text{t}_0, \text{t}_{1+2}, \text{t}_{3+4}, \text{t}_8$, and t to $^{16}\text{O}^*(16.2)$	(1969GO19)
31.5	t to $^{16}\text{O}^*(16.2, 20.8)$	(1970CO26)

^a $E(^{12}\text{C}) = 18$ to 24 MeV.

Table 16.14: $^{13}\text{C} + ^3\text{He}$ excitation functions

$E(^3\text{He})$ (MeV)	Particles	Refs.
1.0 – 3.5	γ_0	(1966PU01)
1.4 – 2.65	n_0, n_3	(1963DU12)
1.4 – 5.80	n_0	(1965DI07)
2.3 – 3.2	n_0	(1961JO24)
7.5 – 11	n_0	(1964DE1C)
2.0 – 6.0	$p_0 \rightarrow p_6$	(1970ST1M)
4.0 – 8.0	p_0, p_{1+2}	(1968WE15)
5.2 – 8.0	^3He	(1967WE06, 1968WE15)
1.3 – 2.0	α_0	(1960BA25)
1.5 – 5.7	$\gamma_{12.7}, \gamma_{15.1}$	(1968MO1J)
1.5 – 8.0	$\gamma_{15.1}$	(1968WE13)
2.1 – 4.9	$\gamma_{15.1}$	(1964KU09)
2.0 – 8.5	α_0, α_1	(1968WE13, 1968WE15)
2.6 – 12	$\gamma_{15.1}$	(1969TA09)
4.0 – 8.0	α_2	(1968WE15)
8 – 12	α_0	(1969TA09)
2 – 6	^8Be	(1968JA07)

For reaction (a) see (1968VO1A). See also (1967AB1D, 1970CL1E, 1970HE1E, 1970JA1B, 1970VO1F; theor.). For reaction (b) see (1969BR1D, 1969SU1E, 1970BA1J).



See (1967BO1P, 1969VOID, 1970VO1F).



See (1970JA1B).



Table 16.15: Resonances in $^{13}\text{C} + ^3\text{He}$

$E(^3\text{He})$ (MeV \pm keV)	$\Gamma_{\text{c.m.}}$	Outgoing particles	$^{16}\text{O}^*$ (MeV)	$J^\pi; T$	Refs.
1.55	≈ 80	n_0, n_3	24.05		(1963DU12)
1.55 ± 100	450	γ_0	24.05		(1966PU01)
2.0	≈ 250	n_0	24.4		(1965DI07)
2.6 ± 100		$\alpha\gamma_{15.1}$	24.9	($T = 1$)	(1964KU09, 1968MO1J, 1968WE13, 1969TA09)
2.87 ± 50	600	γ_0	25.12		(1966PU01)
(3.6)		$p, \alpha\gamma_{15.1}$	25.7		(1956SC01, 1957IL1A, 1964KU09)
4.1 ± 100	^a	$\alpha\gamma_{15.1}$	26.1	($T = 1$)	(1964KU09, 1969TA09)
5.2 ± 100	^a	$\alpha\gamma_{15.1}$	27.0	($T = 1$)	(1968MO1J, 1968WE13, 1969TA09)
5.6 ± 100	≈ 600	$\alpha\gamma_{15.1}, ^8\text{Be}$	27.3	($2^+; T = 1$)	(1968JA07, 1968WE13)
6.0 ± 100	≈ 500	$p_0, p_{1+2}, ^3\text{He}, \alpha_0, \alpha_1, \alpha_2$	27.6	($3^-; T = 0$)	(1968WE15)
6.5 ± 100	^a	$\alpha\gamma_{15.1}$	28.1	($T = 1$)	(1968WE13, 1969TA09)
6.8 ± 100		$\alpha_0, \alpha_1, \alpha_2$	28.3	($T = 0$)	(1968WE13)
7.5 ± 100	^a	$\alpha\gamma_{15.1}$	28.9	($T = 1$)	(1969TA09)
8.6 ± 100	^a	$\alpha\gamma_{15.1}$	29.8	($T = 1$)	(1969TA09)
9.4 ± 100	^a	$\alpha\gamma_{15.1}$	30.4	($T = 1$)	(1969TA09)
10.1 ± 100	^a	$\alpha\gamma_{15.1}$	31.0	($T = 1$)	(1969TA09)

^a Widths (lab.) 0.5 – 1 MeV (1969TA09).

The yield of ground state γ -rays for $E(^3\text{He}) = 1.0$ to 3.5 MeV shows two strong resonances corresponding to $^{16}\text{O}^*(24.1, 25.1)$ [see Table 16.15] (1966PU01). See also (1970MO1A).

$$19. \ ^{13}\text{C}(^3\text{He}, n)^{15}\text{O} \qquad Q_m = 7.125 \qquad E_b = 22.793$$

The excitation functions (see Table 16.14) are marked at low energies by complex structures, and possibly by two resonances at $E(^3\text{He}) = 1.55$ and 2.0 MeV (see Table 16.15) (1963DE02, 1965DI07). For $E(^3\text{He}) = 7.5$ to 11 MeV, the n_0 curve is rather featureless (1964DE1C). Polarization measurements are reported by (1968ST19: 3.0 to 3.9 MeV; n_0) and by (1969DE1Q, 1969DE1R: 4.2 to 5.7 MeV; n_0). See also (1961JO07, 1964DI1C). See (1969BA1N) for a discussion of astrophysical implications. See also ^{15}O in (1970AJ04).

$$20. \ ^{13}\text{C}(^3\text{He}, p)^{15}\text{N} \qquad Q_m = 10.667 \qquad E_b = 22.793$$

The yield curves for p_0 and p_{1+2} (see Table 16.14) show a resonance corresponding to $^{16}\text{O}^*(27.6)$ (1968WE15). See also (1970ST1M) and ^{15}N in (1970AJ04).

$$21. \ ^{13}\text{C}(^3\text{He}, ^3\text{He})^{13}\text{C} \qquad E_b = 22.793$$

See (1967WE06, 1968WE15) and Tables 16.14 and 16.15.

$$22. \ ^{13}\text{C}(^3\text{He}, \alpha)^{12}\text{C} \qquad Q_m = 15.631 \qquad E_b = 22.793$$

Yields of $\alpha_0, \alpha_1, \alpha_2$ and γ -rays from the decay of $^{12}\text{C}^*(12.71, 15.11)$ have been studied at many energies: see Table 16.14. Observed resonances are displayed in Table 16.15: those seen in the yield of 15.1 MeV γ -rays are assumed to correspond to ^{16}O states which have primarily a $T = 1$ character since $^{12}\text{C}^*(15.11)$ has $T = 1$ (1964KU09, 1968MO1J, 1968WE15, 1968WE13, 1968WE1C, 1969TA09). See also (1968WE1F) and ^{12}C in (1968AJ02).

$$23. \ ^{13}\text{C}(^3\text{He}, ^8\text{Be})^8\text{Be} \qquad Q_m = 8.168 \qquad E_b = 22.793$$

The excitation function for $^8\text{Be}_{\text{g.s.}}$ has been studied for $E(^3\text{He}) = 2$ to 6 MeV. It shows a strong resonance at $E(^3\text{He}) = 5.6$ MeV corresponding to a state in ^{16}O at $E_x = 27.3$ MeV. J^π appears to be 2^+ from angular distribution measurements. $^{16}\text{O}^*(27.3)$ does not belong to the rotational band studied by (1967CH21) in $^{12}\text{C}(\alpha, ^8\text{Be})^8\text{Be}$: J^π for such a rotational state at $E_x = 27$ MeV would have to be 14^+ . The off-resonance cross section is comparable to typical cross sections observed in the $(^3\text{He}, \alpha)$ process (1968JA07).

24. $^{13}\text{C}(\alpha, n)^{16}\text{O}$ $Q_m = 2.215$

A threshold for $^{16}\text{O}^*(6.05)$ is observed at $E_\alpha = 5.05$ MeV (1956BO61). The angular distributions of neutrons corresponding to the ground state have been measured for $E_\alpha = 12.8$ to 14.1 MeV (1962NI04), 17.4 to 22.5 MeV (1963DE27, 1965DE1F). See also (1961DE08, 1963WE1C), (1959CA1A, 1959MD1A, 1964KE1C, 1964MC1B; theor.) and ^{17}O .

25. $^{13}\text{C}(^6\text{Li}, t)^{16}\text{O}$ $Q_m = 7.000$

At $E(^6\text{Li}) = 20$ MeV, triton groups corresponding to ^{16}O states with $E_x < 16.9$ MeV have been observed. Angular distributions have been obtained for $^{16}\text{O}^*(6.13, 6.92, 7.12, 8.87, 9.85, 10.34, 11.10)$. The triton groups corresponding to $^{16}\text{O}^*(11.09)$ dominate the spectra; $^{16}\text{O}^*(14.4, 14.8)$ were also strongly excited (1969BA50). See also (1969GI1B, 1970OG1A).

26. $^{13}\text{C}(^{12}\text{C}, ^9\text{Be})^{16}\text{O}$ $Q_m = -3.489$

See (1969GI1B, 1970JA1B).

27. $^{14}\text{C}(^3\text{He}, n)^{16}\text{O}$ $Q_m = 14.616$

At $E(^3\text{He}) = 11$ to 16 MeV, neutron groups are observed to $T = 2$ states at $E_x = 22.717 \pm 0.008$ and 24.522 ± 0.011 MeV ($\Gamma < 30$ keV and < 50 keV, respectively). These two states are presumably the first two $T = 2$ states in ^{16}O , the analog states to $^{16}\text{C}^*(0, 1.75)$. J^π for $^{16}\text{O}^*(24.52)$ is found to be 2^+ from angular distribution measurements (1970AD01). Angular distributions are also reported at 2.1 to 3.4 MeV (1961JO24; n_0) and at 6 MeV (1970HO08; n_0, n_{1+2}, n_{3+4}). See also (1969BA1Z) and ^{17}O .

28. $^{14}\text{N}(d, \gamma)^{16}\text{O}$ $Q_m = 20.736$

The γ_0 yield has been studied for $E_d = 0.5$ to 5.5 MeV. The yield shows a resonance at $E_d = 2.2$ MeV corresponding to a state in ^{16}O at $E_x = 22.7$ MeV, formed with a cross section of $\approx 6 \mu\text{b}$. The angular distribution of γ_0 at resonance is on the whole consistent with E1. Structure at $E_x = 22.2$ and 24.5 MeV is also reported (1966SU05, 1966SU1C). See also (1961SU17, 1963SU09). (1969GI1B) attributes the 2.2 MeV resonance to a $2p\text{-}2h\ 1^-$; $T = 1$ state whose formation is possible because of polarization of the deuteron and isospin impurity. See also Tables 16.16 and 16.17 and (1967GI1C, 1969MA1N, 1969RA1F, 1969WE1H; theor.).

Table 16.16: Summary of recent $^{14}\text{N} + \text{d}$ yield and polarization measurements ^a

(a) *Yield measurements*

E_d (MeV)	Particles	Refs.
0.5 – 5.5	γ_0	(1966SU05, 1966SU1C)
0.15 – 0.70	n_0	(1963CS02)
0.66 – 5.62	n_0	(1960RE07)
1.2 – 2.8	n_0	(1960EL04)
1.3 – 5.4	n_0	(1965JA1F)
1.53 – 2.90	n_0	(1960MO18)
0.5 – 5.5	p_0	(1962GO21)
0.55 – 0.85	p_0, p_{1+2}	(1961SJ1B)
1.0 – 2.2	$p_0, p_3 \rightarrow p_7$	(1967BE09)
1.05 – 3.15	$p_{1+2}, p_3 \rightarrow p_7$	(1969GO14)
1.4 – 3.2	p_0, p_{1+2}	(1961KA05)
2.0 – 3.7	$p_0 \rightarrow p_7$	(1967BO37)
0.65 – 2.0	d_0	(1964SE1D)
1.1 – 3.3	d_0	(1969GO14)
1.8 – 5.5	d_0	(1967FL10)
2.0 – 3.7	d_0	(1967BO37)
5.5 – 10.2	d_1	(1970DU04)
5.9 – 12.2	d_2	(1970DU04)
0.55 – 0.85	α_0	(1961SJ1B)
1.0 – 2.2	$\alpha_0 \rightarrow \alpha_3$	(1967LA16)
1.05 – 3.3	$\alpha_0 \rightarrow \alpha_3$	(1969GO14)
1.1 – 2.5	α_0, α_1	(1964MA53)
1.1 – 3.1	α_0, α_1	(1962IS02)
1.3 – 2.2	α_0	(1966EU01)
1.4 – 2.4	α_0, α_3	(1964MA53)
1.5 – 3.0	α_0	(1961IS03)
2 – 4	α_0, α_1	(1962AL09)
2 – 12	$\alpha_0, \alpha_1, \alpha_2$	(1964CH1B, 1964CH1C)
2.3 – 5.8	$\alpha_0, \alpha_1, \alpha_2$	(1967BO37)

Table 16.16: Summary of recent $^{14}\text{N} + \text{d}$ yield and polarization measurements ^a (continued)

2.8 – 12	$\gamma_{15.11}$	(1965BR08)
3.5 – 4.5	$\alpha_0 \rightarrow \alpha_3, \alpha_5 \rightarrow \alpha_7$	(1965SC12)
11.3, 12.6	α_0, α_1	(1966DR04)

(b) *Polarization measurements*

E_d (MeV)	Particles	Refs.
1.32	n_0	(1964EP01)
1.65 – 2.90	n_0	(1965BU1A)
3.1 – 3.7	n_0	(1967ME17)
3.7	n_0	(1965BA24, 1968BA52)
4.2 – 6	n_0	(1970BU15)
10, 12	p_0	(1970FI07)
13.6	p_0	(1963GO1L, 1967GO27)

^a See also (1959AJ76).

29. $^{14}\text{N}(\text{d}, \text{n})^{15}\text{O}$

$$Q_m = 5.068$$

$$E_b = 20.736$$

For $E_d = 0.66$ to 5.62 MeV, there is a great deal of resonance structure in the excitation curves with the anomalies appearing at different energies at different angles (1960RE07): see Table 16.16 for a summary of recent yield and polarization experiments. Angular distributions have been measured at many energies: see Table 15.27 in (1970AJ04). The more prominent structures in the yield curves are displayed in Table 16.17 (1960RE07, 1965BU1A, 1965JA1F). See also (1958WE1C, 1960EL04, 1960MO18), and (1959AJ76).

30. $^{14}\text{N}(\text{d}, \text{p})^{15}\text{N}$

$$Q_m = 8.610$$

$$E_b = 20.736$$

Quite a lot of structure is observed in the yield curves of various proton groups for $E_p = 0.5$ to 5.5 MeV: see Table 16.16 for a summary of recent yield and polarization measurements, and (1961SJ1B, 1962GO21, 1967BO37, 1969GO14) for data showing the fluctuations. Angular distributions have been obtained at many energies: see Table 15.16 in (1970AJ04). Resonant structure reported by (1962GO21, 1970NE1H), is displayed in Table 16.17. See also (1961JO13) and (1959AJ76).

Table 16.17: Structure in $^{14}\text{N} + \text{d}$ ^a

E_d (MeV)	Resonant channel	$J^\pi; T$	E_x (MeV)	Refs.
1.4	n_0		21.9	(1960RE07)
1.7 ± 0.1	$\gamma_0, n_0, \alpha_0, \alpha_1, \alpha_2, \alpha_3$		22.2	(1962IS02, 1965JA1F, 1966SU05, 1967LA16)
1.85	n_0, α_0		22.35	(1961IS03, 1965BU1A)
2.0 ± 0.1	α_0, α_3		22.5	(1967LA16)
2.2	$\gamma_0, n_0, d_0, \alpha_0$	$1^-; 1$	22.7	(1961IS03, 1965JA1F, 1966SU05, 1967FL10)
2.271 ± 0.005	$p_0, p_{1+2}, (\alpha_0), \alpha_2$	$0^+; (2)$	22.721	(1970NE1H)
2.5	α_0		22.9	(1961IS03)
2.6	$(n_0, p_0), \alpha_1$		23.0	(1960RE07, 1962AL09, 1962GO21, 1962IS02, 1965JA1F)
2.8	$(n_0, p_0), d_0, \alpha_0$		23.2	(1962AL09, 1962GO21, 1965JA1F, 1967FL10)
3.3	n_0, p_0, d_0, α_0		23.6	(1962AL09, 1962GO21, 1965JA1F, 1967FL10)
4.2	$\gamma_0, n_0, p_0, d_0, \gamma_{15.11}$		24.4	(1960RE07, 1962GO21, 1965BR08, 1965JA1F, 1966SU05, 1967FL10)
4.58	$p_0, d_0, \gamma_{15.11}$		24.74	(1965BR08, 1967FL10)
4.9	n_0, p_0		25.0	(1960RE07, 1962GO21)
5.95	$d_1, \gamma_{15.11}$		25.94	(1965BR08, 1970DU04)
7.1	$\gamma_{15.11}$		26.9	(1965BR08)
7.4	d_2		27.2	(1970DU04)
7.7	d_1		27.4	(1970DU04)
(8.5)	$(\gamma_{15.11})$		(28.2)	(1965BR08)
10.2	d_2		29.6	(1970DU04)

^a See reactions 28, 29, 30, 31, 32, 33 and 34.

31. $^{14}\text{N}(\text{d}, \text{d})^{14}\text{N}$ $E_b = 20.736$

The yield of elastically scattered deuterons has been studied for $E_d = 0.65$ to 5.5 MeV: see Table 16.16. Angular distributions for various deuteron groups have been measured at many energies: see Table 14.23 in (1970AJ04) and (1967FL10, 1970DU04). (1967FL10) report a number of resonances in the d_0 yield corresponding to states in ^{16}O with $22.6 \leq E_x \leq 25.2$ MeV. There is indication of broad structure at $E_d = 5.9$ MeV and of sharp structure at $E_d = 7.7$ MeV in the total cross section of the d_1 group to the $T = 1$ (isospin-forbidden), $J^\pi = 0^+$ state at $E_x = 2.31$ MeV in ^{14}N . The yield of deuterons (d_2) to $^{14}\text{N}^*(3.95)$ [$J^\pi = 1^+$; $T = 0$] shows gross structures at $E_x = 7.4$ and 10.2 MeV (1970DU04). The d_1 resonance at $E_d = 5.9$ MeV is also reported in the (isospin-forbidden) yield of 15.11 MeV γ -rays to the 1^+ ; $T = 1$ state of ^{12}C : see reaction 33. For a display of the information on reported resonances, see Table 16.17. See also (1968NO1C; theor.).

32. $^{14}\text{N}(\text{d}, \text{t})^{13}\text{N}$ $Q_m = -4.296$ $E_b = 20.736$ See ^{13}N in (1970AJ04).33. $^{14}\text{N}(\text{d}, \alpha)^{12}\text{C}$ $Q_m = 13.575$ $E_b = 20.736$

A great deal of structure is observed in the yields of various α -particle groups for $E_d = 0.5$ to 12 MeV. Recent measurements are summarized in Table 16.16. The more prominent structures in the yields of α_0 , α_1 , α_2 and α_3 are displayed in Table 16.17 (1961IS03, 1962AL09, 1962IS02, 1967LA16, 1970NE1H). See also (1964CH1B, 1964CH1C, 1964MA53, 1965SC12, 1967BO37, 1969GO14) for other fluctuation data. The yield of 15.11 MeV γ -rays [from the decay of $^{12}\text{C}^*(15.11)$, $J^\pi = 1^+$; $T = 1$] which is isospin-forbidden has been studied for $E_d = 2.8$ to 12 MeV. Pronounced resonances are observed at $E_d = 4.2$, 4.58 and 5.95 MeV and broader peaks occur at $E_d = 7.1$ and, possibly, at 8.5 MeV (see Table 16.17). Above $E_d = 9.5$ MeV, the yield curve is quite featureless (1965BR08). Angular distributions have been measured at many energies between $E_d = 0.5$ and 28.5 MeV: see ^{12}C in (1968AJ02). See also (1959FI30, 1961JO13, 1965ST02).

34. (a) $^{14}\text{N}(\text{t}, \text{n})^{16}\text{O}$ $Q_m = 14.479$ (b) $^{14}\text{N}(\text{t}, \text{np})^{15}\text{N}$ $Q_m = 2.353$ (c) $^{14}\text{N}(\text{t}, \text{n}\alpha)^{12}\text{C}$ $Q_m = 7.318$

At $E_t = 2.2$ to 2.6 MeV, the two-stage reaction (b) proceeds via $^{16}\text{O}^*(14.94, 16.22)$ (1961JA14) while reaction (c) proceeds via $^{16}\text{O}^*(13.10, 15.42)$ (1962SI04).

Table 16.18: ^{16}O states from $^{14}\text{N}(^3\text{He}, \text{p})^{16}\text{O}$ ^{a,b}

E_x (MeV \pm keV)	$\Gamma_{\text{c.m.}}$ (keV)	E_x (MeV \pm keV)	$\Gamma_{\text{c.m.}}$ (keV)	L
0		12.964 \pm 3	< 12	
6.052 \pm 5	< 20	13.105 \pm 15	160 \pm 30	
6.131 \pm 4	< 20	13.253 \pm 5	25 \pm 8	
6.916 \pm 3	< 20	13.665 \pm 6	65 \pm 8	
7.115 \pm 3	< 20	13.869 \pm 10	85 \pm 20	
8.870 \pm 3	< 20	13.975 \pm 4	24 \pm 8	
9.614 \pm 30	510 \pm 60	14.922 \pm 6	60 \pm 10	
9.847 \pm 3	< 20	15.787 \pm 15	\approx 35	
10.353 \pm 4	27 \pm 8	16.219 \pm 15	\approx 45	(0)
10.952 \pm 3	< 12	17.144 \pm 20	\approx 65	0
11.080 \pm 3	< 12	17.755 \pm 15	\approx 30	
11.096 \pm 3	< 12	18.027 \pm 15	< 25	(3)
11.521 \pm 4	78 \pm 8	18.983 \pm 15	\lesssim 25	
12.053 \pm 3	< 12	19.382 \pm 15	\approx 30	2
12.437 \pm 7	94 \pm 15	19.913 \pm 20	\approx 30	(0)
12.528 \pm 3	< 12	20.348 \pm 15	\approx 30	
12.798 \pm 5	41 \pm 10	\approx 21.05		

^a (1964BR08): $E(^3\text{He}) = 3.74$ and 3.97 MeV; $E_x < 15$ MeV.

^b (1968CO1R, 1968CO1T): $E(^3\text{He}) = 12.99$ MeV; $E_x > 15$ MeV.

35. (a) $^{14}\text{N}(^3\text{He}, \text{p})^{16}\text{O}$ $Q_m = 15.243$
 (b) $^{14}\text{N}(^3\text{He}, \text{p}\alpha)^{12}\text{C}$ $Q_m = 8.081$

At $E(^3\text{He}) = 3.7, 4.0$ and 13.0 MeV, high-resolution spectral studies have led to E_x and Γ determinations for 33 excited states of ^{16}O with $E_x < 21.1$ MeV: see Table 16.18 (1964BR08, 1968CO1R, 1968CO1T). The separation of $^{16}\text{O}^*(6.05, 6.13)$, is 81.0 ± 1.0 keV (C.P. Browne, private communication). The states with $E_x > 15$ MeV are believed to have $T = 1$ (1968CO1T). Angular distributions have been measured at $E(^3\text{He}) = 2.5$ to 5.5 MeV (1963GO09; p_0), 4.5 and 5.5 MeV (1963GO09; p_{1+2}, p_5), 8.0 to 10.6 MeV (1962BI01) and 13.0 MeV (1968CO1T: see Table 16.18).

The branching ratios of $^{16}\text{O}^*(8.87, 10.95, 11.08)$ are listed in Table 16.12 (1959BR68, BE69W). These, as well as $\text{p}-\gamma$ angular correlation measurements, lead to the assignments $J^\pi = 2^-, 0^-$ and

3^+ , respectively for $^{16}\text{O}^*(8.87, 10.95, 11.08)$ (1959BR68, 1959KU78). The mean lifetimes for these states are displayed in Table 16.19 (1968HE1K, 1969FI02, 1970BE27, 1970FI06).

At $E(^3\text{He}) = 8$ MeV, a study of the protons in coincidence with 4.4 MeV γ -rays (reaction (b)) indicates that the reaction proceeds via ^{16}O states with $E_x = 12.51, 13.97, 14.39, 14.92, 15.82, 16.23, 17.16, 17.82, 18.04$ MeV (± 40 keV) (1969HO13).

See also (1962CL02, 1964GO1F, 1965BA1Q, 1966BA55, 1967BA1E).

$$\begin{array}{ll} 36. \text{ (a) } ^{14}\text{N}(\alpha, \text{d})^{16}\text{O} & Q_m = -3.111 \\ \text{ (b) } ^{14}\text{N}(\alpha, \text{d}\alpha)^{12}\text{C} & Q_m = -10.272 \end{array}$$

The excitation of a number of ^{16}O states with $E_x < 17.2$ MeV has been reported at $E_\alpha = 40$ to 48 MeV by (1962CE01, 1962HA40, 1966RI04, 1970ZI03). In particular strong deuteron groups are reported to states with $E_x = 14.40 \pm 0.03, 14.82 \pm 0.03, 15.80 \pm 0.04, 16.24 \pm 0.04$ and 17.17 ± 0.04 MeV, with $\Gamma_{\text{c.m.}} = 30 \pm 30, 69 \pm 30, (60), 125 \pm 50$ and (70) keV, respectively (1970ZI03). Angular distributions of the deuteron groups corresponding to $^{16}\text{O}^*(14.39, 14.82, 16.23)$ have been measured at $E_\alpha = 40$ and 42 MeV. A $T = 0$ state at $E_x \approx 13.1$ MeV is also reported (1966RI04); see, however, (1970ZI03). See also (1962CE01, 1962HA40). Angular distributions are also reported by (1959ZE1A: 43 MeV; d_0) and (1962CE01: 48 MeV; $\text{d}_0, \text{d}_{1+2}, \text{d}_5$).

An experiment to test time-reversal invariance by the principle of detailed balance in this reaction and in the reaction $^{16}\text{O}(\text{d}, \alpha)^{14}\text{N}$ [see ^{14}N in (1970AJ04)] shows that detailed balance is satisfied to $\pm 0.5\%$ (1967TH1E, 1968TH1J).

The two-stage reaction (reaction (b)) at $E_\alpha = 22.9$ MeV appears to proceed via ^{16}O states at $E_x = 9.85 \pm 0.07, 10.37 \pm 0.07$ and 11.14 ± 0.07 MeV (1968KU1C, 1969BA17). See also (1969BR1D) and (1963GL1C, 1965GR1F; theor.).

$$37. ^{14}\text{N}(^6\text{Li}, \alpha)^{16}\text{O} \quad Q_m = 19.264$$

Angular distributions of the α -particles to $^{16}\text{O}^*(0, 6.05 + 6.13, 6.92 + 7.12)$ have been determined at $E(^6\text{Li}) = 5.3$ to 6.0 MeV (1968RI13). See also reaction 1.

$$38. ^{14}\text{N}(^{11}\text{B}, ^9\text{Be})^{16}\text{O} \quad Q_m = 4.918$$

See (1966PO1E, 1967PO1E, 1967VO1A).

$$39. ^{15}\text{N}(\text{p}, \gamma)^{16}\text{O} \quad Q_m = 12.126$$

Table 16.19: Lifetime measurements of some ^{16}O states ^c

$^{16}\text{O}^*$ (MeV)	τ_m	Reaction	Refs.
6.05	72 ± 7 psec	$^{19}\text{F}(\text{p}, \alpha)$	(1954DE36)
6.13	25 ± 2 psec	$^{19}\text{F}(\text{p}, \alpha)$	(1965AL14)
	12 ± 6 psec	$^{19}\text{F}(\text{p}, \alpha)$	(1958KO63)
6.92 ^a	24 ± 2 psec		mean
	12 ± 3 fsec	$^{16}\text{O}(\gamma, \gamma)$	(1957SW17)
	$9 < \tau < 25$ fsec	$^{16}\text{O}(\gamma, \gamma)$	(1958DU06)
7.12 ^a	$6.4^{+1.9}_{-1.6}$ fsec	$^{19}\text{F}(\text{p}, \alpha)$	(1970CO09)
	8.4 ± 1.6 fsec		mean
	10 ± 3 fsec	$^{16}\text{O}(\gamma, \gamma)$	(1957SW17)
8.87 ^a	$4 < \tau < 8$ fsec	$^{16}\text{O}(\gamma, \gamma)$	(1958DU06)
	7.2 ± 1.7 fsec		mean
	240 ± 40 fsec	$^{14}\text{N}(^3\text{He}, \text{p})$	(1970BE27)
	192 ± 80 fsec	$^{14}\text{N}(^3\text{He}, \text{p})$	(1968HE1K)
	136^{+46}_{-36} fsec	$^{14}\text{N}(^3\text{He}, \text{p})$	(1970FI06)
10.95	150 ± 30 fsec	$^{19}\text{F}(\text{p}, \alpha)$	(1970GA09)
	192 ± 29 fsec	$^{19}\text{F}(\text{p}, \alpha)$	(1967PI01)
	180 ± 16 fsec		mean
	8 ± 5 fsec	$^{14}\text{N}(^3\text{He}, \text{p})$	(1970BE27)
	< 48 fsec	$^{14}\text{N}(^3\text{He}, \text{p})$	(1968HE1K)
11.08	58^{+120}_{-58} fsec	$^{14}\text{N}(^3\text{He}, \text{p})$	(1970FI06) ^b
	8 ± 5 fsec		“best” value
	57 ± 19 fsec	$^{14}\text{N}(^3\text{He}, \text{p})$	(1970BE27)
	172 ± 60 fsec	$^{14}\text{N}(^3\text{He}, \text{p})$	(1968HE1K)
	184^{+360}_{-146} fsec	$^{14}\text{N}(^3\text{He}, \text{p})$	(1970FI06)
	57 ± 19 fsec		“best” value

^a See also (1969NY1A, 1969TH01).

^b See also (1969FI02).

^c See also Table 16.12.

The yield of ground state radiation (γ_0) has been measured for $E_p = 0.17$ to 18 MeV: see Table 16.20 for a summary of the measurements and Table 16.21 for a display of the observed resonances. Angular distributions of the γ_0 radiation have been measured at many energies. The cross section shows a great deal of structure in quite good agreement with the results of high-resolution studies of $^{16}\text{O}(\gamma, n)^{15}\text{O}$ and $^{16}\text{O}(e, ep)^{15}\text{N}$ (see reactions 49 and 56). The excitation energies corresponding to the most pronounced resonances are in good agreement with the predictions of the shell model (1964TA06). Above $E_p = 8$ MeV, the angular distributions indicate the presence of a very broad 2^+ state ($E_x \approx 30$ MeV, $\Gamma \approx 5$ MeV), and imply the presence of a similarly broad 1^- state. In addition a number of weak 1^- states with $\Gamma \approx 0.5$ MeV appear to be present (1967EA02). The main part of the giant resonance at $E_x \approx 22.2$ MeV [$E_p = 10.7$ MeV] shows some structure (1967BL23). (1970BA33) suggest that $^{16}\text{O}^*(19.90, 20.39)$, observed in the ($\gamma_1 + \gamma_2$) yield, are 2^+ states from the coupling of the 1^- states at 12.44 and 13.10 MeV to the 3^- state at 6.13 MeV. Above $E_p = 14$ MeV, no pronounced structures are observed but there is some evidence for weak structures corresponding to $E_x \approx 25.5$ and 26.4 MeV (1967BL23).

Branching ratios and Γ_γ values for the low-energy resonances are listed in Table 16.12 (1963GO22, 1968GO07, 1968WI15, 1969BR1L). See also (1966GO1H). It appears that one needs to introduce 3p-3h admixtures into the $T = 0$ states and probably into those of $T = 1$ (1968WI15). An analysis of (p, γ) structure in terms of the theory of statistical fluctuations and a comparison with direct radiative capture calculations have been made by (1965TA1E). See also (1959TA1A, 1961WE01, 1962RI08), (1962WA1C, 1967TA1D) and (1965MA1H, 1966LE1M, 1967BU05, 1967KO1H, 1969SA12, 1969WE1H; theor.). See also (1959AJ76).

40. $^{15}\text{N}(p, p)^{15}\text{N}$

$$E_b = 12.126$$

Elastic scattering studies are reported for $E_p = 0.6$ to 11.7 MeV (see Table 16.20): observed anomalies are shown in Table 16.21 (see also (1962DE09)). The inelastic scattering of protons has also been studied for $E_p = 9$ to 11.7 MeV (p_{1+2}) and 10.3 to 11.5 MeV (p_3). In addition to other structures, a strong resonance in the (p_{1+2}) scattering occurs at $E_p \approx 10.0$ MeV (1969DR1C). See also (1966WA1L) and (1959AJ76).

41. $^{15}\text{N}(p, n)^{15}\text{O}$

$$Q_m = -3.542$$

$$E_b = 12.126$$

The absolute total cross section has been measured with excellent resolution and statistics for $E_p = 3.8$ to 12 MeV by (1968BA42): observed resonances are displayed in Table 16.22. (1968BA42) also discusses in detail the relationship of his results and the data reported in other experiments, including a comparison with analog states in ^{16}N [see Fig. 5]. Excitation functions have also been reported from threshold to 13.6 MeV: see Table 16.20. Angular distributions have been measured at many energies: see ^{15}O in (1970AJ04). Polarization measurements have been made for the n_0 group from $E_p = 7.9$ to 12.3 MeV (1964WA1G, 1965WA02). (1969BA1N) discuss the astrophysical implications of this reaction. See also (1961SA01) and (1966WA1L, 1967KA1E, 1968HA15, 1968KA1G, 1969HA1J, 1969PE1J; theor.).

Table 16.20: Summary of $^{15}\text{N} + \text{p}$ yield measurements ^a

E_p (MeV)	Particles	Refs.
0.17 – 0.63	γ_0	(1960HE02)
0.2 – 1.6	γ_0	(1952SC1B)
0.4 – 1.9	γ_0	(1968GO07)
1 – 14	γ_0	(1967EA02)
4.1 – 12.8	γ_0, γ_{1+2}	(1970BA33)
1 – 14.4	γ_0	(1964TA05, 1964TA06)
10 – 15	γ_0	(1959CO1C, 1961CO02)
10.5 – 18	γ_0	(1967BL23)
3.8 – 6.4	n_0	(1958JO28, 1958WE1C)
3.8 – 12	$n_0(\sigma_t)$	(1968BA42)
4.0 – 13.6	n_0	(1961WO03, 1963HA46)
0.6 – 1.8	p_0	(1957HA1A)
1.0 – 3.6	p_0	(1959BA15)
2.7 – 11.7	p_0	(1962DE09)
9 – 11.7	p_{1+2}	(1969DR1C)
10.3 – 11.5	p_3	(1969DR1C)
0.2 – 1.6	$\alpha_0, \gamma_{4.4}$	(1952SC1B)
0.27 – 0.41	$\gamma_{4.4}$	(1960HE02)
0.4 – 1.9	$\gamma_{4.4}$	(1968GO07)
0.8 – 1.65	$\gamma_{4.4}$	(1969CL07)
0.9 – 2.9	α_0	(1957HA1B)
1 – 3.6	$\alpha_0, \gamma_{4.4}$	(1959BA15)
3.3 – 12.6	α_0, α_1	(1962RO04, 1963RO01)
3.4 – 3.7	α_0, α_1	(1968VA1M)
6.7 – 15.2	α_0	(1967NO02)
9.1 – 15.2	α_1	(1967NO02)

^a See also (1959AJ76).

Table 16.21: Levels of ^{16}O from $^{15}\text{N}(p, \gamma)^{16}\text{O}$, $^{15}\text{N}(p, p)^{15}\text{N}$ and $^{15}\text{N}(p, \alpha)^{12}\text{C}$

E_p (keV)	Γ_{γ_0} ^{a,f} (eV)	Γ_{γ_1} ^{a,f} (eV)	Γ_p ^a (keV)	Γ_{α_0} ^a (keV)	Γ_{α_1} ^a (keV)	Γ_{lab} (keV)	$J^\pi; T$	E_x (MeV)	Refs.
338	7 ± 1	0.12 ± 0.04	1.1	93	0.025	94	$1^-; 0$	12.443	(1952SC1B, 1960HE02, 1966AD04, 1957HA1B)
429 ± 1	$(21 \pm 6) \times 10^{-3}$	2.1 ± 0.2	0.020	n.r.	0.90	0.9	$2^-; 0$	12.528	(1952SC1B, 1960HE02, 1968GO07)
710 ± 7	$(78 \pm 16) \times 10^{-3}$		40	n.r.	0.69 ± 0.07	40 ± 4	$0^-; 1$	12.791	(1957HA1A)
897.37 ± 0.29			1.2	n.r.		2.0 ± 0.2	$2^-; 1$	12.9668	(1952SC1B, 1964BO13, 1959VA04, 1969CL07, 1968GO07, 1957HA1A)
1028 ± 10	31 ± 8		110	r.	r.	140 ± 10	$1^-; 1$	13.089 ^b	(1969CL07, 1957HA1A, 1959BA15, 1952SC1B, 1967EA02, 1957HA1B, 1953WI1A, 1956WI1D)
1050 ± 150				$\Gamma_p \Gamma_{\alpha_0} = 500 \text{ keV}^2$			2^+	13.1	(1966AD04)
1210 ± 3			4.1	r.	8.2 ± 1.1	22.5 ± 1	$3^-; 1$	13.260	(1969CL07, 1968GO07, 1952SC1B, 1959BA15,

Table 16.21: Levels of ^{16}O from $^{15}\text{N}(p, \gamma)^{16}\text{O}$, $^{15}\text{N}(p, p)^{15}\text{N}$ and $^{15}\text{N}(p, \alpha)^{12}\text{C}$ (continued)

E_p (keV)	Γ_{γ_0} ^{a,f} (eV)	Γ_{γ_1} ^{a,f} (eV)	Γ_p ^a (keV)	Γ_{α_0} ^a (keV)	Γ_{α_1} ^a (keV)	Γ_{lab} (keV)	$J^\pi; T$	E_x (MeV)	Refs.
1640 ± 3			10	n.r.	59 ± 6	68 ± 3	1 ⁺ ; 0	13.663	1957HA1A, 1957HA1B) (1969CL07, 1952SC1B, 1959VA04, 1968GO07, 1957HA1B, 1959BA15, 1957HA1A)
1890 ± 20				r.	(r.)	90 ± 20		13.90	(1959BA15, 1957HA1B)
1979 ± 3			0.5	n.r.	r.	23 ± 2	2 ⁻	13.980	(1959BA15, 1957HA1B)
3000 ± 30			r.	r.	r.	45 ± 10	4 ⁺	14.94	(1959BA15, 1962DE09)
3300 ± 35			r.	n.r.	r.	75 ± 15	2 ⁻	15.22	(1959BA15, 1962DE09)
3350 ± 50	≈ 0.6		≈ 125	r.	r.	750 ± 100	2 ⁺ ; (0)	15.26	(1959BA15, 1967EA02)
3520 ± 40 (4280 ± 20)			r.	r.	r.	100 ± 25	(1 → 4)	15.42 (16.14)	(1959BA15) (1970BA33)
4380 ± 20	4.5 ^f	r. ^g	16 ^c			31	1(+); 1	16.23	(1962DE09, 1964TA06, 1967EA02, 1970BA33)
5200	r.					≈ 1500	1 ⁻ ; 1	17.0	(1967EA02)
5350 ± 20	16		26 ^d			≈ 65	1 ⁻ ; 1	17.14	(1962DE09,

Table 16.21: Levels of ^{16}O from $^{15}\text{N}(p, \gamma)^{16}\text{O}$, $^{15}\text{N}(p, p)^{15}\text{N}$ and $^{15}\text{N}(p, \alpha)^{12}\text{C}$ (continued)

E_p (keV)	Γ_{γ_0} ^{a,f} (eV)	Γ_{γ_1} ^{a,f} (eV)	Γ_p ^a (keV)	Γ_{α_0} ^a (keV)	Γ_{α_1} ^a (keV)	Γ_{lab} (keV)	$J^\pi; T$	E_x (MeV)	Refs.
5490 ± 20	67		45^e			≈ 110	$1^-; 1$	17.27	1964TA06 , 1967EA02 , 1970BA33) (1962DE09 , 1964TA06 , 1967EA02 , 1970BA33)
6320 ± 20	n.r.	$\leq 5^g$	(r.)			≤ 60	(2, 3; 1)	18.05	(1970BA33)
7330 ± 30	38	$\leq 3^g$				260	$1^-; 1$	18.99	(1962DE09 , 1967EA02 , 1970BA33)
7420	r.		≈ 30			≈ 130	$2^+; (1)$	19.07	(1962DE09 , 1967EA02)
7600 ± 30	n.r.	1.5^g				100	(2, 3; 1)	19.25	(1970BA33)
7840 ± 30	59		(r.)			350	$1^-; 1$	19.47	(1962DE09 , 1967EA02 , 1970BA33)
8300 ± 20	n.r.	$8^{h,i}$				75	(2, 3; 1)	19.90	(1970BA33)
8830 ± 20	n.r.	$47^{h,i}$				150	(2, 3; 1)	20.40	(1970BA33)
9300 ± 100	170					700	($T = 1$)	20.8	(1970BA33)
10420	r.		(r.)					21.89	(1961CO02 , 1962DE09 , 1967BL23)
10590	r.							(22.05)	(1967BL23)
10700 ± 100	870					700	($T = 1$)	22.2	(1967BL23 , 1970BA33)
10770	r.		(r.)					(22.21)	(1962DE01 ,

Table 16.21: Levels of ^{16}O from $^{15}\text{N}(p, \gamma)^{16}\text{O}$, $^{15}\text{N}(p, p)^{15}\text{N}$ and $^{15}\text{N}(p, \alpha)^{12}\text{C}$ (continued)

E_p (keV)	Γ_{γ_0} ^{a,f} (eV)	Γ_{γ_1} ^{a,f} (eV)	Γ_p ^a (keV)	Γ_{α_0} ^a (keV)	Γ_{α_1} ^a (keV)	Γ_{lab} (keV)	$J^\pi; T$	E_x (MeV)	Refs.
11450 ± 50	120	27 ^g				350	$T = 1$	22.85	(1967BL23)
13400	r.							24.7	(1970BA33)
14300	r.							(25.5)	(1961CO02)
15200	r.							(26.4)	(1967BL23)

^a n.r. = non resonant; r. = resonant.

^b This state has a large $p^{-1}d$ component (1967EA02).

^c $\Gamma_n = 6$ keV (1964TA06).

^d $\Gamma_n = 19$ keV (1964TA06).

^e $\Gamma_n = 45$ keV (1964TA06).

^f See Tables 16.12 and 16.26.

^g These values are for $\gamma_1 + \gamma_2$.

^h The decay is through $^{16}\text{O}^*(6.13)$ (A.R. Barnett and J. Lowe, private communication).

ⁱ There is no indication (< 10%) of decay to $^{16}\text{O}^*(6.92, 7.13)$ (1970BA33).

42. (a) $^{15}\text{N}(\text{p}, \alpha)^{12}\text{C}$	$Q_{\text{m}} = 4.965$	$E_{\text{b}} = 12.126$
(b) $^{15}\text{N}(\text{p}, \text{t})^{13}\text{N}$	$Q_{\text{m}} = -12.906$	
(c) $^{15}\text{N}(\text{p}, ^3\text{He})^{13}\text{C}$	$Q_{\text{m}} = -10.667$	

Excitation functions for α_0 and α_1 particles (corresponding to $^{12}\text{C}^*(0, 4.43)$) and of 4.43 MeV γ -rays have been measured for $E_{\text{p}} = 0.2$ to 15.2 MeV: see Table 16.20. Several resonances are reported for $E_{\text{p}} < 3.5$ MeV (1952SC1B, 1957HA1B, 1959BA15, 1959VA04, 1960HE02, 1964BO13, 1966AD04, 1968GO07, 1969CL07): see Table 16.21, and see also (1959AJ76). At higher energies, there is continuing structure in the yield curves, which is interpreted in terms of fluctuations: see (1962RO04, 1963RO01, 1967NO02) and (1964TE1D, 1964TE1E, 1964TE1F). Angular distributions have been obtained at many energies: see ^{12}C in (1968AJ02). Angular correlation measurements lead to $J^{\pi} = 2^{-}, 1^{-}, 3^{-},$ and 1^{+} , respectively for the resonances at $E_{\text{p}} = 0.898, 1.08, 1.21,$ and 1.64 (1969CL07). For polarization measurements see (1966AD04). See also (1963MI1C, 1964EC03, 1969BR1L), (1963MI1H), Table 16.12 and (1965MA1H; theor.).

Polarization measurements of tritons and ^3He particles (reactions (b) and (c)) at $E_{\text{p}} = 43.8$ MeV are reported by (1970HA23): some of the transitions exhibit asymmetries at variance with DWBA predictions (1970HA23).

43. $^{15}\text{N}(\text{d}, \text{n})^{16}\text{O}$	$Q_{\text{m}} = 9.901$
--	------------------------

Neutron groups corresponding to many of the ^{16}O states with $E_{\text{x}} < 13.3$ MeV have been observed: see Table 16.23. Angular distributions are reported at $E_{\text{d}} = 1.0$ MeV (1967CO1R; $n_0, n_{1+2}, n_{3+4}, n_5$), 1.1 to 5.2 MeV (1958WE31; n_0), 1.8 and 3.0 MeV (1967CO1R; n_0), 2.5 to 3.0 MeV (1963FE01, 1963FE1B; $n_0, n_2 \rightarrow n_5$), 5 and 6 MeV (1970MU1H: see Table 16.23), and 6 MeV (1967FU07; $n_0, n_2 \rightarrow n_5$); l -values are displayed in Table 16.23. The angular distribution of the n_3 group (to $^{16}\text{O}^*(6.92)$) does not show a stripping pattern.

Slow neutron thresholds have been observed at $E_{\text{d}} = 1.192$ and 1.335 MeV corresponding to $^{16}\text{O}^* = 10.952 \pm 0.010$ and 11.078 ± 0.015 MeV (1957WE1A, 1958WE1C). The 10.94 MeV state is observed to decay only to $^{16}\text{O}^*(7.12)$, $J^{\pi} = 1^{-}$. This suggests $J^{\pi} = 0^{-}$ for $^{16}\text{O}^*(10.94)$, an assignment strongly favored also by the γ - γ correlation (1957BE61): see also Table 16.12.

See also (1962LE1A; theor.) and ^{17}O .

44. $^{15}\text{N}(^3\text{He}, \text{d})^{16}\text{O}$	$Q_{\text{m}} = 6.632$
---	------------------------

Angular distributions of the deuterons corresponding to a number of states of ^{16}O have been measured at $E(^3\text{He}) = 11$ MeV (1969BO13) and at $E(^3\text{He}) = 16.0$ and 24.9 MeV (1969FU08): l and S values derived from DWBA analyses are shown in Table 16.23. See also (1963PA01, 1965SE01, 1968SE1C, 1969FU1J).

Table 16.22: Resonances in $^{15}\text{N}(\text{p}, \text{n})^{15}\text{O}$ (1968BA42) ^a

E_p (MeV \pm keV)	$\Gamma_{\text{c.m.}}$ (keV)	$J^\pi; T^{\text{d}}$	E_x (MeV)
4.37 ± 15	19 ± 6	$1^{(+)}; 1$	16.22
4.45 ± 30	240 ± 30	$0^{(-)}$	16.30
5.35 ± 15	33 ± 5	$1^{(-)}; 1$	17.14
5.52 ± 15	90 ± 10	$1^-; 1$	17.30
5.88 ± 15	59 ± 10	$\geq 1; 1$	17.63
6.12 ± 15	101 ± 10	$\geq 1; 1$	17.86
$6.23 \pm 15^{\text{b}}$	≤ 50	$T = 1$	17.96
6.33 ± 15	26 ± 5	$\geq 1; 1$	18.05
6.43 ± 30	≈ 300		18.15
6.76 ± 25	≈ 160		18.46
7.03 ± 30	260 ± 30		18.71
7.59 ± 25	90 ± 10	$2^-; 1$	19.24
7.86 ± 30	300 ± 80	1^-^{c}	19.49
8.30 ± 25	120 ± 40		19.90
8.82 ± 25	150 ± 30	≥ 2	20.39
8.99 ± 25	140 ± 30	≥ 1	20.55
9.36 ± 25	≈ 300		20.89
10.7 ± 100	≈ 650	1	22.2

^a See also (1958JO28, 1958WE1C, 1961WO03, 1963HA46).

^b Probably a doublet: see (1968BA42).

^c 1^- is from (p, γ); $J \geq 2$ is required from (p, n) yield.

^d T -assignments by energy and width comparisons with states in ^{16}N .

Table 16.23: States in ^{16}O from $^{15}\text{N}(\text{d}, \text{n})^{16}\text{O}$ and $^{15}\text{N}(^3\text{He}, \text{d})^{16}\text{O}$

^{16}O state at (MeV)	$J^\pi; T$	$l^{a,b}$	l^c	S^a	S^b	$S_{\text{rel.}}^d$
0	$0^+; 0$	1	1	2.60	3.52	3.5 ± 1.0
6.05	$0^+; 0$	1		0.09	0.16	
6.13	$3^-; 0$	2	2	0.72	0.63	$\equiv 1$
6.92	$2^+; 0$	1 + 3	not direct	0.02^f		< 0.18
7.12	$1^-; 0$	0 + 2	0	0.41^g	0.54	0.35 ± 0.10
8.87	$2^-; 0$	2	2	0.87	0.55	0.80 ± 0.10
9.60	$1^-; 0$	0		0.017		
9.85	$2^+; 0$	not direct	1			
10.34	$4^+; 0$	3		0.037		
10.95	$0^-; 0$	0	0	1.77	1.20	
11.08	$3^+; 0$	3	3	0.17		
11.26	$0^+; 0$	broad state				
12.44	$1^-; 0$	0	0 + 2	(0.75 ± 0.2)	0.25	
12.53	$2^-; 0$	2	2	(0.9 ± 0.2)	1.45	
12.80	$0^-; 1$	0	0	(2.8 ± 1)		
12.97	$2^-; 1$	2	2	(0.7 ± 0.2)	0.85	
13.10	$1^-; 1$	0		(0.7 ± 0.3)		
13.13 ^e	$3^-; 0$	2			0.96	
13.26	$3^-; 1$	2	2	(0.5 ± 0.2)		
17.14	$1^-; 1$				b	
17.17	2^+				b	

^a (1969BO13): ($^3\text{He}, \text{d}$).

^b (1969FU08): ($^3\text{He}, \text{d}$).

^c (1967FU07, 1970MU1H): (d, n).

^d (1967FU07); relative to $S(6.13) \equiv 1$.

^e $\Gamma = 128 \text{ keV}$.

^f $l = 1$.

^g $l = 0$.

45. $^{15}\text{N}(\alpha, t)^{16}\text{O}$ $Q_m = -7.688$

Not reported.

46. $^{15}\text{N}(^{11}\text{B}, ^{10}\text{Be})^{16}\text{O}$ $Q_m = 0.898$

See (1967PO13, 1969BR1D).

47. $^{16}\text{N}(\beta^-)^{16}\text{O}$ $Q_m = 10.422$

^{16}N decays to seven states of ^{16}O : reported branching fractions are listed in Table 16.24. The ground state transition has the unique first-forbidden shape corresponding to $\Delta J = 2$, yes, fixing J^π of ^{16}N as 2^- . This assignment is also indicated by the fact that the transitions to $^{16}\text{O}^*(6.13, 7.12)$ are both allowed (see (1959AJ76)).

A 1% allowed branch leads to $^{16}\text{O}^*(8.88)$: J^π is then 1^- , 2^- or 3^- . The α -decay from this state has been reported: $\Gamma_\alpha = (1.8 \pm 0.8) \times 10^{-10}$ eV; $E_\alpha = 1278 \pm 10$ keV (1970HA42). The γ -branching and γ - γ correlation ($8.88 \rightarrow 6.13 \rightarrow \text{g.s.}$) are consistent with the assignment $J^\pi = 2^-$ (1956WI1A). See also (1961KA06, 1961SE01, 1969HA42). The α -decays of $^{16}\text{O}^*(9.59, 9.85)$ have been observed: see (1961KA06, 1961SE01, 1969HA42). See (1969GA10) for a discussion of parity-forbidden alpha decays of ^{16}O levels.

Recently reported transition energies derived from γ -ray measurements are: $E_x = 6130.96 \pm 0.28$ and 7118.72 ± 0.49 keV [$E_\gamma = 6129.70 \pm 0.28$ and 7117.02 ± 0.49 keV] (1967CH19) and 6129.6 ± 0.4 keV (1968SP01). $E_\gamma = 6128.9 \pm 0.4$ keV (1966GR18). ΔE_x for $^{16}\text{O}^*(7.12, 6.13) = 987 \pm 3$ keV (1965CR01). See also (1959PR73, 1963AL18, 1964AL22) and (1960ZI1B, 1963SO04, 1964NA1C, 1966CO1H, 1966LA1J, 1968JA10, 1969HE1R, 1969WA1C, 1970MC1J, 1971TO08).

48. (a) $^{16}\text{O}(\gamma, n)^{15}\text{O}$ $Q_m = -15.668$

(b) $^{16}\text{O}(\gamma, 2n)^{14}\text{O}$ $Q_m = -28.887$

Recent papers reviewing this reaction are (1963HA1E, 1964BI1E, 1966FU1C, 1966HA1M, 1966ME1H, 1966MI04, 1967DO1A, 1967FU1G, 1967MI15, 1967SH1E, 1968GI1F, 1968SC1B).

The absorption cross section and the (γ, n) cross section are marked by a number of resonances. The reported structure is displayed in Table 16.25 (1962BU23, 1962FI04, 1963BU18, 1963FU05, 1963GE13, 1964BR03, 1964TE04, 1965CA1B, 1965DO05, 1966CO08, 1967DO1A, 1967MI15, 1970IV01). There are still conflicting reports on which structures are real [there are relatively few results obtained with monochromatic γ -rays] and on their widths, when these are given. For curves

Table 16.24: Beta decay of ^{16}N

Final state		Branch (%)	$\log ft^a$
^{16}O (MeV)	J^π		
0	0^+	26 ± 2^e	9.11 ± 0.04^i
6.05	0^+	$(1.2 \pm 0.4) \times 10^{-2}^f$	9.97 ± 0.15^i
6.13	3^-	68 ± 2^e	4.47^j
7.12	1^-	4.9 ± 0.4^e	5.09^j
8.87 ^b	2^-	1.0 ± 0.2^e	4.37^j
9.60 ^c	1^-	$(1.20 \pm 0.05) \times 10^{-3}^g$	6.21^j
9.85 ^d	2^+	$(6.5 \pm 2.0) \times 10^{-7}^h$	9.07 ± 0.13^i

^a $\tau_{1/2} = 7.13 \pm 0.02$ sec: Table 16.3.

^b See also (1961AL05, 1961KA06, 1961SE01, 1968BO1V).

^c See also (1961AL05, 1961SE01).

^d See also (1961SE01).

^e (1956WI1A, 1958AL13, 1959AL06).

^f (1968WA18).

^g (1961KA06).

^h (1969HA42).

ⁱ $\log f_1 t$ values: E.K. Warburton, private communication and (1968WA18).

^j $\log f_0 t$ values: B. Zimmerman, private communication.

of the (γ , n) cross section obtained with monochromatic γ -rays, see, e.g., (1965CA1B, 1966MI04). For other reports of cross section measurements see (1960CA09, 1961BR28, 1962BI09, 1962BR16, 1962DE03, 1962MI07, 1964DE1D, 1965HA19, 1965VE03, 1965WY1A, 1968WU01, 1969BE92, 1969KH01, 1969NA1D, 1969NA23, 1970JU02).

The splitting of the giant resonance peak is ascribed by (1967GI1B) to the existence of a 2p-2h coherent quasi-bound state lying in the dip of the photoabsorption cross section.

Branching ratios for the decays of ^{16}O in the giant resonance region to various excited states in ^{15}O have been reported by many groups: see reaction 22 in ^{15}O (1970AJ04). The cross section is reported to display a maximum at 23.5 MeV for emission of neutrons to $^{15}\text{O}^*(6.18)$ [$J^\pi = \frac{3}{2}^-$] (1966MA1T). See (1970HO21). See also (1964TA1C, 1965WI03, 1967CA1C, 1967CA1P, 1967FU1G, 1969MU07).

Polarization measurements are reported by (1964HA1F, 1967HA1N, 1967HA1P, 1968WU01, 1969CO15). See also (1959CA1C, 1959MI1B, 1959MI89, 1959PE21, 1959PE24, 1959PE32, 1959SA08, 1960SA01, 1960WY1A, 1960ZI01, 1961FI04, 1961KE02, 1961RO1C, 1962BO1D, 1962FU11, 1962GO1E, 1962GO27, 1963AN02, 1963CA12, 1963GR1F, 1963GR35, 1964BE1E, 1964YE02, 1965GR1K, 1965MA45, 1966BA56, 1966FI1C, 1966KA1C, 1966MA1T, 1967FI1E,

1967FO1D, 1967GL1B, 1968BA2L, 1968CO1Q, 1968KA1D, 1969HO1T, 1970CO1Q, 1970HE19, 1970ST1E; exp.), (1962RE1A, 1963FE1C, 1963GR1D, 1964EI1A, 1964FU1B, 1965WE06, 1966GI1B, 1966ME1J, 1966RA1E, 1967BA2C, 1967BU05, 1967DU1C, 1967FU02, 1967GI1C, 1967KA1E, 1967LE1H, 1967RA1D, 1968ER1B, 1968KA1G, 1969ER1A, 1969FU05, 1969MA35, 1969PE06, 1969PE1J, 1969RA1F, 1969SA12, 1969SE1C, 1969UB01, 1969UN05, 1969VA1A, 1969WA1G, 1969WE1H, 1970MU1D; theor.), (1959AJ76) and “*Giant resonance*” in the “GENERAL” section here. For reaction (b), see (1962BR16, 1968ME23).

Table 16.25: Resonance structure in $^{16}\text{O} + \gamma$ ^a

E_γ (MeV \pm keV) ^b								Γ	Γ_γ
A	B	C	D	E	F	G	H	(keV)	(eV)
		16.23					16.2	32 ^c	14 ^c
	17.10	17.14	17.1					45 ^c	16 ^c
(17.3)	17.3	17.30	17.3	17.30 \pm 30		17.2	17.21	300 ^d	145 ^d
								90 ^c	86 ^c
		17.55						< 400 ^c	
	18.25								
							18.44		
	18.70	18.68						50 ^c	9 ^c
	19.1	19.08	19.1	19.06 \pm 60	19.1	19.0		300 ^d	250 ^d
								200 ^c	63 ^c
(19.4)	19.6	19.47	19.6	19.56 \pm 100	19.6	19.4	19.53	600 ^d	375 ^d
								300 ^c	146 ^c
	19.9								
	20.2	20.45		20.20 \pm 150				40 ^c	18 ^c
		20.88						200 ^c	138 ^c
(21.2)	21.02 \pm 40 ^e	21.10	21.0	21.0 \pm 30	21.0	20.9	20.75	700 ^d	650 ^d
								25 ^c	56 ^c
		21.35						25 ^c	52 ^c
	21.7	21.59		21.7 \pm 30			21.72	25 ^c	39 ^c
		21.89						250 ^c	210 ^c
	22.1	22.15	22.2					40 ^c	95 ^c
22.3	22.4	22.47		22.26 \pm 38	22.2	22.3		1000 ^d	2500 ^d
								600 ^c	1457 ^c
23.05	23.0		23.0	23.15 \pm 34	23.0	23.1		300 ^d	530 ^d

Table 16.25: Resonance structure in $^{16}\text{O} + \gamma$ ^a (continued)

E_γ (MeV \pm keV) ^b								Γ	Γ_γ
A	B	C	D	E	F	G	H	(keV)	(eV)
	24.1			24.1 ± 170				700^d	1200^d
24.3	24.4		24.3		24.3	24.3			
25.15	25.0		25.2	24.9 ± 210		25.2		700^d	1260^d
25.8	25.4			25.55 ± 50		25.8		1000^d	1000^d
			26.3	26.38 ± 180					
			27.4	27.45 ± 230					
				28.55 ± 195					
				29.6 ± 230					
				31.4 ± 140					
				33.0 ± 300^f					

A: (1962BU23, 1963BU18): γ -absorption. The structures are each several hundred keV wide.

B: (1964TE04): γ -absorption [monochromatic γ -rays]; (1962FI04, 1963FU05, 1964FI03): (γ , n).

C: (1963GE13): (γ , n). See also (1964DE1D).

D: (1965CA1B): (γ , n), and S.C. Fultz, private communication. See also (1964BR03).

E: (1966CO08): (γ , n).

F: (1967MI15): (γ , n).

G: (1965DO05, 1967DO1A): γ -absorption.

H: (1970IV01): (γ , n).

^a See also (1959AJ76).

^b See also study of “breaks” by (1959KI89, 1960GE06).

^c (1963GE13).

^d (1967DO1A).

^e There is some indication that this broad peak is composed of two narrower structures at $E_\gamma = 20.86$ and 21.05 MeV.

There is also some indication of structure at $E_\gamma = 20.62$ MeV (1964TE04). See also (1962FI04).

^f Six additional structures to $E_\gamma = 60.2$ MeV are reported by (1966CO08).

^g Several additional structures are also reported for $E_x = 16.4 - 17.0$ MeV. Γ_p and Γ_n are also listed (1963GE13).

(Note: This footnote is not labeled in the tabular.)

49. $^{16}\text{O}(\gamma, p)^{15}\text{N}$

$$Q_m = -12.126$$

Resonances in the yield of ground state protons have been observed at 20.89, 22.20, 23.03, 24.23, 24.99, (25.42), 26.37 and 31.15 MeV using bremsstrahlung radiation (1969BA39, 1969FR20).

See also (1963FI1B, 1968ST11). Angular distribution coefficients show strong correlation with the structure in the cross section. It is predominantly d-wave protons from the 1^- states of ^{16}O which are emitted, although some s-wave emission is required by the data (1969FR20). (1969BA39) report that, in the region between 20 and 30 MeV, there is interference from the E2, p-wave proton channel, and possibly also from an M1 absorption channel. The peak interfering amplitude is $> 10\%$ of the corresponding E1 amplitude (1969BA39). $\int_{21}^{30} \sigma dE = 37 \text{ MeV} \cdot \text{mb}$ (1969BA39). See also (1967TH04).

Branching ratios for the decays of ^{16}O states in the giant resonance region to various excited states in ^{15}N have been reported by many groups: see reaction 55 in ^{15}N (1970AJ04) and (1970HO21).

For a calculation of the (γ, p) cross section from the $^{15}\text{N}(p, \gamma)^{16}\text{O}$ cross section (reaction 39) using the principle of detailed balance, see (1967BL23).

Recent papers reviewing the evidence on this reaction are (1963HA1E, 1966FU1C, 1966HA1M, 1966ME1H, 1967FU1G, 1967SH1E, 1968SC1B).

See also (1957JO20, 1959BR69, 1959PE32, 1961DO08, 1961HE06, 1961SH18, 1962GO1E, 1962GO27, 1965DE24, 1965MA45, 1965MO13, 1965ST1C, 1966KO1G, 1966MA1T, 1967CA1C, 1967CA1P, 1967FU1G, 1967MO1L, 1967TU04, 1968BA2L, 1968DE07, 1969HO1T, 1969MU07, 1969SH02, 1969ST11; exp.), (1964FU1B, 1966RA1E, 1966WA1L, 1967BA2C, 1967BU05, 1967KA1E, 1967RA1D, 1968ER1B, 1968KA1G, 1969MA35, 1969PE06, 1969PE1J, 1969SA12, 1969UB01, 1969UN05, 1969VA1A, 1970MU1D; theor.) and (1959AJ76).

- | | |
|---|-----------------|
| 50. (a) $^{16}\text{O}(\gamma, d)^{14}\text{N}$ | $Q_m = -20.736$ |
| (b) $^{16}\text{O}(\gamma, pn)^{14}\text{N}$ | $Q_m = -22.961$ |
| (c) $^{16}\text{O}(\gamma, dn)^{13}\text{N}$ | $Q_m = -31.289$ |
| (d) $^{16}\text{O}(\gamma, dp)^{13}\text{C}$ | $Q_m = -28.286$ |

For reactions (a) see (1966FU1C) and (1962MA1F, 1963BA1K, 1965OS1A; theor.). For reaction (b) see (1962MI07, 1965GA1E) and (1963KO1B; theor.). For reactions (c) and (d), see (1962KO19).

- | | |
|--|----------------|
| 51. $^{16}\text{O}(\gamma, \alpha)^{12}\text{C}$ | $Q_m = -7.161$ |
|--|----------------|

The cross section for production of ^{12}C exhibits a maximum near 17.5 MeV ($\Gamma \approx 5 \text{ MeV}$), $\sigma(\text{max}) \approx 50 \mu\text{b}$ (1953MI31). See also reaction 5 (1970VO13), (1959AJ76), (1957JO20, 1962GO1E, 1964GR08, 1964TO1B, 1965RO05, 1965RO1J, 1967CA1C) and (1968ER1B, 1969MA1N; theor.).

- | | |
|--------------------------------------|-----------------|
| 52. $^{16}\text{O}(\gamma, 4\alpha)$ | $Q_m = -14.436$ |
|--------------------------------------|-----------------|

See (1959AJ76) and (1958MA1A, 1962GO1E, 1964GR08, 1964TO1B, 1965RO1J).

Table 16.26: Excited states observed in $^{16}\text{O}(e, e')^{16}\text{O}^*$

E_x^a (MeV \pm keV)	$J^\pi; T$	Mult.	Γ (keV)	Γ_{γ_0} (eV)	Refs.
6.05	0^+	E0		3.66 ± 0.55^b	(1968ST31)
6.13	3^-	E3		$(2.3 \pm 1.1) \times 10^{-5}$	(1968ST31)
6.92	2^+	E2		0.093 ± 0.010	(1968ST04, 1968ST31)
				0.100 ± 0.015	(1967AR1A)
9.85	2^+	E2		0.010 ± 0.004	(1968ST04, 1968ST31)
11.0 ± 250	2^+	E2		< 0.1	(1966ST13)
				2.7	(1966VA02)
11.52	2^+	E2		0.55 ± 0.07	(1968ST04, 1968ST31)
				0.52 ± 0.13	(1967AR1A)
				0.85 ± 0.09	(1970KI02)
12.0 ± 250	2^+	E2		1.0 ± 0.3	(1966VA02)
12.05	0^+	E0		4.40 ± 0.44^b	(1968ST04, 1968ST31, 1970KI02)
12.53	2^-	M2		0.021 ± 0.006	(1968ST31)
				0.108 ± 0.015	(1970KI02)
12.97	2^-	M2		0.078 ± 0.016	(1968ST31)
				0.071 ± 0.002	(1970KI02)
13.0	2^+	E2		≈ 0.13	(1968ST04, 1968ST31)
				0.89	(1970KI02)
13.10 ± 250	$1^-; 1$	E1		31 ± 8	(1966VA02, 1968ST31)
				48.5 ± 12.8	(1970KI02)
14.00 ± 50	0^+	E0	170 ± 50	3.3 ± 0.7^a	(1969ST06, 1970ST06)
15.15 ± 150	2^+	E2	500 ± 200	1.0 ± 0.5	(1970ST06)
16.21 ± 30	1^+	M1		5.1 ± 0.8	(1970ST06)
16.46 ± 70	2^+	E2	≤ 100	0.5 ± 0.2	(1970ST06)
16.80 ± 100	(3^+)		≤ 100	$(1.7 \pm 1.9) \times 10^{-3}$	(1970ST06)
17.20 ^c	$1^-; 1$	E1		62 ± 12	(1966VA02, 1970ST06)
17.60 ± 100	(2^-)		≤ 100	0.07 ± 0.04	(1970ST06)
18.50 ± 100	(2)				(1970ST06)
19.00 ± 100	$1^-; 1$	E1	300 ± 100	41 ± 20	(1965VA1D, 1970ST06)
19.04 ± 50	$2^-; 1^d$	M2	400 ± 50	1.5 ± 0.3	(1970GO03, 1970ST06)
			850 ± 150		(1967DR05, 1968DR01)
19.50 ± 100	$1^-; 1$	E1	200 ± 70	40 ± 20	(1970ST06)
20.36 ± 70	2^-	M2	500 ± 100	2.9 ± 1.0	(1965VA1D, 1968DR01, 1969SI10, 1970GO03, 1970ST06)
20.95 ± 50	$1^-; 1$	E1	270 ± 70	180 ± 50	(1970ST06)
21.34 ± 250	(2^-)	(M2)			(1965DE1C, 1965VA1D)
22.0 ± 250	1^+	M1			(1965VA1D)

Table 16.26: Excited states observed in $^{16}\text{O}(e, e')^{16}\text{O}^*$ (continued)

E_x^a (MeV \pm keV)	$J^\pi; T$	Mult.	Γ (keV)	Γ_{γ_0} (eV)	Refs.
22.8 \pm 250	1 ⁻ ; 1	E1			(1963IS02, 1965VA1D)
23.7 \pm 250	(2 ⁻ ; 1)				(1965VA1D, 1970GO03)
24.4 \pm 250	2 ⁺	E2			(1963IS02, 1965VA1D, 1970GO03)
25.5 \pm 250	1 ⁻ ; 1	E1			(1963IS02, 1965VA1D)
26.7 \pm 250	1 ⁺	M1			(1965VA1D)
44.5	(1 ⁻ ; 1)		2000 – 3000	5300	(1961IS06, 1962BI19)
49	(1 ⁻ ; 1)		2000 – 3000	19000	(1961IS06, 1962BI19)

^a See also (1962ED02, 1963BA19, 1963BI23, 1964BI08, 1964GO14, 1965BI1D, 1966CR07, 1966ST13, 1970MA1C).

^b Monopole matrix element in fm².

^c Unresolved doublet.

^d See, however, (1969SI10).

53. (a) $^{16}\text{O}(\gamma, t)^{13}\text{N}$ $Q_m = -25.032$
 (b) $^{16}\text{O}(\gamma, \text{breakup})$

For reaction (a) see (1962BI09, 1965BU1F, 1966GO1F, 1967KR05). For reaction (b), resulting in multi-particle breakup, see (1958MA1A, 1962BI09, 1962GO1E, 1962MO16, 1963CO1D, 1965SA1F, 1966AR01, 1967FE05, 1967KR05).

54. $^{16}\text{O}(\gamma, \gamma')^{16}\text{O}^*$

The differential scattering cross section has been measured for $E_\gamma = 18.5$ to 33 MeV: the main giant resonance peaks are located at ≈ 22 and ≈ 25 MeV (1967LO1B). (1970AH02) report resonances at $E_\gamma = 22.5 \pm 0.3$, 25.2 ± 0.3 , 31.8 ± 0.6 and 50 ± 3 MeV: the dipole sum up to 80 MeV exceeds the classical value $60 NZ/A$ MeV \cdot mb by a factor 1.4. See also (1959PE32, 1960RE05, 1962SE02). For lifetime measurements of $^{16}\text{O}^*(6.9, 7.1)$, see Table 16.19 (1957SW17, 1958DU06); for widths, see Table 16.12 (1970SW03). The separation between the (7.12) and (6.92) γ -lines is 199.8 ± 0.5 keV (1970SW03). Based on 7118.67 ± 0.35 keV (Table 16.9), E_x for the lower state is 6918.9 ± 0.6 keV. See also (1962BA58, 1968SI1A; theor.).

55. (a) $^{16}\text{O}(e, e')^{16}\text{O}^*$
 (b) $^{16}\text{O}(e, \text{ep})^{15}\text{N}$ $Q_m = -12.126$

The ^{16}O charge radius, $r_{\text{rms}} = 2.65 \pm 0.04$ fm (1966CR07), 2.674 ± 0.022 (using a distorted wave approximation), 2.712 ± 0.022 fm (using a Born approximation) (1970SI02), 2.666 ± 0.033 fm (1969BE21). See also (1959EH1A, 1959ME24).

Form factors for transitions to the ground state and to excited states of ^{16}O have been reported by (1961LA09, 1963GO04, 1964BI08, 1967BI12, 1969SI10, 1969TO01, 1970BE03) as well as in some of the papers which follow.

Table 16.26 lists the excited states observed from spectra of inelastically scattered electrons (1961IS06, 1962BI19, 1963IS02, 1965DE1C, 1965VA1D, 1966VA02, 1967AR1A, 1967DR05, 1968DR01, 1968ST04, 1968ST31, 1969ST06, 1970GO03, 1970KI02, 1970ST06).

Discussions of this reaction are presented in (1959ME24, 1962BA1D, 1966GO1C, 1966KA1C, 1967IS1A). See also (1960IS04, 1964BA1R, 1964BI1D, 1968GO1J, 1969MC1D) and (1960DE1A, 1960IN1A, 1963BI05, 1963WI09, 1964GI1A, 1965DE1K, 1965IN1A, 1965LE1D, 1965SE1D, 1966BO1N, 1966GR1K, 1966LE1J, 1966RA1F, 1966SI1E, 1967CZ1B, 1967CZ1C, 1967EL1B, 1967HI1B, 1967RH1B, 1967WA1E, 1967WA1F, 1968FR1E, 1968HO1B, 1968KA1H, 1968MA1N, 1969CI1A, 1969DE14, 1969DO1D, 1969FU1F, 1969GE08, 1969KA05, 1969KU1C, 1969TU01, 1969UB01, 1969VI02, 1970BO2A, 1970CI1B, 1970DE1R, 1970FR1E, 1970GE12, 1970GO1U, 1970JA08, 1970KA20, 1970LI18, 1970LO1G, 1970MC1D, 1970MC1L, 1970ON1B, 1970SA1B). See also (1959AJ76).

Reaction (b) studied at $E_e = 30$ MeV shows resonances (assuming ground state transitions) at $E_x = 17.27, 18.07, 18.99, 19.57, 20.65, 22.30, 23.10$ and 24.35 MeV. The states corresponding to the three highest resonances have $\Gamma = 620, 170$ and 790 keV, respectively (1962DO1A). See also (1967AM1E) and (1966RA1C, 1967DE1P, 1968MA1M).

56. $^{16}\text{O}(n, n')^{16}\text{O}^*$

Angular distributions have been measured at several energies: see Table 16.27 (1962MA05, 1963BA46, 1966LI03, 1966MC01, 1967BE2B, 1969ME15). Gamma rays have been observed corresponding to the ground state decay of ^{16}O states at $E_x = 6129.1 \pm 1.2$ keV [$E_\gamma = 6127.8 \pm 1.2$ keV] (1966BE1A), $6906 \pm 15, 7112 \pm 10$ and 8865 ± 3 keV (1969NY1A). See also (1970DI1C). Measured lifetimes are shown in Table 16.19 (1969NY1A). See also (1961AS1B, 1963HO08, 1963MO04, 1963OP1A, 1964EN1B, 1964MO1D, 1964PE1C, 1966KO1D, 1966MO1C, 1970DR1B, 1970MA1J), (1960PE1A, 1962PA1A, 1963KO1C, 1967HO1H, 1967LA1K, 1967LE1G, 1968CA1A, 1969OW1B, 1969SC1L; theor.), ^{17}O and (1959AJ76).

57. (a) $^{16}\text{O}(p, p')^{16}\text{O}^*$

- | | |
|--|-----------------|
| (b) $^{16}\text{O}(p, 2p)^{15}\text{N}$ | $Q_m = -12.126$ |
| (c) $^{16}\text{O}(p, pd)^{14}\text{N}$ | $Q_m = -20.736$ |
| (d) $^{16}\text{O}(p, p\alpha)^{12}\text{C}$ | $Q_m = -7.161$ |

Angular distributions of elastic and inelastic proton groups have been measured at many energies: see Table 16.27 (1959HU17, 1960KO09, 1961TA06, 1964DA02, 1964DA07, 1964KI1C, 1964RI1B, 1965HA17, 1967FA06, 1967FR10, 1967IG1B, 1967PA1L, 1967PA25, 1968AN13, 1968AN27, 1968AU1C, 1968CA1D, 1969BA23, 1969SN03, 1969SU03, 1970AU1C, 1970HO07). Observed proton groups are displayed in Table 16.28 (1955HO1B, 1969SU03). See also (1965HA17).

Table 16.27: Recent $^{16}\text{O}(n, n)$, (p, p) , (d, d) , (t, t) , $(^3\text{He}, ^3\text{He})$, (α, α) angular distribution studies

E_n (MeV)	Angular distribution of groups	Refs.
1.51 – 2.25	n_0	(1962MA05)
3.07 – 4.67	n_0	(1966LI03)
14.0	n_0	(1967BE2B)
14	$n_0, n_{1+2+3+4}$	(1963BA46)
14.1	n_0, n_{1+2}, n_{3+4}	(1969ME15)
14.1	$n_0, n_{1+2}, n_{3+4}, n_5$	(1966MC01)
E_p (MeV)	Angular distribution of groups	Refs.
1.47 – 2.98	p_0	(1965GO08)
5.91	p_0	(1968AN13, 1968AN27)
6.9 – 15.6	p_0	(1960KO09)
7.2 – 10.5	p_0, p_1, p_2, p_3, p_4	(1964DA02)
7.3 – 13.3	p_0	(1959HU17)
12.9 – 15.6	p_{1+2}	(1960KO09)
13.8 – 18.2	p_0	(1964KE01)
13.9 – 15.6	p_{3+4}	(1960KO09)
14.8 – 19.2	$p_0, p_{1+2}, p_{3+4}, p_5$	(1964DA07)
19.8 – 30.5	p_0	(1969KA14)
20.9	p_0	(1969BA23)
23.4 – 46.1	p_0	(1968CA1D)
23.4 – 46.1	p_{1+2}, p_5	(1968AU1C, 1970AU1C)
25.5 – 45.1	p_0	(1969SN03)
30.3	p_0	(1964RI1B)
31	p_0	(1964KI1C)
49.5	p_0	(1967FA06)
100	p_0	(1970HO07)
142	p_0	(1961TA06)
185	p to $^{16}\text{O}^*(11.5, 13.1, 15.3, 18.7, 20.2)$	(1965HA17)
185	p_2, p_3, p_4	(1969SU03)

Table 16.27: Recent $^{16}\text{O}(n, n)$, (p, p) , (d, d) , (t, t) , $(^3\text{He}, ^3\text{He})$, (α, α) angular distribution studies (continued)

1000	$P_0, P_{1+2+3+4}$	(1967FR10, 1967IG1B, 1967PA1L, 1967PA25)
E_d (MeV)	Angular distribution of groups	Refs.
1.95 – 3.63	d_0	(1968DI06)
4.0	d_0	(1966GA09)
4.0 – 6.0	d_0	(1970DA14)
8.0 – 10.5	d_0	(1963CA17, 1963CA1E, 1963CA1F, 1963GA1D)
10.95	d_0	(1960TA08)
11.8	d_0	(1967FI07)
12	d_0	(1967AL06)
13.6	d_0	(1963NE1C, 1964NE1D)
14.25	d_0, d_1, d_2, d_3, d_4	(1966NG1A)
15.8	d_0	(1966CO24)
26.3	d_0	(1962MA25, 1964TE1C)
28	d_0	(1968GA13)
34.4	d_0	(1967NE1E)
52	d_0	(1966DU08, 1968HI1B)
E_t (MeV)	Angular distribution of groups	Refs.
6.4, 6.8, 7.2	t_0	(1964PU01)
12	t_0	(1965GL04, 1966GL1B)
$E(^3\text{He})$ (MeV)	Angular distribution of groups to ^{16}O	Refs.
1.94, 2.37	g.s.	(1961SI09)
2.7 – 4.0	g.s.	(1965JI1A)
8.5, 9.4	g.s.	(1965AL05)
9.80 – 11.74	g.s.	(1969BR07, 1969NU02)
12	g.s.	(1965YO1B)
15	g.s.	(1969ZU02)
16.6, 25.8, 36.6	g.s.	(1965AR1E)
17.3	g.s.	(1967HA1F)
18	g.s.	(1970MC1F)
28.9	g.s.	(1962SE13)
29	g.s.	(1963AG1A)
E_α (MeV)	Angular distribution of groups	Refs.
5.0 – 12.5	α_0	(1969JO18)

Table 16.27: Recent $^{16}\text{O}(\text{n}, \text{n}), (\text{p}, \text{p}), (\text{d}, \text{d}), (\text{t}, \text{t}), (^3\text{He}, ^3\text{He}), (\alpha, \alpha)$ angular distribution studies (continued)

8.64, 9.31, 10.15	α_0	(1967BR1F)
18.3	$\alpha_0, \alpha_{1+2}, \alpha_{3+4}, \alpha_5$	(1959CO70)
20.0 – 23.2	α_0	(1969AG06, 1969FE10)
20.1, 21.5	$\alpha_{1+2}, \alpha_{3+4}$	(1970FE07)
20.2 – 23.4	α_0	(1968CE1B)
21.2 – 22.7	α_0	(1962JO14)
22.5	$\alpha_0, \alpha_{1+2}, \alpha_{3+4}, \alpha_5$	(1963CR04, 1965BL03)
23.05	α_0	(1968TA1Q)
24.7	α_0	(1964BU1C)
25.4 – 32.2	α_0	(1970CO13)
27.3	$\alpha_0, \alpha_{1+2}, \alpha_{3+4}, \alpha_5, \alpha_{6+7}, \alpha_8$	(1965KO1A)
28.5	$\alpha_0, \alpha_{1+2}, \alpha_{3+4}, \alpha_5, \alpha_{6+7}, \alpha_9$	(1964KO02, 1965KO07)
31.8, 39.5	$\alpha_0, \alpha_{1+2}, \alpha_{3+4}, \alpha_5$	(1964BO1E, 1965PR1E)
38.1	$\alpha_0, \alpha_{1+2}, \alpha_{3+4}$	(1960AG01)
40	$\alpha_0, \alpha_{1+2}, \alpha_{3+4}$	(1959YA01)
40.5	$\alpha_0, \alpha_2, \alpha_3, \alpha_4, \alpha_5$	(1966HA19)
40.6	α_{1+2}	(1965BU05)
41.9, 49.7	α_0	(1965VA11)
56	α_0	(1968GA1C)
50, 80.7	$\alpha_0, \alpha_2, \alpha_{3+4}, \alpha_5$	(1968RE1F)
65	α_0 (and see Table 16.29)	(1964HA16)
104	α_0	(1968HA1D, 1969HA14)

See also (1968PA1J), (1960LA03, 1960MA43, 1960WA15, 1962FO03, 1962RO25, 1964BA04, 1964SC1F, 1966YA04, 1968GA1H) and (1959EG20, 1959EG21, 1959GL57, 1959HO95, 1959PU1A, 1960SA1C, 1960SA1E, 1961SA1B, 1963DU1B, 1963HO1D, 1964HO1C, 1966GI1A, 1967LE13, 1968BA1K, 1968CH35, 1968CZ1A, 1968GL1A, 1968LE1D, 1968RE03, 1969KO1H, 1969KU1D, 1969LE03, 1969OW1B, 1969RE10, 1969VA18, 1969WA11, 1970KU1C, 1970SA06, 1970SH14, 1970VA1A; theor.). See also (1959AJ76).

For polarization measurements see reaction 7 in ^{17}F and see also (1960KA1E, 1961SA1B, 1963DU1B, 1963HO1D, 1965BA1M, 1965HA28; theor.).

For reaction (b), see the reviews by (1965RI1A, 1967RI1C) and ^{15}N . See also (1966TY01, 1968PE1A) and (1965BE1E, 1966JA1A, 1967JA1E, 1968HE1J, 1969KO1J; theor.).

For reaction (c) see (1967SU1C, 1968FR1J) and (1963SH1A, 1964BA1P, 1968KO1P, 1968RO1F; theor.). For reaction (d) see (1961KO02, 1962FO03, 1962RO25, 1962VA1A, 1965ZH1A, 1967CH04, 1970GO12). For spallation studies, see reaction 7 in ^{17}F .

Table 16.28: Energy levels of ^{16}O from $^{16}\text{O}(p, p')^{16}\text{O}^*$

E_x (MeV \pm keV)	
(1955HO1B) ^a	(1969SU03) ^b
6.14 ± 30	6.13 ± 40
	6.92
7.02 ± 30	7.12
8.87 ± 30	8.75 ± 150
9.85 ± 30	9.70 ± 150
10.34 ± 30	10.25 ± 150
11.08 ± 30	
	11.35 ± 100
11.51 ± 30	
12.02 ± 30	
12.53 ± 30	
13.06 ± 30	12.93 ± 100
(13.39 ± 30)	
	13.80 ± 150
	15.15 ± 150
	16.30 ± 150
	17.10 ± 150
	17.70 ± 150
	18.80 ± 150
	19.80 ± 150
	20.35 ± 150
	(22.1 ± 150)

^a $E_p = 19$ MeV.

^b $E_p = 185$ MeV.

58. $^{16}\text{O}(\text{d}, \text{d}')^{16}\text{O}^*$

Angular distribution studies have been carried out for $E_{\text{d}} = 2.0$ to 52 MeV: see Table 16.27 (1960TA08, 1962MA25, 1963CA17, 1963CA1E, 1963CA1F, 1963GA1D, 1963NE1C, 1964NE1D, 1964TE1C, 1966CO24, 1966DU08, 1966GA09, 1966NG1A, 1967AL06, 1967FI07, 1967NE1E, 1968DI06, 1968GA13, 1968HI1B, 1970DA14). See also (1961LO01, 1963DO1B, 1965DI1C) and (1968ME1E, 1969HA1V, 1969IC02; theor.). For polarization studies, see (1969CO12, 1970CO1P) and ^{18}F in (1972AJ02).

59. $^{16}\text{O}(\text{t}, \text{t})^{16}\text{O}$

Angular distributions are reported for $E_{\text{t}} = 6.4$ to 12 MeV: see Table 16.27 (1964PU01, 1965GL04, 1966GL1B). See also (1968HO1C).

60. $^{16}\text{O}({}^3\text{He}, {}^3\text{He})^{16}\text{O}$

Angular distributions have been measured for $E({}^3\text{He}) = 1.9$ to 29 MeV: see Table 16.27 (1961SI09, 1962SE13, 1963AG1A, 1965AL05, 1965AR1E, 1965JI1A, 1965YO1B, 1967HA1F, 1969BR07, 1969NU02, 1969ZU02, 1970MC1F). See also (1966AG1B), (1968HO1C, 1969HO27, 1969RA1B; theor.) and ^{19}Ne in (1972AJ02).

61. (a) $^{16}\text{O}(\alpha, \alpha')^{16}\text{O}^*$

(b) $^{16}\text{O}(\alpha, 2\alpha)^{12}\text{C} \quad Q_{\text{m}} = -7.161$

Inelastic α -groups observed by (1964HA16, 1966HA19) are tabulated in Table 16.29. Angular distributions have been measured for $E_{\alpha} = 5$ to 104 MeV: see Table 16.27 (1959CO70, 1959YA01, 1960AG01, 1962JO14, 1963CR04, 1964BO1E, 1964BU1C, 1964HA16, 1964KO02, 1965BL03, 1965BU05, 1965KO07, 1965KO1A, 1965PR1E, 1965VA11, 1966HA19, 1967BR1F, 1968CE1B, 1968GA1C, 1968HA1D, 1968RE1F, 1968TA1Q, 1969AG06, 1969FE10, 1969HA14, 1969JO18, 1970CO13, 1970FE07). See also (1968FA1A). Angular correlation measurements involving $^{16}\text{O}^*(6.13) [J^{\pi} = 3^-]$ are reported by (1965BL03).

See also (1959FU62, 1963CR01, 1963MI1C, 1963NO1C, 1967JA1G, 1967RE1B), (1959BL31, 1964HO1C, 1965FA1D, 1965JA1D, 1966CE1F, 1966MC20, 1968HI08, 1968RA1C, 1968SH1E, 1969PI02, 1971NO03; theor.) and ^{20}Ne in (1972AJ02).

Reaction (b) proceeds via excited states of ^{16}O : see (1962VA25, 1964DO1C, 1968PA12) and (1970PI1D). See also (1968BA1H; theor.).

Table 16.29: Energy levels of ^{16}O from $^{16}\text{O}(\alpha, \alpha')^{16}\text{O}^*$
(1964HA16, 1966HA19)

E_x^a (MeV)	L	λ	$B(\lambda) \downarrow / e^2$
6.137 ^b	3	E3	90 fm ⁶
6.903	2	E2	7.7 fm ⁴
6.973	1		
8.876 ^b	3 ^c		
9.797			
10.308	e		
11.069			
11.480	e		
11.997	e		
12.492 ^d	e		
12.989 ^d	e		
13.966	e		
14.975	e		

^a ± 50 keV (1964HA16).

^b Used to set energy scale.

^c Weakly excited.

^d Unresolved groups.

^e Angular distribution measured but L -value not assigned.

62. (a) $^{16}\text{O}(^6\text{Li}, ^6\text{Li})^{16}\text{O}$
(b) $^{16}\text{O}(^7\text{Li}, ^7\text{Li})^{16}\text{O}$

The elastic scattering has been studied for $E(^6\text{Li})$ and $E(^7\text{Li}) = 20$ MeV by (1969BE90).

63. (a) $^{16}\text{O}(^9\text{Be}, ^9\text{Be})^{16}\text{O}$
(b) $^{16}\text{O}(^{10}\text{B}, ^{10}\text{B})^{16}\text{O}$
(c) $^{16}\text{O}(^{11}\text{B}, ^{11}\text{B})^{16}\text{O}$

For reaction (a), see (1969KR03). For reaction (b), see (1968OK06, 1969KR03). For reaction (c), see (1968OK06, 1969VO10, 1970SC1G).

64. $^{16}\text{O}(^{12}\text{C}, ^{12}\text{C})^{16}\text{O}$

The elastic scattering has been observed at $E(^{16}\text{O}) = 20$ to 42 MeV (1969VO10), 26.0 to 32.5 MeV (1969KR03), 35 MeV (1967GO1A), 110.9 MeV (1962WI09) and 168 MeV (1964HI09). The excitation of $^{16}\text{O}^*(6.13, 6.92, 7.12)$ is also reported: see (1962WI09, 1963GO27, 1964HI09, 1964NE01). See also (1969BR1D), (1965GR09, 1968MA1J) and (1964KU1D, 1964MC1C, 1966BA2K, 1969KA1G, 1969RO1G; theor.).

65. $^{16}\text{O}(^{14}\text{N}, ^{14}\text{N})^{16}\text{O}$

See (1969JA15, 1970MA1A).

66. $^{16}\text{O}(^{16}\text{O}, ^{16}\text{O})^{16}\text{O}$

The angular distributions of elastically scattered ^{16}O ions have been measured at $E(^{16}\text{O}) = 14$ to 30 MeV (1961BR15), 25 to 63 MeV (1969MA40), and at 140.4 MeV (1962WI09). At the highest energy the angular distribution corresponding to the excitation of ^{16}O to the first four excited states (unresolved) has also been measured (1962WI09). See also (1962RO15). Excitation curves are reported by (1961BR15, 1965CA02, 1967SI1D, 1968PA1V, 1969MA40, 1970SP1E). Very striking structure is observed in the elastic scattering for $E(^{16}\text{O}) = 34$ to 72 MeV: see (1969MA40).

See also (1968BR1D, 1969BR1D, 1969BR1G, 1969GO1L, 1969VO1E, 1970BR1G), and (1967BL1K, 1968BR1K, 1968EL1D, 1968MU1D, 1968SC1F, 1969CH11, 1969RI1B, 1969SC1M, 1970BL1E, 1970CH1V, 1970EC1A, 1970GR1J, 1970PR12, 1970SC1K). For astrophysical considerations, see (1969TR1E).

67. $^{17}\text{O}(\text{p}, \text{d})^{16}\text{O}$ $Q_m = -1.918$

At $E_p = 31$ MeV, angular distributions are reported for the deuterons corresponding to $^{16}\text{O}^*(0, 6.05 + 6.13, 7.12, 8.87, 10.34, 12.97, 13.26)$. States at $E_x = 15.22$ and 15.42 MeV were also observed. Spectroscopic factors were obtained from a DWBA analysis (1970ME01). The strength of the group to $^{16}\text{O}^*(10.34)$ is ≈ 20 times less than predicted by the shell-model wave functions of (1968ZU02) and (1970ME01).

68. $^{17}\text{O}(\text{d}, \text{t})^{16}\text{O}$ $Q_m = 2.115$

Not reported.

$$69. {}^{17}\text{O}({}^3\text{He}, \alpha){}^{16}\text{O} \quad Q_m = 16.435$$

Angular distributions of ground state α -particles have been measured for $E({}^3\text{He}) = 2.7$ to 6.5 MeV (1965WA1D).

$$70. {}^{18}\text{O}(\text{p}, \text{t}){}^{16}\text{O} \quad Q_m = -3.707$$

Angular distributions of tritons have been measured at $E_p = 17.6$ MeV (1961LE1A, 1963LE03; t_0), 18.2 MeV (1967LU05; $t_0, t_{1+2}, t_3, t_4, t_5$) and at 43.7 MeV (1964CE05, 1966CE05). At the higher energy, angular distributions are reported for the tritons corresponding to ${}^{16}\text{O}$ states at $E_x = 0, 9.85, 22.9$ and 24.7 MeV, with $L = 0, 2, 0$ and 2 , respectively. The $E_x = 22.9$ and 24.7 MeV states are presumably the $0^+; T = 2$ and $2^+; T = 2$ analogs of ${}^{16}\text{O}^*(0, 1.75)$, respectively (1964CE05). See also (1965RE1A, 1968BL1G), (1969GA1P) and (1967DO1B, 1969JA1P; theor.).

$$71. {}^{18}\text{O}(\alpha, {}^6\text{He}){}^{16}\text{O} \quad Q_m = -11.219$$

At $E_\alpha = 42$ MeV, angular distributions of the ${}^6\text{He}$ particles corresponding to the ground state of ${}^{16}\text{O}$ and to the (unresolved) states at 6.1 and 7.0 MeV have been measured (1970AR1H).

$$72. {}^{18}\text{O}({}^7\text{Li}, {}^9\text{Li}){}^{16}\text{O} \quad Q_m = -6.104$$

See (1969TO1D).

$$73. {}^{18}\text{O}({}^{12}\text{C}, {}^{14}\text{C}){}^{16}\text{O} \quad Q_m = 0.934$$

See (1968GO1Q).

$$74. {}^{19}\text{F}(\text{p}, \alpha){}^{16}\text{O} \quad Q_m = 8.115$$

$$Q_0 = 8.122 \pm 0.009 \text{ (1967SP09).}$$

Table 16.30: Angular distributions of α -particles in $^{19}\text{F}(p, \alpha)^{16}\text{O}$

E_p (MeV)	Alpha-particle group(s)	Refs.
0.49 – 0.72	α_0	(1959BR67)
2.64 – 3.35	α_0	(1966MO25)
4.26 – 12.00	α_0	(1963WA12)
4.1 – 6.5	α_0	(1960TE03)
6.0 – 7.4	α_0	(1961YA09)
8.0 – 14.2	α_0	(1959OG15)
18.5	α_0	(1956LI37)
22.8	$\alpha_0, \alpha_{1+2}, \alpha_{3+4}$	(1963HO24)
26.7	α_0	(1970GU06)
30.5	α_0	(1967CO05)
38	α_0	(1969GA03)
44.5	α_0	(1966CR05, 1967CR05)

Angular distributions of various α -particle groups have been obtained at many energies: see Table 16.30. Observed excited states are displayed in Table 16.31 (1956SQ1A, 1957YO04, 1965BE1J, 1967CH19, 1967DO1C). In addition to the very accurate γ -ray energies listed in Table 16.31, (1970GA09) report $E_\gamma = 2741.5 \pm 0.5$ keV for the (8.87 \rightarrow 6.13) transition. The E0 transition (6.05 \rightarrow 0; 0⁺ \rightarrow 0⁺) has been investigated in some detail: $E = 6051 \pm 5$ keV (1962NE02), 6052 \pm 4 keV (1963LE06). The internal conversion to pair production ratio is $(4.00 \pm 0.46) \times 10^{-5}$ (1963LE06). See also (1962NE02, 1963GO18). The ratio of double γ -emission to pair production, $\Gamma_{E1E1}/\Gamma_{E0(\pi)} \leq 1.1 \times 10^{-4}$ (1964AL18). Gamma-ray branching ratios and widths for γ -emission have been obtained for many transitions: see Table 16.12 (1960PI04, 1962GO07, 1962GO15, 1963GO31, 1965FU05, 1966LO06, 1967GI07, 1967LO08, 1967PI01, 1968EV03, 1968WI15). For lifetime measurements see Table 16.19 (1954DE36, 1958KO63, 1965AL14, 1967PI01, 1970CO09, 1970GA09).

See also (1959FA1A, 1966MA60), (1959TR1A, 1960GO20, 1960NE15, 1960RI05, 1961BE1E, 1961GO10, 1961GO30, 1961KN02, 1962CO17, 1962FO03, 1962GO08, 1962GO10, 1963BE1J, 1963GO34, 1963ME17, 1963SC33, 1963SU12, 1965BU1E, 1966EV1B, 1966SW01, 1970WI13), and (1961KR1A, 1962TE1B, 1963ED1A, 1965NE1D, 1965OK1A, 1965WA08, 1968HI08, 1969SM1C; theor.). See (1969BA71) for astrophysical considerations. See also (1959AJ76) and ^{20}Ne in (1972AJ02).

75. $^{19}\text{F}(d, n\alpha)^{16}\text{O}$

$Q_m = 5.890$

Table 16.31: ^{16}O levels from $^{19}\text{F}(\text{p}, \alpha)^{16}\text{O}$

E_x (MeV \pm keV)			Γ^a (keV)
(1956SQ1A)	(1957YO04)	(1967CH19) ^b	
0	0		< 20
6.051 \pm 10	6.058 \pm 17		< 20
6.131 \pm 10	6.138 \pm 11	6.13096 \pm 0.28	< 20
6.920 \pm 10	6.926 \pm 11		< 20
7.120 \pm 10	7.122 \pm 11	7.11872 \pm 0.49	< 20
8.874 \pm 12	8.882 \pm 11		< 20
9.852 \pm 12			< 20
10.363 \pm 14			\approx 25 – 30
11.085 \pm 14			\approx 25 – 30

^a (1956SQ1A).

^b From γ -ray measurements: $E_\gamma = 6129.70 \pm 0.28$ and 7117.02 ± 0.49 keV (1967CH19). (1965BE1J) report $E_\gamma = 6127.8 \pm 1.2$ keV (1967DO1C) $E_\gamma = 6129 \pm 2$ keV.

See (1965PE01).

76. $^{19}\text{F}({}^3\text{He}, {}^6\text{Li})^{16}\text{O}$ $Q_m = 4.094$

Angular distributions of the ${}^6\text{Li}$ ions corresponding to the transition to the ground state of ^{16}O have been measured for $E({}^3\text{He}) = 5$ MeV (1968ME13) and at 40.7 MeV (1969OH1B, 1970DE1T).

77. $^{19}\text{F}(\alpha, {}^7\text{Li})^{16}\text{O}$ $Q_m = -9.232$

The angular distribution of the ${}^7\text{Li}$ ions corresponding to $^{16}\text{O}(0)$ has been measured at $E_\alpha = 42$ MeV (1968MI05).

78. (a) $^{20}\text{Ne}(\text{p}, \text{p}\alpha)^{16}\text{O}$ $Q_m = -4.730$

(b) $^{20}\text{Ne}(\alpha, 2\alpha)^{16}\text{O}$ $Q_m = -4.730$

For reaction (a) see (1967CH04, 1969EP1C). For reaction (b) see (1968YA1C).

$$79. {}^{20}\text{Ne}(d, {}^6\text{Li}){}^{16}\text{O} \quad Q_m = -3.257$$

At $E_d = 50$ MeV, strong transitions are reported to ${}^{16}\text{O}^*(0, 6.05 + 6.13, 6.92, 9.85)$. The 4^+ state at $E_x = 10.34$ MeV is very weakly excited (1970DU1E, 1970MC1G).

$$80. {}^{20}\text{Ne}({}^3\text{He}, {}^7\text{Be}){}^{16}\text{O} \quad Q_m = -3.143$$

At $E({}^3\text{He}) = 30$ MeV, angular distributions of ${}^7\text{Be}$ ions [${}^7\text{Be}(0)$ and (1)] associated with the transitions to ${}^{16}\text{O}^*(0, 6.05 + 6.13)$ (1970DE12) are reported. See also (1970DU1E).

$$81. {}^{28}\text{Si}(\alpha, {}^{16}\text{O}){}^{16}\text{O} \quad Q_m = -9.592$$

See (1967VA18).

¹⁶F
(Figs. 4 and 5)

GENERAL: See (1966LE1H, 1967DI1B).

Mass of ¹⁶F: From the Q -value of the $^{14}\text{N}(^3\text{He}, \text{n})^{16}\text{F}$ reaction [$Q_0 = -969 \pm 14$ keV (1965ZA01, 1968AD03)] and the (1965MA54) masses for ^{14}N , ^3He and n , the mass excess of ^{16}F is 10.693 ± 0.014 MeV. ^{16}F is then unstable with respect to proton emission by 0.544 MeV. The binding energies of a deuteron, a ^3He particle and an α -particle in ^{16}F are, respectively, 10.451, 9.584 and 9.074 MeV. (1966KE16) predict $M - A = 11.204$ from the isobaric multiplet mass equation [the difference between this value and the experimentally observed mass excess is due to a Thomas-Ehrman shift of the unbound ^{16}F ground state]. See also the general discussion in (1969GA1G) and (1964GA1C, 1966GA25).

1. $^{14}\text{N}(^3\text{He}, \text{n})^{16}\text{F}$ $Q_m = -0.969$
 $Q_0 = -0.970 \pm 0.015$ (1968AD03);
 $Q_0 = -0.963 \pm 0.040$ (1965ZA01).

Observed neutron groups are displayed in Table 16.33 (1965ZA01, 1968AD03). Angular distributions of the neutrons corresponding to $^{16}\text{F}^*(0, 0.43, 0.72)$ have been measured at $E(^3\text{He}) = 3.5$ MeV. The widths of the first four states of ^{16}F (see Table 16.33) [and comparison with the analog states in ^{16}N , ^{16}O] suggest that J^π for $^{16}\text{F}^*(0, 0.24, 0.43, 0.71)$ are $(0^-, 2^-, 1^-$ and 3^- , respectively) [see, however, reaction 3] (1965ZA01). See also (1960BO1B, 1964BR13).

2. $^{16}\text{O}(\text{p}, \text{n})^{16}\text{F}$ $Q_m = -16.212$
 $Q_0 = -16.4 \pm 0.2$ (1965GR15).

At $E_p = 30$ and 50 MeV, neutron groups are reported to eight excited states of ^{16}F with $E_x \lesssim 19.5$ MeV, including two states at $E_x = 4.20 \pm 0.05$ and 6.16 ± 0.05 MeV (1965GR15). See also (1970WI1B).

3. $^{16}\text{O}(^3\text{He}, \text{t})^{16}\text{F}$ $Q_m = -15.448$

Triton groups observed at $E(^3\text{He}) = 40.2$ MeV are displayed in Table 16.33. The angular distributions of the tritons to $^{16}\text{F}^*(0, 0.24)$ are similar, as are those of the tritons to $^{16}\text{F}^*(0.43, 0.71)$: comparison with analog states in ^{16}N , ^{16}O then suggests $J^\pi = 0^-, 1^-, 2^-$ and 3^- , respectively, for these states (1965PE04). See also (1966TO04; theor.) and (1965RI1C, 1967HA1Q).

Table 16.32: Energy levels of ^{16}F

E_x (MeV \pm keV)	$J^\pi; T$	Γ (keV)	Decay	Reactions
0	$(0^-); 1$	50 ± 30	p	1, 2, 3
0.236 ± 29		< 40		1, 3
0.425 ± 14		40 ± 30	p	1, 3
0.714 ± 14	(3^-)	< 15		1, 3
3.78 ± 60		< 40		1, 3
4.25 ± 50				2, 3
5.45 ± 50				3
5.9 ± 50				2, 3
6.4 ± 50				2, 3

Table 16.33: ^{16}F levels from $^{14}\text{N}(^3\text{He}, n)^{16}\text{F}$ and $^{16}\text{O}(^3\text{He}, t)^{16}\text{F}$

$^{16}\text{F}^*$ ^a (MeV \pm keV)	$^{16}\text{F}^*$ ^b (MeV \pm keV)	Γ ^b (keV)	$^{16}\text{F}^*$ ^c (MeV \pm keV)
0	0	50 ± 30	0
0.253 ± 35	0.20 ± 50	< 40	d
0.422 ± 15	0.436 ± 30	40 ± 30	d
0.711 ± 15	0.736 ± 40	< 15	d
	3.78 ± 60	< 40	d
			4.25 ± 50
			5.45 ± 50
			5.9 ± 50
			6.4 ± 50

^a $^{14}\text{N}(^3\text{He}, n)^{16}\text{F}$: (1968AD03).

^b $^{14}\text{N}(^3\text{He}, n)^{16}\text{F}$: (1965ZA01).

^c $^{16}\text{O}(^3\text{He}, t)^{16}\text{F}$: (1965PE04).

^d These states were observed but E_x was not determined.

^{16}Ne
(Fig. 5)

^{16}Ne has not been observed. The isobaric multiplet mass equation predicts $M - A = 25.15 \pm 0.6$ MeV (1968CE1A): ^{16}Ne is then unbound with respect to breakup into $^{14}\text{O} + 2\text{p}$ by 2.6 MeV. See also (1960GO1B, 1960GO1D, 1961BA1C, 1961GO1D, 1962GO1B, 1962GO28, 1964GA1C, 1965JA1C, 1966KE16). A search has been made for the two-proton decay of ^{16}Ne in the bombardment of nickel by 150 MeV ^{20}Ne ions: the cross section is either $\leq 1.8 \mu\text{b}$ (if $E_{\text{pp}} > 1$ MeV and $\tau(^{16}\text{Ne}) \geq 10^{-8}$ sec), or else $\tau(^{16}\text{Ne}) < 10^{-8}$ sec (1964KA28). See also (1965GO1D, 1966GO1B, 1966LE1H, 1970WA1G).

References

(Closed 30 November 1970)

References are arranged and designated by the year of publication followed by the first two letters of the first-mentioned author's name and then by two additional characters. Most of the references appear in the National Nuclear Data Center files (Nuclear Science References Database) and have NNDC key numbers. Otherwise, TUNL key numbers were assigned with the last two characters of the form 1A, 1B, etc. In response to many requests for more informative citations, we have, when possible, included up to ten authors per paper and added the authors' initials.

- 1947BL1A Bleuler, Scherrer, Walter and Zunti, *Helv. Phys. Acta* 20 (1947) 96
- 1948JE03 J.V. Jelley and E.B. Paul, *Proc. Cambridge Phil. Soc.* 44 (1948) 133
- 1952SC1B A. Schardt, W.A. Fowler, C.C. Lauritsen, *Phys. Rev.* 86 (1952) 527.
- 1953HI1A Hill, *Phys. Rev.* 90 (1953) 845
- 1953MI31 C.H. Millar and A.G.W. Cameron, *Can. J. Phys.* 31 (1953) 723
- 1953WI1A Wilkinson, *Phil. Mag.* 44 (1953) 450
- 1954BI1A Bittner and Moffat, *Phys. Rev.* 96 (1954) 374
- 1954DE36 S. Devons, G. Goldring and G.R. Lindsey, *Proc. Phys. Soc. (London)* A67 (1954) 134
- 1954MA1B Martin, *Phys. Rev.* 93 (1954) 498
- 1955HO1B Hornyak and Sherr, *Phys. Rev.* 100 (1955) 1409
- 1955RA1B Rasmussen, Miller and Sampson, *Phys. Rev.* 100 (1955) 181
- 1956BA1A Baumgartner et al., *Helv. Phys. Acta* 29 (1956) 255
- 1956BO61 T.W. Bonner, A.A. Kraus, Jr., J.B. Marion and J.P. Schiffer, *Phys. Rev.* 102 (1956) 1348
- 1956DO37 R.A. Douglas, B.R. Gasten and A. Mukerji, *Can. J. Phys.* 34 (1956) 1097
- 1956LI37 J.G. Likely and F.P. Brady, *Phys. Rev.* 104 (1956) 118
- 1956SC01 J.P. Schiffer, T.W. Bonner, R.H. Davis and F.W. Prosser, Jr., *Phys. Rev.* 104 (1956) 1064
- 1956SQ1A Squires, Bockelman and Buechner, *Phys. Rev.* 104 (1956) 413
- 1956WI1A Wilkinson, Toppel and Alburger, *Phys. Rev.* 101 (1956) 673
- 1956WI1D Wilkinson, *Phil. Mag.* 1 (1956) 379
- 1956ZI1A Zimmerman, *Phys. Rev.* 104 (1956) 387
- 1957BE61 R.D. Bent and T.H. Kruse, *Phys. Rev.* 108 (1957) 802
- 1957EL1B Elliott and Flowers, *Proc. Roy. Soc.* A242 (1957) 57
- 1957FR56 J.M. Freeman and R.C. Hanna, *Nucl. Phys.* 4 (1957) 599

1957HA1A Hagedorn, Phys. Rev. 108 (1957) 735
 1957HA1B Hagedorn and Marion, Phys. Rev. 108 (1957) 1015
 1957IL1A Illsley, Holmgren, Johnston and Wolicki, Phys. Rev. 107 (1957) 538
 1957JO20 S.A.E. Johansson and B. Forkman, Ark. Fys. 12 (1957) 359
 1957MC35 J.H. McCrary, T.W. Bonner and W.A. Ranken, Phys. Rev. 108 (1957) 392
 1957NO17 E. Norbeck, Jr. and C.S. Littlejohn, Phys. Rev. 108 (1957) 754
 1957SW17 C.P. Swann and F.R. Metzger, Phys. Rev. 108 (1957) 982
 1957WA01 E.K. Warburton and J.N. McGruer, Phys. Rev. 105 (1957) 639
 1957WA1B Wakatsuki, Hirao, Okada and Miura, J. Phys. Soc. Jpn. 12 (1957) 1178
 1957WE1A Weil, Jones and Lidofsky, Phys. Rev. 108 (1957) 800
 1957WI1B Wilkinson, Phys. Rev. 105 (1957) 686
 1957WI1E Winterberg, Z. Naturforsch. A12 (1957) 271
 1957YO04 T.E. Young, G.C. Phillips and R.R. Spencer, Phys. Rev. 108 (1957) 72
 1958AL13 D.E. Alburger, Phys. Rev. 111 (1958) 1586
 1958AL1D Alkhazov, Gangpskii and Lemberg, JETP (Sov. Phys.) 6 (1958) 892
 1958DA1A Dabrowski, Bull. Acad. Polon. Sci. 6 (1958) 635
 1958DU06 B. Duelli and L. Hoffmann, Z. Naturforsch. A13 (1958) 204
 1958HU18 D.J. Hughes and R.B. Schwartz, BNL-325, 2nd Ed. (1958); BNL-325, 2nd Ed., Suppl. I (1960)
 1958JO28 K.W. Jones, L.J. Lidofsky and J.L. Weil, Phys. Rev. 112 (1958) 1252
 1958KO63 D. Kohler and H.H. Hilton, Phys. Rev. 110 (1958) 1094
 1958MA1A Maikov, Zh. Eksp. Teor. Fiz. 34 (1958) 1406; JETP (Sov. Phys.) 7 (1958) 973
 1958WE1C Weil, CU-180 (1958)
 1958WE31 J.L. Weil and K.W. Jones, Phys. Rev. 112 (1958) 1975
 1959AJ76 F. Ajzenberg and T. Lauritsen, Nucl. Phys. 11 (1959) 1
 1959AL06 D.E. Alburger, A. Gallmann and D.H. Wilkinson, Phys. Rev. 116 (1959) 939
 1959AL1H Alkhazov et al., Izv. Akad. Nauk SSSR Ser. Fiz. 23 (1959) 1466
 1959BA15 S. Bashkin, R.R. Carlson and R.A. Douglas, Phys. Rev. 114 (1959) 1543
 1959BL31 J.S. Blair, Phys. Rev. 115 (1959) 928
 1959BR1E Brink and Kerman, Nucl. Phys. 12 (1959) 314
 1959BR67 G. Breuer, Z. Phys. 154 (1959) 339

- 1959BR68 D.A. Bromley, H.E. Gove, J.A. Kuehner, A.E. Litherland and E. Almqvist, Phys. Rev. 114 (1959) 758
- 1959BR69 P. Brix and E.K. Maschke, Z. Phys. 155 (1959) 109
- 1959CA1A Cameron, Bull. Amer. Phys. Soc. 4 (1959) 247
- 1959CA1B Cameron, Astrophys. J. 130 (1959) 452
- 1959CA1C Carroll, Thesis, Univ. of Pennsylvania (1959)
- 1959CO1C Cohen, Fisher and Warburton, Phys. Rev. Lett. 3 (1959) 433; Erratum Phys. Rev. Lett. 4 (1960) 92
- 1959CO70 J.C. Corelli, E. Bleuler and D.J. Tendam, Phys. Rev. 116 (1959) 1184
- 1959ED1A Eden, Emery and Sampanthar, Proc. Roy. Soc. A253 (1959) 186
- 1959EG1C Egardt, Nucl. Phys. 12 (1959) 84
- 1959EG20 L. Egardt, Nucl. Phys. 11 (1959) 349
- 1959EG21 L. Egardt, and S.O. Lundqvist, Ark. Fys. 15 (1959) 237
- 1959EH1A Ehpenberg et al., Phys. Rev. 113 (1959) 666
- 1959EL41 J.O. Elliot and F.C. Young, Nucl. Sic. Eng. 5 (1959) 55
- 1959FA1A Fagg and Hanna, Rev. Mod. Phys. 31 (1959) 711
- 1959FA1B Fallieros, Unpublished Thesis, Univ. of Maryland (1959)
- 1959FA1C Fallieros and Ferrell, Phys. Rev. 116 (1959) 660
- 1959FE1A Ferrell, Bull. Amer. Phys. Soc. 4 (1959) 59
- 1959FI30 G.E. Fischer and V.K. Fischer, Phys. Rev. 114 (1959) 533
- 1959FU62 H.W. Fulbright, N.O. Lassen and N.O.R. Poulsen, Kgl. Dan. Vid. Selsk. Mat. Fys. Medd. 31, No. 10 (1959)
- 1959GL57 N.K. Glendenning, Phys. Rev. 114 (1959) 1297
- 1959GO84 P. Goldhammer, Phys. Rev. 116 (1959) 676
- 1959HO95 D.J. Hooton and G.R. Allcock, Proc. Phys. Soc. (London) A73 (1959) 881
- 1959HU17 C. Hu, K. Kikuchi, S. Kobayashi, K. Matsuda, Y. Nagahara, Y. Oda, N. Takano, M. Takeda and T. Yamazaki, J. Phys. Soc. Jpn. 14 (1959) 861
- 1959KI89 H. King and L. Katz, Can. J. Phys. 37 (1959) 1357
- 1959KO60 E. Kondaiah, C. Badrinathan and K.V.K. Iyengar, Nucl. Phys. 9 (1959) 561
- 1959KU78 J.A. Kuehner, A.E. Litherland, E. Almqvist, D.A. Bromley and H.E. Gove, Phys. Rev. 114 (1959) 775
- 1959MD1A Mdivani and Gacheshiladze, Zh. Eksp. Teor. Fiz. 36 (1959) 1591; JETP (Sov. Phys.) 9 (1959) 1131

- 1959ME24 U. Meyer-Berkhout, K.W. Ford and A.E.S. Green, *Ann. Phys. (N.Y.)* 8 (1959) 119
- 1959MI1B Milone and Rubbing, *Nuovo Cim.* 13 (1959) 1035
- 1959MI89 C. Milone, *Phys. Rev. Lett.* 3 (1959) 43
- 1959NO40 E. Norbeck, J.M. Blair, L. Pinsonneault and R.J. Gerbracht, *Phys. Rev.* 116 (1959) 1560
- 1959OG15 H. Ogata, *J. Phys. Soc. Jpn.* 14 (1959) 707
- 1959PA1A Pal, Fallieros and Ferrell, *Bull. Amer. Phys. Soc.* 4 (1959) 229
- 1959PE21 A.S. Penfold and E.L. Garwin, *Phys. Rev.* 114 (1959) 1324
- 1959PE24 A.S. Penfold and E.L. Garwin, *Phys. Rev.* 115 (1959) 420
- 1959PE32 A.S. Penfold and E.L. Garwin, *Phys. Rev.* 116 (1959) 120
- 1959PR73 W.W. Pratt and R.G. Cochran, *Phys. Rev.* 116 (1959) 1578
- 1959PU1A Pujara and Gatha, *Indian J. Phys.* 33 (1959) 243
- 1959SA08 D. Sadeh, *Compt. Rend.* 249 (1959) 2313
- 1959SC30 L. Schellenberg, E. Baumgartner, P. Huber and F. Seiler, *Helv. Phys. Acta* 32 (1959) 357
- 1959TA1A Tanner, Thomas and Meyerhof, *Nuovo Cim.* 14 (1959) 257
- 1959TR1A Trail and Raboy, *Bull. Amer. Phys. Soc.* 4 (1959) 220
- 1959VA04 A.K. Valter, V.Y. Gonchar, A.N. Lvov and S.P. Tsitko, *Izv. Akad. Nauk SSSR Ser. Fiz.* 23 (1959) 228; *Columbia Tech. Transl.* 23 (1960) 219
- 1959YA01 A.I. Yavin and G.W. Farwell, *Nucl. Phys.* 12 (1959) 1
- 1959ZE1A Zeidman and Yntema, *Nucl. Phys.* 12 (1959) 298
- 1959ZI18 W. Zimmermann, Jr., *Phys. Rev.* 114 (1959) 867
- 1960AG01 J. Aguilar, W.E. Burcham, J. Catala, J.B.A. England, J.S.C. McKee and J. Rotblat, *Proc. Roy. Soc.* A254 (1960) 395
- 1960BA25 R. Barjon, M. Lambert and J. Schmouker, *J. Phys. Rad.* 21 (1960) 356
- 1960BO1B Bonner, David, Din and Kuan, *Proc. Int. Conf. on Nucl. Struct., Kinston* (1960)
- 1960CA09 E.E. Carroll, Jr. and W.E. Stephens, *Phys. Rev.* 118 (1960) 1256
- 1960DE1A Deshpande and Kelkar, *Current Sci. (India)* 29 (1960) 385
- 1960EL04 A.J. Elwyn, J.V. Kane, S. Ofer and R. Pixley, *Phys. Rev.* 120 (1960) 2207
- 1960EV1A Everling, *Z. Naturforsch.* A15 (1960) 84
- 1960GE06 K.N. Geller, J. Halpern and E.G. Muirhead, *Phys. Rev.* 119 (1960) 716
- 1960GE1B Gerbracht and Youtz, *Phys. Rev.* 120 (1960) 1738
- 1960GO1B Goldansky, *Nucl. Phys.* 19 (1960) 482

1960GO1D Goldanskii, Zh. Eksp. Teor. Fiz. 39 (1960) 497; JETP (Sov. Phys.) 12 (1961) 348
 1960GO20 S. Gorodetzky, G. Sutter, F. Scheibling, P. Chevallier and R. Armbruster, J. Phys. Rad. 21 (1960) 360
 1960HE02 D.F. Hebbard, Nucl. Phys. 15 (1960) 289
 1960IN1A Inopin and Tishchenko, Zh. Eksp. Teor. Fiz. 38 (1960) 1150; JETP (Sov. Phys.) 11 (1960) 840
 1960IN1B Inopin, Ukr. Fiz. Zh. (USSR) 5 (1960) 744; Phys. Abs. 8011 (1962)
 1960IS04 D. Isabelle and G. Bishop, Compt. Rend. 251 (1960) 697
 1960JA1F Jancovici, Nucl. Phys. 21 (1960) 256
 1960KA1E Karadzhev and Man'ko, Zh. Eksp. Teor. Fiz. 39 (1960) 416; JETP (Sov. Phys.) 12 (1961) 294
 1960KO09 S. Kobayashi, J. Phys. Soc. Jpn. 15 (1960) 1164
 1960LA03 H. Langevin-Joliot, N. Marty and M.X. de Bouard, J. Phys. Rad. 21 (1960) 320
 1960MA43 K. Matsuda, Proc. Int. Conf. on Nucl. Struct., Kingston, Canada; Eds. D.A. Bromley and E.W. Vogt (Univ. of Toronto Press, 1960) 228
 1960ME02 R.E. Meads and J.E.G. McIlwodie, Proc. Phys. Soc. (London) 75 (1960) 257
 1960MO18 S. Morita, N. Kawai, Y. Goto, T. Maki and M. Mukae, J. Phys. Soc. Jpn. 15 (1960) 2170
 1960NE15 M. Nessin, CU (Pnpl)-201 (1960), Ph.D. Thesis
 1960NO1A Norbeck, Bull. Amer. Phys. Soc. 5 (1960) 476
 1960PE1A Perey, Proc. Int. Conf. on Nucl. Struct., Kingston (1960)
 1960PI04 R.E. Pixley, J.V. Kane and D.H. Wilkinson, Phil. Mag. 5 (1960) 359
 1960PR13 J.R. Priest, D.J. Tendam and E. Bleuler, Phys. Rev. 119 (1960) 1301
 1960RA1A Raz, Phys. Rev. 120 (1960) 169
 1960RE05 K. Reibel and A.K. Mann, Phys. Rev. 118 (1960) 701
 1960RE07 T. Retz-Schmidt and J.L. Weil, Phys. Rev. 119 (1960) 1079
 1960RI05 J. Rickards, Rev. Mex. Fis. 9 (1960) 35
 1960RO1C Roth and Wildermuth, Nucl. Phys. 20 (1960) 10
 1960SA01 D. Sadeh, Phys. Rev. Lett. 4 (1960) 75
 1960SA1C Sakamoto, Prog. Theor. Phys. 23 (1960) 183
 1960SA1E Sakamoto, Prog. Theor. Phys. 23 (1960) 382
 1960SA1F Sakamoto, Prog. Theor. Phys. 24 (1960) 81
 1960SH01 S.M. Shafroth, Bull. Amer. Phys. Soc. 5 (1960) 55, RA1

- 1960SH1A Sheline and Wildermuth, Nucl. Phys. 21 (1960) 196
- 1960SI03 C.P. Sikkema, Physica 26 (1960) 379
- 1960SI12 C.P. Sikkema and R. Van Wageningen, Proc. Int. Conf. on Nucl. Struct., Kingston, Canada; Eds. D.A.Bromley and E.W.Vogt (University of Toronto Press, 1960) p. 513
- 1960TA08 M. Takeda, J. Phys. Soc. Jpn. 15 (1960) 557
- 1960TA1C Talmi and Unna, Ann. Rev. Nucl. Sci. 10 (1960) 353
- 1960TA1E Tauber and Wu, Proc. Int. Conf. on Nucl. Struct., Kingston (1960)
- 1960TE03 I.B. Teplov, O.P. Shevchenko and E.K. Ruuge, Zh. Eksp. Teor. Fiz. 39 (1960) 923; JETP (Sov. Phys.) 12 (1961) 640
- 1960WA15 T. Wakatsuki, Y. Hirao, E. Okada, I. Miura, K. Sugimoto and A. Mizobuchi, J. Phys. Soc. Jpn. 15 (1960) 1141
- 1960WY1A Wyckoff and Koch, Phys. Rev. 117 (1960) 1261
- 1960ZE03 Ya.B. Zeldovich, Zh. Eksp. Teor. Fiz. 38 (1960) 1123; JETP (Sov. Phys.) 11 (1960) 812
- 1960ZI01 B. Ziegler, Nucl. Phys. 17 (1960) 238
- 1960ZI1B Zirianova, Izv. Akad. Nauk SSSR Ser. Fiz. 23 (1960) 875
- 1961AL05 D.E. Alburger, R.E. Pixley and D.H. Wilkinson, Phil. Mag. 6 (1961) 171
- 1961AS1B Ashe, McGrary, Morgan and Prud'Homme, Bull. Amer. Phys. Soc. 6 (1961) 61
- 1961BA1C Baz, Goldanskii and Zeldovich, Sov. Phys. Uspekhi 3 (1961) 729
- 1961BA1D Badalyan and Baz, Zh. Eksp. Teor. Fiz. 40 (1961) 549; JETP (Sov. Phys.) 13 (1961) 383
- 1961BA1E Balashov, Neudachin and Smirnov, Izv. Akad. Nauk SSSR Ser. Fiz. 25 (1961) 170; Bull. Acad. Sci. USSR Phys. 25 (1961) 165
- 1961BA1F Barker, Phys. Rev. 122 (1961) 572
- 1961BE1E Beckner, Jones and Philips, Phys. Rev. 123 (1961) 255
- 1961BR15 D.A. Bromley, J.A. Kuehner and E. Almqvist, Phys. Rev. 123 (1961) 878
- 1961BR1B Brown, Castilleje and Evans, Nucl. Phys. 32 (1961) 1
- 1961BR28 P. Brix, H. Fuchs, K.H. Lindenberger and C. Salander, Z. Phys. 165 (1961) 485
- 1961CH14 R. Chiba, Phys. Rev. 123 (1961) 1316
- 1961CO02 S.G. Cohen, P.S. Fisher and E.K. Warburton, Phys. Rev. 121 (1961) 858
- 1961DE08 V.W. Deshpande, J.K. Verba and H.W. Fulbright, Bull. Amer. Phys. Soc. 6 (1961) 368, S6
- 1961DO08 W.R. Dodge, Thesis, Stanford Univ. (1961); HEPL-246 (1961); Nucl. Sci. Abstr. 16, 750, Abstr. 5921 (1962)

1961FA1A Fallieros, Nucl. Phys. 26 (1961) 594
1961FE02 A.J. Ferguson and G.J. McCallum, Bull. Amer. Phys. Soc. 6 (1961) 235, DA1, and Private Communication (1961)
1961FI04 E. Finckh and U. Hegel, Z. Phys. 162 (1961) 154
1961GO10 S. Gorodetzky, G. Sutter, R. Armbruster, P. Chevallier, P. Mennrath, F. Scheibling and J. Yoccoz, Phys. Rev. Lett. 7 (1961) 170
1961GO1D Golsansky, Nucl. Phys. 27 (1961) 648
1961GO30 S. Gorodetzky, G. Sutter, R. Armbruster, P. Chevallier, P. Mennrath, F. Scheibling and J. Yoccoz, J. Phys. Rad. 22 (1961) 688
1961HE06 U. Hegel and E. Finckh, Z. Phys. 162 (1961) 142
1961HI01 S. Hinds, R. Middleton, A.E. Litherland and D.J. Pullen, Phys. Rev. Lett. 6 (1961) 113
1961HI09 H.A. Hill, E.L. Haase and D.B. Knudsen, Phys. Rev. 123 (1961) 1301
1961IS03 T. Ishimatsu, J. Phys. Soc. Jpn. 16 (1961) 1529
1961IS06 D.B. Isabelle and G.R. Bishop, J. Phys. Rad. 22 (1961) 548
1961JA14 N. Jarmie, M.G. Silbert and D.B. Smith, Nucl. Phys. 25 (1961) 443
1961JA23 A. Jaidar, G. Lopez, M. Mazari and R. Dominguez, Rev. Mex. Fisica 10 (1961) 247
1961JO07 R.G. Johnson, L.F. Chase, Jr. and F.J. Vaughn, Bull. Amer. Phys. Soc. 6 (1961) 236, DA8
1961JO13 W.M. Jones, D.G. Waters and V.M. Rout, Nucl. Phys. 26 (1961) 203
1961JO24 R.G. Johnson, L.F. Chase, Jr. and F.J. Vaughn, Proc. Rutherford Jub. Int. Conf., Manchester, England; Ed. J.B. Birks (Academic Press Inc., New York, 1961) 591
1961KA05 N. Kawai, J. Phys. Soc. Jpn. 16 (1961) 157
1961KA06 W. Kaufmann and H. Waffler, Nucl. Phys. 24 (1961) 62
1961KE02 L. Keszthelyi, I. Berkes, I. Demeter and I. Fodor, Nucl. Phys. 23 (1961) 513
1961KN02 A. Knipper, Ann. Phys. 6 (1961) 211
1961KO02 O.C. Kolar, Phys. Rev. 122 (1961) 139
1961KR1A Kromminga and McCarthy, Nucl. Phys. 24 (1961) 36
1961LA09 F. Lacoste and G.R. Bishop, Nucl. Phys. 26 (1961) 511
1961LE1A Legg, Unpublished Thesis, Princeton Univ. (1961)
1961LO01 C.A. Low, Jr. and K.S. Quisenberry, Bull. Amer. Phys. Soc. 6 (1961) 249, GA7
1961LO10 G. Lopez and O. Almen, Rev. Mex. Fis. 10 (1961) 239
1961MI03 T. Mikumo, J. Phys. Soc. Jpn. 16 (1961) 1066

1961RO1C Roalsvig, Gupta and Hasiam, *Can. J. Phys.* 39 (1961) 663
 1961RO1D Rozsnyai, *Phys. Rev.* 124 (1961) 860
 1961SA01 A. Sayres, D. Lister and D. Lightbody, *Bull. Amer. Phys. Soc.* 6 (1961) 26, I11
 1961SA1B Sakamoto, *Nucl. Phys.* 25 (1961) 687
 1961SA1C Sawicki and Soda, *Nucl. Phys.* 28 (1961) 270
 1961SE01 R.E. Segel, J.W. Olness and E.L. Sprenkel, *Phil. Mag.* 6 (1961) 163
 1961SH18 K. Shoda, *J. Phys. Soc. Jpn.* 16 (1961) 1841
 1961SI04 M.G. Silbert, N. Jarmie and D.B. Smith, *Nucl. Phys.* 25 (1961) 438
 1961SI09 E.A. Silverstein, S.R. Salisbury, G. Hardie and L.D. Oppliger, *Phys. Rev.* 124 (1961) 868
 1961SJ1B Sjogren and Sawa, *Ark. Fys.* 19 (1961) 417
 1961SU17 M. Suffert, D. Magnac-Valette and J. Yoccoz, *J. Phys. Rad.* 22 (1961) 565
 1961SW1A Swami, *Indian J. Phys.* 35 (1961) 170
 1961TA06 A.E. Taylor and E. Wood, *Nucl. Phys.* 25 (1961) 642
 1961TR1B True and Warburton, *Nucl. Phys.* 22 (1961) 426
 1961WE01 R. Weinberg, H. Dieselman, C. Nissim-Sabat and L.J. Lidofsky, *Bull. Amer. Phys. Soc.* 6 (1961) 26, I10
 1961WO03 C. Wong, J.D. Anderson, S.D. Bloom, J.W. McClure and B.D. Walker, *Phys. Rev.* 123 (1961) 598
 1961YA09 S. Yamashita, *J. Phys. Soc. Jpn.* 16 (1961) 2378
 1961YO1A Yoccoz, *J. Phys. Rad.* 22 (1961) 685
 1962AL09 R.G. Allas, T.H. Braid, L.L. Lee, Jr. and J.P. Schiffer, *Bull. Amer. Phys. Soc.* 7 (1962) 411, S1
 1962BA1C Barker and Treacy, *Nucl. Phys.* 38 (1962) 33
 1962BA1D Barber, *Ann. Rev. Nucl. Sci.* 12 (1962) 1
 1962BA1E Bauer and Ferrell, *Bull. Amer. Phys. Soc.* 7 (1962) 347
 1962BA1F Barker, *Nucl. Phys.* 31 (1962) 535
 1962BA1H Balashov, *Izv. Akad. Nauk SSSR Ser. Fiz.* 26 (1962) 1458
 1962BA58 V.V. Balashov, *Zh. Eksp. Teor. Fiz.* 43 (1962) 2199; *JETP (Sov. Phys.)* 16 (1963) 1553
 1962BE36 R. Berenbaum and M. Umezawa, *Nucl. Phys.* 39 (1962) 177
 1962BI01 O.M. Bilaniuk and W.P. Alford, *Bull. Amer. Phys. Soc.* 7 (1962) 71, V1
 1962BI09 G.R. Bishop, B. Grossetete and J.C. Risset, *J. Phys. Rad.* 23 (1962) 31
 1962BI12 G.R. Bishop and D.B. Isabelle, *Phys. Lett.* 1 (1962) 323

- 1962BI19 G.R. Bishop and D.B. Isabelle, Phys. Lett. 3 (1962) 74
- 1962BL13 J.M. Blair and R.K. Hobbie, Phys. Rev. 128 (1962) 2282
- 1962BO1D Bolen and Whitehead, Phys. Rev. Lett. 9 (1962) 458
- 1962BR16 H. Breuer and W. Pohlit, Nucl. Phys. 30 (1962) 417
- 1962BU23 N.A. Burgov, G.V. Danilyan, B.S. Dolbilkin, L.E. Lazareva and F.A. Nikolaev, Zh. Eksp. Teor. Fiz. 43 (1962) 70; JETP (Sov. Phys.) 16 (1963) 50
- 1962CA03 R.D. Carpenter, L.R. Mentillo and E. Bleuler, Phys. Rev. 125 (1962) 282
- 1962CE01 J. Cerny, B.G. Harvey and R.H. Pehl, Nucl. Phys. 29 (1962) 120
- 1962CH14 L.F. Chase, Jr., R.G. Johnson, F.J. Vaughn and E.K. Warburton, Phys. Rev. 127 (1962) 859
- 1962CL02 C.F. Clement, Bull. Amer. Phys. Soc. 7 (1962) 71, V2
- 1962CO17 C.F. Coleman, P.E. Cavanagh, B.W. Ridley and J.F. Turner, Conf. Low Energy Nucl. Phys. Harwell, AERE-R-4131, 8, 3.3; Sept. 1962 (1962)
- 1962DE01 F. Demanins, G. Pisent, G. Poiani and C. Villi, Phys. Rev. 125 (1962) 318
- 1962DE03 W.E. Del Bianco and W.E. Stephens, Phys. Rev. 126 (1962) 709
- 1962DE09 G. Dearnaley, D.S. Gemmell, B.W. Hooton and G.A. Jones, Phys. Lett. 1 (1962) 269
- 1962DO1A Dodge and Barber, Phys. Rev. 127 (1962) 1746
- 1962ED02 R.D. Edge and G.A. Peterson, Phys. Rev. 128 (1962) 2750
- 1962FI04 F.W.K. Firk and K.H. Lokan, Phys. Rev. Lett. 8 (1962) 321
- 1962FO03 K.J. Foley, G.L. Salmon and A.B. Clegg, Nucl. Phys. 31 (1962) 43
- 1962FU11 H. Fuchs, D. Haag, K.H. Lindenberger and U. Meyer-Berkhout, Z. Naturforsch. A17 (1962) 439
- 1962GI02 V. Gillet and N. Vinh Mau, Phys. Lett. 1 (1962) 25
- 1962GO07 G. Goldring and B. Rosner, Phys. Lett. 1 (1962) 9
- 1962GO08 S. Gorodetzky, P. Mennrath, P. Chevallier, F. Scheibling and G. Sutter, Phys. Lett. 1 (1962) 14
- 1962GO10 S. Gorodetzky, P. Mennrath, P. Chevallier, F. Scheibling and G. Sutter, Phys. Lett. 1 (1962) 116
- 1962GO15 S. Gorodetzky, P. Mennrath, W. Benenson, P. Chevallier, F. Scheibling and G. Sutter, Phys. Lett. 2 (1962) 43
- 1962GO1B Golsanskii, Dokl. Akad. Nauk SSSR 146 (1962) 1309
- 1962GO1E Gorbunov et al., Zh. Eksp. Teor. Fiz. 42 (1962) 747; JETP (Sov. Phys.) 15 (1962) 520
- 1962GO1J Gorshkov, Zyabkin and Tsvetkov, Atomn. Energ. (USSR) 13 (1962) 65
- 1962GO21 S. Gorodetzky, P. Fintz and A. Gallmann, Compt. Rend. 255 (1962) 879

- 1962GO27 A.N. Gorbunov and V.A. Osipova, Zh. Eksp. Teor. Fiz. 43 (1962) 40; JETP (Sov. Phys.) 16 (1962) 27
- 1962GO28 V.I. Goldanski, Nuovo Cim. Suppl. 25 (1962) 123
- 1962HA40 B.G. Harvey, J. Cerny, R.H. Pehl and E. Rivet, Nucl. Phys. 39 (1962) 160
- 1962IK01 K. Ikeda, T. Marumori and K. Takada, Prog. Theor. Phys. 27 (1962) 1077
- 1962IN1A Inglis, Rev. Mod. Phys. 34 (1962) 165
- 1962IS02 T. Ishimatsu, T. Nakashima, N. Kato and S. Morita, J. Phys. Soc. Jpn. 17 (1962) 1189
- 1962JO09 C.M. Jones, G.C. Phillips, R.W. Harris and E.H. Beckner, Nucl. Phys. 37 (1962) 1
- 1962JO14 J.C. Jodogne, P.C. Macq and J. Steyaert, Phys. Lett. 2 (1962) 325
- 1962KO19 A.P. Komar, A.V. Kulikov, V.P. Chizhov, I.P. Yavor and Y.M. Volkov, Zh. Eksp. Teor. Fiz. 43 (1962) 1657; JETP (Sov. Phys.) 16 (1963) 1168
- 1962LA1D Lane, Nucl. Phys. 35 (1962) 676
- 1962LE1A Levin, Nucl. Phys. 36 (1962) 119
- 1962MA05 J.P. Martin and H.S. Zucker, Bull. Amer. Phys. Soc. 7 (1962) 72, V5
- 1962MA1F Madsen and Henley, Nucl. Phys. 33 (1962) 1
- 1962MA1H Matkhiz, Neudachin and Smirnov, Bull. Acad. Sci. USSR Phys. 26 (1962) 1211; Izv. Akad. Nauk Fiz. 26 (1962) 1199
- 1962MA25 S. Mayo and J.E. Testoni, Nucl. Phys. 36 (1962) 615
- 1962MA38 S. Malmskog and J. Konijn, Nucl. Phys. 38 (1962) 196
- 1962MI07 J. Miller, C.G. Schuhl, G. Tamas and C. Tzara, Phys. Lett. 2 (1962) 76
- 1962MO16 W.T. Morton and T.G. Walker, Phil. Mag. 7 (1962) 741
- 1962MO1A Morpurgo, Nucl. Spectroscopy, Ed. Racah (Academic Press, 1962)
- 1962NA1A Nagai, Prog. Theor. Phys. 27 (1962) 619
- 1962NE02 M. Nessin, T.H. Kruse and K.E. Eklund, Phys. Rev. 125 (1962) 639
- 1962NI04 A. Nilsson and J. Kjellman, Ark. Fys. 21 (1962) 551
- 1962PA1A Payne and Snider, Nucl. Phys. 33 (1962) 626
- 1962RE1A Reitan, Nucl. Phys. 36 (1962) 56
- 1962RI08 E.M. Rimmer and P.S. Fisher, AERE-R-4131 (1962)
- 1962RO04 R. Roy, H.S. Adams and G.M. Temmer, Bull. Amer. Phys. Soc. 7 (1962) 570, D7
- 1962RO15 P.G. Roll, E. Newman and F.E. Steigert, Nucl. Phys. 29 (1962) 544
- 1962RO25 D.J. Rowe, A.B. Clegg, G.L. Salmon and P.S. Fisher, Proc. Phys. Soc. (London) 80 (1962) 1205
- 1962SA1A Sakama and Tani, Prog. Theor. Phys. 28 (1962) 1100

- 1962SE02 F.D. Seward, Phys. Rev. 125 (1962) 335
- 1962SE13 H.M. Sen Gupta, J. Rotblat, P.E. Hodgson and J.B.A. England, Nucl. Phys. 38 (1962) 361
- 1962SI04 M.G. Silbert, Phys. Rev. 127 (1962) 2113
- 1962SI05 C.P. Sikkema, Nucl. Phys. 32 (1962) 470
- 1962TA1E Talmi, Nucl. Spectroscopy; Ed. Racah (Academic Press, 1962)
- 1962TE1B Teplov, Zh. Eksp. Teor. Fiz. 42 (1962) 211; JETP (Sov. Phys.) 15 (1962) 150
- 1962UL02 N. Ullah and R.K. Nesbet, Nucl. Phys. 39 (1962) 239; Erratum Nucl. Phys. 46 (1963) 254
- 1962VA1A Vasilyev, Komarcv and Popova, Zh. Skep. Teor. Fiz. 43 (1962) 737; JETP (Sov. Phys.) 16 (1963) 521
- 1962VA25 S.S. Vasilyev, V.V. Komarov and A.M. Popova, Nucl. Phys. 38 (1962) 344
- 1962VI02 N. Vinh-Mau and G.E. Brown, Phys. Lett. 1 (1962) 36
- 1962WA1C Wakburton, in Electromag. Lifetime and Properties of Nucl. States; N.A.S.-N.R.C. Pub. 974 (1962) 180
- 1962WI09 D.J. Williams and F.E. Steigert, Nucl. Phys. 30 (1962) 373
- 1962YU02 N.P. Yudin, Izv. Akad. Nauk SSSR Ser. Fiz. 26 (1962) 1222; Columbia Tech. Transl. 26 (1963) 1234
- 1963AB1A Abgrall, J. Physique 24 (1963) 1113
- 1963AG1A Aguilar et al., An. Real. Soc. Espan. Fis. y Quim. A59 (1963) 79; Phys. Abs. 9562 (1964)
- 1963AL18 D.E. Alburger, Phys. Rev. 132 (1963) 328
- 1963AN02 D.W. Anderson, A.J. Bureau, B.C. Cook, J.E. Griffin, J.R. McConnell and K.H. Nybo, Phys. Rev. Lett. 10 (1963) 250
- 1963BA08 S. Bashkin, V.P. Hart and W.A. Seale, Phys. Rev. 129 (1963) 1750
- 1963BA19 W.C. Barber, J. Goldemberg, G.A. Peterson and Y. Torizuka, Nucl. Phys. 41 (1963) 461; Erratum Nucl. Phys. 47 (1963) 527
- 1963BA1H Balashov, Nucl. Phys. 40 (1963) 93
- 1963BA1K Balashov and Fetisov, Zh. Eksp. Teor. Fiz. 45 (1963) 532; JETP (Sov. Phys.) 18 (1964) 365
- 1963BA46 R.W. Bauer, J.D. Anderson and L.J. Christensen, Nucl. Phys. 47 (1963) 241
- 1963BE1J Bearse, Rollefson, Phillips and Legg, Bull. Amer. Phys. Soc. 8 (1963) 186
- 1963BI05 G.R. Bishop, Nucl. Phys. 41 (1963) 118
- 1963BI23 G.R. Bishop, C. Betourne and D.B. Isabelle, J. Phys. 24 (1963) 973

- 1963BO1D Borisdoleskii, Usp. Fiz. Nauk 81 (1963) 271; Sov. Phys. Usp. 6 (1964) 715
- 1963BR07 D.M. Brink and G.F. Nash, Nucl. Phys. 40 (1963) 608
- 1963BR1B Brink, Nucl. Phys. 40 (1963) 593
- 1963BR1D Brown, Evans and Thouless, Nucl. Phys. 45 (1963) 164
- 1963BU18 N.A. Burgov, G.V. Danilyan, B.S. Dolbilkin, L.E. Lazareva and F.A. Nikolaev, Izv. Akad. Nauk SSSR Ser. Fiz. 27 (1963) 866; Bull. Acad. Sci. USSR Phys. Ser. 27 (1964) 856
- 1963BU1C Bunakov, Phys. Lett. 7 (1963) 14
- 1963CA12 J.T. Caldwell, R.R. Harvey, R.L. Bramblett and S.C. Fultz, Phys. Lett. 6 (1963) 213; Erratum Phys. Lett. 7 (1963) 167
- 1963CA17 J. Catala, A. Garcia and R. Diez, An. Real. Soc. Espan. Fis. y Quim. (Madrid) A59 (1963) 59
- 1963CA1E Catala, Garcia and Bolta, An. Real. Soc. Espan. Fis. y Quim. A59 (1963) 133
- 1963CA1F Catala, King and Diez, An. Real. Soc. Espan. Fis. y Quim. A59 (1963) 173; Phys. Abs. 22166 (1964)
- 1963CO12 B.L. Cohen, Phys. Rev. 130 (1963) 227
- 1963CO1B Cohen, Devons and Kanaris, Phys. Rev. Lett. 11 (1963) 134
- 1963CO1D Costa et al., Phys. Lett. 6 (1963) 226
- 1963CR01 J.G. Cramer, Jr. and W.W. Eidson, Bull. Amer. Phys. Soc. 8 (1963) 26, F10
- 1963CR04 J.C. Cramer and W.W. Eidson, Bull. Amer. Phys. Soc. 8 (1963) 317, G4
- 1963CS02 J. Csikai and G. Peto, Phys. Lett. 4 (1963) 252
- 1963DA1C Davis, Bull. Amer. Phys. Soc. 8 (1963) 26
- 1963DA1D Davis, 3rd Conf. on Reactions between Complex Nuclei (1963) 61
- 1963DE02 L.J. Denes and W.W. Daehnick, Bull. Amer. Phys. Soc. 8 (1963) 25, F1
- 1963DE27 G. Deconninck, M. De Vroey, J.P. Meulders and J. Simonet, Nucl. Phys. 49 (1963) 424
- 1963DO1B Douglas, Sala, Gomes and Polga, Padua (1963) 558A
- 1963DU12 J.L. Duggan, P.D. Miller and R.F. Gabbard, Nucl. Phys. 46 (1963) 336
- 1963DU1B Duke, Phys. Rev. 129 (1963) 681
- 1963ED1A Edwards, Padua (1963) 469
- 1963EV01 F. Everling, Nucl. Phys. 40 (1963) 670
- 1963FE01 A.T.G. Ferguson, G.C. Morrison, N. Gale and R.E. White, Bull. Amer. Phys. Soc. 8 (1963) 47, NA2
- 1963FE1B Ferguson, Gale, Morrison and White, Padua (1963) 510

- 1963FE1C Ferrell, Eastern Theor. Phys. Conf. (Gordon and Breach, 1963)
- 1963FI1B Finck et al., Z. Phys. 174 (1963) 337
- 1963FU05 H. Fuchs and D. Haag, Z. Physik 171 (1963) 403
- 1963GA1D Garcia, King and Diez, An. Real. Soc. Espan. Fis. y Quim. A59 (1963) 173
- 1963GE13 K.N. Geller and E.G. Muirhead, Phys. Rev. Lett. 11 (1963) 371
- 1963GI11 W.W. Givens, T.W. Bonner, S.H. Fang, R.C. Bearse and A.A. Rollefson, Nucl. Phys. 46 (1963) 504
- 1963GL1C Glendenning, Ann. Rev. Nucl. Sci. 13 (1963) 191
- 1963GO04 J. Goldemberg and Y. Torizuka, Phys. Rev. 129 (1963) 312
- 1963GO09 S. Gorodetzky, G. Bassompierre, C.St. Pierre, A. Gallmann and P. Wagner, Nucl. Phys. 43 (1963) 92
- 1963GO18 S. Gorodetzky, F. Scheibling, R. Armbruster, W. Benenson, P. Chevallier, P. Mennrath, G. Sutter and G. Goldring, Phys. Rev. 131 (1963) 1219
- 1963GO1J Gorshkov and Tsvetkov, Atomnaya Energ.14 (1963) 550
- 1963GO1L Gofman et al., Zh. Eksp. Teor. Fiz. 45 (1963) 1317; JETP (Sov. Phys) 18 (1964) 906
- 1963GO22 S. Gorodetzky, W. Benenson, P. Chevallier, D. Disdier and F. Scheibling, Phys. Lett. 6 (1963) 269
- 1963GO27 G. Goldring, H. Winkler and C. Zaidins, Bull. Amer. Phys. Soc. 8 (1963) 598, F10
- 1963GO31 S. Gorodetzky, P. Mennrath, W. Benenson, P. Chevallier and F. Scheibling, J. Phys. 24 (1963) 887
- 1963GO34 S. Gorodetzky, G. Sutter, P. Chevallier, F. Scheibling and P. Mennrath, J. Phys. 24 (1963) 889
- 1963GR1D Greiner, Nucl. Phys. 49 (1963) 522
- 1963GR1F Grishayev, Sikora, Shramenko and Shkoda-Ul'yanov, Ukr. Fiz. Zh. (USSR) 8 (1963) 1193; Phys. Abs. 12204 (1964)
- 1963GR35 J.E. Griffin and C.L. Hammer, IS-676 (1963)
- 1963HA05 M. Harvey, Phys. Lett. 3 (1963) 209
- 1963HA1E Hayward, Rev. Mod. Phys. 35 (1963) 324
- 1963HA46 L.F. Hansen and M.L. Stelts, Phys. Rev. 132 (1963) 1123
- 1963HO08 A. Hofmann, Z. Phys. 173 (1963) 402
- 1963HO1D Hooton and Ashcroft, Proc. Phys. Soc. (London) 81 (1963) 193
- 1963HO1E Hortig, Werner and Gentner, 3rd Conf. on Reactions between Complex Nuclei (1963) 178
- 1963HO24 H.D. Holmgren and C.B. Fulmer, Phys. Rev. 132 (1963) 2644

- 1963IG01 G. Igo and B.D. Wilkins, Phys. Rev. 131 (1963) 1251
- 1963IM01 W.L. Imhof, H.A. Grench and R.G. Johnson, Nucl. Phys. 49 (1963) 503
- 1963IS02 D.B. Isabelle and G.R. Bishop, Nucl. Phys. 45 (1963) 209
- 1963JO10 H.P. Jolly, Jr., Phys. Lett. 5 (1963) 289
- 1963KE1A Kelley, Bull. Amer. Phys. Soc. 8 (1963) 605
- 1963KO1B Kopaleishvili and Jibuti, Nucl. Phys. 44 (1963) 34
- 1963KO1C Kolesov, Korotkikh and Malashkina, Izv. Akad. Nauk SSSR Ser. Fiz. 27 (1963) 903
- 1963KU1B Kunz, Can. J. Phys. 41 (1963) 2187
- 1963LE03 J.C. Legg, Phys. Rev. 129 (1963) 272
- 1963LE06 Y.K. Lee, L.W. Mo and C.S. Wu, Phys. Rev. Lett. 10 (1963) 258
- 1963LU08 H.F. Lutz, J.B. Mason and C.T. Paulson, Nucl. Phys. 43 (1963) 405
- 1963MA1D Matthies, Neudachin and Smirnov, Nucl. Phys. 49 (1963) 97
- 1963MA1E Matkhiz, Neudachin and Smirnov, Izv. Akad. Nauk. SSSR Ser. Fiz. 27 (1963) 1273
- 1963ME17 P. Menrath, Thesis, Univ. of Strasbourg (1962); Ann. de Phys. 8 (1963) 385
- 1963MI1C Mikumo, Nonaka, Yamaguchi and Maki, Padua (1963) 1088A
- 1963MI1H Mikumo, Padua (1963) 1046
- 1963MO04 I.L. Morgan, D.O. Nellis, R. Benjamin and J.B. Ashe, Bull. Amer. Phys. Soc. 8 (1963) 120, M6
- 1963MO1B Morrison, Gale, Hussain and Murray, 3rd Conf. on Reactions between Complex Nuclei (1963) 168
- 1963NE05 J.W. Nelson, E.B. Carter, G.E. Mitchell and R.H. Davis, Phys. Rev. 129 (1963) 1723
- 1963NE1C Nemets, Picard, Slyusarenko and Tokarevskii, Zh. Eksp. Teor. Fiz. 45 (1963) 850; JETP (Sov. Phys.) 18 (1964) 583
- 1963NO1C Nonaka et al., INSJ-56 (1963)
- 1963OL1A Ollerhead, Chasman and Bromley, 3rd Conf. on Reactions between Complex Nuclei (1963) 191
- 1963OP1A Oparin, Saukov and Shuvalov, Atomn. Energ. (USSR) 15 (1963) 411; J. Nucl. Energ. 18 (1964) 596
- 1963PA01 G.M. Padawer and R.E. Benenson, Bull. Amer. Phys. Soc. 8 (1963) 25, F5
- 1963PE04 D.C. Peaslee, Phys. Rev. 129 (1963) 808; Erratum Phys. Rev. 135 (1964) AB2
- 1963RO01 G. Roy and G.M. Temmer, Bull. Amer. Phys. Soc. 8 (1962) 12, BA12
- 1963SC33 F. Scheibling, Ann. Phys. 8 (1963) 353; Thesis, Univ. of Strasbourg (1962)
- 1963SH1A Shapiro and Kolybasov, Nucl. Phys. 49 (1963) 515

1963SH1B Shevchenko, Yudin nad Yurev, *Izv. Akad. Nauk. SSSR Ser. Fiz.* 27 (1963) 1313
 1963SO04 P.C. Sood and Y.R. Waghmare, *Nucl. Phys.* 46 (1963) 181
 1963SP1B Sperduto and Bufchner, 2nd Int. Conf. on Nucl. Masses, Vienna, July 1963 (1963)
 1963SU09 M. Suffert, G. Costa and D. Magnac-Valette, *J. Phys.* 24 (1963) 1029
 1963SU12 G. Sutter, *Ann. Phys.* 8 (1963) 323; Thesis, Univ. of Strasbourg (1963)
 1963VI1A Vinh-Mau. *Ann. Phys.* 8 (1963) 1
 1963WA12 K.L. Warsh, G.M. Temnar and H.R. Blieden, *Phys. Rev.* 131 (1963) 1690
 1963WE1C Weinman, *Nucl. Instrum. Meth.* 24 (1963) 390
 1963WI09 R.S. Willey, *Phys. Lett.* 6 (1963) 336; Erratum *Phys. Lett.* 8 (1964) 220
 1963WI1D Wilkins, UCR-10783 (1963)
 1963YA1C Yamazaki, Knodo and Yamabe, *J. Phys. Soc. Jpn.* 18 (1963) 620
 1964AL18 D.E. Alburger and P.D. Parker, *Phys. Rev.* 135 (1964) B294
 1964AL22 D.E. Alburger, C. Chasman, K.W. Jones, J.W. Olness and R.A. Ristinen, *Phys. Rev.* 136 (1964) B916
 1964AM1A Amsel, *Ann. Phys.* 9 (1964) 297
 1964AS1A Astbury et al., *Bull. Amer. Phys. Soc.* 9 (1964) 81
 1964AT1A Atneosen, Wilson, Sampson and Miller, *Phys. Rev.* 135 (1964) B660
 1964BA04 D. Bachelier, M. Bernas, I. Brissaud, C. Detraz, N.K. Ganguly and P. Radvanyi, *Phys. Lett.* 8 (1964) 56
 1964BA1L Barker, *Nucl. Phys.* 59 (1964) 513
 1964BA1M Barlow, Sens, Duke and Kemp, *Phys. Lett.* 9 (1964) 84
 1964BA1N Balashov, Beliaev, Eramjian and Kabachnik, *Phys. Lett.* 9 (1964) 168
 1964BA1P Balashov and Boyarkina, *Izv. Akad. Nauk SSSR Ser. Fiz.* 26 (1964) 359
 1964BA1Q Bar-Touv, Bassichis, Levinson and Kelson, 30/C223, Paris (1964)
 1964BA1R Bapber, *Nucl. Instrum. Meth.* 28 (1964) 220
 1964BE1E Bertozzi et al., Paris (1964) 1026
 1964BI02 J.K. Bienlein and E. Kalsch, *Nucl. Phys.* 50 (1964) 202
 1964BI08 G.R. Bishop, C. Betourne and D.B. Isabelle, *Nucl. Phys.* 53 (1964) 366
 1964BI1D Bishop, Isabelle and Betourne, *Nucl. Phys.* 54 (1964) 97
 1964BI1E Bishop, *Congres Int. de Phys. Nucl.*, Paris, Vol. 1(1964) 343
 1964BO13 R.O. Bondelid and J.W. Butler, *Nucl. Phys.* 53 (1964) 618
 1964BO1E Boschitz, Vincent. Berchaw and Priest, *Phys. Rev. Lett.* 13 (1964) 442

1964BO29 J. Borysowicz and R.K. Sheline, Phys. Lett. 12 (1964) 219
 1964BR03 R.L. Bramblett, J.T. Caldwell, R.R. Harvey and S.C. Fultz, Phys. Rev. 133 (1964) B869
 1964BR08 C.P. Browne and I. Michael, Phys. Rev. 134 (1964) B133
 1964BR13 H.C. Bryant, J.G. Beery, E.R. Flynn and W.T. Leland, Nucl. Phys. 53 (1964) 97
 1964BR1H Brown, Paris (1964) 129
 1964BR1K Brenig and Schuck, Congres Int. de Phys. Nucl., Paris, 1964 (CRNS, Paris, 1964) 1058
 1964BU1C Budzanowski et al., Phys. Lett. 11 (1964) 74
 1964CA07 E.B. Carter, G.E. Mitchell and R.H. Davis, Phys. Rev. 133 (1964) B1421
 1964CA1D Camiz and Vinh Mau, J. Phys. 25 (1964) 371
 1964CE05 J. Cerny, R.H. Pehl and G.T. Garvey, Phys. Lett. 12 (1964) 234
 1964CH1B Chaudhri and Lassen, 3A (II)/C253, Paris (1964)
 1964CH1C Chaudhri, NP 14500 (1964)
 1964CH1D Chen, Acta Phys. Sin. (China) 20 (1964) 517
 1964CL1A Clegg, Phys. Lett. 8 (1964) 43
 1964CO1C Cohen, Devons and Kanaris, Nucl. Phys. 57 (1964) 255
 1964DA02 R.L. Dangle, L.D. Oppliger and G. Hardie, Phys. Rev. 133 (1964) B647
 1964DA07 W.W. Daehnick, Phys. Rev. 135 (1964) B1168
 1964DE1C Deshpande, Fulbright and Verba, Nucl. Phys. 52 (1964) 457
 1964DE1D Del Bianco, Stephens and Wiza, Phys. Rev. 136 (1964) B428
 1964DI1B Diehl, Phys. Lett. 11 (1964) 301
 1964DI1C Din, Unpublished Thesis, Rice Univ. (1964)
 1964DO09 T.R. Donoghue, A.F. Behof and S.E. Darden, Nucl. Phys. 54 (1964) 49
 1964DO1C Donovan et al., Phys. Rev. 135 (1964) B61
 1964DO1D Donoghue et al., Bull. Amer. Phys. Soc. 9 (1964) 628
 1964DU1A Duggan, Miller, Duncan and Webb, Bull. Amer. Phys. Soc. 9 (1964) 576
 1964EC03 S.F. Eccles, H.F. Lutz and J. Stevens, Bull. Amer. Phys. Soc. 9 (1964) 704, B9
 1964EI01 W.W. Eidson, J.G. Cramer, Jr., D.E. Blatchley and R.D. Bent, Nucl. Phys. 55 (1964) 613
 1964EI1A Eichler, Nucl. Phys. 56 (1964) 577
 1964EN1B Engesser, Thompson and Ferguson, USNRDL TR 791 (1964)
 1964EP01 H.M. Epstein, D.F. Herring and K.W. Jones, Phys. Rev. 136 (1964) B131

1964ER1A Erikson, Nucl. Phys. 55 (1964) 497
 1964FE02 J.M. Ferguson, Nucl. Phys. 59 (1964) 97
 1964FI03 F.W.K. Firk, Nucl. Phys. 52 (1964) 437
 1964FL1A Flowers and Irvine, Proc. Phys. Soc. (London) 83 (1964) 335
 1964FO07 D.B. Fossan, R.A. Chalmers, L.F. Chase, Jr. and S.R. Salisbury, Phys. Rev. 135 (1964) B1347
 1964FO1C Foldy and Walecka, 5/C55, Paris (1964)
 1964FU1B Fujii and Sugimoto, Nucl. Phys. 56 (1964) 73
 1964GA1A Gardner and Yu, Nucl. Phys. 60 (1964) 49
 1964GA1C Garvey, Cerny and Pehl, Phys. Rev. Lett. 13 (1964) 548
 1964GA1D Garside, Bull. Amer. Phys. Soc. 9 (1964) 416
 1964GA1E Garin et al., J. Phys. 25 (1964) 768
 1964GI1A Gillet and Melkanoff, Phys. Rev. 133 (1964) B1190
 1964GI1B Gillet, Nucl. Phys. 51 (1964) 410
 1964GI1C Gillet and Vinh Mau, Nucl. Phys. 54 (1964) 321
 1964GO14 J. Goldemberg and W.C. Barber, Phys. Rev. 134 (1964) B963
 1964GO1F Gorodetzky, Bassompierre and Gallmann, 4B (II)/C247, Paris (1964)
 1964GR08 L.H. Greenberg, J.P. Roalsvig and R.N.H. Haslam, Can. J. Phys. 42 (1964) 731
 1964HA09 V.P. Hart, E. Norbeck and R.R. Carlson, Bull. Amer. Phys. Soc. 9 (1964) 430, EA6
 1964HA16 B.G. Harvey, E.J-M. Rivet, A. Springer, J.R. Meriwether, W.B. Jones, J.H. Elliott and P. Darriulat, Nucl. Phys. 52 (1964) 465
 1964HA1F Hanser et al., Bull. Amer. Phys. Soc. 9 (1964) 444
 1964HI09 J.C. Hiebert and G.T. Garvey, Phys. Rev. 135 (1964) B346
 1964HO1C Hodgson, Congres Int. de Phys. Nucl. Paris, 1964, Vol. 1 (CRNS, Paris, 1964) 257
 1964JO14 J.C. Jodogne and P.C. Macq, J. Phys. (Paris) 25 (1964) 803
 1964KA1C Kallto and Kolltveit, Nucl. Phys. 53 (1964) 87
 1964KA28 V.A. Karnaukhov and Lu Hsi-Ting, Zh. Eksp. Teor. Fiz. 47 (1964) 1270; JETP (Sov. Phys.) 20 (1965) 860
 1964KE01 R.A. Kenefick, W.S. Gray and J.J. Kraushaar, Bull. Amer. Phys. Soc. 9 (1964) 68, GC8
 1964KE1C Kelley and Henley, Phys. Lett. 10 (1964) 95
 1964KI1C Kim, Bunch, Devins and Forster, Nucl. Phys. 58 (1964) 32
 1964KO02 J. Kokame, K. Fukunaga, N. Inoue and H. Nakamura, Phys. Lett. 8 (1964) 342

- 1964KU09 H.-M. Kuan, P.R. Almond, G.U. Din and T.W. Bonner, Nucl. Phys. 60 (1964) 509
- 1964KU1D Kuehner and Almqvist, Phys. Rev. 134 (1964) B1229
- 1964LA16 J.D. Larson and R.H. Spear, Nucl. Phys. 56 (1964) 497
- 1964LE1B Lewis, Phys. Rev. 134 (1964) B331
- 1964LE20 R.H. Lemmer and C.M. Shakin, Ann. Phys. 27 (1964) 13
- 1964LI1B Lindskog, Sundstrom and Sparrman, Perturbed Angular Correlations (Amsterdam, North-Holland Publ. Company, 1964) 411
- 1964MA1G Mamasakhlisov, Izv. Akad. Nauk SSSR Ser. Fiz. 28 (1964) 1550
- 1964MA1K MacDonald, Nucl. Phys. 56 (1964) 636, 647
- 1964MA1L Mailing, Smirnov and Neudachin, Phys. Lett. 11 (1964) 49
- 1964MA53 N.A. Mansour, H.R. Saad, Z.A. Saleh, E.M. Sayed, I.I. Zaloubovsky and V.J. Gontchar, Nucl. Phys. 59 (1964) 241
- 1964MA57 M. Mazari, A. Jaidar, G. Lopez, A. Tejera, J. Careaga, R. Dominguez and F. Alba, Proc. 2nd Int. Conf. on Nucl. Masses, Vienna, Austria, 1963; Ed. W.H. Johnson, Jr. (Springer Verlag, Vienna, 1964) 305
- 1964MC1B McRapy, Park, Thaxton and Merzbacher, Bull. Amer. Phys. Soc. 9 (1964) 679, and Private Communication (1964)
- 1964MC1C Mcintosh, Park and Rawitscher, Phys. Rev. 134 (1964) B1016
- 1964MI05 R. Middleton and D.J. Pullen, Nucl. Phys. 51 (1964) 63
- 1964MI08 G.E. Mitchell, E.B. Carter and R.H. Davis, Phys. Rev. 133 (1964) B1434
- 1964MI12 I.V. Mitchell and T.R. Ophel, Nucl. Phys. 58 (1964) 529
- 1964MI16 F.C. Michel, Phys. Rev. 133 (1964) B329
- 1964MI1E Mikesha, Z. Phys. 177 (1964) 441
- 1964MI1G Mikeskam, Congres Int. de Phys. Nucl., Paris, 1964 (CRNS, Paris, 1964) 1056
- 1964MO1D Morgan, Bull. Amer. Phys. Soc. 9 (1964) 653
- 1964NA1A Nash, Nuovo Cim. 31 (1964) 992
- 1964NA1B Nash, Nuovo Cim. 34 (1964) 1062
- 1964NA1C Nataf, Congres Int. de Phys. Nucl., Paris, 1964, Vol. 1 (CRNS, Paris, 1964) 421
- 1964NE01 E. Newman, R.H. Bassel, R.S. Bender, J.R. Donaldson and K.S. Toth, Bull. Amer. Phys. Soc. 9 (1964) 57, FA14
- 1964NE09 J.B. Nelson, E.L. Hudspeth and E.M. Bernstein, Phys. Rev. 136 (1964) B71
- 1964NE1D Nemets, Pikar, Slyusarenko and Tokarevskyi, Ukr. Fiz. Zh. 9 (1964) 599; Phys. Abs. 25420 (1964)
- 1964PA11 G. Paic, I. Slaus and P. Thomas, Phys. Lett. 9 (1964) 147

1964PE1C Perkin, Nucl. Phys. 60 (1964) 561
1964PU01 D.J. Pullen, J.R. Rook and R. Middleton, Nucl. Phys. 51 (1964) 88
1964RI1A Ripka, 3A (II)/C174, Paris (1964)
1964RI1B Ridley and Turner, Nucl. Phys. 58 (1964) 497
1964RO1B Rozsnyai, Bull. Amer. Phys. Soc. 9 (1964) 74
1964SC09 R.B. Schwartz, H.D. Holmgren, L.M. Cameron and A.R. Knudson, Phys. Rev. 134 (1964) B577
1964SC1F Scroggs, Zobel and Maienschein, IEEE Trans Nucl. Sci. (USA) NS-11, No.1 (1964) 365; Phys. Abs. 15036 (1964)
1964SC1G Schmidt, Z. F. Phys. 181 (1964) 532
1964SE1D Seiler, Herring and Jones, Phys. Rev. 136 (1964) B994
1964ST1B Stovall, Phys. Rev. 133 (1964) B268
1964ST25 J.R. Stehn, M.D. Goldberg, B.N. Magurno and R. Wiener-Chasman, BNL-325, 2nd Ed., Suppl. 2, Vol. 1 (1964)
1964TA05 N.W. Tanner, G.C. Thomas and E.D. Earle, Nucl. Phys. 52 (1964) 29
1964TA06 N.W. Tanner, G.C. Thomas and E.D. Earle, Nucl. Phys. 52 (1964) 45
1964TA1C Tanner and Earle, Phys. Rev. Lett. 13 (1964) 410
1964TE04 G. Tessler and W.E. Stephens, Phys. Rev. 135 (1964) B129
1964TE1C Testoni, Mayo and Hodgson, Nucl. Phys. 50 (1964) 479
1964TE1D Teitelman, Temmer and Warsh, Bull. Amer. Phys. Soc. 9 (1964) 429
1964TE1E Temmer, 4A (I)/C75, Paris (1964)
1964TE1F Temmer, Phys. Rev. Lett. 12 (1964) 330
1964TO1B Toms, Nucl. Phys. 54 (1964) 625
1964VA1D Valentin, Albouy, Cohen and Gusakov, J. Physique 25 (1964) 704
1964VI1A Villars and Weiss, Phys. Lett. 11 (1964) 318
1964VO1A Volkin, Bull. Amer. Phys., Soc. 9 (1964) 439
1964VO1B Volkov, Phys. Lett. 12 (1964) 118
1964WA1B Wachter, Phys. Rev. 135 (1964) B1180
1964WA1G Walker, UCRL 7676 (1964)
1964WE1A Webb et al., Bull. Amer. Phys. Soc. 9 (1964) 351
1964YE02 P.F. Yergin, R.H. Augustson, N.N. Kaushal, H.A. Medicus, W.R. Moyer and E.J. Winhold, Phys. Rev. Lett. 12 (1964) 733
1964ZU02 R. Zuberek, Acta Phys. Pol. 25 (1964) 277

1965AL05 W.P. Alford, L.M. Blau and D. Cline, Nucl. Phys. 61 (1965) 368
1965AL14 T.K. Alexander and K.W. Allen, Can. J. Phys. 43 (1965) 1563
1965AL1J Alevra et al., Stud. Cercetari Fiz. (Rumania) 17 (1965) 761; Phys. Abs. 36453 (1966)
1965AR1E Artemov et al., Yad. Fiz. 1 (1965) 629; Sov. J. Nucl. Phys. 1 (1965) 450
1965BA08 W.H. Bassichis and G. Ripka, Phys. Lett. 15 (1965) 320
1965BA1M Barrett, Hill and Hodgson, Nucl. Phys. 62 (1965) 133
1965BA1N Balashov et al., Yad. Fiz. 2 (1965) 643
1965BA1Q Bassompierre, Thesis, Univ. of Strasbourg (1965)
1965BA24 N.P. Babenko, B.A. Bibichev, I.O. Konstantinov, A.P. Moskalev and Y.A. Nemilov, Yad. Fiz. 1 (1965) 452; Sov. J. Nucl. Phys. 1 (1965) 323
1965BE16 M. Bertero, M. Carrassi, G. Passatore and G.A. Viano, Nuovo Cim. 36 (1965) 954
1965BE1E Berggren, Ark. Fys. 30 (1965) 508
1965BE1H Beregi, Zelenskaja, Neudatchin and Smirnov, Nucl. Phys. 66 (1965) 513
1965BE1J Bero and Kashy, Bull. Amer. Phys. Soc. 10 (1965) 1100, and Private Communication (1965)
1965BI1D Bishop, Bottino, Ciocchetti and Molinari, Phys. Lett. 14 (1965) 140
1965BL03 D.E. Blatchley and R.D. Bent, Nucl. Phys. 61 (1965) 641
1965BO1J Boeker, Physica 31 (1965) 1133
1965BR08 C.P. Browne, W.A. Schier and I.F. Wright, Nucl. Phys. 66 (1965) 49
1965BR1J Brown and Green, Phys. Lett. 15 (1965) 168
1965BU05 A. Bussiere, N.K. Glendenning, B.G. Harvey, J. Mahoney, J.R. Meriwether and D.J. Horen, Phys. Lett. 16 (1965) 296
1965BU1A Busser, Christiansen, Niebergall and Sohngren, Nucl. Phys. 69 (1965) 103
1965BU1E Burdlt and Poizat, J. Phys. 26 (1965) 153A
1965BU1F Buttlar and Goldmann, Z. F. Phys. 187 (1965) 356
1965CA02 E.B. Carter, P.H. Stelson, M.K. Mehta and D.L. Bernard, Nucl. Phys. 63 (1965) 575
1965CA1B Caldwell et al., Phys. Rev. Lett. 15 (1965) 976
1965CH1D Chang, Yu and Tzu, Acta Phys. Sin. 21 (1965) 807
1965CO25 S. Cohen and D. Kurath, Nucl. Phys. 73 (1965) 1; Erratum Nucl. Phys. 89 (1966) 707
1965CR01 P.A. Crean and T.K. Alexander, Can. J. Phys. 43 (1965) 721
1965DA1D Danos and Fuller, Ann. Rev. Nucl. Sci. 15 (1965) 29
1965DE1C Deforest, Walecka, Vanpraet and Barber, Phys. Lett. 16 (1965) 311

- 1965DE1F Deconninck, Mem. Acad. Roy. Belgique Cl. Sci. 35 (1965) No. 2; Phys. Abs. 7222 (1966)
- 1965DE1K De Forest, Phys. Rev. 139 (1965) B1217; Erratum Phys. Rev. 158 (1967) 1222
- 1965DE24 V.P. Denisov and L.A. Kulchitskii, Yad. Fiz. 2 (1965) 70; Sov. J. Nucl. Phys. 2 (1966) 48
- 1965DI07 G.U. Din and J.L. Weil, Nucl. Phys. 73 (1965) 161
- 1965DI1C Dittmer et al., Bull. Amer. Phys. Soc. 10 (1965) 122
- 1965DO05 B.S. Dolbilkin, V.I. Korin, L.E. Lazareva and F.A. Nikolaev, Pisma Zh. Eksp. Teor. Fiz. 1 (1965) 47; JETP Lett. (USSR) 1 (1965) 148
- 1965DO13 I. Dostrovsky, R. Davis, Jr., A.M. Poskanzer and P.L. Reeder, Phys. Rev. 139 (1965) B1513
- 1965EI1A Eisenberg, Spicer and Rose, Nucl. Phys. 71 (1965) 273
- 1965FA1C Wang, Chen and Sze, Acta Phys. Sin. 21 (1965) 140
- 1965FA1D Fayard, Lamot, El'baz and Lafoucriere, Compt. Rend. 261 (1965) 1663
- 1965FU05 H. Fuchs, K. Hagemann and C. Gaarde, Nucl. Phys. 66 (1965) 638
- 1965FU10 S. Fujii and M.E. Rose, Can. J. Phys. 43 (1965) 2045
- 1965FU1C Fujii, Nucl. Phys. 67 (1965) 592
- 1965GA1E Garvey, Patrick, Rutherglen and Smith, Nucl. Phys. 70 (1965) 241
- 1965GI1B Giraud, Nucl. Phys. 71 (1965) 373
- 1965GI1C Gillet and Jenkins, Phys. Rev. 140 (1965) 832
- 1965GL04 R.N. Glover and A.D.W. Jones, Phys. Lett. 16 (1965) 69
- 1965GO08 V. Gomes, R.A. Douglas, T. Polga and O. Sala, Nucl. Phys. 68 (1965) 417
- 1965GO1D Goldanskii, Usp. Fiz. Nauk 87 (1965) 255
- 1965GR09 D.E. Groce and G.P. Lawrence, Nucl. Phys. 67 (1965) 277
- 1965GR15 J.A.R. Griffith, C.J. Batty, R.S. Gilmore and G.H. Stafford, Nucl. Phys. 68 (1965) 36
- 1965GR1F Greider, Ann. Rev. Nucl. Sci. 15 (1965) 291
- 1965GR1G Green, Kallio and Kolltveit, Phys. Lett. 14 (1965) 142
- 1965GR1H Grechukhin, Nucl. Phys. 62 (1965) 273
- 1965GR1K Grishaev, Sikora, Shkoda-Ulyanov and Shramenko, Atomn. Energ. (USSR) 18 (1965) 28
- 1965GR21 P.R. Gray and A.R. Zander, Nucl. Phys. 71 (1965) 382
- 1965HA17 D. Hasselgren, P.U. Renberg, O. Sundberg and G. Tibell, Nucl. Phys. 69 (1965) 81
- 1965HA19 E. Hayward and T. Stovall, Nucl. Phys. 69 (1965) 241

1965HA1G Havlicek and Modesto, *Energ. Nucl.* 12 (1965) 77
1965HA28 R.M. Haybron and H. McManus, *Phys. Rev.* 140 (1965) B638
1965HU1C Hubbard and Rose, *Bull. Amer. Phys. Soc.* 10 (1965) 468
1965HU1D Hull and Shakin, *Phys. Lett.* 19 (1965) 506
1965IN1A Inopin, Kresnin and Tishchenko, *Yad. Fiz.* 2 (1965) 802
1965JA1C Janecke, *Nucl. Phys.* 61 (1965) 383
1965JA1D Jackson, *Phys. Lett.* 14 (1965) 118
1965JA1E Jacob and Huffaker, *Bull. Amer. Phys. Soc.* 10 (1965) 544
1965JA1F Jackson, Blue and Donoghue, *Bull. Amer. Phys. Soc.* 10 (1965) 1139
1965JI1A Jin and Harris, *Bull. Amer. Phys. Soc.* 10 (1965) 638, 1195
1965JO1B Jolly, *Bull. Amer. Phys. Soc.* 10 (1965) 10
1965KE06 I. Kelson, *Phys. Lett.* 16 (1965) 143
1965KO07 J. Kokame, K. Fukunaga, H. Nakamura and N. Inoue, *J. Phys. Soc. Jpn.* 20 (1965) 475
1965KO1A Kokame, Fukunaga, Nakamura and Inoue, *Bull. Inst. for Chem. Research, Kyoto Univ., Suppl. Issue* (1965) 26
1965KU1E Kudeyarov, Matthies, Neudachin and Smirnov, *Nucl. Phys.* 65 (1965) 529
1965LE1C Lee, *Acta Phys. Sinica* 21 (1965) 720
1965LE1D Lewis, *Bull. Amer. Phys. Soc.* 10 (1965) 583
1965MA1E Mazari, Private Communication (1965)
1965MA1H Mahaux, *Nucl. Phys.* 71 (1965) 241
1965MA1M MacKellar, ORNL TM 1374 (1965)
1965MA1N Malvano and Ricco, *Nuovo Cim.* 35 (1965) 484
1965MA36 A.D. MacKellar and R.L. Becker, *Phys. Lett.* 18 (1965) 308
1965MA45 J.M. Maison, M. Langevin and J.M. Loiseaux, *Phys. Lett.* 19 (1965) 308
1965MA54 J.H.E. Mattauch, W. Thiele and A.H. Wapstra, *Nucl. Phys.* 67 (1965) 1
1965MI05 I.V. Mitchell and T.R. Ophel, *Nucl. Phys.* 66 (1965) 553
1965MO13 R.C. Morrison, J.R. Stewart and J.S. O'Connell, *Phys. Rev. Lett.* 15 (1964) 367
1965NA1B Nagai and Itaya, *Bull. Kyushu Inst. Technol. Math. Nat. Sci. (Japan)* 12 (1965) 57; *Phys. Abs.* 28658 (1965)
1965NE1B Neudachin and Smirnov, *At. Energy Rev.* 3 (1965) 157
1965NE1C Neudatchin and Smirnov, *Nucl. Phys.* 66 (1965) 25
1965NE1D Newton, *Phys. Lett.* 17 (1965) 132

1965NI1A Nissim-Sabat, Thesis, Columbia Univ. (1965)
 1965OK1A Okai, Park and Wildermuth, Z. F. Phys. 184 (1965) 451
 1965OS1A Ostgaard, Nucl. Phys. 64 (1965) 289
 1965PE01 J.D. Pearson, T.K. Alexander, C. Broude, A.E. Litherland, J.A. Kuehner and E. Almqvist, Bull. Amer. Phys. Soc. 10 (1965) 37, CC6
 1965PE04 R.H. Pehl and J. Cerny, Phys. Lett. 14 (1965) 137
 1965PR1E Priest, Vincent, Boschitz and Bercau, Bull. Amer. Phys. Soc. 10 (1965) 638
 1965RE1A Reynolds, Maxwell and Hintz, Bull. Amer. Phys. Soc. 10 (1965) 439
 1965RI1A Riou, Rev. Mod. Phys. 37 (1965) 375
 1965RI1C Rickey and Matluck, Bull. Amer. Phys. Soc. 10 (1965) 442
 1965RO05 J.P. Roalsvig, Can. J. Phys. 43 (1965) 1015
 1965RO1J Roalsvig, Can. J. Phys. 43 (1965) 330
 1965RO1K Rost and Brown, Bull. Amer. Phys. Soc. 10 (1965) 487
 1965RO1L Rose and Fujii, Bull. Amer. Phys. Soc. 10 (1965) 470
 1965SA1F Sanderson, IS T 45 (1965)
 1965SC12 W.A. Schier and C.P. Browne, Phys. Rev. 138 (1965) B857
 1965SE01 K.K. Seth, G. Walter, P.D. Miller and J.A. Biggerstaff, Bull. Amer. Phys. Soc. 10 (1965) 10, AC8
 1965SE1D Seaborn and Eisenberg, Nucl. Phys. 70 (1965) 264
 1965SH11 S.N. Shumilov, A.P. Klyucharev and N.Y. Rutkevich, Pisma Zh. Eksp. Teor. Fiz. 2 (1965) 347; JETP Lett. (USSR) 2 (1965) 220
 1965SI1C Sitenko and Simenog, Yad. Fiz. 2 (1965) 603
 1965SP1B Spicer and Eisenberg, Nucl. Phys. 63 (1965) 520
 1965SP1C Spicer, Nature 206 (1965) 813
 1965ST02 D.M. Stanojevic, N.R. Berovic and F.M. Boreli, Nucl. Phys. 61 (1965) 235
 1965ST1C Stewart, Cannington and Spicer, Aust. J. Phys. 18 (1965) 661
 1965ST22 P.H. Stelson and L. Grodzins, Nucl. Data A1 (1965) 21
 1965TA1E Tanner, Nucl. Phys. 63 (1965) 383
 1965TE01 I.B. Teplov and L.N. Fateeva, Zh. Eksp. Teor. Fiz. 48 (1965) 385; JETP (Sov. Phys.) 21 (1965) 253
 1965TS1A Tsenter and Silin, Atomnaya Energ. 19 (1965) 48
 1965UB1A Uberall, Phys. Rev. 139 (1965) B1239

- 1965VA11 W.T.H. Van Oers, G.J.C. Van Niftrik, H.L. Jonkers and K.W. Brockman, Jr., Nucl. Phys. 74 (1965) 469
- 1965VA1D Van Praet, Nucl. Phys. 74 (1965) 219
- 1965VE03 V.V. Verbinski and J.C. Courtney, Nucl. Phys. 73 (1965) 398
- 1965VO1A Volkov, Nucl. Phys. 74 (1965) 33
- 1965WA02 B.D. Walker, C. Wong, J.D. Anderson, J.W. McClure and R.W. Bauer, Phys. Rev. 137 (1964) B347
- 1965WA08 K.L. Warsh and S. Edwards, Nucl. Phys. 65 (1965) 382
- 1965WA1D Waggoner and Jaffe, Nucl. Phys. 69 (1965) 305
- 1965WE06 M.S. Weiss, Phys. Lett. 19 (1965) 393
- 1965WI03 E.J. Winhold, R.H. Augustson, N.N. Kaushal, H.A. Medicus, W.R. Moyer and P.F. Yergin, Bull. Amer. Phys. Soc. 10 (1965) 95, HD6
- 1965WY1A Wyckoff, Ziegler, Koch and Uhlig, Phys. Rev. 137 (1965) B576
- 1965YO1B Young, Enge and Chen, Bull. Amer. Phys. Soc. 10 (1965) 539
- 1965YO1C Young, Nucl. Phys. 73 (1965) 449
- 1965ZA01 C.D. Zafiratos, F. Ajzenberg-Selove and F.S. Dietrich, Phys. Rev. 137 (1965) B1479
- 1965ZA1B Zamick, Phys. Lett. 19 (1965) 580
- 1965ZH1A Zhdanov, Kuzmin and Yakovlev, Izv. Akad. Nauk SSSR Ser. Fiz. 29 (1965) 239
- 1966AB1C Abgrall and Monsonogo, Nucl. Phys. 75 (1966) 632
- 1966AD04 B.P. Adyasevich, V.G. Antonenko, D.A. Kuznetsov, Y.P. Polunin and D.E. Fomenko, Yad. Fiz. 3 (1966) 290; Sov. J. Nucl. Phys. 3 (1966) 208
- 1966AG1B Aguilar, de la Rubia, Sanchez and Martinez, An. de Fisica Y Quim. 62 (1966) 279
- 1966AR01 H. Artus, Z. Phys. 189 (1966) 355
- 1966BA2F Bassichis and Scheck, Phys. Rev. 145 (1966) 771
- 1966BA2K Bassel, Satchler and Drisko, Nucl. Phys. 89 (1966) 419
- 1966BA42 F.J. Bartis, Nuovo Cim. B45 (1966) 113
- 1966BA55 G. Bassompierre, Ann. Phys. (Paris) 1 (1966) 17
- 1966BA56 G. Baciú, D. Catana, C. Deberth and I. Raileanu, Rev. Roum. Phys. 11 (1966) 301
- 1966BE1A Berg and Kashy, Nucl. Instrum. Meth. 39 (1966) 169
- 1966BE1J Bertsch, Phys. Lett. 21 (1966) 70
- 1966BE1K Becker and MacKellar, Phys. Lett. 21 (1966) 201
- 1966BE1L Beres, Phys. Rev. Lett. 17 (1966) 1180
- 1966BH05 S.M. Bharathi, U.T. Raheja and E. Kondaiah, Nucl. Phys. 83 (1966) 407

1966BH1B Bhaduri and Tomusiak, Nucl. Phys. 88 (1966) 353
 1966BL1D Bloch, J. Phys. C1-10 (1966)
 1966BO10 J. Borysowicz, Nucl. Phys. 82 (1966) 321
 1966BO1K Boeker, Phys. Lett. 21 (1966) 69
 1966BO1L Boeker, Physica 32 (1966) 669
 1966BO1N A. Bottino, G. Ciocchetti and A. Molinari, Nucl. Phys. 89 (1966) 192
 1966BO1P Boeker, Ned. Tijdschrift Natuurkde (Netherlands) 32 (1966) 285; Phys. Abs. 16674 (1967)
 1966BO28 O.V. Bormot, V.K. Dolinov, Y.V. Melikov and A.F. Tulinov, Yad. Fiz. 4 (1966) 316; Sov. J. Nucl. Phys. 4 (1967) 227
 1966BR04 G.E. Brown and A.M. Green, Nucl. Phys. 75 (1966) 401
 1966BR1H Brink, Struct. of Complex Nuclei, Ed. N.N. Bogolyubov, Atomizdat, 1966 (Consultants Bureau, New York, 1969) 69
 1966BR1P Brown, Proc. Int. School Enrico Fermi, Course 36, Ed. C. Bloch (Academic Press, 1969) 524
 1966BR1Q Brown, Proc. Int. School Enrico Fermi, Course 36, Ed. C. Bloch (Academic Press, 1969) 513
 1966BR1R Brown, F.S.U. Isobaric Spin Conf. (1966) 136
 1966BR1U Brink, Proc. Int. School Enrico Fermi, Course 36; Ed. C. Bloch (Academic Press, 1966) 247
 1966BR1W Bremond, Nucl. Phys. 77 (1966) 559
 1966CE05 J. Cerny, C. Detraz and R.H. Pehl, Phys. Rev. 152 (1966) 950
 1966CE06 L.S. Celenza, R.M. Dreizler, A. Klein and G.J. Dreiss, Phys. Lett. 23 (1966) 241
 1966CE1E R. Ceuleneer, M. Demeur and J. Reignier, Nucl. Phys. 82 (1966) 625
 1966CE1F R. Ceuleneer, M. Demeur and J. Reignier, Nucl. Phys. 89 (1966) 177
 1966CO04 A. Covello and G. Sartoris, Nucl. Phys. 75 (1966) 297
 1966CO08 B.C. Cook, J.E.E. Baglin, J.N. Bradford and J.E. Griffin, Phys. Rev. 143 (1966) 712
 1966CO1G Coulter, Bull. Amer. Phys. Soc. 11 (1966) 322
 1966CO1H Coulter, NASA CR 81059 (1966)
 1966CO24 A.A. Cowley, G. Heymann, R.L. Keizer and M.J. Scott, Nucl. Phys. 86 (1966) 363
 1966CR05 R.M. Craig, B. Hird, C.J. Kost and T.Y. Li, Phys. Lett. 21 (1966) 177
 1966CR07 H. Crannell, Phys. Rev. 148 (1966) 1107
 1966DA1F Davies, Krieger and Baranger, Nucl. Phys. 84 (1966) 545

- 1966DE18 N. De Takacsy, Phys. Lett. 23 (1966) 260
- 1966DI1D B. Diehl, Nucl. Phys. 82 (1966) 521
- 1966DR04 Y.G. Dragunov, Y.V. Melikov and A.F. Tulinov, Yad. Fiz. 4 (1966) 314; Sov. J. Nucl. Phys. 4 (1967) 225
- 1966DU08 B. Duelli, F. Hinterberger, G. Mairle, U. Schmidt-Rohr, P. Turek and G. Wagner, Phys. Lett. 23 (1966) 485
- 1966DU1B Duggan et al., Bull. Amer. Phys. Soc. 11 (1966) 831
- 1966ED1B G. Eder, A. Kitz and W. Schwetje, Nucl. Phys. 79 (1966) 417
- 1966EU01 H. Euringer, H. Neuert and H. Scholermann, Z. Naturforsch. A21 (1966) 977
- 1966EV1B Evans, Brown and Marion, Rev. Sci. Instrum. 37 (1966) 991
- 1966FE05 P. Federman and I. Kelson, Phys. Rev. Lett. 17 (1966) 1055
- 1966FI1C Firk, Nucl. Instrum. Meth. 43 (1966) 312
- 1966FO11 D.B. Fossan, R.A. Chalmers, S.R. Salisbury and F.J. Vaughn, Phys. Rev. 152 (1966) 980
- 1966FU1C Fuller, Antwerp 1965 Neutron Conf. (North-Holland, 1966) 359
- 1966GA08 A. Gallman, P. Fintz, J.B. Nelson and D.E. Alburger, Phys. Rev. 147 (1966) 753
- 1966GA09 A. Gallman, P. Fintz and P.E. Hodgson, Nucl. Phys. 82 (1966) 161
- 1966GA25 G.T. Garvey and I. Kelson, Phys. Rev. Lett. 16 (1966) 197
- 1966GI1A Gillet, Proc. Int. School Enrico Fermi, Course 36; Ed. C. Bloch (Academic Press, 1966) 43
- 1966GI1B Gillet, in Proc. Conf. Nucl. Reactions, Jan. 1969, Rossendorf; Ed. J. Schintlmeister, ZFK-122 (1966) 57
- 1966GL1B R.N. Glover and A.D.W. Jones, Nucl. Phys. 81 (1966) 268
- 1966GO18 S. Gorodetsky, J. Adloff, P. Chevallier, D. Disdier, P. Gorodetsky, R. Modjtahed-Zadeh and F. Scheibling, Phys. Lett. 22 (1966) 505
- 1966GO1B Goldanskii, Ann. Rev. Nucl. Sci. 16 (1966) 1
- 1966GO1C Goldemberg and Pratt, Rev. Mod. Phys. 38 (1966) 311
- 1966GO1F Goldmann, Kneisel and Buttlar, Z. Phys. 192 (1966) 282
- 1966GO1H Gordetzky et al., J. Phys. C1-34 (1966)
- 1966GO1J Gordetzky, Gallmann and Fintz, J. Phys. C1-91 (1966)
- 1966GR18 R.C. Greenwood, Phys. Lett. 23 (1966) 482
- 1966GR1J Grechukhin, Yad. Fiz. 4 (1966) 42
- 1966GR1K L. Grunbaum, Nucl. Phys. 83 (1966) 528

- 1966GU06 K.K. Gupta, S.B. Khadkikar and J.C. Parikh, Nucl. Phys. 86 (1966) 449
- 1966HA19 B.G. Harvey, J.R. Meriwether, J. Mahoney, A. Bussiere de Nercy and D.J. Horen, Phys. Rev. 146 (1966) 712
- 1966HA1K J. Hayward, Nucl. Phys. 81 (1966) 193
- 1966HA1M Hayward, Proc. Int. School Enrico Fermi, Course 36; Ed. C. Bloch (Academic Press, 1966) 559
- 1966HA31 O. Hausser, H.J. Rose, J.S. Lopes and R.D. Gill, Phys. Lett. 22 (1966) 604
- 1966HE05 D.W. Heikkinen, Phys. Rev. 141 (1966) 1007; Erratum Phys. Rev. 149 (1966) 990
- 1966HE10 P.V. Hewka, C.H. Holbrow and R. Middleton, Nucl. Phys. 88 (1966) 561
- 1966HU13 D.J. Hughes and A.B. Volkov, Phys. Lett. 23 (1966) 113
- 1966IF01 G.A. Iferov, P. Matyya, I.B. Teplov and A.F. Tulinov, Yad. Fiz. 3 (1966) 863; Sov. J. Nucl. Phys. 3 (1966) 634
- 1966JA1A Jacob and Maris, Rev. Mod. Phys. 38 (1966) 121
- 1966JA1H Jager and Munchow, Proc. Conf. Nucl. Reactions, Jan. 1966, Rossendorf; Ed. J. Schintlmeister; ZFK-122 (1966) 337
- 1966KA09 A. Kallio and A.M. Green, Nucl. Phys. 84 (1966) 161
- 1966KA1A Kadenskii, Bull. Acad. Sci. USSR Phys. Ser. 30 (1966) 145; Izv. Akad. Nauk SSSR Ser. Fiz. 30 (1966) 138
- 1966KA1C Katz, Proc. Int. Conf. Electromag. Int. Dubna, Feb. 1967, Vol. 4 (Moscow, 1967) 97
- 1966KE16 I. Kelson and G.T. Garvey, Phys. Lett. 23 (1966) 689
- 1966KE1C A.K. Kerman, J.P. Svenne, and F.M. Villars, Phys. Rev. 147 (1966) 710
- 1966KI1C C.W. Kim, Phys. Rev. 146 (1966) 691
- 1966KL04 G. Kluge, Z. Phys. 197 (1966) 288
- 1966KN02 T. Knellwolf and J. Rossel, Helv. Phys. Acta 39 (1966) 376
- 1966KO1D Kozlowski, Kusch and Wojtkowska, INR 661/IA/PL (1966)
- 1966KO1E H.S. Kohler and R.J. McCarthy, Nucl. Phys. 86 (1966) 611
- 1966KO1F H.S. Kohler and R.J. McCarthy, Nucl. Phys. 88 (1966) 529
- 1966KO1G Komar, Denisov and Kulchitskii, Dokl. Akad. Nauk SSSR 169 (1966) 1307
- 1966KR02 S.J. Krieger, M. Baranger and K.T.R. Davies, Phys. Lett. 22 (1966) 607
- 1966LA09 J.D. Larson and T.A. Tombrello, Phys. Rev. 147 (1966) 760
- 1966LA1J Laird and Huffaker, Bull. Amer. Phys. Soc. 11 (1966) 809
- 1966LE04 R. Leonardi, P. Loncke and J. Pradal, Nucl. Phys. 75 (1966) 305
- 1966LE1H R. Leonardi, P. Loncke and J. Pradal, Phys. Rev. 146 (1966) 615

1966LE1J F.H. Lewis, Jr., Nucl. Phys. 80 (1966) 465
 1966LE1K J. LeTourneux, Nucl. Phys. 81 (1966) 665
 1966LE1L LeTourneux and Eisenberg, Nucl. Phys. 85 (1966) 119
 1966LE1M Lemmer, Rept. Prog. Phys. 29 (1966) 131
 1966LI03 D. Lister and A. Sayres, Phys. Rev. 143 (1966) 745
 1966LO06 J. Lowe, A.R. Poletti and D.H. Wilkinson, Phys. Rev. 148 (1966) 1045
 1966MA1T Maison, Langevin and Loiseaux, J. Phys. C1-36 (1966)
 1966MA1U MacKellar and Becker, Bull. Amer. Phys. Soc. 11 (1966) 356
 1966MA60 J.B. Marion, Rev. Mod. Phys. 38 (1966) 660
 1966MC01 W.J. McDonald, J.M. Robson and R. Malcolm, Nucl. Phys. 75 (1966) 353
 1966MC05 R.L. McGrath, Phys. Rev. 145 (1966) 802
 1966MC20 L. McFadden and G.R. Satchler, Nucl. Phys. 84 (1966) 177
 1966ME05 W.E. Meyerhof, Phys. Rev. Lett. 16 (1966) 1114
 1966ME1H Meyer-Schutzmeister, 2nd Symp. on the Struct. of Low-Medium Mass Nuclei, Apr. 1966 (1966) 195
 1966ME1J Melkanoff, Proc. Int. School Enrico Fermi, Course 36; Ed. C. Bloch (Academic Press, 1966) 543
 1966MI04 J. Miller, C. Schuhl, G. Tamas and C. Tzara, J. Phys. (Paris) 27 (1966) 8
 1966MI1F Migdal, Proc. Int. School Enrico Fermi, Course 36; Ed. C. Bloch (Academic Press, 1966) 171
 1966MO1C Morgan et al., Antwerp 1965 Neutron Conf. (North-Holland, 1966) 537
 1966MO25 S. Morita, T. Nakagawa, C.-C. Hsu and S.-M. Lee, J. Phys. Soc. Jpn. 21 (1966) 2435
 1966NG1A Ngyyen, J. Phys. Soc. Jpn. 21 (1966) 2462; Erratum J. Phys. Soc. Jpn. 22 (1967) 684
 1966OH1A H. Ohtsubo, Phys. Lett. 22 (1966) 480
 1966PO1E Poth and Bromley, Bull. Amer. Phys. Soc. 11 (1966) 317
 1966PR1A R. Prasad, D.C. Sarkar and C.S. Khurana, Nucl. Phys. 85 (1966) 476
 1966PU01 N.G. Puttaswamy and D. Kohler, Phys. Lett. 20 (1966) 288
 1966RA1C R. Raphael and H. Uberall, Phys. Rev. 143 (1966) 671
 1966RA1D Raynal, Bull. Amer. Phys. Soc. 11 (1966) 457
 1966RA1E R. Raphael and H. Uberall, Nucl. Phys. 85 (1966) 327
 1966RA1F R. Raphael, H. Uberall and C. Werntz, Phys. Rev. 152 (1966) 899
 1966RI04 E. Rivet, R.H. Pehl, J. Cerny and B.G. Harvey, Phys. Rev. 141 (1966) 1021
 1966RI1F Ripka, Lect. in Theor. Phys., Vol. VIII C (Univ. of Colorado Press, Boulder, 1966) 237

1966RO1P H.J. Rose, J.S. Lopes and W. Greiner, Phys. Lett. 19 (1966) 686
1966RO1Q Robson, Ann. Rev. Nucl. Sci. 16 (1966) 119
1966SC05 S.A. Scott and A. Norea, Nucl. Phys. 77 (1966) 641
1966SC1G Schiffrer, Proc. Int. School Enrico, Course 36; Ed. C. Bloch (Academis Press, 1966) 550
1966SE05 J.B. Seaborn and J.M. Eisenberg, Nucl. Phys. 82 (1966) 308
1966SH1G C.M. Shakin, J. Svenne and Y.R. Waghmare, Phys. Lett. 21 (1966) 209
1966SI1D A.G. Sitenko and I.V. Simenog, Nucl. Phys. 80 (1966) 643
1966SI1E Simenog, Ukr. Fiz. Zh. (USSR) 11 (1966) 471; Phys. Abs. 33560 (1966)
1966SL1A Sliv and Kharitanov, Bull. Acad. Sci. USSR Phys. Ser. 30 (1966) 1137
1966SO05 M. Soga, Nucl. Phys. 89 (1966) 697
1966ST08 A.P. Stamp and D.F. Mayers, Nucl. Phys. 82 (1966) 296; Erratum Nucl. Phys. 89 (1966) 707
1966ST13 M. Stroetzel and F. Gudden, Phys. Lett. 22 (1966) 485
1966ST1G Stephenson, Astrophys. J. 146 (1966) 950
1966SU05 M. Suffert, Nucl. Phys. 75 (1966) 226
1966SU1C Suffert, Ann. Phys. (Paris) 1 (1966) 547
1966SU1D Suzuki and Nagata, Prog. Theor. Phys. 36 (1966) 37
1966SV1A Svenne, Bassichis and Kerman, Bull. Amer. Phys. Soc. 11 (1966) 305
1966SW01 C.P. Swann, Phys. Rev. 148 (1966) 1119
1966TO04 T.A. Tombrello, Phys. Lett. 23 (1966) 134
1966TY01 H. Tyren, S. Kullander, O. Sundberg, R. Ramachandran, P. Isacson and T. Berggren, Nucl. Phys. 79 (1966) 321; Erratum Nucl. Phys. A119 (1968) 692
1966UL1A Ulehla, Struct. of Complex Nuclei; Ed. N.N. Bogolyubov, Atomizdat (1966), Consultants Bureau, New York (1969) 1
1966VA02 G.J. Vanpraet and W.C. Barber, Nucl. Phys. 79 (1966) 550
1966WA1J H.G. Wahsweiler, M. Danos and W. Greiner, Phys. Rev. Lett. 17 (1966) 395
1966WA1K G.E. Walker, Phys. Rev. 151 (1966) 745
1966WA1L H.G. Wahsweiler, M. Danos and W. Greiner, Phys. Lett. 23 (1966) 257
1966WI1E D.H. Wilkinson and M.E. Mafethe, Nucl. Phys. 85 (1966) 97
1966WO02 S.S.M. Wong, Phys. Lett. 20 (1966) 188
1966YA04 A.I. Yavin, R.A. Hoffswell, L.H. Jones and T.M. Noweir, Phys. Rev. Lett. 16 (1966) 1049

1966YO1B Yoccoz, J. Phys. C1-3 (1966)
 1966ZH1A Zhivopistsev and Yudin, Bull. Acad. Sci. USSR Phys. 30 (1966) 317
 1967AB02 Y. Abgrall, E. Caurier and G. Monsonego, Phys. Lett. B24 (1967) 609
 1967AB04 Y. Abgrall, G. Baron, E. Caurier and G. Monsonego, Phys. Lett. B26 (1967) 53
 1967AB1D Abul-Magd, Yad. Fiz. 6 (1967) 288
 1967AL06 J.L. Alty, L.L. Green, R. Huby, G.D. Jones, J.R. Mines and J.F. Sharpey-Schafer, Nucl. Phys. A97 (1967) 541
 1967AM1E Amaldi, Proc. Int. Conf. Electromag. Int. Dubna, Feb., 1967, Vol. 3 (Moscow, 1967) 110
 1967AM1F Amai, Miyatake and Yoshizawa, Prog. Theor. Phys. 38 (1967) 1270
 1967AM1G Amaldi, Suppl. Nuovo Cim. 5 (1967) 1225
 1967AR02 A. Arima, H. Horiuchi and T. Sebe, Phys. Lett. B24 (1967) 129
 1967AR1A Artus et al., Int. Nucl. Phys. Conf., Gatlinburg, 1966 (Academic Press, 1967) 314
 1967AU1B J. Audouze, M. Epherre and H. Reeves, Nucl. Phys. A97 (1967) 144
 1967BA1E Bang, Zelemskaya, Magzumov and Neudachin, Sov. J. Nucl. Phys. 4 (1967) 688
 1967BA1K W.H. Bassichis and J.P. Svenne, Phys. Rev. Lett. 18 (1967) 80
 1967BA1Y V.V. Balashov, G.Ya. Korenman, V.L. Korotkih and V.N. Fetisov, Nucl. Phys. B1 (1967) 158
 1967BA2A Bartis, Bull. Amer. Phys. Soc. 12 (1967) 68
 1967BA2C V.V. Balashov and N.M. Kabachnik, Phys. Lett. B25 (1967) 316
 1967BA2D Baranger, Int. Nucl. Phys. Conf., Gatlinburg, 1966 (Academic Press, 1967) 659
 1967BA31 B.R. Barrett, Phys. Rev. 159 (1967) 816
 1967BA78 G. Backenstoss, S. Charalambus, H. Daniel, H. Koch, G. Poelz, H. Schmitt and L. Tauscher, Phys. Lett. B25 (1967) 547
 1967BE02 W.P. Beres and W. MacDonald, Nucl. Phys. A91 (1967) 529
 1967BE09 H. Beaumevieille, M. Lambert, M. Yaker and A. Amokrane, Nuovo Cim. B47 (1967) 139
 1967BE14 J.A. Becker, J.W. Olness and D.H. Wilkinson, Phys. Rev. 155 (1967) 1089
 1967BE1V Bertsch, Bull. Amer. Phys. Soc. 12 (1967) 576
 1967BE24 K. Bethge, K. Meier-Ewert, K. Pfeiffer and R. Bock, Phys. Lett. B24 (1967) 663
 1967BE2B P.L. Beach, R.W. Finlay, R.L. Cassola, and R.D. Koshel, Phys. Rev. 156 (1967) 1201
 1967BI12 G.R. Bishop, Phys. Lett. B25 (1967) 499

- 1967BI1F Birnbaum and Bromley, Int. Nucl. Phys. Conf., Gatlinburg, 1966 (Academic Press, 1967) 157
- 1967BL1K B. Block and F.B. Malik, Phys. Rev. Lett. 19 (1967) 239
- 1967BL1M J. Blomqvist, Nucl. Phys. A103 (1967) 644
- 1967BL1N Bleuler, Schuette and Petry, Proc. 3rd Int. Conf. on At. Masses, Winnipeg, Canada, 1967 (Winnipeg: Univ. of Manitoba Press, 1967) 9
- 1967BL23 J.L. Black, W.J. O'Connell, S.S. Hanna and G.L. Latshaw, Phys. Lett. B25 (1967) 405
- 1967BO07 E. Boeker, Phys. Lett. B24 (1967) 616
- 1967BO1G E. Boeker, Nucl. Phys. A91 (1967) 27
- 1967BO1P Bock, Grosse-Schulte and Von Oertzen, Int. Nucl. Phys. Conf., Gatlinburg, 1966 (Academic Press, 1967) 174
- 1967BO37 K. Boehle, J. Leifson, V. Meyer and H.H. Muller, Helv. Phys. Acta 40 (1967) 973
- 1967BR1E D.M. Brink and E. Boeker, Nucl. Phys. A91 (1967) 1
- 1967BR1F F.P. Brady, J.A. Jungerman and J.C. Young, Nucl. Phys. A98 (1967) 241
- 1967BR1J D.M. Brink and M. E. Grypeos, Nucl. Phys. A97 (1967) 81
- 1967BR1K G.E. Brown and C. W. Wong, Nucl. Phys. A100 (1967) 241
- 1967BU05 B. Buck and A.D. Hill, Nucl. Phys. A95 (1967) 271
- 1967BU1F Bunatian, Proc. Problem Symp. on Nucl. Phys., Tbilisi, Apr. 1967 (Moscow, 1967) 690
- 1967CA1C Caldwell, UCRL 50287 (1967)
- 1967CA1D Carlson, Nucl. Research with Low Energy Accelerators, Eds. Marion and van Patter (Academic Press, 1967) 475
- 1967CA1J Cabrespine, Gauvin, Lefort and Sauvage, Ark. Fys. 36 (1967) 463
- 1967CA1P Caldwell, Fultz and Bramblett, Bull. Amer. Phys. Soc. 12 (1967) 197
- 1967CE1A Celenza, Dissertation Abs. 28 (1967); Phys. Abs. 42841 (1968)
- 1967CH04 R. Chapman and A.M. Macleod, Nucl. Phys. A94 (1967) 324
- 1967CH19 C. Chasman, K.W. Jones, R.A. Ristinen and D.E. Alburger, Phys. Rev. 159 (1967) 830
- 1967CH21 P. Chevallier, F. Scheibling, G. Goldring, I. Plessner and M.W. Sachs, Phys. Rev. 160 (1967) 827
- 1967CH34 V.I. Chuev, V.V. Davidov, A.A. Ogloblin and S.B. Sakuta, Ark. Fys. 36 (1967) 263
- 1967CO05 R.K. Cole, R. Dittman, H.S. Sandhu, C.N. Waddell and J.K. Dickens, Nucl. Phys. A91 (1967) 665

1967CO1R Coppola and Knitter, Eur 3492.E (1967)
1967CR05 R.M. Craig, B. Hird, C.J. Kost and T.Y. Li, Nucl. Phys. A96 (1967) 367
1967CR1F Crawley and Garvey, Private Communication (1967)
1967CZ1B Czyz, Lesniak and Malecki, Ann. Phys. 42 (1967) 97
1967CZ1C Czyz, Lesniak and Malecki, Ann. Phys. 42 (1967) 119
1967DA1D Daniel et al., Z. Phys. 205 (1967) 472
1967DE1E Deutsch et al., Nuovo Cim. B52 (1967) 557
1967DE1P Devanathan, Bull. Amer. Phys. Soc. 12 (1967) 12
1967DE1Q N. De Takacsy, Nucl. Phys. A95 (1967) 505
1967DE1R Devanathan, Rho, Rao and Nair, Nucl. Phys. 82 (1967) 329
1967DI1B Dietrich and Adams, Bull. Amer. Phys. Soc. 12 (1967) 10
1967DO1A Dolbilkin, Proc. P. N. Lebedev Inst. 36 (1967) 17
1967DO1B F. Donau, K. Hehl, C. Riedel, R.A. Broglia and P. Federman, Nucl. Phys. A101 (1967) 495
1967DO1C Dolan, Piluso and McDaniels, Bull. Amer. Phys. Soc. 12 (1967) 914
1967DR05 T.E. Drake, R.M. Hutcheon, V.W. Stobie, G.A. Beer and H.S. Caplan, Phys. Rev. 163 (1967) 947
1967DU1C C.B. Duke, F.B. Malik and F.W. Firk, Phys. Rev. 157 (1967) 879
1967DZ01 T.G. Dzubay, Phys. Rev. 158 (1967) 977
1967EA02 E.D. Earle and N.W. Tanner, Nucl. Phys. A95 (1967) 241
1967EB02 W. Ebenhoh, W. Glockle and J. Hufner, Phys. Lett. B24 (1967) 361
1967EB03 W. Ebenhoh, W. Glockle, J. Hufner and H.A. Weidenmuller, Z. Phys. 202 (1967) 301
1967EL1B L.R.B. Elton and A. Swift, Nucl. Phys. A94 (1967) 52
1967EL1E L.R.B. Elton, Phys. Lett. B25 (1967) 60
1967EN01 T. Engeland and P.J. Ellis, Phys. Lett. B25 (1967) 57
1967FA06 J.A. Fannon, E.J. Burge, D.A. Smith and N.K. Ganguly, Nucl. Phys. A97 (1967) 263
1967FE01 P. Federman, Nucl. Phys. A95 (1967) 443
1967FE05 S. Ferroni, V. Gracco, D.B. Isabelle, R. Malvano and M. Sanzone, Nucl. Phys. A98 (1967) 409
1967FE1D P. Federman, B. Giraud and D. Zaikin, Nucl. Phys. A102 (1967) 81
1967FI07 W. Fitz, R. Jahr and R. Santo, Nucl. Phys. A101 (1967) 449
1967FI1E Firk, Int. Nucl. Phys. Conf., Gatlinburg, 1966 (Academic Press, 1967) 352
1967FL10 J.L. Flinner, J.C. Harris and B. Mulligan, Phys. Rev. 161 (1967) 1082

- 1967FO1A Fowler and Mayes, Proc. Phys. Soc. (London) 92 (1967) 377
- 1967FO1C L.L. Foldy and R.H. Klein, Phys. Lett. B24 (1967) 540
- 1967FO1D J. Formanek and J. S. Trefil, Nucl. Phys. B4 (1967) 165
- 1967FR10 J.L. Friedes, H. Palevsky, R.J. Sutter, G.W. Bennett, G.J. Igo, W.D. Simpson and D.M. Corley, Nucl. Phys. A104 (1967) 294
- 1967FU02 S. Fujii, Phys. Lett. B24 (1967) 7
- 1967FU07 H. Fuchs, K. Grabisch, P. Kraaz and G. Roschert, Nucl. Phys. A105 (1967) 590
- 1967FU1G Fultz et al., Int. Nucl. Phys. Conf., Gatlinburg, 1966 (Academic Press, 1967) 397
- 1967GI07 R.D. Gill, O. Hausser, J.S. Lopes and H.J. Rose, Nucl. Phys. A98 (1967) 129
- 1967GI1B V. Gillet, M.A. Melkanoff and J. Raynal, Nucl. Phys. A97 (1967) 631
- 1967GI1C Gillet, Proc. Problem Symp. on Nucl. Phys., Tbilisi, Apr. 1967 (Moscow, 1967) 626
- 1967GL1B Glavina et al., Bull. Amer. Phys. Soc. 12 (1967) 651
- 1967GO08 S. Gorodetzky, J.C. Adloff, P. Chevallier, D. Disdier, P. Gorodetzky, V. Rauch and F. Scheibling, Phys. Lett. B24 (1967) 578
- 1967GO1A G. Goldring, H.M. Loebenstein, I. Plesser and M.W. Sachs, Phys. Lett. B25 (1967) 538
- 1967GO23 P. Goldhammer and F.W. Prosser, Jr., Phys. Rev. 163 (1967) 950
- 1967GO27 Y.V. Gofman, N.I. Zaika, A.V. Mokhnach, O.F. Nemets, P.L. Shmarin and A.M. Yasnogorodskii, Yad. Fiz. 5 (1967) 718; Sov. J. Nucl. Soc. 5 (1967) 510
- 1967GR1E A.M. Green, Phys. Lett. B24 (1967) 384
- 1967GR1F Grushin and Nikitin, Yad. Fiz. 5 (1967) 173
- 1967GR1G Grillot, Thesis, Michigan State Univ. (1967); Phys. Abs. 8987 (1969)
- 1967HA1F Hansen, Stelts, Vidal and Wesolowski, Bull. Amer. Phys. Soc. 12 (1967) 534
- 1967HA1N Hanser et al., Bull. Amer. Phys. Soc. 12 (1967) 516
- 1967HA1P Hanser, Unpublished Thesis, MIT (1967)
- 1967HA1Q Hayakawa et al., Bull. Amer. Phys. Soc. 12 (1967) 1195
- 1967HI06 J.C. Hiebert, E. Newman and R.H. Bassel, Phys. Rev. 154 (1967) 898
- 1967HI1B Hill et al., Proc. 2nd Int. Conf. on High Energy Phys. and Nucl. Struct., Rehovoth (1967); Phys. Abs. 33884 (1968)
- 1967HO1H Ho-Kim, Nuovo Cim. B51 (1967) 492
- 1967HU1B Hughes, Sprung and Volkov, Int. Nucl. Phys. Conf., Gatlinburg, 1966 (Academic Press, 1967) 710
- 1967IG1B Igo et al., Int. Nucl. Phys. Conf., Gatlinburg, 1966 (Academic Press, 1967) 162

- 1967IS1A Isabelle, Proc. Int. Conf. Electromag. Int. Dubna, Feb. 1967, Vol. 3 (Moscow, 1967) 85
- 1967IV1B Ivascu, Dumitrescu and Semenescu, Rev. Roum. Phys. 12 (1967) 279
- 1967JA1E B.K. Jain and D.F. Jackson, Nucl. Phys. A99 (1967) 113
- 1967JA1G Jarmie and Bryant, Bull. Amer. Phys. Soc. 12 (1967) 11
- 1967KA1D A. Kallio and B.D. Day, Phys. Lett. B25 (1967) 72
- 1967KA1E N.M. Kabachnik, V.L. Korotkih and H.-J. Unger, Nucl. Phys. A103 (1967) 450
- 1967KE1G A.K. Kerman and M.K. Pal, Phys. Rev. 162 (1967) 970
- 1967KI1B Kim and Kuo, Bull. Amer. Phys. Soc. 12 (1967) 48
- 1967KO1D D.S. Koltun, Phys. Rev. 162 (1967) 963
- 1967KO1H Kohr and Griffin, Bull. Amer. Phys. Soc. 12 (1967) 1172
- 1967KR05 K. Kramer, H.V. Buttler, A. Goldmann and B. Huber, Z. Phys. 207 (1967) 1
- 1967KR1C Krieger, Baranger and Davies, Int. Nucl. Phys. Conf., Gatlinburg, 1966 (Academic Press, 1967) 720
- 1967KR1D Kroepel, Marvin, Watson and Singh, Bull. Amer. Phys. Soc. 12 (1967) 517
- 1967KR1E H.J. Krappe and H.G. Wahsweiler, Nucl. Phys. A104 (1967) 633
- 1967KU13 T.T.S. Kuo, Phys. Lett. B26 (1967) 63
- 1967KU1E D. Kurath and R.D. Lawson, Phys. Rev. 161 (1967) 915
- 1967KU1J Kuriyama, Bando, Nagata and Takada, Int. Nucl. Phys. Conf., Gatlinburg, 1966 (Academic Press, 1967) 939
- 1967LA11 B. Lawergren and I.V. Mitchell, Nucl. Phys. A98 (1967) 481
- 1967LA16 M. Lambert, H. Beaumevieuille, A. Amokrane and M. Yaker, Nuovo Cim. B50 (1967) 1
- 1967LA1J La Salle et al., Bull. Amer. Phys. Soc. 12 (1967) 517
- 1967LA1K G.H. Lamot, C. Fayard, J.N. Massot, E. El Baz and J. Lafoucrnere, Nucl. Phys. A99 (1967) 633
- 1967LA1L A. Lande and J.P. Svenne, Phys. Lett. B25 (1967) 91
- 1967LE13 H.K. Lee and H. McManus, Phys. Rev. 161 (1967) 1087
- 1967LE1G Lee and McManus, Int. Nucl. Phys. Conf., Gatlinburg, 1966 (Academic Press, 1967) 178
- 1967LE1H Levinger, Proc. Int. Conf. Electromag. Int. Dubna, Feb. 1967, Vol. 3 (Moscow, 1967) 411
- 1967LO01 H.M. Loebenstein, D.W. Mingay, H. Winkler and C.S. Zaidins, Nucl. Phys. A91 (1967) 481

- 1967LO08 J. Lowe, D.E. Alburger and D.H. Wilkinson, Phys. Rev. 163 (1967) 1060
- 1967LO1B Loiseaux, Maison and Langevin, J. Phys. 28 (1967) 11
- 1967LU05 H.F. Lutz, J.J. Wesolowski, S.F. Eccles and L.F. Hansen, Nucl. Phys. A101 (1967) 241
- 1967MA1B Marion, Nucl. Research with Low Energy Accelerators, Eds. Marion and van Patter (Academic Press, 1967) 497
- 1967MA1H Malik, Firk and Duke, Bull. Amer. Phys. Soc. 12 (1967) 54
- 1967MA1J H.A. Mavromatis, W. Markiewicz and A.M. Green, Nucl. Phys. A90 (1967) 101
- 1967MC09 R.J. McCarthy and H.S. Kohler, Nucl. Phys. A99 (1967) 65
- 1967ME17 M.M. Meier, F.O. Purser, Jr. and R.L. Walter, Phys. Rev. 163 (1967) 1056
- 1967ME1F Meyerhcf, Proc. Problem Symp. on Nucl. Phys., Tbilisi, Apr. 1967 (Moscow, 1967) 350
- 1967ME1G Meyer-Schutzmeister, Int. Nucl. Phys. Conf., Gatlinburg, 1966 (Academic Press, 1967) 404
- 1967MI15 M. Mishina, E. Tanaka, K. Kageyama, N. Mutsuro, A. Asami, Y. Kawarasaki and Y. Nakajima, J. Phys. Soc. Jpn. 23 (1967) 919
- 1967MI1B Miller, Thesis, Princeton Univ. (1967); Phys. Abs. 9047 (1969)
- 1967MO1J Moszkowski, Rev. Mod. Phys. 39 (1967) 657
- 1967MO1K Morita, Hirooka and Narumi, Int. Nucl. Phys. Conf., Gatlinburg, 1966 (Academic Press, 1967) 482
- 1967MO1L Morrison et al., Bull. Amer. Phys. Soc. 12 (1967) 54
- 1967MO23 J.F. Morgan and R.K. Hobbie, Phys. Rev. 163 (1967) 992
- 1967MU01 R. Muthukrishnan, Can. J. Phys. 45 (1967) 333
- 1967MU02 R. Muthukrishnan, Nucl. Phys. A93 (1967) 417
- 1967MU1D J.D. Murphy, R. Raphael, H. Uberall, R.F. Wagner, D.K. Anderson and C. Werntz, Phys. Rev. Lett. 19 (1967) 714
- 1967NE1E E. Newman, L.C. Becker, B.M.Preedom and J.C. Hiebert, Nucl. Phys. A100 (1967) 225
- 1967NI1C Nickel, Peierls and Tomusiak, Bull. Amer. Phys. Soc. 12 (1967) 666
- 1967NO02 I. Nonaka, T. Mikumo, M. Koike, K. Matsuda, A. Suzuki, Y. Nagahara, K. Kikuchi and T. Maki, J. Phys. Soc. Jpn. 22 (1967) 949
- 1967OG1A Ogloblin, Proc. Problem Symp. on Nucl. Phys., Tbilisi, Apr. 1967 (Moscow, 1967) 169
- 1967PA05 J.C. Parikh and N. Ullah, Nucl. Phys. A99 (1967) 529

- 1967PA10 M.K. Pal and A.P. Stamp, Phys. Rev. 158 (1967) 924
- 1967PA1L Palevsky, Int. Nucl. Phys. Conf., Gatlinburg, 1966 (Academic Press, 1967) 1060
- 1967PA1M Parikh, Lect. on Nucl. Many Body Pbs., Herceg Novi (1967)
- 1967PA25 H. Palevsky, J.L. Friedes, R.J. Sutter, G.W. Bennett, G.J. Igo, W.D. Simpson, G.C. Phillips, D.M. Corley, N.S. Wall, R.L. Stearns et al., Phys. Rev. Lett. 18 (1967) 1200
- 1967PH02 R.J. Philpott and P.P. Szydluk, Phys. Rev. 153 (1967) 1039
- 1967PI01 R.E. Pixley and W. Benenson, Nucl. Phys. A91 (1967) 177
- 1967PI1B Pinkston, Nucl. Research with Low Energy Accelerators, Eds. Marion and van Patter (Academic Press, 1967) 419
- 1967PO13 J.E. Poth, J.C. Overley and D.A. Bromley, Phys. Rev. 164 (1967) 1295
- 1967PO1E Poth and Bromley, Int. Nucl. Phys. Conf., Gatlinburg, 1966 (Academic Press, 1967) 94
- 1967PR1D Prats and Bauer, Rev. Mex. Fisica 15 (1966) 327
- 1967RA02 R. Raphael, H. Uberall and C. Werntz, Phys. Lett. B24 (1967) 15
- 1967RA1D J. Raynal M. A. Melkanoff and T. Sawada, Nucl. Phys. A101 (1967) 369
- 1967RE1B Rees, Harvey and Hendrie, Bull. Amer. Phys. Soc. 12 (1967) 912
- 1967RH1A M. Rho, Phys. Rev. Lett. 18 (1967) 671; Erratum Phys. Rev. Lett. 18 (1967) 1104
- 1967RH1B M. Rho, Phys. Rev. 161 (1967) 955
- 1967RI1B Ripka, Int. Nucl. Phys. Conf., Gatlinburg, 1966 (Academic Press, 1967) 833
- 1967RI1C Riou, Proc. Problem Symp. on Nucl. Phys., Tbilisi., Apr. 1967 (Moscow, 1967) 336
- 1967RO1G Rowe, Private Communication (1967)
- 1967RO1H A. Ron and M.E. Rose, Phys. Lett. B24 (1967) 372
- 1967SA1G G. Saunier and J.M. Pearson, Phys. Rev. 160 (1967) 740
- 1967SC16 H. Schulz, H.J. Wiebicke and R. Reif, Nucl. Phys. A101 (1967) 577
- 1967SC1G Scott, Kahana and Lee, Bull. Amer. Phys. Soc. 12 (1967) 517
- 1967SE08 W.A. Seale, Phys. Rev. 160 (1967) 809
- 1967SH1B Shapiro and Silberberg, High Energy Nucl. Reactions in Astrophys., Ed. B.S.P. Shen (W.A. Benjamin, 1967) 37
- 1967SH1E Shevchenko, Proc. Int. Conf. Electromag. Inter. Dubna, Feb, 1967, Vol. 3 (Moscow, 1967) 206
- 1967SH1H C.M. Shakin, Y.R. Waghmare, M. Tomaselli and M.H. Hull, Phys. Rev. 161 (1967) 1015
- 1967SI1D R.H. Siemssen, J.V. Maher, A. Weidinger and D.A. Bromley, Phys. Rev. Lett. 19 (1967) 369; Erratum Phys. Rev. Lett. 20 (1968) 175

- 1967SP09 A. Sperduto, Proc. 3rd Int. Conf. on Atomic Masses, Winnipeg, Canada, 1967; Ed. R.C. Barber (Univ. Manitoba Press, 1967) 657
- 1967ST06 G.J. Stephenson, Jr. and M.K. Banerjee, Phys. Lett. B24 (1967) 209
- 1967ST1L Stephenson, Nucl. Research with Low Energy Accelerators; Eds. Marion and van Patter (Academic Press, 1967) 433
- 1967ST1M Stephenson, Private Communication (1967)
- 1967SU02 M. Suffert and W. Feldman, Phys. Lett. B24 (1967) 579
- 1967SU1C R.J. Sutter, J.L. Friedes, H. Palevsky, G.W. Bennett, G.J. Igo, W.D. Simpson, G.C. Phillips, D.M. Corley, N.S. Wall and R.L. Stearns, Phys. Rev. Lett. 19 (1967) 1189
- 1967SV1A Svenne, Lect. on Nucl. Many Body Problems, Herceg Novi (1967)
- 1967TA1C Takimoto, Mem. Coll. Sci. Univ. Kyoto 31, Ser. A. 267, Feb. 1967 (1967)
- 1967TA1D Tanner, Proc. Int. Conf. Electromag. Int. Dubna, Feb. 1967, Vol. 3 (Moscow, 1967) 277
- 1967TH04 M.N. Thompson and J.E.E. Baglin, Phys. Lett. B25 (1967) 256
- 1967TH1E Thornton, ORNL TM 1917 (1967)
- 1967TU04 P.M. Tutakin, Yad. Fiz. 5 (1967) 1325; Sov. J. Nucl. Phys. 5 (1967) 946
- 1967UB1A Uberall, Raphael and Werntz, Bull. Amer. Phys. Soc. 12 (1967) 67
- 1967VA18 R. Vandenbosch, J.C. Norman and C.J. Bishop, Phys. Rev. 158 (1967) 887
- 1967VA1G D. Vautherin and M. Veneroni, Phys. Lett. B25 (1967) 175
- 1967VO1A Volkov, Proc. Problem Symp. on Nucl. Phys., Tbilist, Apr. 1967 (Moscow, 1967) 226
- 1967WA1E Walecka, Int. Nucl. Phys. Conf., Gatlinburg, 1966 (Academic Press, 1967) 289
- 1967WA1F Walecka, Proc. Int. Conf. Electromag. Int., Dubna, Feb. 1967, Vol. 3 (Moscow, 1967) 28
- 1967WA1K G.E. Walker, Phys. Rev. 157 (1967) 854
- 1967WE06 H.R. Weller, N.R. Roberson and D.R. Tilley, Phys. Lett. B25 (1967) 541
- 1967WI1B Wiedling, Ark. Fys. 34 (1967) 467
- 1967WO1D C.W. Wong, Nucl. Phys. A104 (1967) 417
- 1967YO03 J. Yoccoz and S. Jang, Phys. Lett. B24 (1967) 9
- 1967YO04 J. Yoccoz and S. Jang, Nucl. Phys. A92 (1967) 505
- 1967YO1F J. Yoccoz and S. Jang, Nucl. Phys. A98 (1967) 41
- 1968AD03 J.M. Adams, A. Adams and J.M. Calvert, Phys. Soc. J. Phys. (London) A1 (1968) 549
- 1968AD1D Adams et al., Bull. Amer. Phys. Soc. 13 (1968) 698

- 1968AG03 J. Aguilar, C.F. Pineda, J.L. Ferrero, A. Garcia, J.M. Chaveli and F. Senent, An. Fis. 64 (1968) 273
- 1968AG1E Agodi, Catara and Di Toro, Ann. Phys. 49 (1968) 445
- 1968AJ02 F. Ajzenberg-Selove and T. Lauritsen, Nucl. Phys. A114 (1968) 1
- 1968AN13 A.E. Antropov, P.P. Zarubin, B.N. Orlov, A.V. Plavko and I.V. Stepanov, Izv. Akad. Nauk SSSR Ser. Fiz. 32 (1968) 236; Bull. Acad. Sci. USSR Phys. Ser. 32 (1969) 214
- 1968AN1F Antolkovic et al., Izv. Akad. Nauk SSSR Ser. Fiz. 32 (1968) 1658
- 1968AN27 A.E. Antropov, K.A. Gridnev, P.P. Zarubin, V.I. Kudryashov, B.N. Orlov, A.V. Plavko and I.V. Stepanov, Izv. Akad. Nauk SSSR Ser. Fiz. 32 (1968) 2031; Bull. Acad. Sci. USSR Phys. Ser. 32 (1969) 1868
- 1968AR1F Artyukh, Pomurski, Tys and Volkov, Tokyo (1968) 214
- 1968AU1C Austin and Locard, Bull. Amer. Phys. Soc. 13 (1968) 1461
- 1968BA1H V.V. Balashov and D.V. Meboniya, Nucl. Phys. A107 (1968) 369
- 1968BA1J R. Bach and C. Werntz, Phys. Rev. 173 (1968) 958
- 1968BA1K R.H. Bassel and C. Wilkin, Phys. Rev. 174 (1968) 1179
- 1968BA1L W.H. Bassichis, B.A. Pohl and A.K. Kerman, Nucl. Phys. A112 (1968) 360
- 1968BA1M Batusov, Bunyatov, Sidorov and Yarba, Sov. J. Nucl. Phys. 6 (1968) 836
- 1968BA2G Backenstoss et al., Proc. Int. Conf. Nucl. Struct., Tokyo, Japan, 1967; Suppl. J. Phys. Soc. Jpn. 24 (1968) 500
- 1968BA2L Baglin and Thompson, Tokyo (1968) 388
- 1968BA42 A.R. Barnett, Nucl. Phys. A120 (1968) 342
- 1968BA48 Y.A. Batusov, S.A. Bunyatov, V.M. Sidorov and V.A. Yarba, Yad. Fiz. 7 (1968) 28; Sov. J. Nucl. Phys. 7 (1968) 20
- 1968BA52 N.P. Babenko, K.A. Gridnev and Y.A. Nemilov, Yad. Fiz. 7 (1968) 751; Sov. J. Nucl. Phys. 7 (1968) 458
- 1968BE1W R.L. Becker, A.D. MacKellar and B.M. Morris, Phys. Rev. 174 (1968) 1264
- 1968BL01 J. Blomqvist and A. Molinari, Nucl. Phys. A106 (1968) 545
- 1968BL08 J.L. Black, H.M. Kuan, W. Gruhle, M. Suffert and G.L. Latshaw, Nucl. Phys. A115 (1968) 683
- 1968BL1G Blann et al., Bull. Amer. Phys. Soc. 13 (1968) 608
- 1968BO1V Boyd et al., Bull. Amer. Phys. Soc. 13 (1968) 1424
- 1968BO1W Boeker, Physica 39 (1968) 213
- 1968BR1D Bromley, Proc. Int. Conf. Nucl. Struct., Tokyo, Japan, 1967; Suppl. J. Phys. Soc. Jpn. 24 (1968) 250

1968BR1K K.A. Brueckner, J.R. Buchler and M.M. Kelly, Phys. Rev. 173 (1968) 944
 1968CA08 F. Catara, M. Di Toro and O. Stazi, Nucl. Phys. A111 (1968) 577
 1968CA11 E.B. Carter, Phys. Lett. B27 (1968) 202
 1968CA1A Cassola and Koshel, Nuovo Cim. B55 (1968) 83
 1968CA1D J.M. Cameron, J.R. Richardson, W.T. van Oers and J.W. Verba, Phys. Rev. 167 (1968) 908
 1968CE1A Cerny, Ann. Rev. Nucl. Sci. 18 (1968) 27
 1968CE1B Cervera, Garcia and Senent, An. Real. Soc. Espan. Fis. y Quim. 64 (1968) 33
 1968CH1F Cheon, Proc. Phys. Soc. (London) A1 (1968) 350
 1968CH35 J.S. Chalmers and A.M. Saperstein, Phys. Rev. 168 (1968) 1145; Addendum Phys. Rev. C2 (1970) 2034
 1968CL04 G.J. Clark, D.J. Sullivan and P.B. Treacy, Nucl. Phys. A110 (1968) 481
 1968CO1Q B.C. Cook, D.W. Anderson and T.J. Englert, Phys. Lett. B26 (1968) 341
 1968CO1R Comfort, Baglin and Thompson, Bull. Amer. Phys. Soc. 13 (1968) 608
 1968CO1T Comfort, Baglin and Thompson, Private Communication (1968)
 1968CZ1A W. Czyz and L.C. Maximon, Phys. Lett. B27 (1968) 354
 1968DA1M J. Da Providencia and C.M. Shakin, Nucl. Phys. A108 (1968) 609
 1968DA1N Dangle, Duncan, Duggan and Miller, Bull. Amer. Phys. Soc. 13 (1968) 608
 1968DA20 V.V. Davydov, A.A. Ogloblin, S.B. Sakuta and V.I. Chuev, Yad. Fiz. 7 (1968) 758; Sov. J. Nucl. Phys. 7 (1968) 463
 1968DE07 V.P. Denisov, A.P. Komar and L.A. Kulchitsky, Nucl. Phys. A113 (1968) 289
 1968DE13 N. de Takacsy, Can. J. Phys. 46 (1968) 2091
 1968DI06 O. Dietzsch, R.A. Douglas, E.F. Pessoa, V.G. Porto, E.W. Hamburger, T. Polga, O. Sala, S.M. Perez and P.E. Hodgson, Nucl. Phys. A114 (1968) 330
 1968DO1C I. Dostrovsky, H. Gauvin and M. Lefort, Phys. Rev. 169 (1968) 836
 1968DR01 T.E. Drake, E.L. Tomusiak and H.S. Caplan, Nucl. Phys. A118 (1968) 138
 1968EL1D El Wakil and Kresmin, Ann. Phys. 21 (1968) 113
 1968EL1E Elton, Proc. Symp. on Use of Nimrod, 1968; PHEL/R166 (1968) 7
 1968ER1B Erdas and Quarati, Nuovo Cim. B57 (1968) 238
 1968EV03 D. Evers, G. Flugge, J. Morgenstern, T.W. Retz-Schmidt, H. Schmidt, J.W. Schmidt and S.J. Skorka, Phys. Lett. B27 (1968) 423
 1968FA1A J.C. Faivre, H. Krivine and A.M. Papiou, Nucl. Phys. A108 (1968) 508
 1968FA1B Faessler, Sauer and Stingl, Z. Phys. 212 (1968) 1

1968FO1D Fowler, Bull. Amer. Phys. Soc. 13 (1968) 1462
1968FR1E Friar, Thesis, Stanford Univ. (1968); Phys. Abs. 25566 (1969)
1968FR1J Friedes et al., Proc. Int. Conf. Nucl. Struct., Tokyo, Japan, 1967; Suppl. J. Phys. Soc. Jpn. 24 (1968) 522
1968FU1B Fujii, Morita and Ohtsubo, Suppl. Prog. Theor. Phys. (1968) 303
1968GA13 M. Gaillard, R. Bouche, L. Feuvrais, P. Gaillard, A. Guichard, M. Gusakow, J.L. Leonhardt and J.-R. Pizzi, Nucl. Phys. A119 (1968) 161
1968GA1C Gaillard, Univ. Lyon, Rept. No. Lycen 6828 (1968)
1968GA1H Garvey, Haight and Lynch, PUO-937-275 (1968)
1968GI1F Gillet, Nucl. Struct., Dubna Symp., 1968; IAEA (1968) 271
1968GL1A Glauber, Proc. Symp. on Use of Nimrod, 1968, RHEL/R166 (1968) 41, 60
1968GO01 P. Goldhammer, J.R. Hill and J. Nachamkin, Nucl. Phys. A106 (1968) 62
1968GO07 S. Gorodetzky, J.C. Adloff, F. Brochard, P. Chevallier, D. Disdier, P. Gorodetzky, R. Modjtahed-Zadeh and F. Scheibling, Nucl. Phys. A113 (1968) 221
1968GO1J Goldemberg, Proc. Int. Conf. Nucl. Struct., Tokyo, Jpn. (1967); Suppl. J. Phys. Soc. Jpn. 24 (1968) 379
1968GO1Q Goldring, Loebenstein, Plesser and Sachs, Tokyo (1968) 206
1968GR1C D. Griffiths and C.W. Kim, Nucl. Phys. B6 (1968) 49
1968GR1J D. Grillot and H. McManus, Nucl. Phys. A113 (1968) 161
1968GU1C M.R. Gunye, Nucl. Phys. A118 (1968) 174
1968GU1H R. Guy and J.M. Eisenberg and J. Letourneux, Nucl. Phys. A112 (1968) 689
1968HA06 K. Hacker and H.J. Mikeska, Phys. Lett. B26 (1968) 357
1968HA11 U. Harms, Z. Naturforsch. A23 (1968) 453
1968HA15 J.S. Hanna and M.A. Nagarajan, Nucl. Phys. A113 (1968) 412
1968HA1D G. Hauser, R. Lohken, H. Rebel, G. Schatz, W. Schweimer and J. Specht, Phys. Lett. B27 (1968) 220
1968HE03 D.C. Hensley, P.H. Nettles and C.A. Barnes, Phys. Lett. B26 (1968) 435
1968HE1H K.T. Hecht, P.J. Ellis and T. Engeland, Phys. Lett. B27 (1968) 479
1968HE1J V.E. Herscovitz, G. Jacob and Th.A.J. Maris, Nucl. Phys. A109 (1968) 478
1968HE1K Henneberg, Nature 55 (1968) 80
1968HI08 B. Hird and T.Y. Li, Can. J. Phys. 46 (1968) 1273
1968HI1B F. Hinterberger, G. Mairle, U. Schmidt-Rohr, G.J. Wagner and P. Turek, Nucl. Phys. A111 (1968) 265

1968HO1B F.D. Holder and J.M. Eisenberg, Nucl. Phys. A106 (1968) 261
 1968HO1C Hodgson, Proc. Symp. on Direct Reactions with ^3He , IPCR, Japan, Sept. 1967 (1968) 41
 1968HO1G Horiuchi and Ikeda, Prog. Theor. Phys. 40 (1968) 277; Erratum 41(1969) 1386
 1968HU1F J. Hufner and R.H. Lemmer, Phys. Rev. 175 (1968) 1394
 1968IR1A J.M. Irvine, Nucl. Phys. A120 (1968) 576
 1968IS1A Ishidzu, Kawarada and Sato, Tokyo (1968) 53
 1968JA07 K.S. Jayaraman and H.D. Holmgren, Phys. Rev. 172 (1968) 1015
 1968JA10 R.L. Jaffe, Nucl. Phys. A121 (1968) 380
 1968JA1F Jacmart et al., Tokyo (1968) 209
 1968JA1J Jacquot et al., Compt. Rend. B266 (1968) 963
 1968JA1K Jaszczak and Dunnam, Bull. Amer. Phys. Soc. 13 (1968) 1424
 1968JU1A Jung et al., Compt. Rend. B266 (1968) 815
 1968KA1D N.N. Kaushal, E.J. Winhold, P.F. Yergin, H.A. Medicus and R.H. Augustson, Phys. Rev. 175 (1968) 1330
 1968KA1F M. Kawaguchi, H. Ohtsubo and Y. Sumi, Phys. Lett. B27 (1968) 358
 1968KA1G Kabachnik, Korotkikh and Unger, Sov. J. Nucl. Phys. 6 (1968) 708
 1968KA1H Kabachnik, Yad. Fiz. 7 (1968) 823
 1968KL07 S.S. Klein, A. Meijer and O.J. Poppema, Nucl. Phys. A121 (1968) 422
 1968KL1D Kleber, Z. Phys. 210 (1968) 251
 1968KO1C Kopaleishvili, Machabeli, Gogsadze and Krupennikova, Yad. Fiz. 7 (1968) 292
 1968KO1M H.S. Kohler and R.J. McCarthy, Nucl. Phys. A106 (1968) 313
 1968KO1N Kohut and Harvey, Can. J. Phys. 46 (1968) 1491
 1968KO1P Kolybasov and Smorodinskaya, JETP Lett. (USSR) 8 (1968) 206
 1968KU1C Kuhlmann, BMWF FBK 68 06 (1968)
 1968LA1B H.A. Lamme and E. Boeker, Nucl. Phys. A111 (1968) 492
 1968LE1D Lee and McManuc, Bull. Amer. Phys. Soc. 13 (1968) 99
 1968LE1F I.I. Levintov and K.A. Ter-Martirosyan, Phys. Lett. B27 (1968) 69
 1968MA01 T. Marumori and K. Suzuki, Nucl. Phys. A106 (1968) 610
 1968MA1J Maher et al., Bull. Amer. Phys. Soc. 13 (1968) 118
 1968MA1M Malecki and Picchi, Nuovo Cim. A58 (1968) 145
 1968MA1N Malecki and Picchi, LNF 68/48 (1968)

1968MA2B Manakos, Z. Phys. 214 (1968) 57
 1968MA45 H. Matsuda and T. Matsuo, J. Phys. Soc. Jpn. 25 (1968) 950
 1968MC05 R.J. McCarthy and H.S. Kohler, Phys. Rev. Lett. 20 (1968) 671
 1968ME10 K. Meier-Ewert, K. Bethge and K.-O. Pfeiffer, Nucl. Phys. A110 (1968) 142
 1968ME13 R.O. Mead and F.C. Young, Nucl. Phys. A115 (1968) 161
 1968ME1E Meyer, Audebert, Elbaz and Lafoucriere, Compt. Rend. B266 (1968) 969
 1968ME23 R.A. Meyer, W.B. Walters and J.P. Hummel, Nucl. Phys. A122 (1968) 606
 1968MI05 P.F. Mizera and J.B. Gerhart, Phys. Rev. 170 (1968) 839
 1968MI1E Mittelstaedt, Ristig, Rohl and Stockle, Tokyo (1968) 34
 1968MO08 J.M. Morris, G.W. Kerr and T.R. Ophel, Nucl. Phys. A112 (1968) 97
 1968MO1H Morgan and Barnett, Bull. Amer. Phys. Soc. 13 (1968) 1424
 1968MO1J Moon et al., Bull. Amer. Phys. Soc. 13 (1968) 1387
 1968MO1K Moszkowski, Nucl. Struct., Dubna Symp., 1968, IAEA (1968) 577
 1968MU03 L. Munchow and H.U. Jager, Nucl. Phys. A107 (1968) 671
 1968MU1D R. J. Munn, B. Block, and F. B. Malik, Phys. Rev. Lett. 21 (1968) 159
 1968MU1E J. Muller-Schwartz, Nucl. Phys. A119 (1968) 337
 1968NE1C Nemirovskii, Sov. J. Nucl. Phys. 6 (1968) 29
 1968NO1A M.E. Nordberg, K.F. Kinsey and R.L. Burman, Phys. Rev. 165 (1968) 1096
 1968NO1C J.V. Noble, Phys. Rev. 173 (1968) 1034
 1968OG1A Ogloblin, Nucl. Struct., Dubna Symp., 1968 (IAEA, 1968) 204
 1968OK06 Y. Okuma, J. Phys. Soc. Jpn. 25 (1968) 1
 1968PA12 A.W. Parker, J.S. Allen, R.L. Yerke and V.G. Stotland, Phys. Rev. 174 (1968) 1093
 1968PA1J Palevsky, Proc. of Symp. on Use of Nimrod, 1968, RHEL-R166 (1968) 19
 1968PA1T V.R. Pandharipande, Phys. Lett. B27 (1968) 199
 1968PA1U V.R. Pandharipande, Nucl. Phys. A115 (1968) 516
 1968PA1V Patterson, Spinka and Winkler, Bull. Amer. Phys. Soc. 13 (1968) 1465
 1968PA1W Pandharipande, Nucl. Phys. Solid State Phys. Symp. DIGF (Powai, India, 1968); Phys. Abs. 38806 (1970)
 1968PE1A R.W. Peelle, T.A. Love, N.W. Hill and R.T. Santoro, Phys. Rev. 167 (1968) 981
 1968PE1D J.M. Pearson and G. Saunier, Phys. Rev. 173 (1968) 991
 1968PI1A Pipiraite and Shugurov, Lietuvos Fizikos Rinkinys 8 (1968) 775
 1968RA1C Rahman, Khan and Sen Gupta, Nuoco Cim. B54 (1968) 260

1968RE03 R. Reif, J. Slotta and J. Hohn, Phys. Lett. B26 (1968) 484

1968RE07 D. Rendic, B. Antolkovic, G. Paic, M. Turk and P. Tomas, Nucl. Phys. A117 (1968) 113

1968RE1F Reed, UCRL 18414 (1968)

1968RH1A M. Rho and A. Sherwood, Phys. Lett. B28 (1968) 102

1968RI13 L.R. Rice and R.T. Carpenter, Nucl. Phys. A120 (1968) 220

1968RO1D I. Rotter, Nucl. Phys. A122 (1968) 567

1968RO1F A. Rotsstein and A. Van Ginneken, Phys. Rev. Lett. 21 (1968) 223

1968RO1G Rohl and Stocker, Z. Phys. 212 (1968) 477

1968SC1B Schevchenko, Proc. Int. Conf. Nucl. Struct., Tokyo, Japan, 1967; Suppl. J. Phys. Soc. Jpn. 24 (1968) 397

1968SC1F W. Scheid, R. Ligensa and W. Greiner, Phys. Rev. Lett. 21 (1968) 1479

1968SE1C Seth, Proc. Symp. on Direct Reactions with ^3He , IPCR, Japan, Sept. 1967 (1968) 179

1968SH08 A.P. Shukla and G.E. Brown, Nucl. Phys. A112 (1968) 296

1968SH1E Shanta and Shastry, Nucl. Phys. and Solid State Phys. Symp. (Powai, India, 1968); Phys. Abs. 39091 (1970)

1968SH1G R. Shanta and C.S. Shastry, Phys. Rev. 176 (1968) 1254

1968SI1A R.R. Silbar, Nucl. Phys. A118 (1968) 389

1968SP01 P. Spilling, H. Gruppelaar, H.F. De vries and A.M.J. Spits, Nucl. Phys. A113 (1968) 395

1968ST04 M. Stroetzel, Phys. Lett. B26 (1968) 376

1968ST11 R.J.J. Stewart, Aust. J. Phys. 21 (1968) 107

1968ST19 T. Stambach, R.S. Thomason, J. Taylor and Jr., R.L. Walter, Phys. Rev. 174 (1968) 1119

1968ST1Q S.J. Stack, Nucl. Phys. A120 (1968) 241

1968ST31 M. Stroetzel, Z. Phys. 214 (1968) 357

1968SU1E Sukhoruchkin, Neutron Cross Sections Tech., NBS Special Pub. 299 (1968) 923

1968TA1C Tanner, Proc. Symp. on Use of Nimrod, 1968, RHEL/R166 (1968) 91

1968TA1G Takada, Suppl. Prog. Theor. Phys. (1968) 222

1968TA1Q Takeda, Kato and Yamazaki, Tokyo (1968) 280

1968TA1R R.M. Tarbuton and K.T.R. Davies, Nucl. Phys. A120 (1968) 1

1968TH1J S.T. Thornton, C.M. Jones, J.K. Bair, M.D. Mancusi and H.B. Willard, Phys. Rev. Lett. 21 (1968) 447

1968TO1J Toktarov, *Yad. Fiz.* 8 (1968) 940
 1968VA1L D. Vautherin and M. Veneroni, *Phys. Lett.* B26 (1968) 552
 1968VA1M van Rinsvelt and Weller, *Bull. Amer. Phys. Soc.* 13 (1968) 1425
 1968VA1N Vashakidze, Dzhalaganiya and Mebuniya, *Yad. Fiz.* 7 (1968) 1016
 1968VO1A W. Von Oertzen, H.H. Gutbrod, M. Muller, U. Voos and R. Bock, *Phys. Lett.* B26 (1968) 291
 1968WA04 G.J. Wagner, *Phys. Lett.* B26 (1968) 429
 1968WA18 E.K. Warburton, W.R. Harris and D.E. Alburger, *Phys. Rev.* 175 (1968) 1275
 1968WA1K H.G. Wahsweiler, W. Greiner and M. Danos, *Phys. Rev.* 170 (1968) 893
 1968WA1L G.E. Walker, *Phys. Rev.* 174 (1968) 1290
 1968WE13 H.R. Weller, H.A. Van Rinsvelt and F.E. Dunnam, *Phys. Lett.* B27 (1968) 283
 1968WE15 H.R. Weller, N.R. Roberson and D.R. Tilley, *Nucl. Phys.* A122 (1968) 529
 1968WE1C Weller, Thesis, Duke Univ. (1968) ; *Phys. Abs.* 6693 (1970)
 1968WE1F Weller, van Rinsvelt and Dunnam, *Bull. Amer. Phys. Soc.* 13 (1968) 1388
 1968WI15 D.H. Wilkinson, D.E. Alburger and J. Lowe, *Phys. Rev.* 173 (1968) 995
 1968WI1B Wilkinson, Proc. Int. Conf. Nucl. Struct., Tokyo, Japan, 1967; *Suppl. J. Phys. Soc. Jpn.* 24 (1968) 469
 1968WO1A S.S.M. Wong, *Nucl. Phys.* A116 (1968) 609
 1968WO1B C.Y. Wong, *Phys. Lett.* B26 (1968) 120
 1968WO1C S.S.M. Wong, *Nucl. Phys.* A120 (1968) 625
 1968WU01 C.-P. Wu, F.W.K. Firk and T.W. Phillips, *Phys. Rev. Lett.* 20 (1968) 1182
 1968YA1C Yanabu et al., Tokyo (1968) 261
 1968YA1E F.B. Yano, *Nucl. Phys.* A118 (1968) 592
 1968ZU02 A.P. Zuker, B. Buck and J.B. McGrory, *Phys. Rev. Lett.* 21 (1968) 39
 1968ZU1A Zupancic, Proc. Symp. on Use of Nimrod, 1968; *RHEL/R166* (1968) 67
 1969AB05 Y. Abgrall, G. Baron, E. Caurier and G. Monsonego, *Nucl. Phys.* A131 (1969) 609
 1969AB07 Y. Abgrall, G. Baron, E. Caurier and G. Monsonego, *Phys. Lett.* B30 (1969) 376
 1969AB1B A.Y. Abul-Magd, *Nucl. Phys.* A129 (1969) 610
 1969AF02 I.R. Afnan, D.M. Clement and W.W. True, *Phys. Rev.* 185 (1969) 1231
 1969AG03 D. Agassi, V. Gillet and A. Lumbroso, *Nucl. Phys.* A130 (1969) 129
 1969AG06 J. Aguilar, C.F. Pineda, J. Catala, J.L. Ferrero and A. Garcia, *An. Fis.* 65 (1969) 201
 1969AN1K B.L. Andersen and W. Ebenhoh, *Nucl. Phys.* A127 (1969) 209

- 1969AR13 A.G. Artukh, G.F. Gridnev, V.L. Mikheev and V.V. Volkov, Nucl. Phys. A137 (1969) 348
- 1969BA17 K. Bahr, T. Becker, R. Jahr and W.R. Kuhlmann, Nucl. Phys. A129 (1969) 388
- 1969BA1L Batusov et al., Yad. Fiz. 10 (1969) 354
- 1969BA1N Bahcall and Fowler, Astrophys. J. 157 (1969) 659
- 1969BA1Z Barnes, Nucl. Isospin, Proc. 1969 Asilomar Conf. (Academic Press, 1969) 179
- 1969BA23 N. Baron, R.F. Leonard and D.A. Lind, Phys. Rev. 180 (1969) 978
- 1969BA2E A.I. Baz and V.I. Manko, Phys. Lett. B28 (1969) 541
- 1969BA2N Baladyan and Simonov, Sov. J. Nucl. Phys. 9 (1969) 42
- 1969BA2Q W.H. Bassichis and M. R.Strayer, Phys. Rev. Lett. 23 (1969) 30
- 1969BA39 J.E.E. Baglin and M.N. Thompson, Nucl. Phys. A138 (1969) 73
- 1969BA50 G. Bassani, T.H. Kruse, N. Saunier and G. Souchere, Phys. Lett. B30 (1969) 621
- 1969BA71 N.A. Bahcall and W.A. Fowler, Astrophys. J. 157 (1969) 645
- 1969BE1Y Becker and Davies, Contrib., Montreal (1969) 164
- 1969BE21 H.A. Bentz, Z. Naturforsch. A24 (1969) 858
- 1969BE90 K. Bethge, C.M. Fou and R.W. Zurmu, Nucl. Phys. A123 (1969) 521
- 1969BE92 N. Bezic, D. Brajnik, D. Jamnik and G. Kernel, Nucl. Phys. A128 (1969) 426
- 1969BL1F Bleuler, Kreuzer and Schutte, Lett. Nuovo Cim. 2 (1969) 288
- 1969BO13 W. Bohne, H. Homeyer, H. Lettau, H. Morgenstern, J. Scheer and F. Sichelschmidt, Nucl. Phys. A128 (1969) 537
- 1969BO37 J. Bobker, Phys. Rev. 185 (1969) 1294
- 1969BR07 K.H. Bray and J. Nurzynski, Nucl. Phys. A127 (1969) 622
- 1969BR1D Bromly, Proc. Enrico Fermi School of Phys., Course XL, Lake Como 1967 (Academic Press, 1969) 242
- 1969BR1G Bromley, Proc. Int. Conf., Montreal (1969) 147
- 1969BR1L Brochard et al., Contrib., Montreal (1969) 125
- 1969BU11 W. Burr, D. Schutte and K. Bleuler, Nucl. Phys. A133 (1969) 581
- 1969BU1C Burman and Nordberg, Bull. Amer. Phys. Soc. 14 (1969) 537
- 1969BU1H Budyashov et al., Joint Inst. Nucl. Res., Lab. Nucl. Problems, USSP, Rept. No. P15 4745 (1969)
- 1969CH11 R.A. Chatwin, J.S. Eck, A. Richter and D. Robson, Phys. Rev. 180 (1969) 1049
- 1969CH1C D.T. Chivers, E.M. Rimmer, B.W. Allardyce, R.C. Witcomb, J.J. Domingo and N.W. Tanner, Nucl. Phys. A126 (1969) 129

1969CH1K Il-T. Cheon and H.M. Sen Gupta, Phys. Lett. B29 (1969) 268
 1969CH1L K. Chung, M. Danos and M.G. Huber, Phys. Lett. B29 (1969) 265
 1969CI1A C. Ciofi Degli Atti, Nucl. Phys. A129 (1969) 350
 1969CL07 S.D. Cloud and T.R. Ophel, Nucl. Phys. A136 (1969) 592
 1969CL08 G.J. Clark, Aust. J. Phys. 22 (1969) 289
 1969CO12 H. Cords, G.U. Din and B.A. Robson, Nucl. Phys. A134 (1969) 561
 1969CO15 G.W. Cole, Jr., F.W.K. Firk and T.W. Phillips, Phys. Lett. B30 (1969) 91
 1969CO1D Comfort, Fortune, Morrison and Zeidman, Bull. Amer. Phys. Soc. 14 (1969) 507
 1969CU07 R.Y. Cusson, Can. J. Phys. 47 (1969) 2835
 1969DA14 V.V. Davydov and I.M. Pavlichenkov, Phys. Lett. B29 (1969) 551
 1969DA1H K.T. Davies, M. Baranger, R.M. Tarbutton and T.T. Kuo, Phys. Rev. 177 (1969) 1519
 1969DA1J S. Das Gupta and N. de Takacsy, Phys. Rev. Lett. 22 (1969) 1194
 1969DE14 T. de Forest, Jr., Nucl. Phys. A132 (1969) 305
 1969DE1Q De Martini et al., Bull. Amer. Phys. Soc. 14 (1969) 38
 1969DE1R De Martini and Donoghue, Bull. Amer. Phys. Soc. 14 (1969) 1229
 1969DE1T J.P. Deutsch, L. Grenacs, J. Lehmann, P. Lipnik and P.C. Macq, Phys. Lett. B29 (1969) 66
 1969DE1U De, Nucl. Phys. Solid State Phys. Symp., Roorkee, India (1969); Phys. Abs. 38866 (1970)
 1969DO05 C.B. Dover and P. Sandner, Phys. Lett. B29 (1969) 405
 1969DO1D T.W. Donnelly and G.E. Walker, Phys. Rev. Lett. 22 (1969) 1121
 1969DR1C Dracoulis and Legge, Contrib., Montreal (1969) 147
 1969EL05 P.J. Ellis and L. Zamick, Ann. Phys. 55 (1969) 61
 1969EP1C Epstein et al., Bull. Amer. Phys. Soc. 14 (1969) 530
 1969ER1A Erdas, Mosconi, Pompei and Quarati, Nuovo Cim. B64 (1969) 406
 1969ER1C M. Ericson and A. Figureau, Nucl. Phys. B11 (1969) 621
 1969FA06 A. Faessler and H.H. Wolter, Z. Phys. 223 (1969) 192
 1969FE10 J.L. Ferrero, A. Garcia, J. Milio and F. Senent, An. Fis. 65 (1969) 307
 1969FI02 I. Filosofo, E. Fuschini, C. Maroni, A. Uguzzoni and E. Verondini, Nuovo Cim. Lett. 1 (1969) 349; Erratum Nuovo Cim. Lett. 1 (1969) 798
 1969FI1A Filippov, Acad. Sci. Ikranian, SSR, Inst. Theor. Phys., Preprint ITF 69 63 (1969)
 1969FR20 D.E. Frederick, R.J.J. Stewart and R.C. Morrison, Phys. Rev. 186 (1969) 992
 1969FU05 S. Fujii, Nucl. Phys. A132 (1969) 385

- 1969FU08 H.W. Fulbright, J.A. Robbins, M. Blann, D.G. Fleming and H.S. Plendl, Phys. Rev. 184 (1969) 1068
- 1969FU1F Fujii, Prog. Theor. Phys. 42 (1969) 416
- 1969FU1G L.P. Fulcher, R. Guy, J.M. Eisenberg and H. Pietschmamm, Phys. Lett. B29 (1969) 338
- 1969FU1J Fulbright and Robbins, Nucl. Instrum. Meth. Phys. Res. 71 (1969) 237
- 1969GA03 G. Gambarini, I. Iori, S. Micheletti, N. Molho, M. Pignanelli and G. Tagliaferri, Nucl. Phys. A126 (1969) 562
- 1969GA10 M. Gari and H. Kummel, Phys. Rev. Lett. 23 (1969) 26
- 1969GA1G Garvey, Ann. Rev. Nucl. Sci. 19 (1969) 433
- 1969GA1P Garvey, Nucl. Isospin, Proc. 1969 Asilomar Conf. (Academic Press, 1969) 703
- 1969GE08 W.J. Gerace and D.A. Sparrow, Phys. Lett. B30 (1969) 71
- 1969GI1B Gillet, Proc. Int. Conf., Montreal (1969) 483
- 1969GO14 V. Gomes Porto, N. Ueta, R.A. Douglas, O. Sala, D. Wilmore, B.A. Robson and P.E. Hodgson, Nucl. Phys. A136 (1969) 385
- 1969GO19 V.Z. Goldberg, V.V. Davydov, A.A. Ogloblin, S.B. Sakuta and V.I. Chuev, Izv. Akad. Nauk SSSR Ser. Fiz. 33 (1969) 566; Bull. Acad. Sci. USSR Phys. Ser. 33 (1970) 525
- 1969GO1K Goulard, Laverne and Do Dang, Contrib., Montreal (1969) 20
- 1969GO1L Gove, Proc. Int. Conf., Montreal (1969) 35
- 1969GR1E A.M. Green and M. Rho, Nucl. Phys. A130 (1969) 112
- 1969GR1G Green and Kallio, Contrib., Montreal (1969) 343
- 1969GR1H Grypeos, Proc. Enrico Fermi School of Phys., Course XL, Lake Como, 1967 (Academic Press, 1969) 661
- 1969GR27 M.E. Grypeos, Nuovo Cim. Lett. 2 (1969) 117
- 1969GU1E M.R. Gunye, Nucl. Phys. A128 (1969) 457
- 1969GU1L R. Guy and J.M. Eisenberg, Nucl. Phys. B11 (1969) 601
- 1969HA14 G. Hauser, R. Lohken, H. Rebel, G. Schatz, G.W. Schweimer and J. Specht, Nucl. Phys. A128 (1969) 81
- 1969HA1F Hanna, Isospin in Nucl. Phys., Ed. D.H. Wilkinson (North-Holland, 1969) 591
- 1969HA1G Hanna, Proc. Int. Conf., Montreal (1969) 443
- 1969HA1J Hanna, Thesis, Case Western Reserve Univ. (1969); Phys. Abs. 39040 (1970)
- 1969HA1V K.A. Hamza and S. Edwards, Phys. Rev. 181 (1969) 1494
- 1969HA1W Hammann and Ho-Kim, Nuovo Cim. B64 (1969) 367
- 1969HA1X Haug and Weigel, Nuovo Cim. Lett. 2 (1969) 799

- 1969HA42 H. Hattig, K. Hunchen, P. Roth and H. Waffler, Nucl. Phys. A137 (1969) 144
- 1969HE12 E.M. Henley, T.E. Keliher and D.U.L. Yu, Phys. Rev. Lett. 23 (1969) 941
- 1969HE1R Henley, Ann. Rev. Nucl. Sci. 19 (1969) 367
- 1969HO13 K. Hofmann, W. Mausberg, M. Raabe, E. Rossle and M. Tauber, Z. Phys. 221 (1969) 417
- 1969HO1T Horowitz, McConnell and Ssengabi, Bull. Amer. Phys. Soc. 14 (1969) 607
- 1969HO1U Q. Ho-Kim, Nucl. Phys. A127 (1969) 641
- 1969HO1V Ho-Kim, Contrib., Montreal (1969) 206
- 1969HO27 T. Honda, Nucl. Phys. A136 (1969) 183
- 1969HU1G Hughes, Goulard and Falliepos, Bull. Amer. Phys. Soc. 14 (1969) 625
- 1969IC02 M. Ichimura, M. Kawai, T. Ohmura and B. Imanishi, Phys. Lett. B30 (1969) 143
- 1969IR1A Irvine and Pucknell, Contrib., Montreal (1969) 200
- 1969JA10 H.U. Jager, Nucl. Phys. A136 (1969) 641
- 1969JA15 L.A. Jacobson, Phys. Rev. 188 (1969) 1509
- 1969JA1P R.L. Jaffe and W.J. Gerace, Nucl. Phys. A125 (1969) 1
- 1969JA1Q Jaffrin, Contrib., Montreal (1969) 338
- 1969JO18 J. John, J.P. Aldridge and R.H. Davis, Phys. Rev. 181 (1969) 1455
- 1969JU03 M. Jung, C. Jacquot, C. Baixeras-Aiguabella, R. Schmitt, H. Braun and L. Girardin, Phys. Rev. 188 (1969) 1517
- 1969KA05 O. Kaalhus, Nucl. Phys. A130 (1969) 146
- 1969KA14 O. Karban, P.D. Greaves, V. Hnizdo, J. Lowe, N. Berovic, H. Wojciechowski and G.W. Greenlees, Nucl. Phys. A132 (1969) 548
- 1969KA1A G.Th. Kaschl, G.J. Wagner, G. Mairle, U. Schmidt-Rohr and P. Turek, Phys. Lett. B29 (1969) 167
- 1969KA1G T. Kammuri and H. Yoshida, Nucl. Phys. A129 (1969) 625
- 1969KA1Q A. Kallio and B.D. Day, Nucl. Phys. A124 (1969) 177
- 1969KA1R S.N. Kaplan, R.V. Pyle, L.E. Temple and G.F. Valby, Phys. Rev. Lett. 22 (1969) 795
- 1969KA1V Kaushal and Waghmare, Nucl. Phys. Solid State Phys. Symp., Roorkee, India (1969); Phys. Abs. 39088 (1970)
- 1969KE12 F.J. Kelly, L.J. McDonald and H. Uberall, Nucl. Phys. A139 (1969) 329
- 1969KE1B Kerman, Cargese Lect. in Phys., Ed. M. Jean, Vol. 3 (Gordon Breach, 1969) 395
- 1969KH01 T.A. Khan, J.S. Hewitt and K.G. McNeill, Can. J. Phys. 47 (1969) 1037
- 1969KH1B S.B. Khadkikar and C.S. Warke, Nucl. Phys. A130 (1969) 577

1969KL02 G. Kluge and P. Manakos, Phys. Lett. B29 (1969) 277
1969KL1E Kleber and Schmidt, Z. Phys. 219 (1969) 162
1969KO14 V.M. Kolomiets, Yad. Fiz. 9 (1969) 63; Sov. J. Nucl. Phys. 9 (1969) 39
1969KO17 V.F. Kosmach and V.I. Ostroumov, Yad. Fiz. 9 (1969) 224; Sov. J. Nucl. Phys. 9 (1969) 131
1969KO1H T. Kohmura, Phys. Rev. 187 (1969) 1233
1969KO1J V.M. Kolybasov and N.Ya. Smorodinskaya, Nucl. Phys. A136 (1969) 165
1969KO1Q H.S. Kohler, Nucl. Phys. A128 (1969) 273
1969KO20 H.S. Kohler and Y.C. Lin, Nucl. Phys. A136 (1969) 35
1969KR01 S.J. Krieger, Phys. Rev. Lett. 22 (1969) 97
1969KR03 E. Krubasik, H. Voit, E. Blatt, H.-D. Helb and G. Ischenko, Z. Phys. 219 (1969) 185
1969KU1C Yu.A. Kudeyarov, I.V. Kurdyumov, V.G. Neudatchin and Yu.F. Smirnov, Nucl. Phys. A126 (1969) 36
1969KU1D Kujawski, Tech. Rept. No. 70-048, Univ. of Maryland (1969)
1969LA1G A. Lande and J.P. Svenne, Nucl. Phys. A124 (1969) 241
1969LE03 L. Lesniak and H. Wolek, Nucl. Phys. A125 (1969) 665
1969LE1L Lee, Harvey and Khanna, Contrib., Montreal (1969) 169
1969LO06 M.A.K. Lodhi, Phys. Rev. 182 (1969) 1061
1969LU07 C.C. Lu, M.S. Zisman and B.G. Harvey, Phys. Rev. 186 (1969) 1086
1969MA1N Mamasakhlisov and Macharadze, Sov. J. Nucl. Phys. 9 (1969) 198
1969MA1U Marvin and Singh, Bull. Amer. Phys. Soc. 14 (1969) 37
1969MA35 C. Mahaux and A.M. Saruis, Nucl. Phys. A138 (1969) 481
1969MA38 H.A. Mavromatis and B. Singh, Nucl. Phys. A139 (1969) 451
1969MA40 J.V. Maher, M.W. Sachs, R.H. Siemssen, A. Weidinger and D.A. Bromley, Phys. Rev. 188 (1969) 1665
1969MC07 R.J. McCarthy, Nucl. Phys. A130 (1969) 305
1969MC1D McCarthy, Sick and Yearjan, Bull. Amer. Phys. Soc. 14 (1969) 38
1969ME15 D. Meier, M. Brullmann, H. Jung and P. Marmier, Helv. Phys. Acta 42 (1969) 813
1969ME1H H. Meldner and C.M. Shakin, Phys. Rev. Lett. 23 (1969) 1302
1969MI14 L.D. Miller and A.E.S. Green, Phys. Rev. 184 (1969) 1012
1969MO1E L. Moyer and D.S. Koltun, Phys. Rev. 182 (1969) 999
1969MU07 K.M. Murray and J.C. Ritter, Phys. Rev. 182 (1969) 1097
1969MY01 F. Myhrer, Phys. Norvegica 3 (1969) 191

- 1969NA1D Nagle, Thesis, Rensselaer Polytechnic Inst. (1969); Phys. Abs. 52749 (1970)
- 1969NA1E Nash, Nuovo Cim. B61 (1969) 261
- 1969NA23 P.C. Nagle, E.J. Winhold, P.F. Yergin, P. Stoler and S.J. Mecca, Nucl. Phys. A127 (1969) 669
- 1969NI09 R.J. Nickles, Nucl. Phys. A134 (1969) 308
- 1969NU02 J. Nurzynski, Nucl. Phys. A133 (1969) 23
- 1969NY1A Nyberg, Jonsson and Bergqvist, Research Inst. Nat. Defence, Stockholm, NP 6902 (1969)
- 1969OH1B Oh, Zaidins and Hayakawa, Bull. Amer. Phys. Soc. 14 (1969) 1227
- 1969OS01 E. Osnes and C.S. Warke, Phys. Lett. B30 (1969) 306
- 1969OW1B Owen and Satchler, Bull. Amer. Phys. Soc. 14 (1969) 1222
- 1969PA14 V.R. Pandharipande, Nucl. Phys. A135 (1969) 419
- 1969PE06 J.D. Perez and W.M. MacDonald, Phys. Rev. 182 (1969) 1066
- 1969PE10 S.M. Perez, Nucl. Phys. A136 (1969) 599
- 1969PE1J Perez, Thesis, Univ. of Maryland (1969); Phys. Abs. 42814 (1970)
- 1969PI02 J. Pigeon, J. Barguil and E. El Baz, Nucl. Phys. A130 (1969) 49
- 1969PU04 K.H. Purser, W.P. Alford, D. Cline, H.W. Fulbright, H.E. Gove and M.S. Krick, Nucl. Phys. A132 (1969) 75
- 1969RA1B M. Rahman, N.C. Dutta Banik and H.M. Sen Gupta, Nucl. Phys. A125 (1969) 449
- 1969RA1F Raynal, Proc. Enrico Fermi School of Phys., Course XL, Lake Como, 1967 (Academic Press, 1969) 683
- 1969RA21 S. Ramirez, E. Yopez and M. de Llano, Rev. Mex. Fis. 18 (1969) 283
- 1969RE10 R. Reif and J. Hohn, Nucl. Phys. A137 (1969) 65
- 1969RE1C Reid, Stephenson and Banerjee, Bull. Amer. Phys. Soc. 14 (1969) 1206
- 1969RE1E Rej, Nucl. Phys. Solid State Phys. Symp. (Powai, India, 1969); Phys. Abs. 39014 (1970)
- 1969RI1B L. Rickertsen, B. Block, J.W. Clark, and F.B. Malik, Phys. Rev. Lett. 22 (1969) 951
- 1969RO1G I. Rotter, Nucl. Phys. A135 (1969) 378
- 1969RO1P Rowe and Ullah, Contrib., Montreal (1969) 348
- 1969RU04 F.R. Ruehl, Jr., Nucl. Phys. A136 (1969) 241
- 1969SA12 A.M. Saruis and M. Marangoni, Nucl. Phys. A132 (1969) 433
- 1969SA1A Sauer, Proc. Enrico Fermi School of Phys., Course XL, Lake Como, 1967 (Academic Press, 1969) 717

- 1969SA1F P.U. Sauer, A. Faessler, H.H. Wolter and M.M. Stingl, Nucl. Phys. A125 (1969) 257
- 1969SC1L Schenter and Cassola, Bull. Amer. Phys. Soc. 14 (1969) 529
- 1969SC1M Scheid and Greiner, Z. Phys. 226 (1969) 364
- 1969SE04 T. Sebe, F. Khanna and M. Harvey, Nucl. Phys. A130 (1969) 342
- 1969SE1C J.B. Seaborn, Phys. Rev. 179 (1969) 958
- 1969SH02 T. Shintomi and M. Masuda, J. Phys. Soc. Jpn. 26 (1969) 607
- 1969SH1C J.A. Shah, M.G. Huber and M. Danos, Phys. Lett. B28 (1969) 381
- 1969SI10 I. Sick, E.B. Hughes, T.W. Donnelly, J.D. Walecka and G.E. Walker, Phys. Rev. Lett. 23 (1969) 1117
- 1969SI1D Siegel and Zamick, Nucl. Isospin, Proc. 1969 Asilomar Conf. (Academic Press, 1969) 143
- 1969SM1C W.R. Smith, Phys. Rev. Lett. 23 (1969) 1045
- 1969SN02 F.D. Snyder and M.A. Waggoner, Phys. Rev. 186 (1969) 999
- 1969SN03 J.L. Snelgrove and E. Kashy, Phys. Rev. 187 (1969) 1246
- 1969SO08 B. Sorensen, Nucl. Phys. A134 (1969) 1
- 1969SO1E Sorensen, Nucl. Isospin, Proc. 1969 Asilomar Conf. (Academic Press, 1969) 239
- 1969SO1G Soper, Isospin in Nucl. Phys.; Ed. D.H. Wilkinson (North-Holland, 1969) 229
- 1969SP1B Spasskii, Teplov and Fateeva, Atomn. Energ. (USSR) 26 (1969) 303
- 1969ST06 M. Stroetzel and A. Goldmann, Phys. Lett. B29 (1969) 306
- 1969ST11 R.J.J. Stewart, R.C. Morrison and D.E. Frederick, Phys. Rev. Lett. 23 (1969) 323
- 1969ST15 M.M. Stingl and M.W. Kirson, Nucl. Phys. A137 (1969) 289
- 1969ST1J Struble and Tewari, Contrib., Montreal (1969) 199
- 1969SU03 O. Sundberg and G. Tibell, Ark. Fys. 39 (1969) 397
- 1969SU1E Suzuki, Prog. Theor. Phys. 41 (1969) 695
- 1969SU1F Suzuki, Bull. Kyushu Inst. Technol., Math. Nat. Sci. 16 (1969) 39
- 1969SV1A Svenne, Proc. Enrico Fermi School of Phys., Course XL, Lake Como, 1967 (Academic Press, 1969) 760
- 1969TA09 M. Tauber, K. Hofmann, W. Mausberg and E. Rossle, Z. Phys. 227 (1969) 71
- 1969TA1F Tamagaki, Prog. Theor. Phys. 42 (1969) 748
- 1969TH01 M.J. Throop, Phys. Rev. 179 (1969) 1011
- 1969TO01 Y. Torizuka, M. Oyamada, K. Nakahara, K. Sugiyama, Y. Kojima, T. Terasawa, K. Itoh, A. Yamaguchi and M. Kimura, Phys. Rev. Lett. 22 (1969) 544
- 1969TO1D Tombrello, Private Communication (1969)

1969TR1E Truran and Arnett, Private Communication (1969)
 1969TU01 S.T. Tuan, L.E. Wright and M.G. Huber, Phys. Rev. Lett. 23 (1969) 174
 1969UB01 H. Uberall, Acta Phys. Aust. 30 (1969) 89
 1969UL02 N. Ullah and D.J. Rowe, Phys. Rev. 188 (1969) 1640
 1969UL03 N. Ullah and S.S.M. Wong, Phys. Rev. 188 (1969) 1645
 1969UN05 H.-J. Unger, Nucl. Phys. A139 (1969) 385
 1969VA18 W.T.H. van Oers and J.M. Cameron, Phys. Rev. 184 (1969) 1061
 1969VA1A Vartanian, Zhusupov and Eramzhian, Joint Inst. Nucl. Res., Lab. Theor. Phys., USSR, Rept. No. P4 4742 (1969)
 1969VI02 D. Vinciguerra and T. Stovall, Nucl. Phys. A132 (1969) 410
 1969VO10 U.C. Voos, W. von Oertzen and R. Bock, Nucl. Phys. A135 (1969) 207
 1969VO1D Voos et al., The Phys. and Product. of Heavy Ions, La Plagne, France (1969); Phys. Abs. 39144 (1970)
 1969VO1E Vogt, Proc. Int. Conf., Montreal (1969) 5
 1969WA11 B.A. Watson, P.O. Singh and R.E. Segel, Phys. Rev. 182 (1969) 977
 1969WA1C Warburton and Weneser, Isospin in Nucl. Phys., Ed. D.H. Wilkinson (North-Holland, 1969) 173
 1969WA1G Wahsweiler, Proc. Enrico Fermi School of Phys., Course XL. Lake Como, 1967 (Academic Press, 1969) 770
 1969WE05 H.J. Weber, Phys. Rev. Lett. 23 (1969) 178
 1969WE1H Weidenmuller, Proc. Int. Conf., Montreal (1969) 529
 1969WI1G D.H. Wilkinson, Nucl. Phys. A133 (1969) 1
 1969WU1A Wu and Wilets, Ann. Rev. Nucl. Sci. 19 (1969) 527
 1969ZU02 R.W. Zurmuhle and C.M. Fou, Nucl. Phys. A129 (1969) 502
 1970AD01 E.G. Adelberger, A.V. Nero and A.B. McDonald, Nucl. Phys. A143 (1970) 97
 1970AH02 J. Ahrens, H. Borchert, K.-H. Czock, D. Mehlig and B. Ziegler, Phys. Lett. B31 (1970) 570
 1970AJ04 F. Ajzenberg-Selove, Nucl. Phys. A152 (1970) 1
 1970AL21 D.E. Alburger and G.A.P. Engelbertink, Phys. Rev. C2 (1970) 1594
 1970AR1H Arnold and Bercaw, Bull. Amer. Phys. 15 (1970) 630
 1970AR21 A. Arima, V. Gillet and J. Ginocchio, Phys. Rev. Lett. 25 (1970) 1043
 1970AU1C Austin et al., Private Communication (1970)

- 1970BA1J Barker et al., in Nucl. Reactions induced by Heavy Ions, Heidelberg, 1969 (North-Holland, 1970) 152
- 1970BA1M Bahcall and Fowler, *Astrophys. J.* 161 (1970) 119
- 1970BA2B Baz and Manko, *Sov. J. Nucl. Phys.* 10 (1970) 46
- 1970BA2E Barrett, Hewitt and McCarthy, *Bull. Amer. Phys. Soc.* 15 (1970) 1658
- 1970BA2J Batusov et al., *Sov. J. Nucl. Phys.* 10 (1970) 204
- 1970BA33 A.R. Barnett and N.W. Tanner, *Nucl. Phys.* A152 (1970) 257
- 1970BA44 Y.A. Batusov, B.Z. Zalikhanov, V.M. Sidorov, D. Tuvdendorzh and V.A. Yarba, *Yad. Fiz.* 11 (1970) 736; *Sov. J. Nucl. Phys.* 11 (1970) 413
- 1970BA48 C. Baixeras-Aiguabella, M. Jung, C. Jacquot, L. Girardin and R. Schmitt, *Phys. Rev. C* 2 (1970) 1194
- 1970BE03 J.C. Bergstrom, W. Bertozzi, S. Kowalski, X.K. Maruyama, J.W. Lightbody, Jr., S.P. Fivozinsky and S. Penner, *Phys. Rev. Lett.* 24 (1970) 152
- 1970BE1J H.W. Bertini, *Phys. Rev. C* 1 (1970) 423
- 1970BE1Q R.L. Becker, *Phys. Rev. Lett.* 24 (1970) 400
- 1970BE1T Bernstein et al., *Bull. Amer. Phys. Soc.* 15 (1970) 1685
- 1970BE1U Becker and Patterson, *Bull. Amer. Phys. Soc.* 15 (1970) 1315
- 1970BE26 R.L. Becker, *Phys. Lett.* B32 (1970) 263
- 1970BE27 M.C. Bertin and R.E. Pixley, *Nucl. Phys.* A150 (1970) 247
- 1970BE31 K. Bethge, D.J. Pullen and R. Middleton, *Phys. Rev. C* 2 (1970) 395
- 1970BL1E Blair, in Nucl. Reactions Induced by Heavy Ions, Heidelberg, 1969 (North-Holland, 1970) 1
- 1970BO08 T.I. Bonner, *Phys. Rev. C* 1 (1970) 1699
- 1970BO09 T.I. Bonner, *Phys. Rev. C* 1 (1970) 1710
- 1970BO2A Boffi and Campagnoli, *Nuovo Cim.* A67 (1970) 584
- 1970BR02 K.A. Brueckner, M.J. Giannoni and R.J. Lombard, *Phys. Lett.* B31 (1970) 97
- 1970BR1G Bromley, in Nucl. Reactions Induced by Heavy Ions, Heidelberg, 1969 (North-Holland, 1970) 27
- 1970BR35 D.M. Brink, H. Friedrich, A. Weiguny and C.W. Wong, *Phys. Lett.* B33 (1970) 143
- 1970BU15 W. Busse, B. Efken, D. Hilscher, J.A. Scheer and W. Wenning, *Nucl. Phys.* A152 (1970) 354
- 1970CA1H F. Cannata, R. Leonardi and M.R. Clot, *Phys. Lett.* B32 (1970) 6
- 1970CA1J Cannata, *Lett. Nuovo Cim.* 4 (1970) 75
- 1970CA1N Carlson and Johnson, *Bull. Amer. Phys. Soc.* 15 (1970) 629

- 1970CH1V R.A. Chatwin, J.S. Eck, D. Robson and A. Richter, Phys. Rev. C1 (1970) 795
- 1970CH1W Charlton and Eisenberg, Bull. Amer. Phys. Soc. 15 (1970) 1684
- 1970CH25 K. Chung, M.G. Huber, B. Blum and M. Danos, Phys. Lett. B32 (1970) 536
- 1970CI1B C. Ciofi Atti and N.M. Kabachnik, Phys. Rev. C1 (1970) 809
- 1970CL1E Clarkson, Gutbrod, Brentano and Bock, Nucl. Reactions Induced by Heavy Ions, Heidelberg, 1969 (North-Holland, 1970) 110
- 1970CO09 P.M. Cockburn, W.J. Stark and R.W. Krone, Phys. Rev. C1 (1970) 1757
- 1970CO13 A.A. Cowley and G. Heymann, Nucl. Phys. A146 (1970) 465
- 1970CO1H Cohen and Kurath, Nucl. Phys. A141 (1970) 145
- 1970CO1P Corrigan, Prior and Darden, Bull. Amer. Phys. Soc. 15 (1970) 483
- 1970CO1Q Cole and Firk, Bull. Amer. Phys. Soc. 15 (1970) 481
- 1970CO26 J.R. Comfort, G.C. Morrison, B. Zeidman and H.T. Fortune, Phys. Lett. B32 (1970) 685
- 1970DA12 J. Damgaard, C.K. Scott and E. Osnes, Nucl. Phys. A154 (1970) 12
- 1970DA14 N.E. Davison, W.K. Dawson, G. Roy and W.J. McDonald, Can. J. Phys. 48 (1970) 2235
- 1970DE12 C. Detraz, H.H. Duhm and H. Hafner, Nucl. Phys. A147 (1970) 488
- 1970DE1R T. De Forest, Jr., Phys. Lett. B32 (1970) 12
- 1970DE1T Detraz, Moss, Zafiratos and Zaidins, Bull. Amer. Phys. Soc. 15 (1970) 1681
- 1970DE24 N. de Takacsy and S. Das Gupta, Nucl. Phys. A152 (1970) 657
- 1970DI1C Dickens and Perey, Nucl. Sci. Eng. 40 (1970) 283
- 1970DI1H M. Di Toro, P. Nunberg and E.J. Riihimaki, Phys. Rev. C2 (1970) 13
- 1970DO07 E.I. Dolinsky, V.V. Turovtsev and R. Yarmukhamedov, Phys. Lett. B33 (1970) 147
- 1970DO1J G. Do Dang, B. Goulard and A Laverne, Phys. Rev. C1 (1970) 1745
- 1970DR1B Drake, Hopkins, Young and Conde, Nucl. Sci. Eng. 40 (1970) 294
- 1970DU04 J.R. Duray and C.P. Browne, Phys. Rev. C1 (1970) 776
- 1970DU1E Duhm, Nucl. Reactions Induced by Heavy ions, Heidelberg, 1969 (North-Holland, 1970) 315
- 1970EC1A Eck et al., Nucl. Reactions Induced by Heavy Ions, Heidelberg, 1969 (North-Holland, 1970) 80
- 1970EI1C Eisenberg, Nucl. Phys. A148 (1970) 135
- 1970EL1E Elsaesser and Eisenberg, Nucl. Phys. A144 (1970) 441
- 1970EL1G Ellis and Engeland, Nucl. Phys. A144 (1970) 161

- 1970FE07 J.L. Ferrero, A. Garcia, F. Senent, J. Aguilar, C. Fernandez Pineda and C. Ruiz Bauza, *An. Fis.* 66 (1970) 141
- 1970FI06 I. Filosofo, E. Fuschini, C. Maroni, A. Uguzzoni and E. Verondini, *Nuovo Cim.* A66 (1970) 449
- 1970FI07 D. Fick, R. Kankowsky, K. Kilian and E. Salzbom, *Phys. Rev. Lett.* 24 (1970) 1503
- 1970FR1E J.L. Friar, *Phys. Rev.* C1 (1970) 40
- 1970GA09 A. Gallman, F. Haas, N. Balaux, B. Heusch and M. Toulemonde, *Can. J. Phys.* 48 (1970) 1595
- 1970GA1L M. Gari, *Phys. Lett.* B31 (1970) 627
- 1970GA1M Gari, *Z. Phys.* 231 (1970) 412
- 1970GE12 W.J. Gerace and D.A. Sparrow, *Nucl. Phys.* A154 (1970) 576
- 1970GI05 P. Gil, B. Frois, G. Gruber, E. Heinicke, L. Marquez, N. Paviot and J.-N. Scheurer, *Compt. Rend. Acad. Sci.* B270 (1970) 977
- 1970GI11 B. Giraud and P.U. Sauer, *Nucl. Phys.* A154 (1970) 587
- 1970GM02 M. Gmitro and M. Sotona, *Phys. Rev.* C2 (1970) 356
- 1970GO03 A. Goldmann and M. Stroetzel, *Phys. Lett.* B31 (1970) 287
- 1970GO12 B. Gottschalk and S.L. Kannenberg, *Phys. Rev.* C2 (1970) 24
- 1970GO1U Gorodkov and Nemirovskii, *Sov. J. Nucl. Phys.* 10 (1970) 158
- 1970GO26 D. Gogny, P. Pires and R. De Turreil, *Phys. Lett.* B32 (1970) 591
- 1970GR1H A.M. Green, T.K. Dahlblom, A. Kallio and M. Rho, *Phys. Lett.* B31 (1970) 189
- 1970GR1J Greiner, *Nucl. Reactions Induced by Heavy Ions*, Heidelberg, 1969 (North-Holland, 1970) 748
- 1970GU06 P. Guazzoni, I. Iori, S. Micheletti, N. Molho, M. Pignanelli and G. Tagliaferri, *Nuovo Cim.* A67 (1970) 407
- 1970GU11 I. Guiasu, M. Iosifescu, H. Scutaru and M. Cristu, *Lett. Nuovo Cim.* 3 (1970) 279
- 1970HA15 T.D. Hayward and F.H. Schmidt, *Phys. Rev.* C1 (1970) 923
- 1970HA23 J.C. Hardy, A.D. Bacher, G.R. Plattner, J.A. Macdonald and R.G. Sextro, *Phys. Rev. Lett.* 25 (1970) 298
- 1970HA42 H. Hattig, K. Hunchen and H. Waffler, *Phys. Rev. Lett.* 25 (1970) 941
- 1970HA46 P.K. Haff and J.M. Eisenberg, *Phys. Lett.* B33 (1970) 133
- 1970HE19 J.S. Hewitt, K.G. McNeill and J.W. Jury, *Nucl. Instrum. Meth.* 80 (1970) 77
- 1970HE1E Helb, Voit, Ischenko and Reichardt, *Nucl. Reactions Induced by Heavy Ions*, Heidelberg, 1969 (North-Holland, 1970) 101
- 1970HO07 A.J. Houdayer, T.Y. Li and S.K. Mark, *Can. J. Phys.* 48 (1970) 765

- 1970HO08 J.L. Honsaker, T.H. Hsu, W.J. McDonald and G.C. Neilson, Nucl. Phys. A144 (1970) 473
- 1970HO12 M.M. Holland, R.C. Minehart and S.E. Sobottka, Nucl. Phys. A147 (1970) 249
- 1970HO21 Y.S. Horowitz, D.B. McConnell, J. Ssengabi and N. Keller, Nucl. Phys. A151 (1970) 161
- 1970IV01 V.G. Ivanchenko and B.S. Ratner, Izv. Akad. Nauk SSSR Ser. Fiz. 34 (1970) 175; Bull. Acad. Sci. USSR Phys. Ser. 34 (1971) 159
- 1970JA08 D.F. Jackson and S. Murugesu, Nucl. Phys. A149 (1970) 261
- 1970JA09 R.J. Jaszczak, J.H. Gibbons and R.L. Macklin, Phys. Rev. C2 (1970) 63
- 1970JA1B Jacmart et al., Nucl. Reactions Induced by Heavy ions, Heidelberg, 1969 (North-Holland, 1970) 128
- 1970JA1Q Jacquot et al., Nucl. Reactions Induced by Heavy Ions, Heidelberg, 1969 (North-Holland, 1970) 701
- 1970JO09 D.J. Johnson and M.A. Waggoner, Phys. Rev. C2 (1970) 41
- 1970JU02 J.W. Jury, J.S. Hewitt and K.G. McNeill, Can. J. Phys. Soc. 48 (1970) 1635
- 1970JU1B M. Jung, C. Jacquot, C. Baixeras-Aiguabella, R. Schmitt and H. Braun, Phys. Rev. C1 (1970) 435
- 1970KA1J R.S. Kaushal and Y.R. Waghmare, Phys. Lett. B31 (1970) 637
- 1970KA1K Kadenskii et al., Sov. J. Nucl. Phys. 10 (1970) 422
- 1970KA20 E.I.-I. Kao and S. Fallieros, Phys. Rev. Lett. 25 (1970) 827
- 1970KA30 I. Kakkar and Y.R. Waghmare, Phys. Rev. C2 (1970) 1191
- 1970KI02 J.C. Kim, R.P. Singhal and H.S. Caplan, Can. J. Phys. 48 (1970) 83
- 1970KI1F M.W. Kirson, Phys. Lett. B32 (1970) 33
- 1970KO04 H.S. Kohler, Nucl. Phys. A144 (1970) 407
- 1970KO1Q Kossler, Funsten and MacDonald, Bull. Amer. Phys. Soc. 15 (1970) 596
- 1970KR1D S.J. Krieger, Phys. Rev. C1 (1970) 76
- 1970KU1C E. Kujawski, Phys. Rev. C1 (1970) 1651
- 1970LI18 J.W. Lightbody, Jr., Phys. Lett. B33 (1970) 129
- 1970LI1F Lin et al., Bull. Amer. Phys. Soc. 15 (1970) 529
- 1970LO1G Lo iudice and Donnelly, Bull. Amer. Phys. Soc. 15 (1970) 817
- 1970MA18 J.F. Marshall, M.E. Nordberg, Jr. and R.L. Burman, Phys. Rev. C1 (1970) 1685
- 1970MA1A Malmin, Singh and Siemssen, Bull. Amer. Phys. Soc. 15 (1970) 36
- 1970MA1C Maruyama et al., Bull. Amer. Phys. Soc. 15 (1970) 501

1970MA1J Maerker and Muckenthaler, Bull. Amer. Phys. Soc. 15 (1970) 1328
1970MA28 H.A. Mavromatis, Phys. Lett. B32 (1970) 256
1970MC1D McDonald, Uberall and Numrich, Nucl. Phys. A147 (1970) 541
1970MC1F McEver et al., Bull. Amer. Phys. Soc. 15 (1970) 653
1970MC1G McGrath et al., Bull. Amer. Phys. Soc. 15 (1970) 629
1970MC1J J.B. McGrory, Phys. Lett. B31 (1970) 339
1970MC1K R.J. McCarthy and K.T. Davies, Phys. Rev. C1 (1970) 1644
1970MC1L L.J. McDonald and H. Uberall, Phys. Rev. C1 (1970) 2156
1970ME01 R. Mendelson, J.C. Hardy and J. Cerny, Phys. Lett. B31 (1970) 126
1970ME1G Mekjian, Nucl. Phys. A146 (1970) 288
1970MO06 J.F. Morgan and R.K. Hobbie, Phys. Rev. C1 (1970) 155
1970MO18 S.A. Moszkowski, Phys. Rev. C2 (1970) 402
1970MO1A Moon et al., Bull. Amer. Phys. Soc. 15 (1970) 125
1970MO22 J.F. Morgan and D.C. Weissner, Nucl. Phys. A151 (1970) 561
1970MU1D M.G. Mustafa and F.B. Malik, Phys. Rev. C1 (1970) 753
1970MU1H Murphy and Ritter, Bull. Amer. Phys. Soc. 15 (1970) 483
1970NE09 J.W. Negele, Phys. Rev. C1 (1970) 1260
1970NE13 J. Nemeth and D. Vautherin, Phys. Lett. B32 (1970) 561
1970NE1H Nero, Pixley and Adelberger, Bull. Amer. Phys. Soc. 15 (1970) 1685
1970NO1B J.V. Noble, Phys. Rev. C1 (1970) 1900
1970OG1A Ogloblin, Proc. Int. Conf. Nucl. Reactions Induced by Heavy Ions, Heidelberg, 1969
(North-Holland, 1970) 231
1970ON1A Onishi and Sheline, Bull. Amer. Phys. Soc. 15 (1970) 527
1970ON1B Onley, Nucl. Phys. A149 (1970) 197
1970OP01 T.R. Ophel, S.D. Cloud, P. Martin and J.M. Morris, Phys. Lett. B32 (1970) 101
1970PE1A Petry, Schutte and Bleuler, Energ. Nucl. 17 (1970) 53
1970PE1C Petris, Nucl. Phys. A148 (1970) 583
1970PI1D Pizzi, Thesis, Univ. Lyon, France (1970); Phys. Abs. 59004 (1970)
1970PL1A Plett and Sobottka, Bull. Amer. Phys. Soc. 15 (1970) 597
1970PO1B Popel and Schutte, Z. Phys. 231 (1970) 48
1970PR12 K. Pruess and W. Greiner, Phys. Lett. B33 (1970) 197

- 1970PU01 F. Puhlhofer, H.G. Ritter, R. Bock, G. Brommundt, H. Schmidt and K. Bethge, Nucl. Phys. A147 (1970) 258
- 1970RA30 J. Radin, Phys. Rev. C2 (1970) 793; Erratum Phys. Rev. C4 (1971) 1010
- 1970RA32 K.S. Rao and V. Devanathan, Phys. Lett. B32 (1970) 578
- 1970SA06 H.S. Sandhu, Nucl. Phys. A146 (1970) 163
- 1970SA1B Sarkar and Chertok, Bull. Amer. Phys. Soc. 15 (1970) 500
- 1970SC1F Schmitt and Shen, Bull. Amer. Phys. Soc. 15 (1970) 520
- 1970SC1G F. Schmittroth, W. Tobocman and A.A. Golestaneh, Phys. Rev. C1 (1970) 377
- 1970SC1J G. Scharff-Goldhaber and A.S. Goldhaber, Phys. Rev. Lett. 24 (1970) 1349
- 1970SC1K W. Scheid, W. Greiner and R. Lemmer, Phys. Rev. Lett. 25 (1970) 176
- 1970SH14 R. Shanta and R.K. Satpathy, Phys. Rev. C2 (1970) 1279
- 1970SI02 R.P. Singhal, J.R. Moreira and H.S. Caplan, Phys. Rev. Lett. 24 (1970) 73
- 1970SP1C Sparrow and Gerace, Nucl. Phys. A145 (1970) 289
- 1970SP1E Spinka and Winkler, Bull. Amer. Phys. Soc. 15 (1970) 805
- 1970ST06 M. Stroetzel and A. Goldmann, Z. Phys. 233 (1970) 245
- 1970ST1D Stingl, Sauer, Faessler and Wolter, Nucl. Phys. A145 (1970) 177
- 1970ST1E Stern, Miller, Rawlins and Buss, Bull. Amer. Phys. Soc. 15 (1970) 769
- 1970ST1M Steerman and Young, Bull. Amer. Phys. Soc. 15 (1970) 529
- 1970SU1B Sukhoruchkin, Sov. J. Nucl. Phys. 10 (1970) 144
- 1970SV1A Svenne and Parikh, Bull. Amer. Phys. Soc. 15 (1970) 36
- 1970SW03 C.P. Swann, Nucl. Phys. A150 (1970) 300
- 1970TA1A Takeuchi and Moldauer, Bull. Amer. Phys. Soc. 15 (1970) 503
- 1970TA1C Taylor and Phillips, Bull. Amer. Phys. Soc. 15 (1970) 596
- 1970TE1A S.N. Tewari and G.L. Struble, Phys. Rev. C1 (1970) 1156
- 1970TO1C Tombrello, CONF-700322, USAEC (1970) p. 297
- 1970TU01 D.R. Tuerpe, W.H. Bassichis and A.K. Kerman, Nucl. Phys. A142 (1970) 49
- 1970UL1A N. Ullah, Phys. Rev. C1 (1970) 408
- 1970VA16 D. Vautherin and D.M. Brink, Phys. Lett. B32 (1970) 149
- 1970VA1A van Oers, Bull. Amer. Phys. Soc. 15 (1970) 652
- 1970VO01 A.B. Volkov, Nucl. Phys. A141 (1970) 337
- 1970VO13 U. Von Wimmersperg, G. Kernel, B.W. Allardyce, W.M. Mason and N.W. Tanner, Phys. Lett. B33 (1970) 291

1970VO1F von Oertzen et al, Nucl. Reactions Induced by Heavy Ions, Heidelberg 1969 (North-Holland,1970) p. 156

1970WA1G Walker and Stokes, LA-DC 11224 (1970)

1970WE1A Weisser, Morgan and Thompson, Bull. Amer. Phys. Soc. 15 (1970) 805

1970WE1D Westrom, Nucl. Phys. A142 (1970) 321

1970WE1F Werntz, Bull. Amer. Phys. Soc. 15 (1970) 1662

1970WI13 K.-J. Willkomm and H.V. Klapdor, Z. Phys. 236 (1970) 424

1970WI1B Williams et al., Bull. Amer. Phys. Soc. 15 (1970) 62

1970WO12 C.Y. Wong, Phys. Lett. B32 (1970) 668

1970ZA01 L. Zamick, Phys. Lett. B31 (1970) 160

1970ZI03 M.S. Zisman, E.A. McClatchie and B.G. Harvey, Phys. Rev. C2 (1970) 1271

1971NO03 J.V. Noble and H.T. Coelho, Phys. Rev. C3 (1971) 1840

1971TO08 I.S. Towner, E.K. Warburton and G.T. Garvey, Ann. Phys. (New York) 66 (1971) 674

1972AJ02 F. Ajzenberg-Selove, Nucl. Phys. A190 (1972) 1

BE69W Unknown Source

HO66C Unknown Source

JA69K Unknown Source

LE63K Unknown Source